

Mezgebu Yitayal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6801036/publications.pdf>

Version: 2024-02-01

63
papers

972
citations

471509
17
h-index

552781
26
g-index

66
all docs

66
docs citations

66
times ranked

1054
citing authors

#	ARTICLE	IF	CITATIONS
1	Receiving abortion services at nongovernmental health facilities as a significant variable for postabortion family planning utilization: a comparative cross-sectional study. <i>AJOG Global Reports</i> , 2022, 2, 100047.	1.0	1
2	Management of bacterial infections in young infants in Ethiopia: Facility preparedness, health workers' knowledge and quality of care. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2022, 111, 2178-2187.	1.5	1
3	The Effectiveness of the Capacity Building and Mentorship Program in Improving Evidence-Based Decision-making in the Amhara Region, Northwest Ethiopia: Difference-in-Differences Study. <i>JMIR Medical Informatics</i> , 2022, 10, e30518.	2.6	0
4	Quality of life and associated factors among patients with tuberculosis at the University of Gondar comprehensive specialized hospital, Ethiopia. <i>Quality of Life Research</i> , 2021, 30, 1173-1181.	3.1	6
5	Psychological wellbeing of women after surgical correction of obstetric fistula in Northwest Ethiopia: a pre-post design. <i>Women and Health</i> , 2021, 61, 199-209.	1.0	0
6	Health-Related Quality of Life and Associated Factors Among Adult Patients with Heart Failure in Wolaita Zone Governmental Hospitals, Southern Ethiopia. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 263-271.	2.5	9
7	Routine health information system utilization for evidence-based decision making in Amhara national regional state, northwest Ethiopia: a multi-level analysis. <i>BMC Medical Informatics and Decision Making</i> , 2021, 21, 28.	3.0	24
8	Low level of community readiness prevails in rural northwest Ethiopia for the promotion of institutional delivery. <i>Pan African Medical Journal</i> , 2021, 38, 281.	0.8	2
9	Health Service Utilization Among Out-of-Pocket Payers and Fee-Wavier Users in Saesie Tsaeda-Emba District, Tigray Region, Northern Ethiopia: A Comparative Cross-Sectional Study. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 695-703.	2.5	4
10	Association between a complex community intervention and quality of health extension workers' performance to correctly classify common childhood illnesses in four regions of Ethiopia. <i>PLoS ONE</i> , 2021, 16, e0247474.	2.5	7
11	Increasing smear positive tuberculosis detection using a clinical score – A stepped wedge multicenter trial from Africa. <i>International Journal of Infectious Diseases</i> , 2021, , .	3.3	3
12	Effect of Community-Based Health Insurance on Healthcare-Seeking Behavior for Childhood Illnesses Among Rural Mothers in Aneded District, East Gojjam Zone, Amhara Region, Northwest Ethiopia. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 1659-1668.	2.5	4
13	Health extension workers' perceived health system context and health post preparedness to provide services: a cross-sectional study in four Ethiopian regions. <i>BMJ Open</i> , 2021, 11, e048517.	1.9	7
14	Cost of Illness of Epilepsy and Associated Factors in Patients Attending Adult Outpatient Department of University of Gondar Referral Hospital, Northwest Ethiopia. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 2385-2394.	2.5	3
15	Individual and community-level predictors of maternal alcohol consumption during pregnancy in Gondar town, Northwest Ethiopia: a multilevel logistic regression analysis. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 419.	2.4	10
16	Institutional delivery and associated factors in rural communities of Central Gondar Zone, Northwest Ethiopia. <i>PLoS ONE</i> , 2021, 16, e0255079.	2.5	11
17	Determinants of hazardous alcohol use among pregnant women attending antenatal care at public health facilities in Gondar town, Northwest Ethiopia: A nested case-control study. <i>PLoS ONE</i> , 2021, 16, e0253162.	2.5	6
18	Mothers' Acceptance and Willingness to Pay an Out-of-Pocket Payment for Maternal and Child Nutritional Services in Northwest Ethiopia. <i>ClinicoEconomics and Outcomes Research</i> , 2021, Volume 13, 767-776.	1.9	0

#	ARTICLE	IF	CITATIONS
19	The effects of maternal alcohol consumption during pregnancy on adverse fetal outcomes among pregnant women attending antenatal care at public health facilities in Gondar town, Northwest Ethiopia: a prospective cohort study. Substance Abuse Treatment, Prevention, and Policy, 2021, 16, 64.	2.2	10
20	Patientsâ€™ preferences for antiretroviral therapy service provision: a systematic review. Cost Effectiveness and Resource Allocation, 2021, 19, 56.	1.5	3
21	Age at First Marriage and Fertility Decline in Dabat Health and Demographic Surveillance System Site, Northwest Ethiopia: Decomposition Analysis. International Journal of Women's Health, 2021, Volume 13, 1197-1206.	2.6	3
22	Does a complex intervention targeting communities, health facilities and district health managers increase the utilisation of community-based child health services? A before and after study in intervention and comparison areas of Ethiopia. BMJ Open, 2020, 10, e040868.	1.9	14
23	Determinants of the Continuum of Maternal Healthcare Services in Northwest Ethiopia: Findings from the Primary Health Care Project. Journal of Pregnancy, 2020, 2020, 1-8.	2.4	26
24	High Hidden Burden of Diabetes Mellitus among Adults Aged 18 Years and Above in Urban Northwest Ethiopia. Journal of Diabetes Research, 2020, 2020, 1-9.	2.3	15
25	Effect of intimate partner violence of women on minimum acceptable diet of children aged 6â€“23 months in Ethiopia: evidence from 2016 Ethiopian demographic and health survey. BMC Nutrition, 2020, 6, 28.	1.6	13
26	Technical Efficiency of Maternal Health Services Provision in Public Hospitals of Northwest Ethiopia: A Two-Stage Data Envelopment Analysis. Risk Management and Healthcare Policy, 2020, Volume 13, 3135-3146.	2.5	7
27	Prevalence and determinants of incomplete or not at all vaccination among children aged 12â€“36 months in Dabat and Gondar districts, northwest of Ethiopia: findings from the primary health care project. BMJ Open, 2020, 10, e041163.	1.9	8
28	<p>Health-Related Quality of Life and Associated Factors Among Adult HIV Mono-Infected and TB/HIV Co-Infected Patients in Public Health Facilities in Northeast Ethiopia: A Comparative Cross-Sectional Study<p>. Patient Preference and Adherence, 2020, Volume 14, 1873-1887.	1.8	6
29	Intentions to use maternity waiting homes and associated factors in Northwest Ethiopia. BMC Pregnancy and Childbirth, 2020, 20, 281.	2.4	16
30	Institutional delivery service utilization and associated factors in Ethiopia: a systematic review and META-analysis. BMC Pregnancy and Childbirth, 2020, 20, 364.	2.4	19
31	Status of family planning integration to HIV care in Amhara regional state, Ethiopia. BMC Pregnancy and Childbirth, 2020, 20, 145.	2.4	7
32	Health-related quality of life and associated factors among patients with diabetes mellitus at the University of Gondar referral hospital. Health and Quality of Life Outcomes, 2020, 18, 62.	2.4	39
33	Randomised comparison of two household survey modules for measuring stillbirths and neonatal deaths in five countries: the Every Newborn-INDEPTH study. The Lancet Global Health, 2020, 8, e555-e566.	6.3	37
34	Acceptance for Social Health Insurance among Health Professionals in Government Hospitals, Mekelle City, North Ethiopia. Advances in Public Health, 2020, 2020, 1-9.	1.5	9
35	Assessing the quality of care in sick child services at health facilities in Ethiopia. BMC Health Services Research, 2020, 20, 574.	2.2	14
36	Prevalence and determinants of modern contraceptive utilization among rural lactating mothers: findings from the primary health care project in two northwest Ethiopian districts. BMC Women's Health, 2020, 20, 67.	2.0	6

#	ARTICLE	IF	CITATIONS
37	Protocol for the evaluation of a complex intervention aiming at increased utilisation of primary child health services in Ethiopia: a before and after study in intervention and comparison areas. BMC Health Services Research, 2020, 20, 339.	2.2	19
38	Knowledge and practice of health extension workers on drug provision for childhood illness in west Gojjam, Amhara, Northwest Ethiopia. BMC Public Health, 2020, 20, 496.	2.9	8
39	Alcohol consumption and its associated factors among pregnant women in Sub-Saharan Africa: a systematic review and meta-analysis' as given in the submission system. Substance Abuse Treatment, Prevention, and Policy, 2020, 15, 29.	2.2	28
40	Catastrophic Out-of-Pocket Health Expenditure Among Rural Households in the Semi-Pastoral Community, Western Ethiopia: A Community-Based Cross-Sectional Study. ClinicoEconomics and Outcomes Research, 2020, Volume 12, 761-769.	1.9	10
41	<p>Economic Burden and Predictors of Cost Variability Among Adult Cancer Patients at Comprehensive Specialized Hospitals in West Amhara, Northwest Ethiopia, 2019<p>. Cancer Management and Research, 2020, Volume 12, 11793-11802.	1.9	3
42	The loss of dignity: social experience and coping of women with obstetric fistula, in Northwest Ethiopia. BMC Women's Health, 2019, 19, 84.	2.0	17
43	Health professionals&TM acceptance and willingness to pay for hepatitis B virus vaccination in Gondar City Administration governmental health institutions, Northwest Ethiopia. BMC Health Services Research, 2019, 19, 796.	2.2	12
44	Self-care practice and associated factors among patients with diabetes mellitus on follow up at University of Gondar Referral Hospital, Gondar, Northwest Ethiopia. BMC Research Notes, 2019, 12, 591.	1.4	28
45	Mothers&TM health care seeking behavior and associated factors for common childhood illnesses, Northwest Ethiopia: community based cross-sectional study. BMC Health Services Research, 2019, 19, 59.	2.2	42
46	Health professionals&TM willingness to pay and associated factors for cervical cancer screening program at College of Medicine and Health Sciences, University of Gondar, Northwest Ethiopia. PLoS ONE, 2019, 14, e0215904.	2.5	12
47	Health Extension Workers&TM diagnostic accuracy for common childhood illnesses in four regions of Ethiopia: a cross&Esectional study. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 2100-2106.	1.5	17
48	Sanitation predictors of childhood morbidities in Ethiopia: evidence from Dabat Health and Demographic Surveillance System. Environmental Health and Preventive Medicine, 2019, 24, 43.	3.4	4
49	Frequent Antenatal Care Visits Increase Institutional Delivery at Dabat Health and Demographic Surveillance System Site, Northwest Ethiopia. Journal of Pregnancy, 2019, 2019, 1-6.	2.4	19
50	â€œEvery Newborn-INDEPTH&E•(EN-INDEPTH) study protocol for a randomised comparison of household survey modules for measuring stillbirths and neonatal deaths in five Health and Demographic Surveillance sites. Journal of Global Health, 2019, 9, 010901.	2.7	31
51	The costs of traumatic head injury and associated factors at University of Gondar Specialized Referral Hospital, Northwest Ethiopia. BMC Public Health, 2019, 19, 1399.	2.9	8
52	Reducing amount and frequency of meal as a major coping strategy for food insecurity. Archives of Public Health, 2018, 76, 56.	2.4	18
53	Prevalence and determinants of contraceptive utilization among married women at Dabat Health and Demographic Surveillance System site, northwest Ethiopia. BMC Women's Health, 2018, 18, 118.	2.0	38
54	Consequences of obstetric fistula in sub Sahara African countries, from patients&TM perspective: a systematic review of qualitative studies. BMC Women's Health, 2018, 18, 106.	2.0	51

#	ARTICLE	IF	CITATIONS
55	The prevalence of non-communicable diseases in northwest Ethiopia: survey of Dabat Health and Demographic Surveillance System. BMJ Open, 2017, 7, e015496.	1.9	52
56	Correlates of early neonatal feeding practice in Dabat HDSS site, northwest Ethiopia. International Breastfeeding Journal, 2017, 12, 25.	2.6	25
57	Mothers' education and ANC visit improved exclusive breastfeeding in Dabat Health and Demographic Surveillance System Site, northwest Ethiopia. PLoS ONE, 2017, 12, e0179056.	2.5	38
58	Prevalence of disability and associated factors in Dabat Health and Demographic Surveillance System site, northwest Ethiopia. BMC Public Health, 2017, 17, 762.	2.9	14
59	Rural households at risk of malaria did not own sufficient insecticide treated nets at Dabat HDSS site: evidence from a cross sectional re-census. BMC Public Health, 2017, 17, 888.	2.9	3
60	Tuberculosis and HIV are the leading causes of adult death in northwest Ethiopia: evidence from verbal autopsy data of Dabat health and demographic surveillance system, 2007–2013. Population Health Metrics, 2017, 15, 27.	2.7	13
61	The community-based Health Extension Program significantly improved contraceptive utilization in West Gojjam Zone, Ethiopia. Journal of Multidisciplinary Healthcare, 2014, 7, 201.	2.7	16
62	Health extension program factors, frequency of household visits and being model households, improved utilization of basic health services in Ethiopia. BMC Health Services Research, 2014, 14, 156.	2.2	40
63	Demand for long acting and permanent methods of contraceptives and factors for non-use among married women of Goba Town, Bale Zone, South East Ethiopia. Reproductive Health, 2012, 9, 26.	3.1	55