

Wen Tong Chong

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6802000/wen-tong-chong-publications-by-year.pdf>
Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

169 papers	6,499 citations	44 h-index	76 g-index
187 ext. papers	7,648 ext. citations	5.7 avg, IF	6.21 L-index

#	Paper	IF	Citations
169	Particulate Matter (PM _{2.5} and PM ₁₀) Concentration of Subway Transfer Stations in Beijing, China. <i>Sustainability</i> , 2022 , 14, 1552	3.6	
168	Effect of nanowire conductive transfer on the performance of batch-microbial fuel cells. <i>International Journal of Energy Research</i> , 2022 , 46, 6919-6928	4.5	0
167	Biodiesel sustainability: The global impact of potential biodiesel production on the energy-water-food (EWf) nexus. <i>Environmental Technology and Innovation</i> , 2021 , 22, 101408	7	13
166	Pareto-hierarchical clustering framework for biodiesel transesterification. <i>Sustainable Energy Technologies and Assessments</i> , 2021 , 45, 101160	4.7	
165	Influence of filter media depth and vegetation on Faecal Coliform removal by stormwater biofilters. <i>Water and Environment Journal</i> , 2021 , 35, 181-189	1.7	0
164	Evaluation of common indoor air pollutant reduction by a botanical indoor air biofilter system. <i>Indoor and Built Environment</i> , 2021 , 30, 7-21	1.8	7
163	Recent progress in research on PM in subways. <i>Environmental Sciences: Processes and Impacts</i> , 2021 , 23, 642-663	4.3	2
162	Analysis of the Polypropylene-Based Aluminium-Air Battery. <i>Frontiers in Energy Research</i> , 2021 , 9,	3.8	1
161	Systematic study on the relationship between particulate matter and microbial counts in hospital operating rooms. <i>Environmental Science and Pollution Research</i> , 2021 , 1	5.1	4
160	Dynamic behaviours of damaged stability for floating energy storage unit after accidental collision. <i>IOP Conference Series: Earth and Environmental Science</i> , 2020 , 463, 012110	0.3	
159	Suppression of hydrodynamic sloshing in liquefied natural gas tank with floating baffle: Experimental and numerical studies. <i>IOP Conference Series: Earth and Environmental Science</i> , 2020 , 463, 012111	0.3	2
158	Feasibility study of polypropylene-based aluminium-air battery. <i>IOP Conference Series: Earth and Environmental Science</i> , 2020 , 463, 012155	0.3	
157	Hybrid Pitch Angle Controller Approaches for Stable Wind Turbine Power under Variable Wind Speed. <i>Energies</i> , 2020 , 13, 3622	3.1	5
156	A review on development of offshore wind energy conversion system. <i>International Journal of Energy Research</i> , 2020 , 44, 9283-9297	4.5	20
155	Editorial for the special issue on Sustainable Energy and Green Technologies (SEGT 2018). <i>International Journal of Energy Research</i> , 2020 , 44, 9244-9245	4.5	1
154	Flow shear stress applied in self-buffered microbial fuel cells. <i>Process Biochemistry</i> , 2020 , 99, 324-330	4.8	4
153	A Lookup Table Model Predictive Direct Torque Control of Permanent-Magnet Synchronous Generator Based on Vienna Rectifier. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2020 , 8, 1208-1222	5.6	10

152	The Performance and Exhaust Emissions of a Diesel Engine Fuelled with Calophyllum inophyllumBalm Biodiesel. <i>Processes</i> , 2019 , 7, 597	2.9	14
151	Numerical modeling of hybrid supercapacitor battery energy storage system for electric vehicles. <i>Energy Procedia</i> , 2019 , 158, 2750-2755	2.3	9
150	Biodiesel process intensification through catalytic enhancement and emerging reactor designs: A critical review. <i>Renewable and Sustainable Energy Reviews</i> , 2019 , 116, 109399	16.2	38
149	Performance analysis of the deflector integrated cross axis wind turbine. <i>Renewable Energy</i> , 2019 , 138, 675-690	8.1	13
148	Human behaviour-dependent and variable-flow-reversible mechanical ventilation system design in an underground parking facility. <i>Indoor and Built Environment</i> , 2019 , 28, 1324-1340	1.8	3
147	Preliminary TechnoEnvironmentEconomic Evaluation of an Innovative Hybrid Renewable Energy Harvester System for Residential Application. <i>Energies</i> , 2019 , 12, 1496	3.1	4
146	Static balance duct design method and temperature dependent variable air volume systems. <i>Building Services Engineering Research and Technology</i> , 2019 , 40, 698-713	2.3	
145	Effectiveness of Nature-Inspired Algorithms using ANFIS for Blade Design Optimization and Wind Turbine Efficiency. <i>Symmetry</i> , 2019 , 11, 456	2.7	8
144	Stress intensity factors for embedded cracks within torsionally loaded square prismatic bars. <i>Advances in Mechanical Engineering</i> , 2019 , 11, 168781401982808	1.2	
143	A Comparative Study of Activation Functions of NAR and NARX Neural Network for Long-Term Wind Speed Forecasting in Malaysia. <i>Mathematical Problems in Engineering</i> , 2019 , 2019, 1-14	1.1	23
142	The effects of unsteady wind on the performances of a newly developed cross-axis wind turbine: A wind tunnel study. <i>Renewable Energy</i> , 2019 , 131, 644-659	8.1	12
141	Smart Semi-active PID-ACO control strategy for tower vibration reduction in Wind Turbines with MR damper. <i>Earthquake Engineering and Engineering Vibration</i> , 2019 , 18, 887-902	2	3
140	Friction and wear characteristics of rice bran oil based biodiesel using calcium oxide catalyst derived from Chicoreus Brunneus shell. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2019 , 1-9	1.6	2
139	Application of interface material and effects of oxygen gradient on the performance of single-chamber sediment microbial fuel cells (SSMFCs). <i>Journal of Environmental Sciences</i> , 2019 , 75, 163-168	6.4	11
138	Wind Turbine Tower Modeling and Vibration Control Under Different Types of Loads Using Ant Colony Optimized PID Controller. <i>Arabian Journal for Science and Engineering</i> , 2019 , 44, 707-720	2.5	15
137	Performance analysis of a cross-axis wind turbine from wind tunnel experiments. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2018 , 174, 312-329	3.7	10
136	Novel bufferless photosynthetic microbial fuel cell (PMFCs) for enhanced electrochemical performance. <i>Bioresource Technology</i> , 2018 , 255, 83-87	11	27
135	Experimental and simulation investigation into the effects of a flat plate deflector on vertical axis wind turbine. <i>Energy Conversion and Management</i> , 2018 , 160, 109-125	10.6	38

134	Novel thermal management system using mist cooling for lithium-ion battery packs. <i>Applied Energy</i> , 2018 , 223, 146-158	10.7	112
133	A review on the engine performance and exhaust emission characteristics of diesel engines fueled with biodiesel blends. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 15307-15325	5.1	92
132	Preliminary Assessment of Optimized Accessorial Roof Shape for Performance of Wind Turbine Mounted on Eco-Roof System. <i>International Journal of Precision Engineering and Manufacturing - Green Technology</i> , 2018 , 5, 375-385	3.8	5
131	Preliminary Performance Tests and Simulation of a V-Shape Roof Guide Vane Mounted on an Eco-Roof System. <i>Energies</i> , 2018 , 11, 2846	3.1	3
130	Implementation of surface modified carbon cloth electrodes with biochar particles in microbial fuel cells. <i>International Journal of Green Energy</i> , 2018 , 15, 789-794	3	16
129	3D CFD simulation and parametric study of a flat plate deflector for vertical axis wind turbine. <i>Renewable Energy</i> , 2018 , 129, 32-55	8.1	37
128	The intelligent forecasting of the performances in PV/T collectors based on soft computing method. <i>Renewable and Sustainable Energy Reviews</i> , 2017 , 72, 1366-1378	16.2	20
127	Advanced nanomaterials in oil and gas industry: Design, application and challenges. <i>Applied Energy</i> , 2017 , 191, 287-310	10.7	137
126	Performance enhancements on vertical axis wind turbines using flow augmentation systems: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2017 , 73, 904-921	16.2	81
125	Dynamic power response of microbial fuel cells under external electrical exciting. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 22208-22213	6.7	4
124	Identification of optimum Calophyllum inophyllum bio-fuel blend in diesel engine using advanced vibration analysis technique. <i>Renewable Energy</i> , 2017 , 109, 295-304	8.1	22
123	Computational fluid dynamics simulation on open cell aluminium foams for Li-ion battery cooling system. <i>Applied Energy</i> , 2017 , 204, 1489-1499	10.7	58
122	Structural dynamics effect on voltage generation from dual coupled cantilever based piezoelectric vibration energy harvester system. <i>Measurement: Journal of the International Measurement Confederation</i> , 2017 , 107, 41-52	4.6	15
121	An empirical analysis on photovoltaic thermal system with fin design by forced air circulation. <i>Journal of Mechanical Science and Technology</i> , 2017 , 31, 2549-2557	1.6	5
120	Design and Early Development of a Novel Cross Axis Wind Turbine. <i>Energy Procedia</i> , 2017 , 105, 668-674	2.3	2
119	Numerical Analyses on Aluminum Foams Cooling Plate for Lithium-ion Batteries. <i>Energy Procedia</i> , 2017 , 105, 4751-4756	2.3	6
118	A biomimetic wind turbine inspired by <i>Dryobalanops aromatica</i> seed: Numerical prediction of rigid rotor blade performance with OpenFOAM®. <i>Computers and Fluids</i> , 2017 , 159, 295-315	2.8	8
117	Double multiple stream tube analysis of non-uniform wind stream of exhaust air energy recovery turbine generator. <i>International Journal of Precision Engineering and Manufacturing - Green Technology</i> , 2017 , 4, 401-407	3.8	3

116	Energy Harvesting Based on a Novel Piezoelectric 0.7PbZn0.3Ti0.7O3-0.3Na2TiO3 Nanogenerator. <i>Energies</i> , 2017 , 10, 646	3.1	4
115	Enhancement of Energy Harvesting Performance by a Coupled Bluff Splitter Body and PVEH Plate through Vortex Induced Vibration near Resonance. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 921	2.6	6
114	Similitude study of an in-service industrial piping system under high flow induced vibration. <i>Journal of Mechanical Science and Technology</i> , 2017 , 31, 3705-3713	1.6	5
113	The Design, Simulation and Testing of V-shape Roof Guide Vane Integrated with an Eco-roof System. <i>Energy Procedia</i> , 2017 , 105, 750-763	2.3	4
112	Using Xanthan 80 (SF) on Enhancing the Performance of Solid Microbial Fuel Cell. <i>Energy Procedia</i> , 2017 , 105, 1160-1165	2.3	2
111	Exposing effect of comb-type cathode electrode on the performance of sediment microbial fuel cells. <i>Applied Energy</i> , 2017 , 204, 620-625	10.7	31
110	Cross axis wind turbine: Pushing the limit of wind turbine technology with complementary design. <i>Applied Energy</i> , 2017 , 207, 78-95	10.7	44
109	Effect of Oxygen Gradient on the Organic Degradation and Power Performance of Single Sediment Microbial Fuel Cells. <i>Energy Procedia</i> , 2017 , 105, 654-661	2.3	2
108	Cross-Axis-Wind-Turbine: A Complementary Design to Push the Limit of Wind Turbine Technology. <i>Energy Procedia</i> , 2017 , 105, 973-979	2.3	7
107	On the economic feasibility of the first, second and third generations biodiesel feedstock 2017 ,		1
106	Feasibility study of mist cooling for lithium-ion battery. <i>Energy Procedia</i> , 2017 , 142, 2592-2597	2.3	3
105	Design and Testing of a Novel Building Integrated Cross Axis Wind Turbine. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 251	2.6	4
104	Life Cycle Cost and Sensitivity Analysis of Reutealis trisperma as Non-Edible Feedstock for Future Biodiesel Production. <i>Energies</i> , 2017 , 10, 877	3.1	18
103	Research progress on iron oxide-based magnetic materials: Synthesis techniques and photocatalytic applications. <i>Ceramics International</i> , 2016 , 42, 9-34	5.1	125
102	Synthesis, characteristics and sonocatalytic activities of calcined Fe_2O_3 and TiO_2 nanotubes/ Fe_2O_3 magnetic catalysts in the degradation of Orange G. <i>Ultrasonics Sonochemistry</i> , 2016 , 29, 317-27	8.9	30
101	Surface roughness prediction by extreme learning machine constructed with abrasive water jet. <i>Precision Engineering</i> , 2016 , 43, 86-92	2.9	46
100	Second generation bioethanol production: A critical review. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 66, 631-653	16.2	373
99	An experimental investigation on performance analysis of air type photovoltaic thermal collector system integrated with cooling fins design. <i>Energy and Buildings</i> , 2016 , 130, 272-285	7	91

98	Investigation of potential hybrid renewable energy at various rural areas in Malaysia. <i>Journal of Cleaner Production</i> , 2016 , 139, 61-73	10.3	53
97	Techno-economic and environmental assessment of bioethanol production from high starch and root yield Sri Kanji 1 cassava in Malaysia. <i>Energy Reports</i> , 2016 , 2, 246-253	4.6	11
96	The development and testing of a novel cross axis wind turbine 2016 ,		2
95	Computational fluid dynamic and thermal analysis of Lithium-ion battery pack with air cooling. <i>Applied Energy</i> , 2016 , 177, 783-792	10.7	234
94	Performance assessment of a hybrid solar-wind-rain eco-roof system for buildings. <i>Energy and Buildings</i> , 2016 , 127, 1028-1042	7	20
93	Rheology and Temperature Dependency Study of Saraline-Based Super Lightweight Completion Fluid 2016 ,		1
92	Formation and Phase Behavior of Winsor Type III Jatropha curcas-Based Microemulsion Systems. <i>Journal of Surfactants and Detergents</i> , 2016 , 19, 701-712	1.9	13
91	Enzymatic transesterification for biodiesel production: a comprehensive review. <i>RSC Advances</i> , 2016 , 6, 60034-60055	3.7	108
90	Microalgae biofuels as an alternative to fossil fuel for power generation. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 58, 180-197	16.2	345
89	Application of support vector machine for prediction of electrical and thermal performance in PV/T system. <i>Energy and Buildings</i> , 2016 , 111, 267-277	7	30
88	Performance analysis of an off-grid wind-PV (photovoltaic)-diesel-battery hybrid energy system feasible for remote areas. <i>Journal of Cleaner Production</i> , 2016 , 125, 121-132	10.3	145
87	Application of adaptive neuro-fuzzy methodology for performance investigation of a power-augmented vertical axis wind turbine. <i>Energy</i> , 2016 , 102, 630-636	7.9	10
86	Novel investigation of the different Omni-direction-guide-vane angles effects on the urban vertical axis wind turbine output power via three-dimensional numerical simulation. <i>Energy Conversion and Management</i> , 2016 , 117, 206-217	10.6	43
85	Influence of introducing various meteorological parameters to the Angström-Prescott model for estimation of global solar radiation. <i>Environmental Earth Sciences</i> , 2016 , 75, 1	2.9	8
84	Second generation bioethanol potential from selected Malaysia's biodiversity biomasses: A review. <i>Waste Management</i> , 2016 , 47, 46-61	8.6	89
83	Feasibility Study and Structural Analysis of Cellulose Isolated from Rice Husk: Microwave Irradiation, Optimization, and Treatment Process Scheme. <i>BioResources</i> , 2016 , 11,	1.3	5
82	Fabrication of Silver Nanoparticles Supported on Rice Straw: In Vitro Antibacterial Activity and its Heterogeneous Catalysis in the Degradation of 4-Nitrophenol. <i>BioResources</i> , 2016 , 11,	1.3	4
81	Investigation of the Optimal Omni-Direction-Guide-Vane Design for Vertical Axis Wind Turbines Based on Unsteady Flow CFD Simulation. <i>Energies</i> , 2016 , 9, 146	3.1	14

80	A Comparative Computational Fluid Dynamics Study on an Innovative Exhaust Air Energy Recovery Wind Turbine Generator. <i>Energies</i> , 2016 , 9, 346	3.1	2
79	Multi-effects of gravity and geometric flow channel on the performance of continuous microbial fuel cells. <i>International Journal of Green Energy</i> , 2016 , 13, 1483-1489	3	5
78	Viscosity prediction model optimization for Saraline-based super lightweight completion fluid at high pressure and temperature. <i>Petroleum Exploration and Development</i> , 2016 , 43, 863-868	4.5	0
77	Resource assessment of the renewable energy potential for a remote area: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 62, 908-923	16.2	54
76	Sensitivity analysis of heat transfer rate for smart roof design by adaptive neuro-fuzzy technique. <i>Energy and Buildings</i> , 2016 , 124, 112-119	7	6
75	Computational and experimental optimization of the exhaust air energy recovery wind turbine generator. <i>Energy Conversion and Management</i> , 2016 , 126, 862-874	10.6	19
74	Density and Viscosity Prediction of Super Lightweight Completion Fluid SLWCF at Reservoir Conditions 2016 ,		1
73	Effects of organosolv pretreatment and acid hydrolysis on palm empty fruit bunch (PEFB) as bioethanol feedstock. <i>Biomass and Bioenergy</i> , 2016 , 95, 78-83	5.3	24
72	Effects of chaotic acclimation applied on performance of microbial fuel cells. <i>International Journal of Green Energy</i> , 2016 , 13, 1501-1506	3	3
71	Feasibility analysis of a hybrid off-grid windDG-battery energy system for the eco-tourism remote areas. <i>Clean Technologies and Environmental Policy</i> , 2015 , 17, 2417-2430	4.3	48
70	Intelligent forecasting of residential heating demand for the District Heating System based on the monthly overall natural gas consumption. <i>Energy and Buildings</i> , 2015 , 104, 208-214	7	30
69	Performance enhancement of wind turbine systems with vibration control: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2015 , 51, 43-54	16.2	63
68	Urban Eco-Greenenergyhybrid wind-solar photovoltaic energy system and its applications. <i>International Journal of Precision Engineering and Manufacturing</i> , 2015 , 16, 1263-1268	1.7	7
67	Interaction studies between high-density oil and sand particles in oil flotation technology. <i>Journal of Petroleum Science and Engineering</i> , 2015 , 131, 114-121	4.4	15
66	Pangium edule Reinw: A Promising Non-edible Oil Feedstock for Biodiesel Production. <i>Arabian Journal for Science and Engineering</i> , 2015 , 40, 583-594		35
65	Prediction of Saraline-based super lightweight completion fluid densities at elevated pressures and temperatures. <i>Journal of Petroleum Science and Engineering</i> , 2015 , 135, 645-651	4.4	
64	Appraisal of the support vector machine to forecast residential heating demand for the District Heating System based on the monthly overall natural gas consumption. <i>Energy</i> , 2015 , 93, 1558-1567	7.9	38
63	Prediction of the solar radiation on the Earth using support vector regression technique. <i>Infrared Physics and Technology</i> , 2015 , 68, 179-185	2.7	46

62	Transport and retention of engineered Al ₂ O ₃ , TiO ₂ , and SiO ₂ nanoparticles through various sedimentary rocks. <i>Scientific Reports</i> , 2015 , 5, 14264	4.9	45
61	Performance Analysis of Solar-Wind-Diesel-Battery Hybrid Energy System for KLIA Sepang Station of Malaysia. <i>IOP Conference Series: Materials Science and Engineering</i> , 2015 , 88, 012074	0.4	8
60	Estimating surface hardening profile of blank for obtaining high drawing ratio in deep drawing process using FE analysis. <i>IOP Conference Series: Materials Science and Engineering</i> , 2015 , 103, 012047	0.4	1
59	Design and Experimental Analysis of an Exhaust Air Energy Recovery Wind Turbine Generator. <i>Energies</i> , 2015 , 8, 6566-6584	3.1	10
58	Advances and challenges in grid tied photovoltaic systems. <i>Renewable and Sustainable Energy Reviews</i> , 2015 , 49, 121-131	16.2	40
57	Forming box-shaped ends in circular tubes. <i>International Journal of Precision Engineering and Manufacturing</i> , 2015 , 16, 1975-1981	1.7	6
56	Experimental study of the protuberance effect on the blade performance of a small horizontal axis wind turbine. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2015 , 147, 202-211	3.7	43
55	A new hybrid support vector machine-wavelet transform approach for estimation of horizontal global solar radiation. <i>Energy Conversion and Management</i> , 2015 , 92, 162-171	10.6	179
54	Potential of adaptive neuro-fuzzy system for prediction of daily global solar radiation by day of the year. <i>Energy Conversion and Management</i> , 2015 , 93, 406-413	10.6	81
53	Design of an exhaust air energy recovery wind turbine generator for energy conservation in commercial buildings. <i>Renewable Energy</i> , 2014 , 67, 252-256	8.1	13
52	Effect of Croton megalocarpus, Calophyllum inophyllum, Moringa oleifera, palm and coconut biodiesel-diesel blending on their physico-chemical properties. <i>Industrial Crops and Products</i> , 2014 , 60, 130-137	5.9	45
51	The experimental study on the wind turbine's guide-vanes and diffuser of an exhaust air energy recovery system integrated with the cooling tower. <i>Energy Conversion and Management</i> , 2014 , 87, 145-155	10.6	25
50	A review on potential enzymatic reaction for biofuel production from algae. <i>Renewable and Sustainable Energy Reviews</i> , 2014 , 39, 24-34	16.2	61
49	Integration of reactive extraction with supercritical fluids for process intensification of biodiesel production: Prospects and recent advances. <i>Progress in Energy and Combustion Science</i> , 2014 , 45, 54-78	33.6	39
48	Engine performance and emissions using Jatropha curcas, Ceiba pentandra and Calophyllum inophyllum biodiesel in a CI diesel engine. <i>Energy</i> , 2014 , 69, 427-445	7.9	213
47	Optimization of biodiesel production and engine performance from high free fatty acid Calophyllum inophyllum oil in CI diesel engine. <i>Energy Conversion and Management</i> , 2014 , 81, 30-40	10.6	218
46	A critical review on the recent progress of synthesizing techniques and fabrication of TiO ₂ -based nanotubes photocatalysts. <i>Applied Catalysis A: General</i> , 2014 , 481, 127-142	5.1	138
45	Failure analysis of flow-induced vibration problem of in-serviced duplex stainless steel piping system in oil and gas industry. <i>Materials Research Innovations</i> , 2014 , 18, S6-417-S6-422	1.9	1

44	Cost-benefit analysis and emission reduction of energy efficient lighting at the Universiti Tenaga Nasional. <i>Scientific World Journal, The</i> , 2014 , 2014, 745894	2.2	17
43	Design Optimisation of Shroud-augmented Dual-rotor Exhaust Air Energy Recovery Wind Turbine Generator Using Hybrid Non-destructive Evaluation Approach. <i>Energy Procedia</i> , 2014 , 61, 1266-1269	2.3	
42	Experimental Investigation on the Moving-Air Path in Roof Models with Thermal Performances Evaluation. <i>Advanced Materials Research</i> , 2014 , 935, 88-91	0.5	
41	The Design and Flow Simulation of a Power-augmented Shroud for Urban Wind Turbine System. <i>Energy Procedia</i> , 2014 , 61, 1275-1278	2.3	13
40	Performance Evaluation of a Wind Power-Augmented Device on an Onsite Exhaust Air Energy Recovery Wind Turbine. <i>Advanced Materials Research</i> , 2014 , 935, 126-129	0.5	
39	System Integration of the Horizontal-Axis Wind Turbine: The Design of Turbine Blades with an Axial-Flux Permanent Magnet Generator. <i>Energies</i> , 2014 , 7, 7773-7793	3.1	17
38	Importance of Selecting a Suitable Analysis Frequency Range in Impact Force Identification for Automobile Test Rig. <i>Applied Mechanics and Materials</i> , 2014 , 663, 88-92	0.3	
37	Investigation of Biodiesel Production from Cerbera Manghas Biofuel Sources. <i>Energy Procedia</i> , 2014 , 61, 436-439	2.3	12
36	Biodiesel Conversion from High FFA Crude Jatropha Curcas, Calophyllum Inophyllum and Ceiba Pentandra Oil. <i>Energy Procedia</i> , 2014 , 61, 480-483	2.3	48
35	Identification of material properties of orthotropic composite plate using hybrid non-destructive evaluation approach. <i>Materials Research Innovations</i> , 2014 , 18, S6-423-S6-428	1.9	5
34	Computational Fluid Dynamics Simulation of the Effect of Guide-vane Angles on the Performance of the Exhaust Air Energy Recovery Turbine Generator. <i>Energy Procedia</i> , 2014 , 61, 1286-1289	2.3	2
33	Impact force identification with pseudo-inverse method on a lightweight structure for under-determined, even-determined and over-determined cases. <i>International Journal of Impact Engineering</i> , 2014 , 63, 52-62	4	41
32	Impact Force Identification using the Modal Transformation Method in Collocated and Non-Collocated Cases. <i>Journal of Mechanical Engineering and Sciences</i> , 2014 , 6, 968-974	2	2
31	Early development of an energy recovery wind turbine generator for exhaust air system. <i>Applied Energy</i> , 2013 , 112, 568-575	10.7	23
30	Exhaust air energy recovery system for electrical power generation in future green cities. <i>International Journal of Precision Engineering and Manufacturing</i> , 2013 , 14, 1029-1035	1.7	8
29	A comparative evaluation of physical and chemical properties of biodiesel synthesized from edible and non-edible oils and study on the effect of biodiesel blending. <i>Energy</i> , 2013 , 58, 296-304	7.9	131
28	Fuel Properties of Croton megalocarpus, Calophyllum inophyllum, and Cocos nucifera (coconut) Methyl Esters and their Performance in a Multicylinder Diesel Engine. <i>Energy Technology</i> , 2013 , 1, 685-694	3.5	25
27	A global comparative review of biodiesel production from jatropha curcas using different homogeneous acid and alkaline catalysts: Study of physical and chemical properties. <i>Renewable and Sustainable Energy Reviews</i> , 2013 , 24, 514-533	16.2	63

26	Production and comparative fuel properties of biodiesel from non-edible oils: <i>Jatropha curcas</i> , <i>Sterculia foetida</i> and <i>Ceiba pentandra</i> . <i>Energy Conversion and Management</i> , 2013 , 73, 245-255	10.6	227
25	Performance investigation of a power augmented vertical axis wind turbine for urban high-rise application. <i>Renewable Energy</i> , 2013 , 51, 388-397	8.1	66
24	Investigation of physical and chemical properties of potential edible and non-edible feedstocks for biodiesel production, a comparative analysis. <i>Renewable and Sustainable Energy Reviews</i> , 2013 , 21, 749-755	16.2	98
23	Integration of thermal insulation coating and moving-air-cavity in a cool roof system for attic temperature reduction. <i>Energy Conversion and Management</i> , 2013 , 75, 241-248	10.6	49
22	Performance Investigation and Optimization of a Vertical Axis Wind Turbine with the Omni-Direction-Guide-Vane. <i>Procedia Engineering</i> , 2013 , 67, 59-69		14
21	Experimental study on performance and exhaust emissions of a diesel engine fuelled with <i>Ceiba pentandra</i> biodiesel blends. <i>Energy Conversion and Management</i> , 2013 , 76, 828-836	10.6	120
20	Numerical analysis of the effect of vortex control mechanism on longitudinal aerodynamics of lifting body. <i>Aerospace Science and Technology</i> , 2013 , 30, 232-238	4.9	3
19	Overview properties of biodiesel diesel blends from edible and non-edible feedstock. <i>Renewable and Sustainable Energy Reviews</i> , 2013 , 22, 346-360	16.2	230
18	The design, simulation and testing of an urban vertical axis wind turbine with the omni-direction-guide-vane. <i>Applied Energy</i> , 2013 , 112, 601-609	10.7	98
17	End formation of a round tube into a square section having small corner radii. <i>Journal of Materials Processing Technology</i> , 2013 , 213, 1465-1474	5.3	12
16	Characterization and production of <i>Ceiba pentandra</i> biodiesel and its blends. <i>Fuel</i> , 2013 , 108, 855-858	7.1	76
15	Production of biodiesel from <i>Sterculia foetida</i> and its process optimization. <i>Fuel</i> , 2013 , 111, 478-484	7.1	53
14	The Performance Test of Three Different Horizontal Axis Wind Turbine (HAWT) Blade Shapes Using Experimental and Numerical Methods. <i>Energies</i> , 2013 , 6, 2784-2803	3.1	49
13	The Physical and Magnetic Properties of Electrodeposited Co-Fe Nanocoating with Different Deposition Times. <i>Journal of Nanomaterials</i> , 2013 , 2013, 1-6	3.2	7
12	Impact Force Identification by Using Modal Transformation Method for Automobile Test Rig. <i>Applied Mechanics and Materials</i> , 2013 , 471, 102-106	0.3	1
11	Early development of an innovative building integrated wind, solar and rain water harvester for urban high rise application. <i>Energy and Buildings</i> , 2012 , 47, 201-207	7	55
10	Synthesis and Characterization of Nanocrystalline Pure Cobalt Coating: Effect of pH. <i>Procedia Engineering</i> , 2012 , 41, 1627-1633		18
9	Vertical axis wind turbine with omni-directional-guide-vane for urban high-rise buildings. <i>Journal of Central South University</i> , 2012 , 19, 727-732	2.1	19

8	Effect of Time Depositions on Electrodeposited Cobalt-Iron Nanocoating. <i>Advanced Materials Research</i> , 2012 , 576, 565-568	0.5	5
7	Techno-economic analysis of a wind-solar hybrid renewable energy system with rainwater collection feature for urban high-rise application. <i>Applied Energy</i> , 2011 , 88, 4067-4077	10.7	139
6	Fuel consumption and emission prediction by Iranian power plants until 2025. <i>Renewable and Sustainable Energy Reviews</i> , 2011 , 15, 1575-1592	16.2	41
5	Innovative Power-Augmentation-Guide-Vane Design of Wind-Solar Hybrid Renewable Energy Harvester for Urban High Rise Application 2010 ,		8
4	A review on the pattern of electricity generation and emission in Iran from 1967 to 2008. <i>Renewable and Sustainable Energy Reviews</i> , 2010 , 14, 1814-1829	16.2	41
3	Load-displacement behavior of glass fiber/epoxy composite plates with circular cut-outs subjected to compressive load. <i>Materials & Design</i> , 2010 , 31, 466-474		22
2	The basics and issues of Thermochromic Liquid Crystal Calibrations. <i>Experimental Thermal and Fluid Science</i> , 2010 , 34, 1089-1121	3	65
1	A study of production and characterization of Manketti (<i>Ricinodendron rautonemii</i>) methyl ester and its blends as a potential biodiesel feedstock. <i>Biofuel Research Journal</i> , 139-146	13.9	25