

Gil Bohrer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6802459/gil-bohrer-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

155
papers

8,900
citations

49
h-index

91
g-index

187
ext. papers

11,000
ext. citations

7
avg, IF

5.82
L-index

#	Paper	IF	Citations
155	Water level changes in Lake Erie drive 21st century CO and CH fluxes from a coastal temperate wetland.. <i>Science of the Total Environment</i> , 2022 , 153087	10.2	0
154	Impacts of forest loss on local climate across the conterminous United States: Evidence from satellite time-series observations. <i>Science of the Total Environment</i> , 2022 , 802, 149651	10.2	4
153	Tree hydrodynamic modelling of the soil-plant-atmosphere continuum using FETCH3. <i>Geoscientific Model Development</i> , 2022 , 15, 2619-2634	6.3	0
152	Biological Earth observation with animal sensors.. <i>Trends in Ecology and Evolution</i> , 2022 , 37, 293-298	10.9	3
151	The Movebank system for studying global animal movement and demography. <i>Methods in Ecology and Evolution</i> , 2022 , 13, 419-431	7.7	5
150	Classification of Wetland Vegetation Based on NDVI Time Series from the HLS Dataset. <i>Remote Sensing</i> , 2022 , 14, 2107	5	2
149	Disturbance has variable effects on the structural complexity of a temperate forest landscape. <i>Ecological Indicators</i> , 2022 , 140, 109004	5.8	1
148	A multidimensional stability framework enhances interpretation and comparison of carbon cycling response to disturbance. <i>Ecosphere</i> , 2021 , 12, e03800	3.1	1
147	Coupling plant litter quantity to a novel metric for litter quality explains C storage changes in a thawing permafrost peatland. <i>Global Change Biology</i> , 2021 ,	11.4	2
146	Substantial hysteresis in emergent temperature sensitivity of global wetland CH emissions. <i>Nature Communications</i> , 2021 , 12, 2266	17.4	10
145	Warming homogenizes apparent temperature sensitivity of ecosystem respiration. <i>Science Advances</i> , 2021 , 7,	14.3	6
144	Root lateral interactions drive water uptake patterns under water limitation. <i>Advances in Water Resources</i> , 2021 , 151, 103896	4.7	5
143	Representativeness of Eddy-Covariance flux footprints for areas surrounding AmeriFlux sites. <i>Agricultural and Forest Meteorology</i> , 2021 , 301-302, 108350	5.8	43
142	Identifying dominant environmental predictors of freshwater wetland methane fluxes across diurnal to seasonal time scales. <i>Global Change Biology</i> , 2021 , 27, 3582-3604	11.4	11
141	Ebullition dominates methane fluxes from the water surface across different ecohydrological patches in a temperate freshwater marsh at the end of the growing season. <i>Science of the Total Environment</i> , 2021 , 767, 144498	10.2	5
140	Global transpiration data from sap flow measurements: the SAPFLUXNET database. <i>Earth System Science Data</i> , 2021 , 13, 2607-2649	10.5	13
139	FLUXNET-CH₄: a global, multi-ecosystem dataset and analysis of methane seasonality from freshwater wetlands. <i>Earth System Science Data</i> , 2021 , 13, 3607-3689	10.5	23

138	Disturbance-accelerated succession increases the production of a temperate forest. <i>Ecological Applications</i> , 2021 , 31, e02417	4.9	3
137	Microclimatic Effects of a Forest-to-Peatland Transition on Aerodynamic Resistance to Water Vapour Transfer in the Sub-humid Boreal Plains. <i>Boundary-Layer Meteorology</i> , 2021 , 178, 301-322	3.4	1
136	Once Upon a Time, in AmeriFlux. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2021 , 126, e2020JG0061482	9.6	1482
135	Effects of spatial heterogeneity of leaf density and crown spacing of canopy patches on dry deposition rates. <i>Agricultural and Forest Meteorology</i> , 2021 , 306, 108440	5.8	1
134	The interplay of wind and uplift facilitates over-water flight in facultative soaring birds. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021 , 288, 20211603	4.4	3
133	Gap-filling eddy covariance methane fluxes: Comparison of machine learning model predictions and uncertainties at FLUXNET-CH4 wetlands. <i>Agricultural and Forest Meteorology</i> , 2021 , 308-309, 108528	5.8	5
132	Seasonality in aerodynamic resistance across a range of North American ecosystems. <i>Agricultural and Forest Meteorology</i> , 2021 , 310, 108613	5.8	3
131	Estimating the movements of terrestrial animal populations using broad-scale occurrence data.. <i>Movement Ecology</i> , 2021 , 9, 60	4.6	0
130	Forest Drought Response Index (ForDRI): A New Combined Model to Monitor Forest Drought in the Eastern United States. <i>Remote Sensing</i> , 2020 , 12, 3605	5	0
129	Ecological insights from three decades of animal movement tracking across a changing Arctic. <i>Science</i> , 2020 , 370, 712-715	33.3	35
128	Plant-mediated methane transport in emergent and floating-leaved species of a temperate freshwater mineral-soil wetland. <i>Limnology and Oceanography</i> , 2020 , 65, 1635-1650	4.8	12
127	Methane and nitrous oxide porewater concentrations and surface fluxes of a regulated river. <i>Science of the Total Environment</i> , 2020 , 715, 136920	10.2	5
126	Quantifying CH4 concentration spikes above baseline and attributing CH4 sources to hydraulic fracturing activities by continuous monitoring at an off-site tower. <i>Atmospheric Environment</i> , 2020 , 228, 117452	5.3	2
125	ECOSTRESS: NASAQ Next Generation Mission to Measure Evapotranspiration From the International Space Station. <i>Water Resources Research</i> , 2020 , 56, e2019WR026058	5.4	98
124	The handbook for standardized field and laboratory measurements in terrestrial climate change experiments and observational studies (ClimEx). <i>Methods in Ecology and Evolution</i> , 2020 , 11, 22-37	7.7	35
123	Connecting air quality regulating ecosystem services with beneficiaries through quantitative serviceshed analysis. <i>Ecosystem Services</i> , 2020 , 41, 101057	6.1	13
122	The FLUXNET2015 dataset and the ONEFlux processing pipeline for eddy covariance data. <i>Scientific Data</i> , 2020 , 7, 225	8.2	256
121	Synergistic use of SMAP and OCO-2 data in assessing the responses of ecosystem productivity to the 2018 U.S. drought. <i>Remote Sensing of Environment</i> , 2020 , 251, 112062	13.2	11

120	The ratio of methanogens to methanotrophs and water-level dynamics drive methane transfer velocity in a temperate kettle-hole peat bog. <i>Biogeosciences</i> , 2019 , 16, 3207-3231	4.6	11
119	Relationships Between Methane and Carbon Dioxide Fluxes in a Temperate Cattail-Dominated Freshwater Wetland. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2019 , 124, 2076-2089	3.7	4
118	FLUXNET-CH ₄ Synthesis Activity: Objectives, Observations, and Future Directions. <i>Bulletin of the American Meteorological Society</i> , 2019 , 100, 2607-2632	6.1	77
117	Uncovering the Diversity and Activity of Methylophilic Methanogens in Freshwater Wetland Soils. <i>MSystems</i> , 2019 , 4,	7.6	12
116	Hydrodynamic trait coordination and cost-benefit trade-offs throughout the isohydric-anisohydric continuum in trees. <i>Ecohydrology</i> , 2019 , 12, e2041	2.5	12
115	Integrating snow science and wildlife ecology in Arctic-boreal North America. <i>Environmental Research Letters</i> , 2019 , 14, 010401	6.2	36
114	Carbon sequestration and methane emissions along a microtopographic gradient in a tropical Andean peatland. <i>Science of the Total Environment</i> , 2019 , 654, 651-661	10.2	3
113	Towards an Integrated Science of Movement: Converging Research on Animal Movement Ecology and Human Mobility Science. <i>International Journal of Geographical Information Science</i> , 2019 , 33, 855-876	4.1	31
112	Forest structure in space and time: Biotic and abiotic determinants of canopy complexity and their effects on net primary productivity. <i>Agricultural and Forest Meteorology</i> , 2018 , 250-251, 181-191	5.8	44
111	Carbon dioxide emissions from an oligotrophic temperate lake: An eddy covariance approach. <i>Ecological Engineering</i> , 2018 , 114, 25-33	3.9	9
110	Determining total emissions and environmental drivers of methane flux in a Lake Erie estuarine marsh. <i>Ecological Engineering</i> , 2018 , 114, 7-15	3.9	32
109	Quantifying vegetation and canopy structural complexity from terrestrial LiDAR data using the <code>forestr</code> package. <i>Methods in Ecology and Evolution</i> , 2018 , 9, 2057-2066	7.7	47
108	Boreal tree hydrodynamics: asynchronous, diverging, yet complementary. <i>Tree Physiology</i> , 2018 , 38, 953-964	4.4	31
107	Temporal Dynamics of Aerodynamic Canopy Height Derived From Eddy Covariance Momentum Flux Data Across North American Flux Networks. <i>Geophysical Research Letters</i> , 2018 , 45, 9275-9287	4.9	21
106	Combining eddy-covariance and chamber measurements to determine the methane budget from a small, heterogeneous urban floodplain wetland park. <i>Agricultural and Forest Meteorology</i> , 2017 , 237-238, 160-170	5.8	35
105	Land surface phenology derived from normalized difference vegetation index (NDVI) at global FLUXNET sites. <i>Agricultural and Forest Meteorology</i> , 2017 , 233, 171-182	5.8	100
104	A Numerical Case Study of the Implications of Secondary Circulations to the Interpretation of Eddy-Covariance Measurements Over Small Lakes. <i>Boundary-Layer Meteorology</i> , 2017 , 165, 311-332	3.4	18
103	Trait-based representation of hydrological functional properties of plants in weather and ecosystem models. <i>Plant Diversity</i> , 2017 , 39, 1-12	2.9	40

102	Evaluating the effect of alternative carbon allocation schemes in a land surface model (CLM4.5) on carbon fluxes, pools, and turnover in temperate forests. <i>Geoscientific Model Development</i> , 2017 , 10, 3499-3517 ²⁰	6.3	20
101	Methanogenesis in oxygenated soils is a substantial fraction of wetland methane emissions. <i>Nature Communications</i> , 2017 , 8, 1567	17.4	109
100	Contrasting strategies of hydraulic control in two codominant temperate tree species. <i>Ecohydrology</i> , 2017 , 10, e1815	2.5	76
99	Evaporation and CO ₂ fluxes in a coastal reef: an eddy covariance approach. <i>Ecosystem Health and Sustainability</i> , 2017 , 3, 1392830	3.7	6
98	The Calibration and Use of Capacitance Sensors to Monitor Stem Water Content in Trees. <i>Journal of Visualized Experiments</i> , 2017 ,	1.6	3
97	A Novel Diffuse Fraction-Based Two-Leaf Light Use Efficiency Model: An Application Quantifying Photosynthetic Seasonality across 20 AmeriFlux Flux Tower Sites. <i>Journal of Advances in Modeling Earth Systems</i> , 2017 , 9, 2317-2332	7.1	17
96	Track Annotation: Determining the Environmental Context of Movement Through the Air 2017 , 71-86		2
95	Coupling Fine-Scale Root and Canopy Structure Using Ground-Based Remote Sensing. <i>Remote Sensing</i> , 2017 , 9, 182	5	8
94	Tree level hydrodynamic approach for resolving aboveground water storage and stomatal conductance and modeling the effects of tree hydraulic strategy. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2016 , 121, 1792-1813	3.7	64
93	Contribution of lianas to plant area index and canopy structure in a Panamanian forest. <i>Ecology</i> , 2016 , 97, 3271-3277	4.6	34
92	Using satellite-derived optical thickness to assess the influence of clouds on terrestrial carbon uptake. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2016 , 121, 1747-1761	3.7	13
91	Multidimensional differentiation in foraging resource use during breeding of two sympatric top predators. <i>Scientific Reports</i> , 2016 , 6, 35031	4.9	17
90	Wind estimation based on thermal soaring of birds. <i>Ecology and Evolution</i> , 2016 , 6, 8706-8718	2.8	19
89	Using High-Resolution GPS Tracking Data of Bird Flight for Meteorological Observations. <i>Bulletin of the American Meteorological Society</i> , 2016 , 97, 951-961	6.1	29
88	Behavioural adaptations to flight into thin air. <i>Biology Letters</i> , 2016 , 12,	3.6	17
87	Short-term favorable weather conditions are an important control of interannual variability in carbon and water fluxes. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2016 , 121, 2186-2198	3.7	42
86	The increasing importance of atmospheric demand for ecosystem water and carbon fluxes. <i>Nature Climate Change</i> , 2016 , 6, 1023-1027	21.4	419
85	Fat, weather, and date affect migratory songbirds' departure decisions, routes, and time it takes to cross the Gulf of Mexico. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E6331-8	11.5	109

84	The match and mismatch between photosynthesis and land surface phenology of deciduous forests. <i>Agricultural and Forest Meteorology</i> , 2015 , 214-215, 25-38	5.8	56
83	Variations in the influence of diffuse light on gross primary productivity in temperate ecosystems. <i>Agricultural and Forest Meteorology</i> , 2015 , 201, 98-110	5.8	84
82	Improved global simulations of gross primary product based on a new definition of water stress factor and a separate treatment of C3 and C4 plants. <i>Ecological Modelling</i> , 2015 , 297, 42-59	3	37
81	Modeling forest carbon cycle response to tree mortality: Effects of plant functional type and disturbance intensity. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2015 , 120, 2178-2193	3.7	7
80	Moderate forest disturbance as a stringent test for gap and big-leaf models. <i>Biogeosciences</i> , 2015 , 12, 513-526	4.6	14
79	Observations of stem water storage in trees of opposing hydraulic strategies. <i>Ecosphere</i> , 2015 , 6, art1653.1		57
78	Forest-atmosphere BVOC exchange in diverse and structurally complex canopies: 1-D modeling of a mid-successional forest in northern Michigan. <i>Atmospheric Environment</i> , 2015 , 120, 217-226	5.3	13
77	Large-eddy simulations of surface roughness parameter sensitivity to canopy-structure characteristics. <i>Biogeosciences</i> , 2015 , 12, 2533-2548	4.6	28
76	Greenness indices from digital cameras predict the timing and seasonal dynamics of canopy-scale photosynthesis 2015 , 25, 99-115		100
75	Modeling of particulate matter dispersion from a poultry facility using AERMOD. <i>Journal of the Air and Waste Management Association</i> , 2015 , 65, 206-17	2.4	18
74	Optimizing Wind Power Generation while Minimizing Wildlife Impacts in an Urban Area 2015 , 177-196		
73	Elephant movement closely tracks precipitation-driven vegetation dynamics in a Kenyan forest-savanna landscape. <i>Movement Ecology</i> , 2014 , 2, 2	4.6	63
72	The seasonal and diurnal dynamics of methane flux at a created urban wetland. <i>Ecological Engineering</i> , 2014 , 72, 74-83	3.9	48
71	Environmental drivers of variability in the movement ecology of turkey vultures (<i>Cathartes aura</i>) in North and South America. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2014 , 369, 20130195	5.8	94
70	Estimating landscape net ecosystem exchange at high spatial-temporal resolution based on Landsat data, an improved upscaling model framework, and eddy covariance flux measurements. <i>Remote Sensing of Environment</i> , 2014 , 141, 90-104	13.2	44
69	Resolving the Effects of Aperture and Volume Restriction of the Flow by Semi-Porous Barriers Using Large-Eddy Simulations. <i>Boundary-Layer Meteorology</i> , 2014 , 152, 329-348	3.4	12
68	Effects of fine-scale soil moisture and canopy heterogeneity on energy and water fluxes in a northern temperate mixed forest. <i>Agricultural and Forest Meteorology</i> , 2014 , 184, 243-256	5.8	22
67	Net carbon uptake has increased through warming-induced changes in temperate forest phenology. <i>Nature Climate Change</i> , 2014 , 4, 598-604	21.4	442

66	Characterizing the diurnal patterns of errors in the prediction of evapotranspiration by several land-surface models: An NACP analysis. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014 , 119, 1458-1473	3.7	55
65	Carbon dioxide fluxes of an urban tidal marsh in the Hudson-Raritan estuary. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014 , 119, 2065-2081	3.7	29
64	Environmental drivers of methane fluxes from an urban temperate wetland park. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014 , 119, 2188-2208	3.7	41
63	Species-specific transpiration responses to intermediate disturbance in a northern hardwood forest. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014 , 119, 2292-2311	3.7	59
62	Remote sensing of annual terrestrial gross primary productivity from MODIS: an assessment using the FLUXNET La Thuile data set. <i>Biogeosciences</i> , 2014 , 11, 2185-2200	4.6	49
61	How fragmentation and corridors affect wind dynamics and seed dispersal in open habitats. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 3484-9	11.5	92
60	Keenan et al. reply. <i>Nature</i> , 2014 , 507, E2-3	50.4	4
59	Variations in potential CH ₄ flux and CO ₂ respiration from freshwater wetland sediments that differ by microsite location, depth and temperature. <i>Ecological Engineering</i> , 2014 , 72, 84-94	3.9	15
58	Increase in forest water-use efficiency as atmospheric carbon dioxide concentrations rise. <i>Nature</i> , 2013 , 499, 324-7	50.4	719
57	The environmental-data automated track annotation (Env-DATA) system: linking animal tracks with environmental data. <i>Movement Ecology</i> , 2013 , 1, 3	4.6	180
56	Flying with the wind: scale dependency of speed and direction measurements in modelling wind support in avian flight. <i>Movement Ecology</i> , 2013 , 1, 4	4.6	72
55	Maintaining high rates of carbon storage in old forests: A mechanism linking canopy structure to forest function. <i>Forest Ecology and Management</i> , 2013 , 298, 111-119	3.9	112
54	Canopy-structure effects on surface roughness parameters: Observations in a Great Lakes mixed-deciduous forest. <i>Agricultural and Forest Meteorology</i> , 2013 , 177, 24-34	5.8	39
53	The timing of abscission affects dispersal distance in a wind-dispersed tropical tree. <i>Functional Ecology</i> , 2013 , 27, 208-218	5.6	28
52	Joint evolution of seed traits along an aridity gradient: seed size and dormancy are not two substitutable evolutionary traits in temporally heterogeneous environment. <i>New Phytologist</i> , 2013 , 197, 655-667	9.8	51
51	Use of change-point detection for friction-velocity threshold evaluation in eddy-covariance studies. <i>Agricultural and Forest Meteorology</i> , 2013 , 171-172, 31-45	5.8	102
50	Temporal dynamics of soil moisture in a northern temperate mixed successional forest after a prescribed intermediate disturbance. <i>Agricultural and Forest Meteorology</i> , 2013 , 180, 22-33	5.8	34
49	Interannual variability of net ecosystem productivity in forests is explained by carbon flux phenology in autumn. <i>Global Ecology and Biogeography</i> , 2013 , 22, 994-1006	6.1	106

48	Multivariate Conditional Granger Causality Analysis for Lagged Response of Soil Respiration in a Temperate Forest. <i>Entropy</i> , 2013 , 15, 4266-4284	2.8	14
47	Research and development supporting risk-based wildfire effects prediction for fuels and fire management: status and needs. <i>International Journal of Wildland Fire</i> , 2013 , 22, 37	3.2	34
46	Sustained carbon uptake and storage following moderate disturbance in a Great Lakes forest 2013 , 23, 1202-15		114
45	In search of greener pastures: Using satellite images to predict the effects of environmental change on zebra migration. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2013 , 118, 1427-1437	3.7	60
44	Canopy Structural Changes Following Widespread Mortality of Canopy Dominant Trees. <i>Forests</i> , 2013 , 4, 537-552	2.8	34
43	Contrasting Hydraulic Strategies during Dry Soil Conditions in <i>Quercus rubra</i> and <i>Acer rubrum</i> in a Sandy Site in Michigan. <i>Forests</i> , 2013 , 4, 1106-1120	2.8	55
42	Optimizing wind power generation while minimizing wildlife impacts in an urban area. <i>PLoS ONE</i> , 2013 , 8, e56036	3.7	8
41	FireStem2D—a two-dimensional heat transfer model for simulating tree stem injury in fires. <i>PLoS ONE</i> , 2013 , 8, e70110	3.7	17
40	Long-distance gene flow and adaptation of forest trees to rapid climate change. <i>Ecology Letters</i> , 2012 , 15, 378-92	10	401
39	Global estimation of evapotranspiration using a leaf area index-based surface energy and water balance model. <i>Remote Sensing of Environment</i> , 2012 , 124, 581-595	13.2	100
38	Interannual and spatial impacts of phenological transitions, growing season length, and spring and autumn temperatures on carbon sequestration: A North America flux data synthesis. <i>Global and Planetary Change</i> , 2012 , 92-93, 179-190	4.2	54
37	Moderating Argos location errors in animal tracking data. <i>Methods in Ecology and Evolution</i> , 2012 , 3, 999-1007	10.7	189
36	State-dependent errors in a land surface model across biomes inferred from eddy covariance observations on multiple timescales. <i>Ecological Modelling</i> , 2012 , 246, 11-25	3	16
35	On the choice of the driving temperature for eddy-covariance carbon dioxide flux partitioning. <i>Biogeosciences</i> , 2012 , 9, 5243-5259	4.6	35
34	Estimating updraft velocity components over large spatial scales: contrasting migration strategies of golden eagles and turkey vultures. <i>Ecology Letters</i> , 2012 , 15, 96-103	10	131
33	Terrestrial biosphere models need better representation of vegetation phenology: results from the North American Carbon Program Site Synthesis. <i>Global Change Biology</i> , 2012 , 18, 566-584	11.4	481
32	Estimating plot-level tree structure in a deciduous forest by combining allometric equations, spatial wavelet analysis and airborne LiDAR. <i>Remote Sensing Letters</i> , 2012 , 3, 443-451	2.3	18
31	Redefinition and global estimation of basal ecosystem respiration rate. <i>Global Biogeochemical Cycles</i> , 2011 , 25, n/a-n/a	5.9	33

30	Disturbance and the resilience of coupled carbon and nitrogen cycling in a north temperate forest. <i>Journal of Geophysical Research</i> , 2011 , 116,		92
29	The role of canopy structural complexity in wood net primary production of a maturing northern deciduous forest. <i>Ecology</i> , 2011 , 92, 1818-27	4.6	161
28	A comparison of multiple phenology data sources for estimating seasonal transitions in deciduous forest carbon exchange. <i>Agricultural and Forest Meteorology</i> , 2011 , 151, 1741-1752	5.8	123
27	Migration path annotation: cross-continental study of migration-flight response to environmental conditions 2011 , 21, 2258-68		39
26	Seasonal hysteresis of net ecosystem exchange in response to temperature change: patterns and causes. <i>Global Change Biology</i> , 2011 , 17, 3102-3114	11.4	49
25	Mechanistic models of seed dispersal by wind. <i>Theoretical Ecology</i> , 2011 , 4, 113-132	1.6	130
24	Observed increase in local cooling effect of deforestation at higher latitudes. <i>Nature</i> , 2011 , 479, 384-7	50.4	403
23	A model of gas mixing into single-entrance tree cavities during wildland fires. <i>Canadian Journal of Forest Research</i> , 2011 , 41, 1659-1670	1.9	6
22	Determining the viability response of pine pollen to atmospheric conditions during long-distance dispersal 2009 , 19, 656-67		28
21	Exploring the Effects of Microscale Structural Heterogeneity of Forest Canopies Using Large-Eddy Simulations. <i>Boundary-Layer Meteorology</i> , 2009 , 132, 351-382	3.4	87
20	Effects of canopy heterogeneity, seed abscission and inertia on wind-driven dispersal kernels of tree seeds. <i>Journal of Ecology</i> , 2008 , 96, 569-580	6	108
19	Understanding strategies for seed dispersal by wind under contrasting atmospheric conditions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 19084-9	11.5	84
18	Movement ecology of migration in turkey vultures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 19102-7	11.5	127
17	Intergenic and genic sequence lengths have opposite relationships with respect to gene expression. <i>PLoS ONE</i> , 2008 , 3, e3670	3.7	18
16	VR Visualisation as an Interdisciplinary Collaborative Data Exploration Tool for Large Eddy Simulations of Biosphere-Atmosphere Interactions. <i>Lecture Notes in Computer Science</i> , 2008 , 856-866	0.9	2
15	Effects of hydraulic architecture and spatial variation in light on mean stomatal conductance of tree branches and crowns. <i>Plant, Cell and Environment</i> , 2007 , 30, 483-96	8.4	37
14	A virtual canopy generator (V-CaGe) for modelling complex heterogeneous forest canopies at high resolution. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2007 , 59, 566-576	3.3	17
13	Sensitivity of Ice Storms in the Southeastern United States to Atlantic SST Insights from a Case Study of the December 2002 Storm. <i>Monthly Weather Review</i> , 2006 , 134, 1454-1464	2.4	8

12	Experimental measurements of fluence distribution in a UV reactor using fluorescent microspheres. <i>Environmental Science & Technology</i> , 2005 , 39, 8925-30	10.3	24
11	Finite element tree crown hydrodynamics model (FETCH) using porous media flow within branching elements: A new representation of tree hydrodynamics. <i>Water Resources Research</i> , 2005 , 41,	5.4	110
10	Regional Consequences of Local Population Demography and Genetics in Relation to Habitat Management in <i>Gentiana pneumonanthe</i> . <i>Conservation Biology</i> , 2005 , 19, 357-367	6	37
9	Effects of long-distance dispersal for metapopulation survival and genetic structure at ecological time and spatial scales. <i>Journal of Ecology</i> , 2005 , 93, 1029-1040	6	101
8	Long-distance biological transport processes through the air: can nature's complexity be unfolded in silico?. <i>Diversity and Distributions</i> , 2005 , 11, 131-137	5	86
7	The relationship between redox potential and nitrification under different sequences of crop rotations. <i>Soil and Tillage Research</i> , 2004 , 77, 25-33	6.5	37
6	Effects of different Kalahari-desert VA mycorrhizal communities on mineral acquisition and depletion from the soil by host plants. <i>Journal of Arid Environments</i> , 2003 , 55, 193-208	2.5	22
5	The effectiveness of various rabies spatial vaccination patterns in a simulated host population with clumped distribution. <i>Ecological Modelling</i> , 2002 , 152, 205-211	3	10
4	Effects of environmental variables on vesicular-arbuscular mycorrhizal abundance in wild populations of <i>Vangueria infausta</i> . <i>Journal of Vegetation Science</i> , 2001 , 12, 279-288	3.1	18
3	Global transpiration data from sap flow measurements: the SAPFLUXNET database		6
2	Microclimatic Effects of a Perched Peatland Forest Gap. <i>Boundary-Layer Meteorology</i> , 1	3.4	1
1	FLUXNET-CH4: A global, multi-ecosystem dataset and analysis of methane seasonality from freshwater wetlands		3