Gregg Rokosh

List of Publications by Citations

Source: https://exaly.com/author-pdf/6804497/gregg-rokosh-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,138 41 39 24 h-index g-index citations papers 8.4 41 2,449 4.43 avg, IF L-index ext. papers ext. citations

#	Paper	IF	Citations
39	Intracoronary administration of cardiac progenitor cells alleviates left ventricular dysfunction in rats with a 30-day-old infarction. <i>Circulation</i> , 2010 , 121, 293-305	16.7	304
38	Stromal cell derived factor-1 alpha confers protection against myocardial ischemia/reperfusion injury: role of the cardiac stromal cell derived factor-1 alpha CXCR4 axis. <i>Circulation</i> , 2007 , 116, 654-63	16.7	263
37	Activated T Lymphocytes are Essential Drivers of Pathological Remodeling in Ischemic Heart Failure. <i>Circulation: Heart Failure</i> , 2017 , 10, e003688	7.6	124
36	Role of the protein kinase C-epsilon-Raf-1-MEK-1/2-p44/42 MAPK signaling cascade in the activation of signal transducers and activators of transcription 1 and 3 and induction of cyclooxygenase-2 after ischemic preconditioning. <i>Circulation</i> , 2005 , 112, 1971-8	16.7	118
35	Long-Term Outcome of Administration of c-kit(POS) Cardiac Progenitor Cells After Acute Myocardial Infarction: Transplanted Cells Do not Become Cardiomyocytes, but Structural and Functional Improvement and Proliferation of Endogenous Cells Persist for at Least One Year.	15.7	112
34	CCR2 Monocyte-Derived Infiltrating Macrophages Are Required for Adverse Cardiac Remodeling During Pressure Overload. <i>JACC Basic To Translational Science</i> , 2018 , 3, 230-244	8.7	106
33	Cardiac myocyte-specific expression of inducible nitric oxide synthase protects against ischemia/reperfusion injury by preventing mitochondrial permeability transition. <i>Circulation</i> , 2008 , 118, 1970-8	16.7	101
32	Dysfunctional and Proinflammatory Regulatory T-Lymphocytes Are Essential for Adverse Cardiac Remodeling in Ischemic Cardiomyopathy. <i>Circulation</i> , 2019 , 139, 206-221	16.7	95
31	Elevating CXCR7 Improves Angiogenic Function of EPCs via Akt/GSK-3//Fyn-Mediated Nrf2 Activation in Diabetic Limb Ischemia. <i>Circulation Research</i> , 2017 , 120, e7-e23	15.7	87
30	The heme oxygenase 1 inducer (CoPP) protects human cardiac stem cells against apoptosis through activation of the extracellular signal-regulated kinase (ERK)/NRF2 signaling pathway and cytokine release. <i>Journal of Biological Chemistry</i> , 2012 , 287, 33720-32	5.4	84
29	A murine model of inducible, cardiac-specific deletion of STAT3: its use to determine the role of STAT3 in the upregulation of cardioprotective proteins by ischemic preconditioning. <i>Journal of Molecular and Cellular Cardiology</i> , 2011 , 50, 589-97	5.8	73
28	Endothelial nitric oxide synthase plays an obligatory role in the late phase of ischemic preconditioning by activating the protein kinase C epsilon p44/42 mitogen-activated protein kinase pSer-signal transducers and activators of transcription1/3 pathway. <i>Circulation</i> , 2007 , 116, 535-44	16.7	70
27	Chronic AMD3100 antagonism of SDF-1alpha-CXCR4 exacerbates cardiac dysfunction and remodeling after myocardial infarction. <i>Journal of Molecular and Cellular Cardiology</i> , 2010 , 49, 587-97	5.8	63
26	The late phase of preconditioning and its natural clinical application-gene therapy. <i>Heart Failure Reviews</i> , 2007 , 12, 189-99	5	57
25	Two-dimensional echocardiography with a 15-MHz transducer is a promising alternative for in vivo measurement of left ventricular mass in mice. <i>Journal of the American Society of Echocardiography</i> , 1999 , 12, 70-5	5.8	54
24	Hepatocyte growth factor/Met gene transfer in cardiac stem cellspotential for cardiac repair. <i>Basic Research in Cardiology</i> , 2010 , 105, 443-52	11.8	49
23	Leukocyte iNOS is required for inflammation and pathological remodeling in ischemic heart failure. <i>Basic Research in Cardiology</i> , 2017 , 112, 19	11.8	46

(2013-2015)

22	Identification of heme oxygenase 1 (HO-1) as a novel negative regulator of mobilization of hematopoietic stem/progenitor cells. <i>Stem Cell Reviews and Reports</i> , 2015 , 11, 110-8	6.4	43
21	Inhibition of mammalian target of rapamycin protects against reperfusion injury in diabetic heart through STAT3 signaling. <i>Basic Research in Cardiology</i> , 2015 , 110, 31	11.8	38
20	Cardiomyocyte-restricted overexpression of extracellular superoxide dismutase increases nitric oxide bioavailability and reduces infarct size after ischemia/reperfusion. <i>Basic Research in Cardiology</i> , 2012 , 107, 305	11.8	36
19	Evidence for the involvement of sphingosine-1-phosphate in the homing and engraftment of hematopoietic stem cells to bone marrow. <i>Oncotarget</i> , 2015 , 6, 18819-28	3.3	34
18	Effects of Intracoronary Infusion of Escalating Doses of Cardiac Stem Cells in Rats With Acute Myocardial Infarction. <i>Circulation: Heart Failure</i> , 2015 , 8, 757-65	7.6	30
17	Complement component 3 is necessary to preserve myocardium and myocardial function in chronic myocardial infarction. <i>Stem Cells</i> , 2014 , 32, 2502-15	5.8	26
16	The COX-2/PGI2 receptor axis plays an obligatory role in mediating the cardioprotection conferred by the late phase of ischemic preconditioning. <i>PLoS ONE</i> , 2012 , 7, e41178	3.7	26
15	Co-activation of nuclear factor- B and myocardin/serum response factor conveys the hypertrophy signal of high insulin levels in cardiac myoblasts. <i>Journal of Biological Chemistry</i> , 2014 , 289, 19585-98	5.4	19
14	Feasibility study of particulate extracellular matrix (P-ECM) and left ventricular assist device (HVAD) therapy in chronic ischemic heart failure bovine model. <i>ASAIO Journal</i> , 2015 , 61, 161-9	3.6	16
13	Stromal cell derived factor-1[promotes C-Kit+ cardiac stem/progenitor cell quiescence through casein kinase 1[and GSK3[]Stem Cells, 2014 , 32, 487-99	5.8	11
12	Sema6D acts downstream of bone morphogenetic protein signalling to promote atrioventricular cushion development in mice. <i>Cardiovascular Research</i> , 2016 , 112, 532-542	9.9	11
11	Inducible cardiac-specific overexpression of cyclooxygenase-2 (COX-2) confers resistance to ischemia/reperfusion injury. <i>Basic Research in Cardiology</i> , 2019 , 114, 32	11.8	9
10	Targeting phosphatidylinositol 3-kinase-Akt through hepatocyte growth factor for cardioprotection. <i>Journal of Cardiovascular Medicine</i> , 2013 , 14, 249-53	1.9	9
9	Insights into gene therapy for critical limb ischemia: the devil is in the details. <i>Vascular Pharmacology</i> , 2012 , 57, 10-4	5.9	7
8	Long-term engraftment and angiogenic properties of lentivirally transduced adipose tissue-derived stromal cells. <i>Molecular Biotechnology</i> , 2013 , 54, 13-24	3	6
7	Optimized protocols for isolation, fixation, and flow cytometric characterization of leukocytes in ischemic hearts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019 , 317, H658-H66	6 ^{5.2}	5
6	Heme Egr-1: new partners in atherosclerotic progression?. Circulation Research, 2008, 102, 6-8	15.7	3
5	Cardiac myocyte-specific transgenic ecSOD targets mitochondria to protect against Ca(2+) induced permeability transition. <i>Frontiers in Physiology</i> , 2013 , 4, 295	4.6	2

4	Oxidative stress contributes to the cigarette smoke extract induced adverse functional effects of rat cardiac stem cells. <i>FASEB Journal</i> , 2012 , 26, 1137.13	0.9	1
3	Response by Bansal et al to Letter Regarding Article, "Dysfunctional and Proinflammatory Regulatory T-Lymphocytes Are Essential for Adverse Cardiac Remodeling in Ischemic Cardiomyopathy". <i>Circulation</i> , 2019 , 139, e1035-e1036	16.7	O
2	An obligatory role of STAT1 in the upregulation of cardioprotective proteins and delayed cardioprotection in ischemic preconditioning. <i>FASEB Journal</i> , 2007 , 21, A1376	0.9	
1	Effects of cigarette smoke extracts on cardiac stem cell Paracellular and Trans-cellular permeability. <i>FASEB Journal</i> , 2012 , 26, 862.8	0.9	