

Thomas E Wittum

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6805384/thomas-e-wittum-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

4,253
citations

34
h-index

60
g-index

155
ext. papers

5,015
ext. citations

2.6
avg, IF

5.2
L-index

#	Paper	IF	Citations
150	The Impact of Overstocking and Negative Energy Balance on Quantitative Measurement of Non-typhoidal in Periparturient Dairy Cattle.. <i>Frontiers in Veterinary Science</i> , 2022 , 9, 779900	3.1	0
149	Salmonella detection in commercially prepared livestock feed and the raw ingredients and equipment used to manufacture the feed: A systematic review and meta-analysis. <i>Preventive Veterinary Medicine</i> , 2021 , 198, 105546	3.1	4
148	Temporal Trends in Antimicrobial Resistance of Fecal Escherichia coli from Deer. <i>EcoHealth</i> , 2021 , 18, 288-296	3.1	1
147	Prevalence and Antimicrobial Susceptibility of Serovars Isolated from U.S. Retail Ground Pork. <i>Foodborne Pathogens and Disease</i> , 2021 , 18, 219-227	3.8	8
146	Investigation of spatio-temporal clusters of positive leptospirosis polymerase chain reaction test results in dogs in the United States, 2009 to 2016. <i>Journal of Veterinary Internal Medicine</i> , 2021 , 35, 1355-1360	3.1	2
145	Prevalence of extended-spectrum cephalosporin-, carbapenem-, and fluoroquinolone-resistant members of the family Enterobacteriaceae isolated from the feces of horses and hospital surfaces at two equine specialty hospitals. <i>Journal of the American Veterinary Medical Association</i> , 2021 , 258, 758-766	1	0
144	Antimicrobial resistant bacteria recovered from retail ground meat products in the US include a Raoultella ornithinolytica co-harboring bla and bla. <i>Scientific Reports</i> , 2021 , 11, 14041	4.9	3
143	AmpC- and Extended-Spectrum β -Lactamase-Producing Enterobacteriaceae Detected in Fresh Produce in Central Ohio. <i>Journal of Food Protection</i> , 2021 , 84, 920-925	2.5	0
142	Implementation of an antimicrobial stewardship program in a veterinary medical teaching institution. <i>Journal of the American Veterinary Medical Association</i> , 2021 , 258, 170-178	1	2
141	Suspect screening of pharmaceuticals in fish livers based on QuEChERS extraction coupled with high resolution mass spectrometry. <i>Science of the Total Environment</i> , 2021 , 783, 146902	10.2	3
140	Multimodal Integration of Active Learning in the Veterinary Classroom. <i>Journal of Veterinary Medical Education</i> , 2021 , 48, 533-537	1.3	0
139	Pulsed electric field application reduces carbapenem- and colistin-resistant microbiota and bla spread in urban wastewater. <i>Journal of Environmental Management</i> , 2020 , 265, 110529	7.9	5
138	Bird-livestock interactions associated with increased cattle fecal shedding of ciprofloxacin-resistant Escherichia coli within feedlots in the United States. <i>Scientific Reports</i> , 2020 , 10, 10174	4.9	5
137	Can the use of older-generation beta-lactam antibiotics in livestock production over-select for beta-lactamases of greatest consequence for human medicine? An in vitro experimental model. <i>PLoS ONE</i> , 2020 , 15, e0242195	3.7	3
136	Long-term clinical and magnetic resonance imaging follow-up of dogs with osseous-associated cervical spondylomyelopathy. <i>Journal of Veterinary Internal Medicine</i> , 2020 , 34, 2012-2020	3.1	2
135	Adoption of recommended hand hygiene practices to limit zoonotic disease transmission at agricultural fairs. <i>Preventive Veterinary Medicine</i> , 2020 , 182, 105116	3.1	1
134	Anesthetic risk during subsequent anesthetic events in brachycephalic dogs that have undergone corrective airway surgery: 45 cases (2007-2019). <i>Journal of the American Veterinary Medical Association</i> , 2020 , 257, 744-749	1	2

133	Complexities in understanding antimicrobial resistance across domesticated animal, human, and environmental systems. <i>Annals of the New York Academy of Sciences</i> , 2019 , 1441, 17-30	6.5	51
132	Critically important antibiotics: criteria and approaches for measuring and reducing their use in food animal agriculture. <i>Annals of the New York Academy of Sciences</i> , 2019 , 1441, 8-16	6.5	38
131	Measurement of Shoulder Abduction Angles in Dogs: An Ex Vivo Study of Accuracy and Repeatability. <i>Veterinary and Comparative Orthopaedics and Traumatology</i> , 2019 , 32, 427-432	1.2	6
130	Carbapenemase-producing Enterobacteriaceae and Aeromonas spp. present in wastewater treatment plant effluent and nearby surface waters in the US. <i>PLoS ONE</i> , 2019 , 14, e0218650	3.7	23
129	A cross-sectional study of environmental, dog, and human-related risk factors for positive canine leptospirosis PCR test results in the United States, 2009 to 2016. <i>BMC Veterinary Research</i> , 2019 , 15, 412	2.7	7
128	Salmonella monitoring programs in Australian feed mills: a retrospective analysis. <i>Australian Veterinary Journal</i> , 2019 , 97, 336-342	1.2	3
127	Pharmacokinetics and pharmacodynamics of alfaxalone after a single intramuscular or intravascular injection in mallard ducks (<i>Anas platyrhynchos</i>). <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2019 , 42, 713-721	1.4	7
126	Salmonella Prevalence and Antimicrobial Drug Resistance in Dual-Purpose Cattle Operations in the Eastern Region of Zulia State, Venezuela. <i>Foodborne Pathogens and Disease</i> , 2019 , 16, 205-213	3.8	3
125	Effect of Continuous Digital Hypothermia on Lamellar Inflammatory Signaling When Applied at a Clinically-Relevant Timepoint in the Oligofructose Laminitis Model. <i>Journal of Veterinary Internal Medicine</i> , 2018 , 32, 450-458	3.1	20
124	Maintenance of Carbapenemase-Producing Enterobacteriaceae in a Farrow-to-Finish Swine Production System. <i>Foodborne Pathogens and Disease</i> , 2018 , 15, 372-376	3.8	8
123	Antimicrobial-resistant Enterobacteriaceae recovered from companion animal and livestock environments. <i>Zoonoses and Public Health</i> , 2018 , 65, 519-527	2.9	14
122	Dogs on livestock farms: A cross-sectional study investigating potential roles in zoonotic pathogen transmission. <i>Zoonoses and Public Health</i> , 2018 , 65, 80-87	2.9	1
121	Risk of anesthesia-related complications in brachycephalic dogs. <i>Journal of the American Veterinary Medical Association</i> , 2018 , 253, 301-306	1	24
120	β-Lactam and Fluoroquinolone-Resistant Enterobacteriaceae Recovered from the Environment of Human and Veterinary Tertiary Care Hospitals. <i>Vector-Borne and Zoonotic Diseases</i> , 2018 , 18, 620-623	2.4	6
119	Salmonella spp. and Extended-Spectrum Cephalosporin-Resistant Escherichia coli Frequently Contaminate Broiler Chicken Transport Cages of an Organic Production Company. <i>Foodborne Pathogens and Disease</i> , 2018 , 15, 583-588	3.8	3
118	Comparative health assessment of urban and non-urban free-ranging mule deer (<i>Ovis montanus</i>) in southeastern British Columbia, Canada. <i>PeerJ</i> , 2018 , 6, e4968	3.1	5
117	Associations of patient characteristics, disease stage, and biopsy technique with the diagnostic quality of core needle renal biopsy specimens from dogs with suspected kidney disease. <i>Journal of the American Veterinary Medical Association</i> , 2018 , 252, 67-74	1	5
116	Barriers and next steps to providing a spectrum of effective health care to companion animals. <i>Journal of the American Veterinary Medical Association</i> , 2018 , 253, 1386-1389	1	16

115	Enterobacter cloacae Complex Sequence Type 171 Isolates Expressing KPC-4 Carbapenemase Recovered from Canine Patients in Ohio. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	6
114	Prevalence of AmpC- and Extended-Spectrum β -Lactamase-Harboring Enterobacteriaceae in Faecal Flora of a Healthy Domestic Canine Population. <i>Zoonoses and Public Health</i> , 2017 , 64, 554-560	2.9	2
113	Enterobacteriaceae Harboring AmpC (bla) and ESBL (bla) in Migratory and Nonmigratory Wild Songbird Populations on Ohio Dairies. <i>Vector-Borne and Zoonotic Diseases</i> , 2017 , 17, 254-259	2.4	7
112	Extended-Spectrum Cephalosporin-Resistant Enterobacteriaceae in Enteric Microflora of Wild Ducks. <i>Journal of Wildlife Diseases</i> , 2017 , 53, 690-694	1.3	3
111	Carbapenemase-Producing Aeromonas veronii Disseminated in the Environment of an Equine Specialty Hospital. <i>Vector-Borne and Zoonotic Diseases</i> , 2017 , 17, 439-442	2.4	4
110	Carbapenemase-Producing Enterobacteriaceae Recovered from the Environment of a Swine Farrow-to-Finish Operation in the United States. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	74
109	Interobserver Variation in the Diagnosis of Neurologic Abnormalities in the Horse. <i>Journal of Veterinary Internal Medicine</i> , 2017 , 31, 1871-1876	3.1	5
108	Genotypic and epidemiologic characterization of extended-spectrum cephalosporin resistant Salmonella enterica from US beef feedlots. <i>Preventive Veterinary Medicine</i> , 2017 , 146, 143-149	3.1	11
107	Extended-Spectrum β -Lactam Resistance in the Enteric Flora of Patients at a Tertiary Care Medical Centre. <i>Zoonoses and Public Health</i> , 2017 , 64, 161-164	2.9	4
106	A Syst-OMICS Approach to Ensuring Food Safety and Reducing the Economic Burden of Salmonellosis. <i>Frontiers in Microbiology</i> , 2017 , 8, 996	5.7	28
105	Surveillance and characterization of carbapenemase-producing Klebsiella pneumoniae recovered from patient stool samples at a tertiary care medical center. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 5857-9	5.9	4
104	Distribution and Diversity of Salmonella Strains in Shipments of Hatchling Poultry, United States, 2013. <i>Zoonoses and Public Health</i> , 2015 , 62, 375-80	2.9	4
103	Organic or antibiotic-free labeling does not impact the recovery of enteric pathogens and antimicrobial-resistant Escherichia coli from fresh retail chicken. <i>Foodborne Pathogens and Disease</i> , 2014 , 11, 920-9	3.8	44
102	The global one health paradigm: challenges and opportunities for tackling infectious diseases at the human, animal, and environment interface in low-resource settings. <i>PLoS Neglected Tropical Diseases</i> , 2014 , 8, e3257	4.8	126
101	Yersinia enterocolitica of porcine origin: carriage of virulence genes and genotypic diversity. <i>Foodborne Pathogens and Disease</i> , 2013 , 10, 80-6	3.8	14
100	Epidemiological profiling of methicillin-resistant Staphylococcus aureus-positive dogs arriving at a veterinary teaching hospital. <i>Vector-Borne and Zoonotic Diseases</i> , 2013 , 13, 385-93	2.4	18
99	Escherichia coli and Klebsiella pneumoniae producing CTX-M cephalosporinase from swine finishing barns and their association with antimicrobial use. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 1052-4	4.8	10
98	Presence, distribution, and molecular epidemiology of methicillin-resistant Staphylococcus aureus in a small animal teaching hospital: a year-long active surveillance targeting dogs and their environment. <i>Vector-Borne and Zoonotic Diseases</i> , 2013 , 13, 299-311	2.4	23

97	Characteristics of dairy calf ranches: morbidity, mortality, antibiotic use practices, and biosecurity and biocontainment practices. <i>Journal of Dairy Science</i> , 2012 , 95, 2204-14	4	52
96	Antimicrobial susceptibility, pulsed-field gel electrophoresis, and multi-locus sequence typing of <i>Campylobacter coli</i> in swine before, during, and after the slaughter process. <i>Foodborne Pathogens and Disease</i> , 2012 , 9, 506-12	3.8	12
95	Quantification of <i>Campylobacter</i> and <i>Salmonella</i> in cattle before, during, and after the slaughter process. <i>Foodborne Pathogens and Disease</i> , 2012 , 9, 113-9	3.8	15
94	Quantification of <i>campylobacter</i> in swine before, during, and after the slaughter process. <i>Journal of Food Protection</i> , 2012 , 75, 139-43	2.5	12
93	Variable within- and between-herd diversity of CTX-M cephalosporinase-bearing <i>Escherichia coli</i> isolates from dairy cattle. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 4552-60	4.8	45
92	Detection of <i>Salmonella enterica</i> isolates producing CTX-M Cephalosporinase in U.S. livestock populations. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 7487-91	4.8	30
91	The challenge of regulating agricultural ceftiofur use to slow the emergence of resistance to extended-spectrum cephalosporins. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 7819-21	4.8	15
90	A review of antibiotic use in food animals: perspective, policy, and potential. <i>Public Health Reports</i> , 2012 , 127, 4-22	2.5	611
89	Characterization of advertisements for puppies sold online: determinants of cost and a comparison with parent club breeders. <i>Preventive Veterinary Medicine</i> , 2011 , 100, 200-9	3.1	3
88	Prevalence and antimicrobial resistance profile of <i>Campylobacter</i> spp. isolated from conventional and antimicrobial-free swine production systems from different U.S. regions. <i>Foodborne Pathogens and Disease</i> , 2011 , 8, 367-74	3.8	25
87	Effects of restricted antimicrobial exposure on antimicrobial resistance in fecal <i>Escherichia coli</i> from feedlot cattle. <i>Foodborne Pathogens and Disease</i> , 2011 , 8, 87-98	3.8	39
86	Environmental methicillin-resistant <i>Staphylococcus aureus</i> in a veterinary teaching hospital during a nonoutbreak period. <i>Vector-Borne and Zoonotic Diseases</i> , 2011 , 11, 609-15	2.4	38
85	Ceftiofur use in finishing swine barns and the recovery of fecal <i>Escherichia coli</i> or <i>Salmonella</i> spp. resistant to ceftriaxone. <i>Foodborne Pathogens and Disease</i> , 2011 , 8, 1229-34	3.8	20
84	<i>Salmonella enterica</i> and <i>Escherichia coli</i> harboring bla _{CMY} in retail beef and pork products. <i>Foodborne Pathogens and Disease</i> , 2011 , 8, 333-6	3.8	26
83	Emergency and disaster planning at Ohio animal shelters. <i>Journal of Applied Animal Welfare Science</i> , 2010 , 13, 66-76	1.6	7
82	Swab type, moistening, and preenrichment for <i>Staphylococcus aureus</i> on environmental surfaces. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 2235-6	9.7	25
81	CTX-M-type extended-spectrum β -lactamases present in <i>Escherichia coli</i> from the feces of cattle in Ohio, United States. <i>Foodborne Pathogens and Disease</i> , 2010 , 7, 1575-9	3.8	60
80	Association of dry cow therapy with the antimicrobial susceptibility of fecal coliform bacteria in dairy cows. <i>Preventive Veterinary Medicine</i> , 2010 , 96, 30-5	3.1	8

79	Environmental Salmonella surveillance in the Ohio State University Veterinary Teaching Hospital. <i>Vector-Borne and Zoonotic Diseases</i> , 2009 , 9, 649-54	2.4	5
78	Identification of Escherichia coli and Salmonella enterica organisms with reduced susceptibility to ceftriaxone from fecal samples of cows in dairy herds. <i>American Journal of Veterinary Research</i> , 2009 , 70, 389-93	1.1	21
77	A metagenomic approach for determining prevalence of tetracycline resistance genes in the fecal flora of conventionally raised feedlot steers and feedlot steers raised without antimicrobials. <i>American Journal of Veterinary Research</i> , 2009 , 70, 198-202	1.1	13
76	Pre-weaning morbidity and mortality of llamas and alpacas. <i>Australian Veterinary Journal</i> , 2009 , 87, 56-60.	0.2	20
75	Influence of oral rabies vaccine bait density on rabies seroprevalence in wild raccoons. <i>Vaccine</i> , 2009 , 27, 7187-93	4.1	23
74	Genetic and phenotypic characterization of the bla(CMY) gene from Escherichia coli and Salmonella enterica isolated from food-producing animals, humans, the environment, and retail meat. <i>Foodborne Pathogens and Disease</i> , 2009 , 6, 1235-40	3.8	25
73	Evaluation of vaccination with a commercial subunit vaccine on shedding of Salmonella enterica in subclinically infected dairy cows. <i>Journal of the American Veterinary Medical Association</i> , 2008 , 233, 466-9 ¹		16
72	Reduction of pathogen indicator organisms in dairy wastewater using an ecological treatment system. <i>Journal of Environmental Quality</i> , 2008 , 37, 272-9	3.4	18
71	A new approach to teaching veterinary public health at the Ohio State University. <i>Journal of Veterinary Medical Education</i> , 2008 , 35, 160-5	1.3	4
70	Reduced susceptibility to quinolones among Salmonella serotypes isolated from poultry at slaughter in Venezuela. <i>Journal of Food Protection</i> , 2007 , 70, 2030-5	2.5	16
69	Prevalence of Yersinia enterocolitica in different phases of production on swine farms. <i>Journal of Food Protection</i> , 2007 , 70, 11-6	2.5	17
68	Evaluation of stocking density and subtherapeutic chlortetracycline on Salmonella enterica subsp. enterica shedding in growing swine. <i>Veterinary Microbiology</i> , 2007 , 124, 202-8	3.3	15
67	Use of group-randomized trials in pet population research. <i>Preventive Veterinary Medicine</i> , 2007 , 82, 167-75	3.5	3
66	Development and application of real-time PCR assays for quantification of erm genes conferring resistance to macrolides-lincosamides-streptogramin B in livestock manure and manure management systems. <i>Applied and Environmental Microbiology</i> , 2007 , 73, 4407-16	4.8	192
65	Search and identification methods that owners use to find a lost cat. <i>Journal of the American Veterinary Medical Association</i> , 2007 , 230, 217-20	1	33
64	Search and identification methods that owners use to find a lost dog. <i>Journal of the American Veterinary Medical Association</i> , 2007 , 230, 211-6	1	27
63	Search methods that people use to find owners of lost pets. <i>Journal of the American Veterinary Medical Association</i> , 2007 , 230, 1835-40	1	18
62	A review of some of the health issues of captive black rhinoceroses (Diceros bicornis). <i>Journal of Zoo and Wildlife Medicine</i> , 2007 , 38, 509-17	0.9	23

61	Risk factors associated with a skewed natal sex ratio in captive black rhinoceroses (<i>Diceros bicornis</i>) in the United States. <i>Journal of Zoo and Wildlife Medicine</i> , 2007 , 38, 533-9	0.9	11
60	Early Outbreak Detection Using an Automated Data Feed of Test Orders from a Veterinary Diagnostic Laboratory. <i>Lecture Notes in Computer Science</i> , 2007 , 1-10	0.9	5
59	Association between ceftiofur use and isolation of <i>Escherichia coli</i> with reduced susceptibility to ceftriaxone from fecal samples of dairy cows. <i>American Journal of Veterinary Research</i> , 2006 , 67, 1696-700 ¹	1.1	93
58	Use of a simulation model to evaluate sampling strategies for characterization of antimicrobial resistance in non-type-specific <i>Escherichia coli</i> isolated from dairy cows. <i>American Journal of Veterinary Research</i> , 2006 , 67, 951-6	1.1	4
57	Effect of certified health programs on the sale price of beef calves marketed through a livestock videotape auction service from 1995 through 2005. <i>Journal of the American Veterinary Medical Association</i> , 2006 , 229, 1389-400	1	22
56	Demographic trends for animal care and control agencies in Ohio from 1996 to 2004. <i>Journal of the American Veterinary Medical Association</i> , 2006 , 229, 48-54	1	44
55	Transmission of bovine coronavirus and serologic responses in feedlot calves under field conditions. <i>American Journal of Veterinary Research</i> , 2006 , 67, 1412-20	1.1	30
54	The effect of subtherapeutic chlortetracycline on antimicrobial resistance in the fecal flora of swine. <i>Microbial Drug Resistance</i> , 2006 , 12, 210-8	2.9	36
53	Usefulness of a Commercial Equine IgG Test and Serum Protein Concentration as Indicators of Failure of Transfer of Passive Immunity in Hospitalized Foals. <i>Journal of Veterinary Internal Medicine</i> , 2006 , 20, 382-387	3.1	29
52	Shiga-toxigenic <i>Escherichia coli</i> O157 in agricultural fair livestock, United States. <i>Emerging Infectious Diseases</i> , 2006 , 12, 780-6	10.2	85
51	Food commensal microbes as a potentially important avenue in transmitting antibiotic resistance genes. <i>FEMS Microbiology Letters</i> , 2006 , 254, 226-31	2.9	125
50	Food commensal microbes as a potentially important avenue in transmitting antibiotic resistance genes. <i>FEMS Microbiology Letters</i> , 2006 , 255, 328-328	2.9	8
49	Usefulness of a commercial equine IgG test and serum protein concentration as indicators of failure of transfer of passive immunity in hospitalized foals. <i>Journal of Veterinary Internal Medicine</i> , 2006 , 20, 382-7	3.1	4
48	Characteristics of pain and response to analgesic treatment in dogs and cats examined at a veterinary teaching hospital emergency service. <i>Journal of the American Veterinary Medical Association</i> , 2005 , 226, 2004-9	1	18
47	Development and application of real-time PCR assays for quantification of genes encoding tetracycline resistance. <i>Applied and Environmental Microbiology</i> , 2005 , 71, 6926-33	4.8	140
46	<i>Escherichia coli</i> O157:H7 in a cohort of weaned, preconditioned range beef calves. <i>Journal of Food Protection</i> , 2004 , 67, 2391-6	2.5	18
45	Veterinary Epidemiology 2004 , 1513-1528		2
44	Comparison of management practices between Ohio, USA dairy farms participating in whole-herd Johne's disease testing programs and those not participating. <i>Preventive Veterinary Medicine</i> , 2004 , 65, 77-92	3.1	2

43	Prevalence and characteristics of pain in dogs and cats examined as outpatients at a veterinary teaching hospital. <i>Journal of the American Veterinary Medical Association</i> , 2004 , 224, 1459-63	1	26
42	Calculation method for likelihood ratios dictates interpretation. <i>Vaccine Journal</i> , 2003 , 10, 729; author reply 729-30		2
41	Association of enteric shedding of bovine torovirus (Breda virus) and other enteropathogens with diarrhea in veal calves. <i>American Journal of Veterinary Research</i> , 2003 , 64, 485-90	1.1	28
40	Factor analysis of minimum-inhibitory concentrations for <i>Escherichia coli</i> isolated from feedlot cattle to model relationships among antimicrobial-resistance outcomes. <i>Preventive Veterinary Medicine</i> , 2003 , 57, 127-39	3.1	13
39	Short-term repeatability of measurements of antimicrobial susceptibility of <i>Escherichia coli</i> isolated from feces of feedlot cattle. <i>Journal of Veterinary Diagnostic Investigation</i> , 2003 , 15, 535-42	1.5	8
38	Detection of bovine torovirus and other enteric pathogens in feces from diarrhea cases in cattle. <i>Journal of Veterinary Diagnostic Investigation</i> , 2003 , 15, 205-12	1.5	44
37	Effect of transport enrichment medium, transport time, and growth medium on the detection of <i>Campylobacter fetus</i> subsp. <i>venerealis</i> . <i>Journal of Veterinary Diagnostic Investigation</i> , 2002 , 14, 35-9	1.5	21
36	Diagnosis, surgical treatment, and performance after unilateral castration in breeding bulls: 21 cases (1989-1999). <i>Journal of the American Veterinary Medical Association</i> , 2002 , 220, 1198-202	1	4
35	Prevalence of fecal shedding of <i>Salmonella</i> spp in dairy herds. <i>Journal of the American Veterinary Medical Association</i> , 2002 , 220, 645-9	1	88
34	Persistent fecal <i>Salmonella</i> shedding in five dairy herds. <i>Journal of the American Veterinary Medical Association</i> , 2002 , 220, 650-5	1	42
33	Detection of respiratory and enteric shedding of bovine coronaviruses in cattle in an Ohio feedlot. <i>Journal of Veterinary Diagnostic Investigation</i> , 2002 , 14, 308-13	1.5	57
32	Comparison of sampling techniques for measuring the antimicrobial susceptibility of enteric <i>Escherichia coli</i> recovered from feedlot cattle. <i>American Journal of Veterinary Research</i> , 2002 , 63, 1662-70 ^{1.1}		20
31	Effects of feeding aspirin and supplemental vitamin E on plasma concentrations of 3-methylindole, 3-methyleneindolenine-adduct concentrations in blood and pulmonary tissues, lung lesions, and growth performance in feedlot cattle. <i>American Journal of Veterinary Research</i> , 2002 , 63, 1641-7	1.1	7
30	Enteric and nasal shedding of bovine torovirus (Breda virus) in feedlot cattle. <i>American Journal of Veterinary Research</i> , 2002 , 63, 342-8	1.1	35
29	Characteristics and management practices associated with milk production in dairy herds in Ohio enrolled in official Dairy Herd Improvement Association programs. <i>American Journal of Veterinary Research</i> , 2001 , 62, 1262-5	1.1	2
28	Persistent bovine viral diarrhoea virus infection in US beef herds. <i>Preventive Veterinary Medicine</i> , 2001 , 49, 83-94	3.1	87
27	Evaluation of concurrent shedding of bovine coronavirus via the respiratory tract and enteric route in feedlot cattle. <i>American Journal of Veterinary Research</i> , 2001 , 62, 1436-41	1.1	59
26	Association between milk urea nitrogen and fertility in Ohio dairy cows. <i>Journal of Dairy Science</i> , 2001 , 84, 482-9	4	84

25	Factors influencing first remission and survival in 145 dogs with lymphoma: a retrospective study. <i>Journal of the American Animal Hospital Association</i> , 2000 , 36, 404-9	1.3	45
24	Association between changes in eating and drinking behaviors and respiratory tract disease in newly arrived calves at a feedlot. <i>American Journal of Veterinary Research</i> , 2000 , 61, 1163-8	1.1	59
23	Evaluation of the ability of orally administered aspirin to mitigate effects of 3-methylindole in feedlot cattle. <i>American Journal of Veterinary Research</i> , 2000 , 61, 1209-13	1.1	4
22	Effects of 3-methylindole production and immunity against bovine respiratory syncytial virus on development of respiratory tract disease and rate of gain of feedlot cattle. <i>American Journal of Veterinary Research</i> , 2000 , 61, 1309-14	1.1	7
21	Association between measures of milk quality and risk of violative antimicrobial residues in grade-A raw milk. <i>Journal of the American Veterinary Medical Association</i> , 2000 , 217, 541-5	1	13
20	Analysis of risk factors for the development of equine protozoal myeloencephalitis in horses. <i>Journal of the American Veterinary Medical Association</i> , 2000 , 217, 1174-80	1	53
19	Antibody titers against bovine coronavirus and shedding of the virus via the respiratory tract in feedlot cattle. <i>American Journal of Veterinary Research</i> , 2000 , 61, 1057-61	1.1	40
18	Association between infection of the respiratory tract attributable to bovine coronavirus and health and growth performance of cattle in feedlots. <i>American Journal of Veterinary Research</i> , 2000 , 61, 1062-6	1.1	52
17	Evaluation of risk factors associated with clinical improvement and survival of horses with equine protozoal myeloencephalitis. <i>Journal of the American Veterinary Medical Association</i> , 2000 , 217, 1181-5	1	19
16	Performance of female <i>Rhipicephalus sanguineus</i> (Acari: Ixodidae) fed on dogs exposed to multiple infestations or immunization with tick salivary gland or midgut tissues. <i>Journal of Medical Entomology</i> , 2000 , 37, 601-11	2.2	22
15	Herd characteristics and management practices associated with bulk-tank somatic cell counts in herds in official Dairy Herd Improvement Association programs in Ohio. <i>American Journal of Veterinary Research</i> , 2000 , 61, 1092-8	1.1	20
14	Veterinarian Involvement in the Prevention and Intervention of Human Violence and Animal Abuse: A Survey of Small Animal Practitioners. <i>Anthrozoos</i> , 1999 , 12, 97-104	2.4	19
13	Synergistic effects of concurrent challenge with bovine respiratory syncytial virus and 3-methylindole in calves. <i>American Journal of Veterinary Research</i> , 1999 , 60, 563-70	1.1	8
12	Epidemiologic herd-level assessment of causative agents and risk factors for winter dysentery in dairy cattle. <i>American Journal of Veterinary Research</i> , 1998 , 59, 994-1001	1.1	18
11	Demographic and needs assessment survey of animal care and control agencies. <i>Journal of the American Veterinary Medical Association</i> , 1998 , 213, 483-7	1	6
10	Effect of ewe ovine lentivirus infection on ewe and lamb productivity. <i>Preventive Veterinary Medicine</i> , 1997 , 30, 155-69	3.1	38
9	Risk factors for seroprevalence of ovine lentivirus in breeding ewe flocks in Nebraska, USA. <i>Preventive Veterinary Medicine</i> , 1997 , 30, 81-94	3.1	16
8	Seroprevalence of antibodies to <i>Sarcocystis neurona</i> in horses residing in Ohio. <i>Journal of the American Veterinary Medical Association</i> , 1997 , 210, 519-24	1	67

7	Relationships among treatment for respiratory tract disease, pulmonary lesions evident at slaughter, and rate of weight gain in feedlot cattle. <i>Journal of the American Veterinary Medical Association</i> , 1996 , 209, 814-8	1	114
6	Effect of breed, intake, and carcass composition on the status of several macro and trace minerals of adult beef cattle. <i>Journal of Animal Science</i> , 1995 , 73, 2113-9	0.7	31
5	The heterogeneity of bovine IgG2. VII. The phenotypic distribution of the A1 and A2 allotypes of IgG2a among beef cows with known clinical history. <i>Veterinary Immunology and Immunopathology</i> , 1995 , 48, 89-96	2	12
4	Effects of various risk factors on plasma protein and serum immunoglobulin concentrations of calves at postpartum hours 10 and 24. <i>American Journal of Veterinary Research</i> , 1995 , 56, 1144-8	1.1	22
3	Individual animal and maternal risk factors for morbidity and mortality of neonatal beef calves in Colorado, USA. <i>Preventive Veterinary Medicine</i> , 1994 , 19, 1-13	3.1	33
2	The influence of neonatal health on weaning weight of Colorado, USA beef calves. <i>Preventive Veterinary Medicine</i> , 1994 , 19, 15-25	3.1	23
1	Management practices and their association with reproductive health and performance in Colorado beef herds. <i>Journal of Animal Science</i> , 1990 , 68, 2642-9	0.7	8