Raffaele Cacciaglia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6805787/publications.pdf

Version: 2024-02-01

50 papers 1,368 citations

430843 18 h-index 34 g-index

54 all docs

54 docs citations

54 times ranked

2438 citing authors

#	Article	IF	CITATIONS
1	Differences Between Plasma and Cerebrospinal Fluid Glial Fibrillary Acidic Protein Levels Across the Alzheimer Disease Continuum. JAMA Neurology, 2021, 78, 1471.	9.0	204
2	Novel tau biomarkers phosphorylated at T181, T217 or T231 rise in the initial stages of the preclinical Alzheimer's ⟨i⟩continuum⟨ i⟩ when only subtle changes in Aβ pathology are detected. EMBO Molecular Medicine, 2020, 12, e12921.	6.9	202
3	Effects of <i>APOE</i> â€îµ4 allele load on brain morphology in a cohort of middleâ€aged healthy individuals with enriched genetic risk for Alzheimer's disease. Alzheimer's and Dementia, 2018, 14, 902-912.	0.8	98
4	Amygdalar and hippocampal volume: A comparison between manual segmentation, Freesurfer and VBM. Journal of Neuroscience Methods, 2015, 253, 254-261.	2.5	77
5	Brain and cognitive correlates of subjective cognitive decline-plus features in a population-based cohort. Alzheimer's Research and Therapy, 2018, 10, 123.	6.2	73
6	Bigger is better! Hippocampal volume and declarative memory performance in healthy young men. Brain Structure and Function, 2014, 219, 255-267.	2.3	71
7	Hippocampal but not amygdalar volume affects contextual fear conditioning in humans. Human Brain Mapping, 2012, 33, 478-488.	3.6	56
8	Involvement of the human midbrain and thalamus in auditory deviance detection. Neuropsychologia, 2015, 68, 51-58.	1.6	55
9	Association between insomnia and cognitive performance, gray matter volume, and white matter microstructure in cognitively unimpaired adults. Alzheimer's Research and Therapy, 2020, 12, 4.	6.2	53
10	Neural Mechanism of a Sex-Specific Risk Variant for Posttraumatic Stress Disorder in the Type I Receptor of the Pituitary Adenylate Cyclase Activating Polypeptide. Biological Psychiatry, 2015, 78, 840-847.	1.3	47
11	White matter microstructure is altered in cognitively normal middle-aged APOE-ε4 homozygotes. Alzheimer's Research and Therapy, 2018, 10, 48.	6.2	43
12	Trauma exposure relates to heightened stress, altered amygdala morphology and deficient extinction learning: Implications for psychopathology. Psychoneuroendocrinology, 2017, 76, 19-28.	2.7	38
13	Episodic memory and executive functions in cognitively healthy individuals display distinct neuroanatomical correlates which are differentially modulated by aging. Human Brain Mapping, 2018, 39, 4565-4579.	3.6	32
14	Interactive effect of age and APOE-ε4 allele load on white matter myelin content in cognitively normal middle-aged subjects. NeuroImage: Clinical, 2019, 24, 101983.	2.7	30
15	Perivascular spaces are associated with tau pathophysiology and synaptic dysfunction in early Alzheimer's continuum. Alzheimer's Research and Therapy, 2021, 13, 135.	6.2	30
16	White matter hyperintensities mediate gray matter volume and processing speed relationship in cognitively unimpaired participants. Human Brain Mapping, 2020, 41, 1309-1322.	3.6	27
17	Dissociable roles for hippocampal and amygdalar volume in human fear conditioning. Brain Structure and Function, 2015, 220, 2575-2586.	2.3	26
18	Brain morphology correlates of interindividual differences in conditioned fear acquisition and extinction learning. Brain Structure and Function, 2016, 221, 1927-1937.	2.3	24

#	Article	IF	CITATIONS
19	Prediction of amyloid pathology in cognitively unimpaired individuals using voxel-wise analysis of longitudinal structural brain MRI. Alzheimer's Research and Therapy, 2019, 11, 72.	6.2	23
20	A risk variant for alcoholism in the NMDA receptor affects amygdala activity during fear conditioning in humans. Biological Psychology, 2013, 94, 74-81.	2.2	19
21	APOE-ε4 risk variant for Alzheimer's disease modifies the association between cognitive performance and cerebral morphology in healthy middle-aged individuals. NeuroImage: Clinical, 2019, 23, 101818.	2.7	18
22	Auditory predictions shape the neural responses to stimulus repetition and sensory change. Neurolmage, 2019, 186, 200-210.	4.2	18
23	Longitudinal structural cerebral changes related to core CSF biomarkers in preclinical Alzheimer's disease: A study of two independent datasets. NeuroImage: Clinical, 2018, 19, 190-201.	2.7	16
24	Distinct Cognitive and Brain Morphological Features in Healthy Subjects Unaware of Informant-Reported Cognitive Decline. Journal of Alzheimer's Disease, 2018, 65, 181-191.	2.6	15
25	The protective gene dose effect of the <i>APOE$\hat{l}\mu$2</i> <iallele 1383-1395.<="" 18,="" 2022,="" alzheimer's="" and="" cognitively="" dementia,="" gray="" in="" individuals.="" matter="" on="" td="" unimpaired="" volume=""><td>0.8</td><td>13</td></iallele>	0.8	13
26	Nonlinear interaction between $<$ scp $>$ APOE $<$ /scp $><$ b $><$ i $>$ Î $\mu<$ /i $><$ /b $>$ 4 allele load and age in the hippocampal surface of cognitively intact individuals. Human Brain Mapping, 2021, 42, 47-64.	3.6	12
27	Brain alterations in the early Alzheimerâ \in TM s continuum with amyloid- \hat{l}^2 , tau, glial and neurodegeneration CSF markers. Brain Communications, 2022, 4, .	3.3	12
28	Age, sex and APOE- $\hat{l}\mu$ 4 modify the balance between soluble and fibrillar \hat{l}^2 -amyloid in non-demented individuals: topographical patterns across two independent cohorts. Molecular Psychiatry, 2022, 27, 2010-2018.	7.9	9
29	Voluntary exercise does not ameliorate context memory and hyperarousal in a mouse model for post-traumatic stress disorder (PTSD). World Journal of Biological Psychiatry, 2013, 14, 403-409.	2.6	8
30	APOE-ε4 Shapes the Cerebral Organization in Cognitively Intact Individuals as Reflected by Structural Gray Matter Networks. Cerebral Cortex, 2020, 30, 4110-4120.	2.9	7
31	Effect of BDNF Val66Met on hippocampal subfields volumes and compensatory interaction with APOE-ε4 in middle-age cognitively unimpaired individuals from the ALFA study. Brain Structure and Function, 2020, 225, 2331-2345.	2.3	5
32	Genotypic effects of <i> APOE < /i > -ε4 on resting-state connectivity in cognitively intact individuals support functional brain compensation. Cerebral Cortex, 2023, 33, 2748-2760.</i>	2.9	5
33	Impact of APOE â€îµ4 on cerebral amyloid deposition in participants with abnormal soluble amyloid levels. Alzheimer's and Dementia, 2020, 16, e045828.	0.8	1
34	Higher levels of the astrocytic marker CSF YKL40 are associated with better memory performance only in amyloidâ€positive individuals with subjective cognitive decline. Alzheimer's and Dementia, 2021, 17, .	0.8	1
35	O3â€02â€01: APOE <i>àê€</i> µ4 ALLELIC LOAD MODULATES THE ASSOCIATION BETWEEN CSF BETAâ€AMYLOID MATTER VOLUME IN COGNITIVELY UNIMPAIRED INDIVIDUALS. Alzheimer's and Dementia, 2019, 15, P877.	AND GRA	·Y _O
36	Impact of the APOE gene on amyloid deposition in participants with abnormal soluble amyloid levels. Alzheimer's and Dementia, 2020, 16, e042955.	0.8	0

#	Article	IF	CITATIONS
37	Multiple biological pathways associate with cerebral amyloid load in the early Alzheimer's continuum. Alzheimer's and Dementia, 2020, 16, e044733.	0.8	O
38	Higher frontoâ€parietal metabolism parallels a greater impact of amyloid and anxiety on medial temporal areas in women versus men. Alzheimer's and Dementia, 2020, 16, e044780.	0.8	0
39	Multiple pathophysiological biomarkers are associated with gray matter volume and cerebral glucose metabolism in the early preclinical Alzheimer's continuum. Alzheimer's and Dementia, 2020, 16 , e044808.	0.8	O
40	APOE ―ε4 shapes temporoâ€parietal network properties in middleâ€aged, cognitively unimpaired individuals: A graph theory analysis. Alzheimer's and Dementia, 2020, 16, e045092.	0.8	0
41	Incidence of subjective cognitive decline is associated with amyloidâ $\hat{\in}\hat{i}^2$ pathology, whereas stability relates to neurodegeneration. Alzheimer's and Dementia, 2020, 16, e045293.	0.8	O
42	NeAT: a Nonlinear Analysis Toolbox for Neuroimaging. Neuroinformatics, 2020, 18, 517-530.	2.8	0
43	Soundtrack of life: An fMRI study. Behavioural Brain Research, 2022, 418, 113634.	2.2	O
44	Brain structural alterations in cognitively unimpaired individuals with discordant amyloidâ \in 2 PET and CSF Al 2 42 status: Findings using machine learning. Alzheimer's and Dementia, 2021, 17, .	0.8	0
45	Imaging neurodegeneration markers are associated with multiple pathophysiological mechanisms in the early stages of the Alzheimer's continuum. Alzheimer's and Dementia, 2021, 17, .	0.8	O
46	Synergistic effects of CSF Aβ42 and pâ€Tau on functional restingâ€state connectivity in cognitively unimpaired individuals. Alzheimer's and Dementia, 2021, 17, .	0.8	0
47	Structural, metabolic and cognitive characteristics of cognitively unimpaired subjects with mismatching $\hat{l}^2\hat{a}\in \mathbb{R}$ myloid biomarkers. Alzheimer's and Dementia, 2021, 17, .	0.8	0
48	Associations between iron deposition in the brain and grey matter volumes in cognitively unimpaired adults. Alzheimer's and Dementia, 2021, 17, .	0.8	0
49	Sex, caregiver status and amyloid positivity predict increased anxiety and depression during the COVIDâ \in 19â \in 2 related confinement. Alzheimer's and Dementia, 2021, 17, .	0.8	0
50	Impaired default mode network along with increased functional connectivity of the medial temporal lobe as a function of CSF pâ€Tau/Ab42 ratio in cognitively unimpaired individuals. Alzheimer's and Dementia, 2021, 17, .	0.8	0