

Stephen Faraone

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6806010/stephen-faraone-publications-by-year.pdf>

Version: 2022-09-30

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,369
papers

108,047
citations

161
h-index

274
g-index

1,464
ext. papers

118,481
ext. citations

5.3
avg. IF

8.23
L-index

| # | Paper | IF | Citations |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------------|
| 1369 | Mapping genomic loci implicates genes and synaptic biology in schizophrenia.. <i>Nature</i> , 2022 , | 47.1 | 7 |
| 1368 | Rare coding variants in ten genes confer substantial risk for schizophrenia.. <i>Nature</i> , 2022 , | 47.1 | 7 |
| 1367 | Evaluation of individual and ensemble probabilistic forecasts of COVID-19 mortality in the United States.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2113561119 | 11.1 | 11 |
| 1366 | Findings from a pilot open-label trial of N-acetylcysteine for the treatment of pediatric mania and hypomania.. <i>BMC Psychiatry</i> , 2022 , 22, 314 | 4 | 0 |
| 1365 | Can pediatric bipolar disorder be successfully treated when comorbid with conduct disorder? A secondary analysis of clinical trials of risperidone, olanzapine, quetiapine, ziprasidone, and aripiprazole.. <i>Journal of Psychopharmacology</i> , 2022 , 2698811221087673 | 4.4 | 0 |
| 1364 | Druggable genome in attention deficit/hyperactivity disorder and its co-morbid conditions. New avenues for treatment. <i>Molecular Psychiatry</i> , 2021 , 26, 4004-4015 | 14.4 | 9 |
| 1363 | Prescription Stimulant Nonmedical Use Among Adolescents Evaluated for Substance Use Disorder Treatment (CHAT) <i>Journal of Attention Disorders</i> , 2021 , 25, 1859-1870 | 3.6 | 4 |
| 1362 | Characterizing neuroanatomic heterogeneity in people with and without ADHD based on subcortical brain volumes. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 , 62, 1140-1149 | 7.6 | 149 ³ |
| 1361 | Analysis of structural brain asymmetries in attention-deficit/hyperactivity disorder in 39 datasets. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 , 62, 1202-1219 | 7.6 | 5 |
| 1360 | Intermediate lengths of the hexanucleotide repeat expansion may synergistically contribute to attention deficit hyperactivity disorder in child and his father: case report. <i>Neurocase</i> , 2021 , 27, 138-146 | 0.8 | 0 |
| 1359 | Prescription Stimulant Misuse and Abuse: Characterization of Exposures Managed by United States (US) Poison Centers. <i>CNS Spectrums</i> , 2021 , 26, 166 | 1.7 | 0 |
| 1358 | Translating Attention-Deficit/Hyperactivity Disorder Rating Scale-5 and Weiss Functional Impairment Rating Scale-Parent Effectiveness Scores into Clinical Global Impressions Clinical Significance Levels in Four Randomized Clinical Trials of SPN-812 (Viloxazine Extended-Release) in Children and Adolescents with Attention-Deficit/Hyperactivity Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2021 , 31, 179-186 | 2.8 | 4 |
| 1357 | Characterizing the heterogeneous course of inattention and hyperactivity-impulsivity from childhood to young adulthood. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1 | 5.3 | 0 |
| 1356 | Effect of Delayed-Release and Extended-Release Methylphenidate on Caregiver Strain and Validation of Psychometric Properties of the Caregiver Strain Questionnaire: Results from a Phase 3 Trial in Children with Attention-Deficit/Hyperactivity Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2021 , 31, 179-186 | 2.8 | 0 |
| 1355 | Substance Use Trajectories: Nonmedical Use (NMU) of Prescription Stimulants via Non-Oral Routes of Administration Among Adults Recruited from Reddit. <i>CNS Spectrums</i> , 2021 , 26, 166-167 | 1.7 | 1 |
| 1354 | How Frequent Is Switching From an Initial Stimulant Family to the Alternative One in the Clinical Setting?: A Pilot Study of 49 Consecutively Referred Medication-Naive Adults With Attention-Deficit/Hyperactivity Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2021 , 41, 310-314 | 1.6 | 1 |
| 1353 | Comorbidity of ADHD and adult bipolar disorder: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 124, 100-123 | 8.7 | 10 |

| | | | |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 1352 | Placebo and nocebo responses in randomised, controlled trials of medications for ADHD: a systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2021 , | 14.4 | 5 |
| 1351 | Can polygenic risk scores help identify pediatric bipolar spectrum and related disorders?: A systematic review. <i>Psychiatry Research</i> , 2021 , 299, 113843 | 9.6 | 2 |
| 1350 | A Placebo-Controlled Trial of Lisdexamfetamine in the Treatment of Comorbid Sluggish Cognitive Tempo and Adult ADHD. <i>Journal of Clinical Psychiatry</i> , 2021 , 82, | 4.4 | 2 |
| 1349 | The child behavior checklist can aid in characterizing suspected comorbid psychopathology in clinically referred youth with ADHD. <i>Journal of Psychiatric Research</i> , 2021 , 138, 477-484 | 5 | 1 |
| 1348 | Examining Sex-Differentiated Genetic Effects Across Neuropsychiatric and Behavioral Traits. <i>Biological Psychiatry</i> , 2021 , 89, 1127-1137 | 1.9 | 11 |
| 1347 | Clinically Meaningful Improvements in Early Morning and Late Afternoon/Evening Functional Impairment in Children with ADHD Treated with Delayed-Release and Extended-Release Methylphenidate. <i>Journal of Attention Disorders</i> , 2021 , 10870547211020073 | 3.6 | 0 |
| 1346 | Computer-aided learning for managing stress: A feasibility trial with clinical high risk adolescents and young adults. <i>Microbial Biotechnology</i> , 2021 , 15, 471-479 | 3.3 | |
| 1345 | Differential utility of teacher and parent-teacher combined information in the assessment of Attention Deficit/Hyperactivity Disorder symptoms. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 143-153 | 5.3 | 2 |
| 1344 | Eye Vergence Responses During an Attention Task in Adults With ADHD and Clinical Controls. <i>Journal of Attention Disorders</i> , 2021 , 25, 1302-1310 | 3.6 | 4 |
| 1343 | Neurocognitive markers of late-onset ADHD: a 6-year longitudinal study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 , 62, 244-252 | 7.6 | 1 |
| 1342 | Low cardiorespiratory fitness and obesity for ADHD in childhood and adolescence: A 6-year cohort study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021 , 31, 903-913 | 4.4 | 3 |
| 1341 | Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021 , 78, 47-63 | 14 | 38 |
| 1340 | A polygenic resilience score moderates the genetic risk for schizophrenia. <i>Molecular Psychiatry</i> , 2021 , 26, 800-815 | 14.4 | 12 |
| 1339 | Achievement goal orientation and stimulant misuse in college students. <i>Journal of American College Health</i> , 2021 , 69, 125-133 | 2.1 | 3 |
| 1338 | Assessing the Validity of the Age at Onset Criterion for Diagnosing ADHD in. <i>Journal of Attention Disorders</i> , 2021 , 25, 143-153 | 3.6 | 21 |
| 1337 | Risk variants and polygenic architecture of disruptive behavior disorders in the context of attention-deficit/hyperactivity disorder. <i>Nature Communications</i> , 2021 , 12, 576 | 16.7 | 3 |
| 1336 | The Effects of Low Dose Naltrexone on Opioid Induced Hyperalgesia and Fibromyalgia. <i>Frontiers in Psychiatry</i> , 2021 , 12, 593842 | 4.8 | 4 |
| 1335 | Evidence for similar structural brain anomalies in youth and adult attention-deficit/hyperactivity disorder: a machine learning analysis. <i>Translational Psychiatry</i> , 2021 , 11, 82 | 8.2 | 7 |

| | | | |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 1334 | Polygenic association between attention-deficit/hyperactivity disorder liability and cognitive impairments. <i>Psychological Medicine</i> , 2021 , 1-9 | 6.7 | 1 |
| 1333 | Early response to SPN-812 (viloxazine extended-release) can predict efficacy outcome in pediatric subjects with ADHD: a machine learning post-hoc analysis of four randomized clinical trials. <i>Psychiatry Research</i> , 2021 , 296, 113664 | 9.6 | 5 |
| 1332 | Non-medical Use of Prescription Stimulants Among College Students: Non-oral Routes of Administration, Risk Factors, Motivations, and Pathways. <i>Frontiers in Psychiatry</i> , 2021 , 12, 667118 | 4.8 | 2 |
| 1331 | Childhood trauma in adults with ADHD is associated with comorbid anxiety disorders and functional impairment. <i>Nordic Journal of Psychiatry</i> , 2021 , 1-8 | 2.2 | |
| 1330 | Investigating Shared Genetic Basis Across Tourette Syndrome and Comorbid Neurodevelopmental Disorders Along the Impulsivity-Compulsivity Spectrum. <i>Biological Psychiatry</i> , 2021 , 90, 317-327 | 1.9 | 7 |
| 1329 | Alcohol use disorders and ADHD. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 128, 648-660 | 8.7 | 3 |
| 1328 | Mapping phenotypic and aetiological associations between ADHD and physical conditions in adulthood in Sweden: a genetically informed register study. <i>Lancet Psychiatry</i> , 2021 , 8, 774-783 | 22.4 | 8 |
| 1327 | Rates of switching stimulants in consecutively referred medication naïve adults with ADHD. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 626-634 | 6.2 | |
| 1326 | Executive Function Outcome of Treatment with Viloxazine Extended-Release Capsules in Children and Adolescents with Attention-Deficit/Hyperactivity Disorder: A Post-Hoc Analysis of Four Randomized Clinical Trials. <i>Paediatric Drugs</i> , 2021 , 23, 583-589 | 4 | 2 |
| 1325 | A post hoc analysis of the effect of viloxazine extended-release capsules on learning and school problems in children and adolescents with attention-deficit/hyperactivity disorder. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1 | 5.3 | 0 |
| 1324 | The World Federation of ADHD International Consensus Statement: 208 Evidence-based conclusions about the disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 128, 789-818 | 8.7 | 66 |
| 1323 | Characterizing prescription stimulant nonmedical use (NMU) among adults recruited from Reddit. <i>Addictive Behaviors Reports</i> , 2021 , 14, 100376 | 3.5 | 0 |
| 1322 | Familial co-aggregation of attention-deficit/hyperactivity disorder and autoimmune diseases: a cohort study based on Swedish population-wide registers. <i>International Journal of Epidemiology</i> , 2021 , | 7.5 | 2 |
| 1321 | Attention-deficit/hyperactivity disorder as a risk factor for dementia and mild cognitive impairment: a population-based register study. <i>European Psychiatry</i> , 2021 , 1-19 | 5.8 | 0 |
| 1320 | Non-mental diseases associated with ADHD across the lifespan: Fidgety Philipp and Pippi Longstocking at risk of multimorbidity?. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 132, 1157-1157 | 8.7 | 2 |
| 1319 | Ensemble classification of autism spectrum disorder using structural magnetic resonance imaging features. <i>JCPP Advances</i> , 2021 , 1, e12042 | | |
| 1318 | Structural brain imaging studies offer clues about the effects of the shared genetic etiology among neuropsychiatric disorders. <i>Molecular Psychiatry</i> , 2021 , 26, 2101-2110 | 14.4 | 8 |
| 1317 | RBFOX1, encoding a splicing regulator, is a candidate gene for aggressive behavior. <i>European Neuropsychopharmacology</i> , 2020 , 30, 44-55 | 0.8 | 21 |

| | | | |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 1316 | Is Paternal Smoking at Conception a Risk for ADHD? A Controlled Study in Youth With and Without ADHD. <i>Journal of Attention Disorders</i> , 2020 , 24, 1493-1496 | 3.6 | 9 |
| 1315 | Brain scans from 21,297 individuals reveal the genetic architecture of hippocampal subfield volumes. <i>Molecular Psychiatry</i> , 2020 , 25, 3053-3065 | 14.4 | 37 |
| 1314 | Role of conduct problems in the relation between Attention-Deficit Hyperactivity disorder, substance use, and gaming. <i>European Neuropsychopharmacology</i> , 2020 , 30, 102-113 | 0.8 | 2 |
| 1313 | The Relationship Between Executive Function Deficits and -5-Defined ADHD Symptoms. <i>Journal of Attention Disorders</i> , 2020 , 24, 41-51 | 3.6 | 31 |
| 1312 | Attention-deficit/hyperactivity disorder and lifetime cannabis use: genetic overlap and causality. <i>Molecular Psychiatry</i> , 2020 , 25, 2493-2503 | 14.4 | 26 |
| 1311 | Informativeness of Self-Reports of ADHD Symptoms in Monitoring Response to Stimulant Treatment in Clinically Referred Adults With ADHD. <i>Journal of Attention Disorders</i> , 2020 , 24, 420-424 | 3.6 | 1 |
| 1310 | Translating Discoveries in Attention-Deficit/Hyperactivity Disorder Genomics to an Outpatient Child and Adolescent Psychiatric Cohort. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020 , 59, 964-977 | 1.4 | 11 |
| 1309 | Systematic Review: Nonmedical Use of Prescription Stimulants: Risk Factors, Outcomes, and Risk Reduction Strategies. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020 , 59, 100-112 | 14.2 | 52 |
| 1308 | Predictive utility of autistic traits in youth with ADHD: a controlled 10-year longitudinal follow-up study. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 791-801 | 5.3 | 6 |
| 1307 | Evaluating chronic emotional dysregulation and irritability in relation to ADHD and depression genetic risk in children with ADHD. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2020 , 61, 205-214 | 7.6 | 24 |
| 1306 | Exome sequencing in schizophrenia-affected parent-offspring trios reveals risk conferred by protein-coding de novo mutations. <i>Nature Neuroscience</i> , 2020 , 23, 185-193 | 24.7 | 47 |
| 1305 | Sodium hydrogen exchanger 9 NHE9 (SLC9A9) and its emerging roles in neuropsychiatric comorbidity. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020 , 183, 289-305 | 3.2 | 0 |
| 1304 | Consortium neuroscience of attention deficit/hyperactivity disorder and autism spectrum disorder: The ENIGMA adventure. <i>Human Brain Mapping</i> , 2020 , | 5.8 | 17 |
| 1303 | Shared polygenic risk for ADHD, executive dysfunction and other psychiatric disorders. <i>Translational Psychiatry</i> , 2020 , 10, 182 | 8.2 | 10 |
| 1302 | Genetic Profile of ADHD Medication: A Systematic Review of Literature. <i>Biological Psychiatry</i> , 2020 , 87, S293 | 1.9 | |
| 1301 | Subcortical Brain Volume, Regional Cortical Thickness, and Cortical Surface Area Across Disorders: Findings From the ENIGMA ADHD, ASD, and OCD Working Groups. <i>American Journal of Psychiatry</i> , 2020 , 177, 834-843 | 11.3 | 42 |
| 1300 | A novel digital health intervention to improve patient engagement to stimulants in adult ADHD in the primary care setting: Preliminary findings from an open label study. <i>Psychiatry Research</i> , 2020 , 291, 113158 | 9.6 | 1 |
| 1299 | Validity of the ADHD module of the Mini International Neuropsychiatric Interview PLUS for screening of adult ADHD in treatment seeking substance use disorder patients: ADHD screening with MINI-Plus. <i>Revista De Psiquiatria Y Salud Mental</i> , 2020 , | 2.6 | 2 |

| | | | |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 1298 | High Correspondence Between Child Behavior Checklist Rule Breaking Behavior Scale with Conduct Disorder in Males and Females. <i>Child Psychiatry and Human Development</i> , 2020 , 51, 978-985 | 3.2 | |
| 1297 | ENIGMA and global neuroscience: A decade of large-scale studies of the brain in health and disease across more than 40 countries. <i>Translational Psychiatry</i> , 2020 , 10, 100 | 8.2 | 144 |
| 1296 | Machine-Learning prediction of comorbid substance use disorders in ADHD youth using Swedish registry data. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2020 , 61, 1370-1379 | 7.6 | 6 |
| 1295 | Initial Responsiveness to Reward Attainment and Psychopathology in Children and Adults: An RDoC Study. <i>Psychiatry Research</i> , 2020 , 289, 113021 | 9.6 | 1 |
| 1294 | Cognitive correlates of attention-deficit hyperactivity disorder in children and adolescents with high intellectual ability. <i>Journal of Neurodevelopmental Disorders</i> , 2020 , 12, 6 | 4.3 | 2 |
| 1293 | An innovative SMS intervention to improve adherence to stimulants in children with ADHD: Preliminary findings. <i>Journal of Psychopharmacology</i> , 2020 , 34, 883-890 | 4.4 | 2 |
| 1292 | A novel digital intervention for actively reducing severity of paediatric ADHD (STARS-ADHD): a randomised controlled trial. <i>The Lancet Digital Health</i> , 2020 , 2, e168-e178 | 13.8 | 57 |
| 1291 | Toward operationalizing deficient emotional self-regulation in newly referred adults with ADHD: A receiver operator characteristic curve analysis. <i>European Psychiatry</i> , 2020 , 63, e21 | 5.8 | 9 |
| 1290 | DRD4 48 bp multiallelic variants as age-population-specific biomarkers in attention-deficit/hyperactivity disorder. <i>Translational Psychiatry</i> , 2020 , 10, 70 | 8.2 | 10 |
| 1289 | Aggression based genome-wide, glutamatergic, dopaminergic and neuroendocrine polygenic risk scores predict callous-unemotional traits. <i>Neuropsychopharmacology</i> , 2020 , 45, 761-769 | 8.3 | 8 |
| 1288 | Smaller total brain volume but not subcortical structure volume related to common genetic risk for ADHD. <i>Psychological Medicine</i> , 2020 , 1-10 | 6.7 | 4 |
| 1287 | Shared genetic background between children and adults with attention deficit/hyperactivity disorder. <i>Neuropsychopharmacology</i> , 2020 , 45, 1617-1626 | 8.3 | 30 |
| 1286 | Polygenic Risk Score-Derived Subcortical Connectivity Mediates Attention-Deficit/Hyperactivity Disorder Diagnosis. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020 , 5, 330-341 | 3.3 | 7 |
| 1285 | Opioid Addiction/Pregnancy and Neonatal Abstinence Syndrome (NAS): A Preliminary Open-Label Study of Buprenorphine Maintenance and Drug Use Targeted Psychotherapy (DUST) on Cessation of Addictive Drug Use. <i>Frontiers in Psychiatry</i> , 2020 , 11, 563409 | 4.8 | 4 |
| 1284 | Model-Based Approach for Establishing the Predicted Clinical Response of a Delayed-Release and Extended-Release Methylphenidate for the Treatment of Attention-Deficit/Hyperactivity Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2020 , 40, 350-358 | 1.6 | 1 |
| 1283 | International Consensus Statement for the Screening, Diagnosis, and Treatment of Adolescents with Concurrent Attention-Deficit/Hyperactivity Disorder and Substance Use Disorder. <i>European Addiction Research</i> , 2020 , 26, 223-232 | 4.2 | 11 |
| 1282 | Further evidence of low adherence to stimulant treatment in adult ADHD: an electronic medical record study examining timely renewal of a stimulant prescription. <i>Psychopharmacology</i> , 2020 , 237, 2835-2843 ³ | 4.6 | 3 |
| 1281 | Gene co-expression networks in peripheral blood capture dimensional measures of emotional and behavioral problems from the Child Behavior Checklist (CBCL). <i>Translational Psychiatry</i> , 2020 , 10, 328 | 8.2 | |

| | | | |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 1280 | The Impact of Attention-Deficit/Hyperactivity Disorder Medications on Suicidality: Implications and Mechanisms. <i>Biological Psychiatry</i> , 2020 , 88, 436-437 | 1.9 | 2 |
| 1279 | Physical Health, Media Use, and Mental Health in Children and Adolescents With ADHD During the COVID-19 Pandemic in Australia. <i>Journal of Attention Disorders</i> , 2020 , 1087054720978549 | 3.6 | 32 |
| 1278 | Variants of the Aggression-Related Gene in a Population Representative Birth Cohort Study: Aggressiveness, Personality, and Alcohol Use Disorder. <i>Frontiers in Psychiatry</i> , 2020 , 11, 501847 | 4.8 | |
| 1277 | Neurocognitive Deficits in Attention-Deficit/Hyperactivity Disorder With and Without Comorbid Oppositional Defiant Disorder. <i>Journal of Attention Disorders</i> , 2020 , 24, 1317-1329 | 3.6 | 17 |
| 1276 | Characterizing Pathways of Non-oral Prescription Stimulant Non-medical Use Among Adults Recruited From Reddit. <i>Frontiers in Psychiatry</i> , 2020 , 11, 631792 | 4.8 | 4 |
| 1275 | Predicting suicide attempt or suicide death following a visit to psychiatric specialty care: A machine learning study using Swedish national registry data. <i>PLoS Medicine</i> , 2020 , 17, e1003416 | 11.2 | 14 |
| 1274 | Predicting suicide attempt or suicide death following a visit to psychiatric specialty care: A machine learning study using Swedish national registry data 2020 , 17, e1003416 | | |
| 1273 | Predicting suicide attempt or suicide death following a visit to psychiatric specialty care: A machine learning study using Swedish national registry data 2020 , 17, e1003416 | | |
| 1272 | Predicting suicide attempt or suicide death following a visit to psychiatric specialty care: A machine learning study using Swedish national registry data 2020 , 17, e1003416 | | |
| 1271 | Predicting suicide attempt or suicide death following a visit to psychiatric specialty care: A machine learning study using Swedish national registry data 2020 , 17, e1003416 | | |
| 1270 | Predicting suicide attempt or suicide death following a visit to psychiatric specialty care: A machine learning study using Swedish national registry data 2020 , 17, e1003416 | | |
| 1269 | Predicting suicide attempt or suicide death following a visit to psychiatric specialty care: A machine learning study using Swedish national registry data 2020 , 17, e1003416 | | |
| 1268 | Predicting suicide attempt or suicide death following a visit to psychiatric specialty care: A machine learning study using Swedish national registry data 2020 , 17, e1003416 | | |
| 1267 | Predicting suicide attempt or suicide death following a visit to psychiatric specialty care: A machine learning study using Swedish national registry data 2020 , 17, e1003416 | | |
| 1266 | Can the Child Behavior Checklist (CBCL) help characterize the types of psychopathologic conditions driving child psychiatry referrals?. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2020 , 8, 157-165 | 0.6 | 2 |
| 1265 | A literature review and meta-analysis on the effects of ADHD medications on functional outcomes. <i>Journal of Psychiatric Research</i> , 2020 , 123, 21-30 | 5 | 39 |
| 1264 | Genomic analysis of the natural history of attention-deficit/hyperactivity disorder using Neanderthal and ancient Homo sapiens samples. <i>Scientific Reports</i> , 2020 , 10, 8622 | 4.7 | 11 |
| 1263 | Exploring genetic variation that influences brain methylation in attention-deficit/hyperactivity disorder. <i>Translational Psychiatry</i> , 2019 , 9, 242 | 8.2 | 10 |

| | | | |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 1262 | Effort valuation and psychopathology in children and adults. <i>Psychological Medicine</i> , 2019 , 49, 2801-2807. | 6.7 | 1 |
| 1261 | A General Framework for Assessing In vitro/In vivo Correlation as a Tool for Maximizing the Benefit-Risk Ratio of a Treatment Using a Convolution-Based Modeling Approach. <i>CPT: Pharmacometrics and Systems Pharmacology</i> , 2019 , 8, 97-106 | 4.3 | 6 |
| 1260 | Disentangling polygenic associations between attention-deficit/hyperactivity disorder, educational attainment, literacy and language. <i>Translational Psychiatry</i> , 2019 , 9, 35 | 8.2 | 17 |
| 1259 | Clinical correlates of mind wandering in adults with ADHD. <i>Journal of Psychiatric Research</i> , 2019 , 117, 15-23 | 5 | 12 |
| 1258 | Prevalence and Consequences of the Nonmedical Use of Amphetamine Among Persons Calling Poison Control Centers. <i>Journal of Attention Disorders</i> , 2019 , 23, 1219-1228 | 3.6 | 13 |
| 1257 | 15. Predicting Comorbid Disorders in ADHD Using Machine Learning. <i>Biological Psychiatry</i> , 2019 , 85, S6 | 1.9 | |
| 1256 | An Integrated and Network-Based Analysis of Genes For Aggression in Human and Rodent Models. <i>European Neuropsychopharmacology</i> , 2019 , 29, S735 | 0.8 | |
| 1255 | POLYGENIC RISK FOR ADHD IS ASSOCIATED WITH READING AND SPELLING RELATED TRAITS BEYOND PLEIOTROPIC EFFECTS DUE TO EDUCATIONAL ATTAINMENT. <i>European Neuropsychopharmacology</i> , 2019 , 29, S810-S811 | 0.8 | |
| 1254 | Brain Imaging of the Cortex in ADHD: A Coordinated Analysis of Large-Scale Clinical and Population-Based Samples. <i>American Journal of Psychiatry</i> , 2019 , 176, 531-542 | 11.3 | 110 |
| 1253 | PATHWAY INTERACTIONS FOR AUTISM-RISK GENE SLC9A9: IN VITRO CONFIRMATION OF BIOINFORMATIC ASSOCIATIONS. <i>European Neuropsychopharmacology</i> , 2019 , 29, S830-S831 | 0.8 | |
| 1252 | 10 Pharmacodynamics and Tolerability of Intranasally Administered Immediate-Release Amphetamine Sulfate Among Recreational Intranasal Stimulant Users. <i>CNS Spectrums</i> , 2019 , 24, 178-178 | 1.7 | |
| 1251 | Genetic Markers of ADHD-Related Variations in Intracranial Volume. <i>American Journal of Psychiatry</i> , 2019 , 176, 228-238 | 11.3 | 30 |
| 1250 | Effect of disease-associated SLC9A9 mutations on protein-protein interaction networks: implications for molecular mechanisms for ADHD and autism. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2019 , 11, 91-105 | 2.9 | 5 |
| 1249 | PHARMACOGENETICS PREDICTORS OF METHYLPHENIDATE EFFICACY RESPONSE IN CHILDHOOD ADHD. <i>European Neuropsychopharmacology</i> , 2019 , 29, S957-S958 | 0.8 | |
| 1248 | Stimulant treatment profiles predicting co-occurring substance use disorders in individuals with attention-deficit/hyperactivity disorder. <i>European Child and Adolescent Psychiatry</i> , 2019 , 28, 1213-1222 | 5.3 | 11 |
| 1247 | Advanced Paternal Age and Early Onset of Schizophrenia in Sporadic Cases: Not Confounded by Parental Polygenic Risk for Schizophrenia. <i>Biological Psychiatry</i> , 2019 , 86, 56-64 | 1.9 | 10 |
| 1246 | Are subsyndromal manifestations of attention deficit hyperactivity disorder morbid in children? A systematic qualitative review of the literature with meta-analysis. <i>Psychiatry Research</i> , 2019 , 274, 75-90 | 9.6 | 25 |
| 1245 | Comorbidity of bipolar I disorder and conduct disorder: a familial risk analysis. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 361-368 | 6.2 | 4 |

| | | | |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 1244 | Genetics of attention deficit hyperactivity disorder. <i>Molecular Psychiatry</i> , 2019 , 24, 562-575 | 14.4 | 248 |
| 1243 | An integrated analysis of genes and functional pathways for aggression in human and rodent models. <i>Molecular Psychiatry</i> , 2019 , 24, 1655-1667 | 14.4 | 34 |
| 1242 | The Course of Neurocognitive Functioning and Prediction of Behavioral Outcome of ADHD Affected and Unaffected Siblings. <i>Journal of Abnormal Child Psychology</i> , 2019 , 47, 405-419 | 3.8 | 9 |
| 1241 | Association of Psychiatric Comorbidity With the Risk of Premature Death Among Children and Adults With Attention-Deficit/Hyperactivity Disorder. <i>JAMA Psychiatry</i> , 2019 , 76, 1141-1149 | 14 | 31 |
| 1240 | Is the endorsement of the Attention Deficit Hyperactivity Disorder symptom criteria ratings influenced by informant assessment, gender, age, and co-occurring disorders? A measurement invariance study. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1794 | 4.3 | 4 |
| 1239 | Quantifying the Protective Effects of Stimulants on Functional Outcomes in Attention-Deficit/Hyperactivity Disorder: A Focus on Number Needed to Treat Statistic and Sex Effects. <i>Journal of Adolescent Health</i> , 2019 , 65, 784-789 | 3 | 6 |
| 1238 | Evidence of Low Adherence to Stimulant Medication Among Children and Youths With ADHD: An Electronic Health Records Study. <i>Psychiatric Services</i> , 2019 , 70, 874-880 | 3.1 | 11 |
| 1237 | 70GENETIC INFLUENCES CONTRIBUTING TO ATTENTION-DEFICIT/HYPERACTIVITY DISORDER ACROSS THE LIFESPAN: EVIDENCE FROM GENOME-WIDE ASSOCIATION STUDIES. <i>European Neuropsychopharmacology</i> , 2019 , 29, S1107-S1108 | 0.8 | |
| 1236 | T81POLYGENIC RISK FOR SCHIZOPHRENIA AND SCHIZOTYPAL PERSONALITY IN NONPSYCHOTIC RELATIVES FROM MULTIPLEX FAMILIES WITH SCHIZOPHRENIA. <i>European Neuropsychopharmacology</i> , 2019 , 29, S259 | 0.8 | |
| 1235 | Comparative genetic architectures of schizophrenia in East Asian and European populations. <i>Nature Genetics</i> , 2019 , 51, 1670-1678 | 34.9 | 177 |
| 1234 | M6 USING PRS SCORES TO CLARIFY NOSOLOGICAL STRUCTURE OF ADHD AND OVERLAPPING EMOTION-RELATED TRAIT MEASURES. <i>European Neuropsychopharmacology</i> , 2019 , 29, S168-S169 | 0.8 | |
| 1233 | S27BRAIN REGION-SPECIFIC TRANSCRIPTOMIC DYSREGULATION UNDERLYING BEHAVIORAL AND EMOTIONAL PROBLEMS IN LIVING CHILDREN: APPLICATION OF A NOVEL GENE EXPRESSION IMPUTATION ENGINE. <i>European Neuropsychopharmacology</i> , 2019 , 29, S128 | 0.8 | |
| 1232 | A Novel Text Message Intervention to Improve Adherence to Stimulants in Adults With Attention Deficit/Hyperactivity Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2019 , 39, 351-356 | 1.6 | 8 |
| 1231 | Attention-deficit/hyperactivity disorder and clinically diagnosed obesity in adolescence and young adulthood: a register-based study in Sweden. <i>Psychological Medicine</i> , 2019 , 49, 1841-1849 | 6.7 | 13 |
| 1230 | Trajectories of psychiatric diagnoses and medication usage in youth with 22q11.2 deletion syndrome: a 9-year longitudinal study. <i>Psychological Medicine</i> , 2019 , 49, 1914-1922 | 6.7 | 7 |
| 1229 | An Integrated Analysis of Neural Network Correlates of Categorical and Dimensional Models of Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 472-483 | 3.3 | 8 |
| 1228 | Discovery of the first genome-wide significant risk loci for attention deficit/hyperactivity disorder. <i>Nature Genetics</i> , 2019 , 51, 63-75 | 34.9 | 770 |
| 1227 | The morbidity of subthreshold pediatric bipolar disorder: A systematic literature review and meta-analysis. <i>Bipolar Disorders</i> , 2019 , 21, 16-27 | 3.7 | 10 |

| | | | |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 1226 | The Age of Onset of Attention-Deficit Hyperactivity Disorder 2019 , 217-236 | | 2 |
| 1225 | Sex Differences in Comorbidity Patterns of Attention-Deficit/Hyperactivity Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019 , 58, 412-422.e3 | 1.4 | 29 |
| 1224 | The Adult ADHD Quality Measures Initiative. <i>Journal of Attention Disorders</i> , 2019 , 23, 1063-1078 | 3.6 | 5 |
| 1223 | Establishing US norms for the Adult ADHD Self-Report Scale (ASRS-v1.1) and characterising symptom burden among adults with self-reported ADHD. <i>International Journal of Clinical Practice</i> , 2019 , 73, e13260 | 2.8 | 10 |
| 1222 | Do Personality Traits Predict Functional Impairment and Quality of Life in Adult ADHD? A Controlled Study. <i>Journal of Attention Disorders</i> , 2019 , 23, 12-21 | 3.6 | 9 |
| 1221 | Persistence and Subtype Stability of ADHD Among Substance Use Disorder Treatment Seekers. <i>Journal of Attention Disorders</i> , 2019 , 23, 1438-1453 | 3.6 | 19 |
| 1220 | Genetic analysis for cognitive flexibility in the trail-making test in attention deficit hyperactivity disorder patients from single nucleotide polymorphism, gene to pathway level. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 476-485 | 3.6 | 5 |
| 1219 | Clinical Validation of Eye Vergence as an Objective Marker for Diagnosis of ADHD in Children. <i>Journal of Attention Disorders</i> , 2019 , 23, 599-614 | 3.6 | 16 |
| 1218 | Validation of the Expanded Versions of the Adult ADHD Self-Report Scale v1.1 Symptom Checklist and the Adult ADHD Investigator Symptom Rating Scale. <i>Journal of Attention Disorders</i> , 2019 , 23, 1101-1110 | 3.6 | 11 |
| 1217 | Practitioner Review: Emotional dysregulation in attention-deficit/hyperactivity disorder - implications for clinical recognition and intervention. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019 , 60, 133-150 | 7.6 | 104 |
| 1216 | Psychiatric genetics and the structure of psychopathology. <i>Molecular Psychiatry</i> , 2019 , 24, 409-420 | 14.4 | 142 |
| 1215 | The Characteristics and Unique Impairments of Comorbid Adult ADHD and Sluggish Cognitive Tempo: An Interim Analysis. <i>Psychiatric Annals</i> , 2019 , 49, 457-465 | 0.5 | 2 |
| 1214 | A 9-Year Follow-Up of Attention-Deficit/Hyperactivity Disorder in a Population Sample. <i>Journal of Clinical Psychiatry</i> , 2019 , 80, | 4.4 | 8 |
| 1213 | Sleep-Associated Adverse Events During Methylphenidate Treatment of Attention-Deficit/Hyperactivity Disorder: A Meta-Analysis. <i>Journal of Clinical Psychiatry</i> , 2019 , 80, | 4.4 | 10 |
| 1212 | Functional Impairment in Youth With ADHD: Normative Data and Norm-Referenced Cutoff Points for the Before School Functioning Questionnaire and the Parent Rating of Evening and Morning Behavior Scale, Revised. <i>Journal of Clinical Psychiatry</i> , 2019 , 81, | 4.4 | 2 |
| 1211 | Further Evidence of the Diagnostic Utility of the Child Behavior Checklist for Identifying Pediatric Bipolar I Disorder. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2019 , 7, 29-36 | 0.6 | 2 |
| 1210 | Nu Support Vector Machine in Prediction of Fluid Intelligence Using MRI Data. <i>Lecture Notes in Computer Science</i> , 2019 , 92-98 | 0.8 | 0 |
| 1209 | Reliability and Validity of the Before-School Functioning Scale in Children With ADHD. <i>Journal of Attention Disorders</i> , 2018 , 22, 1040-1048 | 3.6 | 9 |

| | | | |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 1208 | Adult Outcome of ADHD: An Overview of Results From the MGH Longitudinal Family Studies of Pediatrically and Psychiatrically Referred Youth With and Without ADHD of Both Sexes. <i>Journal of Attention Disorders</i> , 2018 , 22, 523-534 | 3.6 | 64 |
| 1207 | A Familial Risk Analysis of Emotional Dysregulation: A Controlled Study. <i>Journal of Attention Disorders</i> , 2018 , 22, 848-854 | 3.6 | 7 |
| 1206 | High Risk for Severe Emotional Dysregulation in Psychiatrically Referred Youth with Autism Spectrum Disorder: A Controlled Study. <i>Journal of Autism and Developmental Disorders</i> , 2018 , 48, 3101-3115 | 11.5 | 20 |
| 1205 | The pharmacology of amphetamine and methylphenidate: Relevance to the neurobiology of attention-deficit/hyperactivity disorder and other psychiatric comorbidities. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 87, 255-270 | 8.7 | 164 |
| 1204 | Test-retest reliability of the adult ADHD Self-Report Scale (ASRS) v1.1 Screener in non-ADHD controls from a primary care physician practice. <i>Family Practice</i> , 2018 , 35, 336-341 | 1.8 | 13 |
| 1203 | Novel Loci Associated With Attention-Deficit/Hyperactivity Disorder Are Revealed by Leveraging Polygenic Overlap With Educational Attainment. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018 , 57, 86-95 | 1.4 | 18 |
| 1202 | Working Memory and Vigilance as Multivariate Endophenotypes Related to Common Genetic Risk for Attention-Deficit/Hyperactivity Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018 , 57, 175-182 | 1.4 | 48 |
| 1201 | Sirolimus in patients with clinically active systemic lupus erythematosus resistant to, or intolerant of, conventional medications: a single-arm, open-label, phase 1/2 trial. <i>Lancet, The</i> , 2018 , 391, 1186-1196 ³⁶ | 36 | 179 |
| 1200 | Reliability and Validity of the Daily Parent Rating of Evening and Morning Behavior Scale, Revised. <i>Journal of Attention Disorders</i> , 2018 , 22, 1066-1073 | 3.6 | 7 |
| 1199 | Common and specific genes and peripheral biomarkers in children and adults with attention-deficit/hyperactivity disorder. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 80-100 | 3.6 | 34 |
| 1198 | Anxiety modulates the relation between attention-deficit/hyperactivity disorder severity and working memory-related brain activity. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 450-460 | 3.6 | 5 |
| 1197 | Polygenic risk for schizophrenia and neurocognitive performance in patients with schizophrenia. <i>Genes, Brain and Behavior</i> , 2018 , 17, 49-55 | 3.5 | 21 |
| 1196 | Cross-Disorder Cognitive Impairments in Youth Referred for Neuropsychiatric Evaluation. <i>Journal of the International Neuropsychological Society</i> , 2018 , 24, 91-103 | 3 | 14 |
| 1195 | Psychiatric Genomics: An Update and an Agenda. <i>American Journal of Psychiatry</i> , 2018 , 175, 15-27 | 11.3 | 308 |
| 1194 | Why is there selective subcortical vulnerability in ADHD? Clues from postmortem brain gene expression data. <i>Molecular Psychiatry</i> , 2018 , 23, 1787-1793 | 14.4 | 19 |
| 1193 | How Informative Are Self-Reported Adult Attention-Deficit/Hyperactivity Disorder Symptoms? An Examination of the Agreement Between the Adult Attention-Deficit/Hyperactivity Disorder Self-Report Scale V1.1 and Adult Attention-Deficit/Hyperactivity Disorder Investigator Symptom Rating Scale. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2018 , 28, 339-349 | 2.8 | 14 |
| 1192 | Pharmacogenetics predictors of methylphenidate efficacy in childhood ADHD. <i>Molecular Psychiatry</i> , 2018 , 23, 1929-1936 | 14.4 | 28 |
| 1191 | A Genetic Investigation of Sex Bias in the Prevalence of Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2018 , 83, 1044-1053 | 1.9 | 92 |

| | | | |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 1190 | Screening for Attention-Deficit/Hyperactivity Disorder and Comorbidities in a Diverse, Urban Primary Care Setting. <i>Clinical Pediatrics</i> , 2018 , 57, 1442-1452 | 1.2 | 6 |
| 1189 | T60. ADHD and the Cortex: Evidence From Large Clinical and Population Based Samples. <i>Biological Psychiatry</i> , 2018 , 83, S152 | 1.9 | |
| 1188 | Need for further analysis to explore the association between ADHD and asthma - AuthorsMeply. <i>Lancet Psychiatry,the</i> , 2018 , 5, 963-964 | 22.4 | 1 |
| 1187 | Substance use and nicotine dependence in persistent, remittent, and late-onset ADHD: a 10-year longitudinal study from childhood to young adulthood. <i>Journal of Neurodevelopmental Disorders</i> , 2018 , 10, 42 | 4.3 | 14 |
| 1186 | Common psychiatric and metabolic comorbidity of adult attention-deficit/hyperactivity disorder: A population-based cross-sectional study. <i>PLoS ONE</i> , 2018 , 13, e0204516 | 3.6 | 63 |
| 1185 | Genetic correlations among psychiatric and immune-related phenotypes based on genome-wide association data. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018 , 177, 641-657 | 3.2 | 71 |
| 1184 | F50. Genetic Architecture of Hippocampal Subfield Volumes: Shared and Specific Influences. <i>Biological Psychiatry</i> , 2018 , 83, S257 | 1.9 | |
| 1183 | Live fast, die young? A review on the developmental trajectories of ADHD across the lifespan. <i>European Neuropsychopharmacology</i> , 2018 , 28, 1059-1088 | 0.8 | 193 |
| 1182 | Are Adult ADHD Patients Good Informants of Their Symptoms? A Qualitative Literature Review of Concordance Between Clinician and Self-Report ADHD Symptoms. <i>Journal of Nervous and Mental Disease</i> , 2018 , 206, 739-743 | 1.7 | 3 |
| 1181 | Sirolimus for systemic lupus erythematosus - AuthorsMeply. <i>Lancet, The</i> , 2018 , 392, 734 | 36 | |
| 1180 | Does the course of manic symptoms in pediatric bipolar disorder impact the course of conduct disorder? Findings from four prospective datasets. <i>Journal of Affective Disorders</i> , 2018 , 238, 244-249 | 6.3 | 3 |
| 1179 | Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E5154-E5163 | 11 | 173 |
| 1178 | Association between attention deficit hyperactivity disorder and asthma: a systematic review and meta-analysis and a Swedish population-based study. <i>Lancet Psychiatry,the</i> , 2018 , 5, 717-726 | 22.4 | 50 |
| 1177 | Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018 , 360, | 31.9 | 638 |
| 1176 | Clinical utility of the cold pressor test: evaluation of pain patients, treatment of opioid-induced hyperalgesia and fibromyalgia with low dose naltrexone. <i>Discovery Medicine</i> , 2018 , 26, 197-206 | 2.3 | 12 |
| 1175 | Opiate Antagonists Do Not Interfere With the Clinical Benefits of Stimulants in ADHD: A Double-Blind, Placebo-Controlled Trial of the Mixed Opioid Receptor Antagonist Naltrexone. <i>Journal of Clinical Psychiatry</i> , 2018 , 79, | 4.4 | 5 |
| 1174 | Further Evidence of Morbidity and Dysfunction Associated With Subsyndromal ADHD in Clinically Referred Children. <i>Journal of Clinical Psychiatry</i> , 2018 , 79, | 4.4 | 11 |
| 1173 | Further evidence of high level of persistence of pediatric bipolar-I disorder from childhood onto young adulthood: a five-year follow up. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2018 , 6, 40-51 | 0.6 | 1 |

| | | | |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 1172 | The Mixed Opioid Receptor Antagonist Naltrexone Mitigates Stimulant-Induced Euphoria: A Double-Blind, Placebo-Controlled Trial of Naltrexone. <i>Journal of Clinical Psychiatry</i> , 2018 , 79, | 4.4 | 1 |
| 1171 | Effects of dopaminergic genes, prenatal adversities, and their interaction on attention-deficit/hyperactivity disorder and neural correlates of response inhibition. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 113-121 | 4.3 | 7 |
| 1170 | Shared familial risk factors between attention-deficit/hyperactivity disorder and overweight/obesity - a population-based familial coaggregation study in Sweden. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2017 , 58, 711-718 | 7.6 | 20 |
| 1169 | Subcortical brain volume differences in participants with attention deficit hyperactivity disorder in children and adults: a cross-sectional mega-analysis. <i>Lancet Psychiatry</i> , 2017 , 4, 310-319 | 22.4 | 331 |
| 1168 | The structure of adult ADHD. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26, | 4.3 | 40 |
| 1167 | Gestational age within normal range and infants' health and temperament at 3-months of age. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2017 , 38, 111-120 | 3.5 | |
| 1166 | Network-level assessment of reward-related activation in patients with ADHD and healthy individuals. <i>Human Brain Mapping</i> , 2017 , 38, 2359-2369 | 5.8 | 21 |
| 1165 | Early Morning Functional Impairments in Stimulant-Treated Children with Attention-Deficit/Hyperactivity Disorder Versus Controls: Impact on the Family. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2017 , 27, 715-722 | 2.8 | 14 |
| 1164 | Healthy cortical development through adolescence and early adulthood. <i>Brain Structure and Function</i> , 2017 , 222, 3653-3663 | 3.9 | 21 |
| 1163 | Teenage Parenthood and Birth Rates for Individuals With and Without Attention-Deficit/Hyperactivity Disorder: A Nationwide Cohort Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017 , 56, 578-584.e3 | 1.4 | 26 |
| 1162 | 100. Investigating the Overlap between Common Genetic Factors for ADHD Risk and Brain Volume Measures. <i>Biological Psychiatry</i> , 2017 , 81, S42 | 1.9 | |
| 1161 | Predicting attention-deficit/hyperactivity disorder severity from psychosocial stress and stress-response genes: a random forest regression approach. <i>Translational Psychiatry</i> , 2017 , 7, e1145 | 8.2 | 18 |
| 1160 | Similar familial underpinnings for full and subsyndromal pediatric bipolar disorder: A familial risk analysis. <i>Bipolar Disorders</i> , 2017 , 19, 168-175 | 3.7 | 7 |
| 1159 | Model-Based Approach for Optimizing Study Design and Clinical Drug Performances of Extended-Release Formulations of Methylphenidate for the Treatment of ADHD. <i>Clinical Pharmacology and Therapeutics</i> , 2017 , 102, 951-960 | 5.8 | 7 |
| 1158 | Familial transient financial difficulties during infancy and long-term developmental concerns. <i>Psychological Medicine</i> , 2017 , 47, 2197-2204 | 6.7 | 6 |
| 1157 | The World Health Organization Adult Attention-Deficit/Hyperactivity Disorder Self-Report Screening Scale for DSM-5. <i>JAMA Psychiatry</i> , 2017 , 74, 520-527 | 14 | 126 |
| 1156 | Parent-based diagnosis of ADHD is as accurate as a teacher-based diagnosis of ADHD. <i>Postgraduate Medicine</i> , 2017 , 129, 375-381 | 3.5 | 25 |
| 1155 | The Familial Co-Aggregation of Attention-Deficit/Hyperactivity Disorder and Intellectual Disability: A Register-Based Family Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017 , 56, 167-174.e1 | 1.4 | 31 |

| | | | |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 1154 | Pharmacokinetic and Pharmacodynamic Properties of Lisdexamfetamine in Adults with Attention-Deficit/Hyperactivity Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2017 , 27, 196-199 | 2.8 | 12 |
| 1153 | Longitudinal trajectories of cortical thickness as a biomarker for psychosis in individuals with 22q11.2 deletion syndrome. <i>Schizophrenia Research</i> , 2017 , 188, 35-41 | 3.5 | 17 |
| 1152 | High intelligence and the risk of ADHD and other psychopathology. <i>British Journal of Psychiatry</i> , 2017 , 211, 359-364 | 5.1 | 14 |
| 1151 | Genome-Wide Association Studies of a Broad Spectrum of Antisocial Behavior. <i>JAMA Psychiatry</i> , 2017 , 74, 1242-1250 | 14 | 115 |
| 1150 | Damaging Missense De Novo Coding Mutations Contribute To Schizophrenia Risk. <i>European Neuropsychopharmacology</i> , 2017 , 27, S427-S428 | 0.8 | |
| 1149 | 464. Longitudinal Trajectories of Psychiatric Diagnoses and Predictors of Persistence in Youth with 22q11.2 Deletion Syndrome. <i>Biological Psychiatry</i> , 2017 , 81, S189 | 1.9 | |
| 1148 | Subcortical brain volume differences in participants with attention deficit hyperactivity disorder in children and adults - AuthorsMepley. <i>Lancet Psychiatry</i> , 2017 , 4, 440-441 | 22.4 | 14 |
| 1147 | 909. Predicting Attention-Deficit/hyperactivity Disorder Severity from Stress and Stress Response Genes. <i>Biological Psychiatry</i> , 2017 , 81, S367 | 1.9 | |
| 1146 | Analysis of Shared Haplotypes amongst Palauans Maps Loci for Psychotic Disorders to 4q28 and 5q23-q31. <i>Molecular Neuropsychiatry</i> , 2017 , 2, 173-184 | 4.6 | 1 |
| 1145 | Symptom Profile of ADHD in Youth With High-Functioning Autism Spectrum Disorder: A Comparative Study in Psychiatrically Referred Populations. <i>Journal of Attention Disorders</i> , 2017 , 21, 846-855 | 3.6 | 60 |
| 1144 | Do Stimulants Reduce the Risk for Alcohol and Substance Use in Youth With ADHD? A Secondary Analysis of a Prospective, 24-Month Open-Label Study of Osmotic-Release Methylphenidate. <i>Journal of Attention Disorders</i> , 2017 , 21, 71-77 | 3.6 | 16 |
| 1143 | Effectiveness and Duration of Effect of Open-Label Lisdexamfetamine Dimesylate in Adults With ADHD. <i>Journal of Attention Disorders</i> , 2017 , 21, 149-157 | 3.6 | 11 |
| 1142 | Is Maternal Smoking During Pregnancy a Risk Factor for Cigarette Smoking in Offspring? A Longitudinal Controlled Study of ADHD Children Grown Up. <i>Journal of Attention Disorders</i> , 2017 , 21, 975-985 | 3.6 | 18 |
| 1141 | Testing differential susceptibility: Plasticity genes, the social environment, and their interplay in adolescent response inhibition. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 308-321 | 3.6 | 5 |
| 1140 | Neurocognitive Predictors of ADHD Outcome: a 6-Year Follow-up Study. <i>Journal of Abnormal Child Psychology</i> , 2017 , 45, 261-272 | 3.8 | 26 |
| 1139 | Towards operationalising internal distractibility (Mind Wandering) in adults with ADHD. <i>Acta Neuropsychiatrica</i> , 2017 , 29, 330-336 | 3.8 | 8 |
| 1138 | Diagnostic utility of brain activity flow patterns analysis in attention deficit hyperactivity disorder. <i>Psychological Medicine</i> , 2017 , 47, 1259-1270 | 6.7 | 8 |
| 1137 | Associations between neurodevelopmental genes, neuroanatomy, and ultra high risk symptoms of psychosis in 22q11.2 deletion syndrome. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 295-314 | 3.2 | 20 |

| | | | |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 1136 | Neurobiological marker for child and adult ADHD diagnoses. <i>European Psychiatry</i> , 2017 , 41, S454-S455 | 5.8 | |
| 1135 | Childhood trauma exposure in substance use disorder patients with and without ADHD. <i>Addictive Behaviors</i> , 2017 , 65, 118-124 | 4 | 18 |
| 1134 | Blood transcriptomic comparison of individuals with and without autism spectrum disorder: A combined-samples mega-analysis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 181-201 | 3.2 | 33 |
| 1133 | The interaction between 5-HTTLPR and stress exposure influences connectivity of the executive control and default mode brain networks. <i>Brain Imaging and Behavior</i> , 2017 , 11, 1486-1496 | 4 | 8 |
| 1132 | Genetic Overlap Between Attention-Deficit/Hyperactivity Disorder and Bipolar Disorder: Evidence From Genome-wide Association Study Meta-analysis. <i>Biological Psychiatry</i> , 2017 , 82, 634-641 | 1.9 | 66 |
| 1131 | Examining the association between attention deficit hyperactivity disorder and substance use disorders: A familial risk analysis. <i>Journal of Psychiatric Research</i> , 2017 , 85, 49-55 | 5 | 13 |
| 1130 | SLC9A9 Co-expression modules in autism-associated brain regions. <i>Autism Research</i> , 2017 , 10, 414-429 | 4.9 | 8 |
| 1129 | 3.29 Psychometric Validation of the Before School Functioning Questionnaire and Parent Rating of Evening and Morning Behavior Scale, Revised in Children With Attention-Deficit/Hyperactivity Disorder (ADHD). <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017 , 56, S212-S213 | 1.4 | 1 |
| 1128 | Memantine in the Treatment of Executive Function Deficits in Adults With ADHD. <i>Journal of Attention Disorders</i> , 2017 , 21, 343-352 | 3.6 | 18 |
| 1127 | No Association between Cortical Gyrfication or Intrinsic Curvature and Attention-deficit/Hyperactivity Disorder in Adolescents and Young Adults. <i>Frontiers in Neuroscience</i> , 2017 , 11, 218 | 4.9 | 7 |
| 1126 | Structural Brain Abnormalities of Attention-Deficit/Hyperactivity Disorder With Oppositional Defiant Disorder. <i>Biological Psychiatry</i> , 2017 , 82, 642-650 | 1.9 | 35 |
| 1125 | Exome chip analyses in adult attention deficit hyperactivity disorder. <i>Translational Psychiatry</i> , 2016 , 6, e923 | 8.2 | 19 |
| 1124 | Autism spectrum disorder traits in Slc9a9 knock-out mice. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171B, 363-76 | 3.2 | 17 |
| 1123 | An update on the comorbidity of ADHD and ASD: a focus on clinical management. <i>Expert Review of Neurotherapeutics</i> , 2016 , 16, 279-93 | 4.1 | 99 |
| 1122 | Genetics of aggressive behavior: An overview. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171B, 3-43 | 3.2 | 71 |
| 1121 | A 6-year follow-up of a large European cohort of children with attention-deficit/hyperactivity disorder-combined subtype: outcomes in late adolescence and young adulthood. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 1007-17 | 5.3 | 63 |
| 1120 | Clinical correlates of working memory deficits in youth with and without ADHD: A controlled study. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2016 , 38, 487-96 | 2 | 39 |
| 1119 | The influence of comorbid oppositional defiant disorder on white matter microstructure in attention-deficit/hyperactivity disorder. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 701-10 | 5.3 | 7 |

| | | | |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 1118 | Psychiatric gene discoveries shape evidence on ADHD biology. <i>Molecular Psychiatry</i> , 2016 , 21, 1202-7 | 14.4 | 32 |
| 1117 | Alterations of lateral temporal cortical gray matter and facial memory as vulnerability indicators for schizophrenia: An MRI study in youth at familial high-risk for schizophrenia. <i>Schizophrenia Research</i> , 2016 , 170, 123-9 | 3.5 | 8 |
| 1116 | A splicing-regulatory polymorphism in DRD2 disrupts ZRANB2 binding, impairs cognitive functioning and increases risk for schizophrenia in six Han Chinese samples. <i>Molecular Psychiatry</i> , 2016 , 21, 975-82 | 14.4 | 19 |
| 1115 | The influence of genes on "positive valence systems" constructs: A systematic review. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171B, 92-110 | 3.2 | 11 |
| 1114 | Extending the cross-disorder relevance of executive functions to dimensional neuropsychiatric traits in youth. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016 , 57, 462-71 | 7.6 | 27 |
| 1113 | Association Between ADHD and Obesity: A Systematic Review and Meta-Analysis. <i>American Journal of Psychiatry</i> , 2016 , 173, 34-43 | 11.3 | 248 |
| 1112 | Dopamine and serotonin genetic risk scores predicting substance and nicotine use in attention deficit/hyperactivity disorder. <i>Addiction Biology</i> , 2016 , 21, 915-23 | 4.4 | 13 |
| 1111 | The Neuropsychological Profile of Comorbid Post-Traumatic Stress Disorder in Adult ADHD. <i>Journal of Attention Disorders</i> , 2016 , 20, 1047-1055 | 3.6 | 14 |
| 1110 | Is ADHD a Risk Factor for High School Dropout? A Controlled Study. <i>Journal of Attention Disorders</i> , 2016 , 20, 383-9 | 3.6 | 44 |
| 1109 | Familiality of Co-existing ADHD and Tic Disorders: Evidence from a Large Sibling Study. <i>Frontiers in Psychology</i> , 2016 , 7, 1060 | 3.3 | 2 |
| 1108 | Dopamine receptor polymorphism modulates the relation between antenatal maternal anxiety and fetal movement. <i>Developmental Psychobiology</i> , 2016 , 58, 980-989 | 2.9 | 2 |
| 1107 | A Prospective Open-Label Trial of Memantine Hydrochloride for the Treatment of Social Deficits in Intellectually Capable Adults With Autism Spectrum Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2016 , 36, 262-71 | 1.6 | 22 |
| 1106 | Pathway analysis in attention deficit hyperactivity disorder: An ensemble approach. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171, 815-26 | 3.2 | 29 |
| 1105 | Obesity, but not metabolic syndrome, negatively affects outcome in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 144-153 | 6.2 | 33 |
| 1104 | A study of the neuropsychological correlates in adults with high functioning autism spectrum disorders. <i>Acta Neuropsychiatrica</i> , 2016 , 28, 286-95 | 3.8 | 12 |
| 1103 | Empirical tests of natural selection-based evolutionary accounts of ADHD: a systematic review. <i>Acta Neuropsychiatrica</i> , 2016 , 28, 249-56 | 3.8 | 7 |
| 1102 | Auditory Vigilance and Working Memory in Youth at Familial Risk for Schizophrenia or Affective Psychosis in the Harvard Adolescent Family High Risk Study. <i>Journal of the International Neuropsychological Society</i> , 2016 , 22, 1026-1037 | 3 | 8 |
| 1101 | Integrated analysis of gray and white matter alterations in attention-deficit/hyperactivity disorder. <i>NeuroImage: Clinical</i> , 2016 , 11, 357-367 | 5.1 | 26 |

| | | | |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 1100 | Adult attention-deficit hyperactivity disorder: key conceptual issues. <i>Lancet Psychiatry</i> , 2016 , 3, 568-72. | 14.4 | 141 |
| 1099 | Can Attention-Deficit/Hyperactivity Disorder Onset Occur in Adulthood?. <i>JAMA Psychiatry</i> , 2016 , 73, 655-6 | 14 | 73 |
| 1098 | Attention-deficit hyperactivity disorder in adults: A systematic review and meta-analysis of genetic, pharmacogenetic and biochemical studies. <i>Molecular Psychiatry</i> , 2016 , 21, 872-84 | 14.4 | 100 |
| 1097 | Adolescent behavioral and neural reward sensitivity: a test of the differential susceptibility theory. <i>Translational Psychiatry</i> , 2016 , 6, e771 | 8.2 | 10 |
| 1096 | Endosomal system genetics and autism spectrum disorders: A literature review. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 65, 95-112 | 8.7 | 10 |
| 1095 | The Groundskeeper Gaming Platform as a Diagnostic Tool for Attention-Deficit/Hyperactivity Disorder: Sensitivity, Specificity, and Relation to Other Measures. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2016 , 26, 672-685 | 2.8 | 10 |
| 1094 | An evidenced-based perspective on the validity of attention-deficit/hyperactivity disorder in the context of high intelligence. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 71, 21-47 | 8.7 | 20 |
| 1093 | Interplay between stress response genes associated with attention-deficit hyperactivity disorder and brain volume. <i>Genes, Brain and Behavior</i> , 2016 , 15, 627-36 | 3.5 | 17 |
| 1092 | Meta-analysis of the DRD5 VNTR in persistent ADHD. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1527-1532 | 0.8 | 2 |
| 1091 | Gene-set and multivariate genome-wide association analysis of oppositional defiant behavior subtypes in attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171, 573-88 | 3.2 | 32 |
| 1090 | Genetic architecture for human aggression: A study of gene-phenotype relationship in OMIM. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171, 641-9 | 3.2 | 25 |
| 1089 | Haplotypes of the D-Amino Acid Oxidase Gene Are Significantly Associated with Schizophrenia and Its Neurocognitive Deficits. <i>PLoS ONE</i> , 2016 , 11, e0150435 | 3.6 | 12 |
| 1088 | Developmentally Sensitive Interaction Effects of Genes and the Social Environment on Total and Subcortical Brain Volumes. <i>PLoS ONE</i> , 2016 , 11, e0155755 | 3.6 | 4 |
| 1087 | Bipolar CHOICE (Clinical Health Outcomes Initiative in Comparative Effectiveness): a pragmatic 6-month trial of lithium versus quetiapine for bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 90-9 | 4.4 | 44 |
| 1086 | Further Evidence for Smoking and Substance Use Disorders in Youth With Bipolar Disorder and Comorbid Conduct Disorder. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 1420-1427 | 4.4 | 22 |
| 1085 | Gender differences in adult attention-deficit/hyperactivity disorder: results from the National Epidemiologic Survey on Alcohol and Related Conditions (NESARC). <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e421-8 | 4.4 | 28 |
| 1084 | Examining the association between posttraumatic stress disorder and attention-deficit/hyperactivity disorder: a systematic review and meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 72-83 | 4.4 | 37 |
| 1083 | Are Autistic Traits in Youth Meaningful? A Replication study in Non-referred Siblings of Youth with and without Attention-Deficit/Hyperactivity Disorder. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2016 , 4, 77-87 | 0.6 | 1 |

| | | | |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 1082 | White matter microstructure and developmental improvement of hyperactive/impulsive symptoms in attention-deficit/hyperactivity disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015 , 56, 1289-97 | 7.6 | 30 |
| 1081 | Are all the 18 DSM-IV and DSM-5 criteria equally useful for diagnosing ADHD and predicting comorbid conduct problems?. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 1325-37 | 5.3 | 10 |
| 1080 | Increased neural responses to reward in adolescents and young adults with attention-deficit/hyperactivity disorder and their unaffected siblings. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015 , 54, 394-402 | 1.4 | 66 |
| 1079 | Childhood predictors of adolescent and young adult outcome in ADHD. <i>Journal of Psychiatric Research</i> , 2015 , 62, 92-100 | 5 | 80 |
| 1078 | Neurocognitive and familial moderators of psychiatric risk in velocardiofacial (22q11.2 deletion) syndrome: a longitudinal study. <i>Psychological Medicine</i> , 2015 , 45, 1629-39 | 6.7 | 13 |
| 1077 | Toward quality care in ADHD: defining the goals of treatment. <i>Journal of Attention Disorders</i> , 2015 , 19, 99-117 | 3.6 | 19 |
| 1076 | Developmentally stable whole-brain volume reductions and developmentally sensitive caudate and putamen volume alterations in those with attention-deficit/hyperactivity disorder and their unaffected siblings. <i>JAMA Psychiatry</i> , 2015 , 72, 490-9 | 14 | 105 |
| 1075 | Complexity of illness and adjunctive benzodiazepine use in outpatients with bipolar I or II disorder: results from the Bipolar CHOICE study. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 68-74 | 1.6 | 13 |
| 1074 | Copy number variants in attention-deficit hyperactive disorder: identification of the 15q13 deletion and its functional role. <i>Psychiatric Genetics</i> , 2015 , 25, 59-70 | 2.9 | 20 |
| 1073 | Genetics in child and adolescent psychiatry: methodological advances and conceptual issues. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 619-34 | 5.3 | 7 |
| 1072 | Relation between maternal antenatal anxiety and infants' weight depends on infants' sex: A longitudinal study from late gestation to 1-month post birth. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 620-7 | 3.8 | 11 |
| 1071 | Daily life impairments associated with childhood/adolescent attention-deficit/hyperactivity disorder as recalled by adults: results from the European Lifetime Impairment Survey. <i>CNS Spectrums</i> , 2015 , 20, 112-21 | 1.7 | 11 |
| 1070 | Early developmental, temperamental and educational problems in substance use disorder patients with and without ADHD. Does ADHD make a difference?. <i>Addictive Behaviors Reports</i> , 2015 , 2, 13-18 | 3.5 | 2 |
| 1069 | Converging evidence does not support GIT1 as an ADHD risk gene. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168, 492-507 | 3.2 | 15 |
| 1068 | Meta-analysis of data from the Psychiatric Genomics Consortium and additional samples supports association of CACNA1C with risk for schizophrenia. <i>Schizophrenia Research</i> , 2015 , 168, 429-33 | 3.5 | 15 |
| 1067 | Neuropsychological Deficits Are Not Predictive of Deficient Emotional Self-Regulation in Adults With ADHD. <i>Journal of Attention Disorders</i> , 2015 , 19, 1046-53 | 3.6 | 21 |
| 1066 | Toward Defining the Neural Substrates of ADHD: A Controlled Structural MRI Study in Medication-Naïve Adults. <i>Journal of Attention Disorders</i> , 2015 , 19, 944-53 | 3.6 | 30 |
| 1065 | Can manic switches be predicted in pediatric major depression? A systematic literature review. <i>Journal of Affective Disorders</i> , 2015 , 172, 300-6 | 6.3 | 10 |

| | | | |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 1064 | Case-control genome-wide association study of persistent attention-deficit hyperactivity disorder identifies FBXO33 as a novel susceptibility gene for the disorder. <i>Neuropsychopharmacology</i> , 2015 , 40, 915-26 | 8.3 | 49 |
| 1063 | Neurocognitive predictors of substance use disorders and nicotine dependence in ADHD probands, their unaffected siblings, and controls: a 4-year prospective follow-up. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015 , 56, 521-9 | 7.6 | 16 |
| 1062 | The NeuroIMAGE study: a prospective phenotypic, cognitive, genetic and MRI study in children with attention-deficit/hyperactivity disorder. Design and descriptives. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 265-81 | 5.3 | 100 |
| 1061 | Smoking and the developing brain: altered white matter microstructure in attention-deficit/hyperactivity disorder and healthy controls. <i>Human Brain Mapping</i> , 2015 , 36, 1180-9 | 5.8 | 17 |
| 1060 | Multilevel analysis of ADHD, anxiety and depression symptoms aggregation in families. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 525-36 | 5.3 | 24 |
| 1059 | Risk Factors for Borderline Personality Disorder in Treatment Seeking Patients with a Substance Use Disorder: An International Multicenter Study. <i>European Addiction Research</i> , 2015 , 21, 188-94 | 4.2 | 9 |
| 1058 | Can unipolar and bipolar pediatric major depression be differentiated from each other? A systematic review of cross-sectional studies examining differences in unipolar and bipolar depression. <i>Journal of Affective Disorders</i> , 2015 , 176, 1-7 | 6.3 | 24 |
| 1057 | Altered neural connectivity during response inhibition in adolescents with attention-deficit/hyperactivity disorder and their unaffected siblings. <i>NeuroImage: Clinical</i> , 2015 , 7, 325-35 | 5.1 | 50 |
| 1056 | Distinguishing Adolescents With ADHD From Their Unaffected Siblings and Healthy Comparison Subjects by Neural Activation Patterns During Response Inhibition. <i>American Journal of Psychiatry</i> , 2015 , 172, 674-83 | 11.3 | 59 |
| 1055 | Psychiatric genome-wide association study analyses implicate neuronal, immune and histone pathways. <i>Nature Neuroscience</i> , 2015 , 18, 199-209 | 24.7 | 552 |
| 1054 | Oxidative Stress and ADHD: A Meta-Analysis. <i>Journal of Attention Disorders</i> , 2015 , 19, 915-24 | 3.6 | 95 |
| 1053 | Attention deficit hyperactivity disorder and premature death. <i>Lancet, The</i> , 2015 , 385, 2132-3 | 36 | 22 |
| 1052 | Thinner Medial Temporal Cortex in Adolescents With Attention-Deficit/Hyperactivity Disorder and the Effects of Stimulants. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015 , 54, 660-7 | 1.4 | 21 |
| 1051 | Impaired motor performance in adolescents at familial high-risk for schizophrenia. <i>Schizophrenia Research</i> , 2015 , 168, 44-9 | 3.5 | 7 |
| 1050 | Brain Correlates of the Interaction Between 5-HTTLPR and Psychosocial Stress Mediating Attention Deficit Hyperactivity Disorder Severity. <i>American Journal of Psychiatry</i> , 2015 , 172, 768-75 | 11.3 | 38 |
| 1049 | Neural correlates of visuospatial working memory in attention-deficit/hyperactivity disorder and healthy controls. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 233, 233-42 | 2.8 | 23 |
| 1048 | Attention-deficit/hyperactivity disorder. <i>Nature Reviews Disease Primers</i> , 2015 , 1, 15020 | 48.6 | 581 |
| 1047 | Characterization of a Novel Mutation in SLC1A1 Associated with Schizophrenia. <i>Molecular Neuropsychiatry</i> , 2015 , 1, 125-44 | 4.6 | 19 |

| | | | |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 1046 | Mild Traumatic Brain Injury and Attention-Deficit Hyperactivity Disorder in Young Student Athletes. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 813-9 | 1.7 | 44 |
| 1045 | A randomized clinical trial of high eicosapentaenoic acid omega-3 fatty acids and inositol as monotherapy and in combination in the treatment of pediatric bipolar spectrum disorders: a pilot study. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, 1548-55 | 4.4 | 12 |
| 1044 | A 4-year follow-up of attention-deficit/hyperactivity disorder in a population sample. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, 712-9 | 4.4 | 14 |
| 1043 | Prevalence of obesity in attention-deficit/hyperactivity disorder: study protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2014 , 4, e004541 | 2.9 | 9 |
| 1042 | Characterizing runs of homozygosity and their impact on risk for psychosis in a population isolate. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 521-30 | 3.2 | 4 |
| 1041 | Attention-deficit/hyperactivity disorder and adverse health outcomes in adults. <i>Journal of Nervous and Mental Disease</i> , 2014 , 202, 725-31 | 1.7 | 44 |
| 1040 | Moderate antenatal anxiety symptoms and birth outcomes of boys and girls. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2014 , 35, 116-23 | 3.5 | 13 |
| 1039 | Mild traumatic brain injury and ADHD: a systematic review of the literature and meta-analysis. <i>Journal of Attention Disorders</i> , 2014 , 18, 576-84 | 3.6 | 72 |
| 1038 | Clinical effects of lisdexamfetamine and mixed amphetamine salts immediate release in adult ADHD: results of a crossover design clinical trial. <i>Postgraduate Medicine</i> , 2014 , 126, 17-24 | 3.5 | 10 |
| 1037 | The serotonin transporter gene polymorphism 5-HTTLPR moderates the effects of stress on attention-deficit/hyperactivity disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014 , 55, 1363-71 | 7.6 | 32 |
| 1036 | Is the diagnosis of ADHD influenced by time of entry to school? An examination of clinical, familial, and functional correlates in children at early and late entry points. <i>Journal of Attention Disorders</i> , 2014 , 18, 179-85 | 3.6 | 10 |
| 1035 | Autism-related behavioral phenotypes in an inbred rat substrain. <i>Behavioural Brain Research</i> , 2014 , 269, 103-14 | 3.3 | 14 |
| 1034 | Examining the clinical correlates of autism spectrum disorder in youth by ascertainment source. <i>Journal of Autism and Developmental Disorders</i> , 2014 , 44, 2117-26 | 4.4 | 24 |
| 1033 | Childhood and persistent ADHD symptoms associated with educational failure and long-term occupational disability in adult ADHD. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2014 , 6, 87-99 | 2.9 | 78 |
| 1032 | Effect of adjunctive benzodiazepines on clinical outcomes in lithium- or quetiapine-treated outpatients with bipolar I or II disorder: results from the Bipolar CHOICE trial. <i>Journal of Affective Disorders</i> , 2014 , 161, 30-5 | 6.3 | 13 |
| 1031 | Genetic variation associated with euphorogenic effects of d-amphetamine is associated with diminished risk for schizophrenia and attention deficit hyperactivity disorder. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 5968-73 | 11 | 14 |
| 1030 | Psychiatric comorbidity in treatment-seeking substance use disorder patients with and without attention deficit hyperactivity disorder: results of the IASP study. <i>Addiction</i> , 2014 , 109, 262-72 | 4.5 | 93 |
| 1029 | Medial temporal lobe default mode functioning and hippocampal structure as vulnerability indicators for schizophrenia: a MRI study of non-psychotic adolescent first-degree relatives. <i>Schizophrenia Research</i> , 2014 , 159, 426-34 | 3.5 | 20 |

| | | | |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 1028 | Predicting reading comprehension academic achievement in late adolescents with velo-cardio-facial (22q11.2 deletion) syndrome (VCFS): a longitudinal study. <i>Journal of Intellectual Disability Research</i> , 2014 , 58, 926-39 | 3 | 9 |
| 1027 | Towards an evidence-based taxonomy of nonpharmacologic treatments for ADHD. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2014 , 23, 965-72 | 3.1 | 10 |
| 1026 | Advances in the genetics of attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2014 , 76, 599-600 | 5 | |
| 1025 | Prenatal exposure to methylphenidate affects the dopamine system and the reactivity to natural reward in adulthood in rats. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18, | 5.5 | 5 |
| 1024 | Functional effects of dopamine transporter gene genotypes on in vivo dopamine transporter functioning: a meta-analysis. <i>Molecular Psychiatry</i> , 2014 , 19, 880-9 | 14.4 | 86 |
| 1023 | Biomarkers in the diagnosis of ADHD--promising directions. <i>Current Psychiatry Reports</i> , 2014 , 16, 497 | 8.6 | 76 |
| 1022 | Exposure to childhood traumas ups the odds of giving birth to daughters. <i>Archives of Womens Mental Health</i> , 2014 , 17, 159-66 | 4.9 | 2 |
| 1021 | Parental history of substance use disorders (SUD) and SUD in offspring: a controlled family study of bipolar disorder. <i>American Journal on Addictions</i> , 2014 , 23, 440-6 | 3.6 | 11 |
| 1020 | Variability in the prevalence of adult ADHD in treatment seeking substance use disorder patients: results from an international multi-center study exploring DSM-IV and DSM-5 criteria. <i>Drug and Alcohol Dependence</i> , 2014 , 134, 158-166 | 4.8 | 117 |
| 1019 | Daily life impairments associated with self-reported childhood/adolescent attention-deficit/hyperactivity disorder and experiences of diagnosis and treatment: results from the European Lifetime Impairment Survey. <i>European Psychiatry</i> , 2014 , 29, 316-23 | 5.8 | 27 |
| 1018 | Genetic liability, prenatal health, stress and family environment: risk factors in the Harvard Adolescent Family High Risk for schizophrenia study. <i>Schizophrenia Research</i> , 2014 , 157, 142-8 | 3.5 | 34 |
| 1017 | The human ortholog of acid-sensing ion channel gene ASIC1a is associated with panic disorder and amygdala structure and function. <i>Biological Psychiatry</i> , 2014 , 76, 902-10 | 1.9 | 54 |
| 1016 | Re-examining the risk for switch from unipolar to bipolar major depressive disorder in youth with ADHD: a long term prospective longitudinal controlled study. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 347-51 | 6.3 | 17 |
| 1015 | Cognitive behavioral treatment outcomes in adolescent ADHD. <i>Journal of Attention Disorders</i> , 2014 , 18, 483-95 | 3.6 | 56 |
| 1014 | Stimulant treatment of ADHD and cigarette smoking: a meta-analysis. <i>Pediatrics</i> , 2014 , 133, 1070-80 | 7.1 | 31 |
| 1013 | Different mechanisms of white matter abnormalities in attention-deficit/hyperactivity disorder: a diffusion tensor imaging study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014 , 53, 790-9.e3 | 1.4 | 58 |
| 1012 | Further evidence that severe scores in the aggression/anxiety-depression/attention subscales of child behavior checklist (severe dysregulation profile) can screen for bipolar disorder symptomatology: a conditional probability analysis. <i>Journal of Affective Disorders</i> , 2014 , 165, 81-6 | 6.3 | 27 |
| 1011 | mTOR activation triggers proinflammatory expansion of IL-4-producing and necrosis-prone double-negative T cells, precedes flares, and serves as target for treatment in patients with systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2014 , 16, A25 | 5.5 | 1 |

| | | | |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|
| 1010 | AuthorsReply. <i>British Journal of Psychiatry</i> , 2014 , 204, 490-1 | 5.1 | |
| 1009 | Angiogenic, neurotrophic, and inflammatory system SNPs moderate the association between birth weight and ADHD symptom severity. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 691-704 | 3.2 | 20 |
| 1008 | Is ADHD a risk for posttraumatic stress disorder (PTSD)? Results from a large longitudinal study of referred children with and without ADHD. <i>World Journal of Biological Psychiatry</i> , 2014 , 15, 49-55 | 3.6 | 26 |
| 1007 | Genome-wide analysis of rare copy number variations reveals PARK2 as a candidate gene for attention-deficit/hyperactivity disorder. <i>Molecular Psychiatry</i> , 2014 , 19, 115-21 | 14.4 | 59 |
| 1006 | Response to Selveraj et al. <i>Molecular Psychiatry</i> , 2014 , 19, 964-5 | 14.4 | |
| 1005 | Fibromyalgia, autism, and opioid addiction as natural and induced disorders of the endogenous opioid hormonal system. <i>Discovery Medicine</i> , 2014 , 18, 209-20 | 2.3 | 21 |
| 1004 | Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013 , 45, 984-94 | 34.9 | 1581 |
| 1003 | The comorbidity of ADHD and autism spectrum disorder. <i>Expert Review of Neurotherapeutics</i> , 2013 , 13, 1117-28 | 4.1 | 79 |
| 1002 | Can sodium/hydrogen exchange inhibitors be repositioned for treating attention deficit hyperactivity disorder? An in silico approach. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013 , 162B, 711-7 | 3.2 | 10 |
| 1001 | Association between DRD2/DRD4 interaction and conduct disorder: a potential developmental pathway to alcohol dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013 , 162B, 546-9 | 3.2 | 13 |
| 1000 | Do stimulants reduce the risk for cigarette smoking in youth with attention-deficit hyperactivity disorder? A prospective, long-term, open-label study of extended-release methylphenidate. <i>Journal of Pediatrics</i> , 2013 , 162, 22-7.e2 | 3.4 | 29 |
| 999 | Further evidence that pediatric-onset bipolar disorder comorbid with ADHD represents a distinct subtype: results from a large controlled family study. <i>Journal of Psychiatric Research</i> , 2013 , 47, 15-22 | 5 | 20 |
| 998 | Do SNPs of DRD4 gene predict adult persistence of ADHD in a Chinese sample?. <i>Psychiatry Research</i> , 2013 , 205, 143-50 | 9.6 | 9 |
| 997 | Functional genomics of attention-deficit/hyperactivity disorder (ADHD) risk alleles on dopamine transporter binding in ADHD and healthy control subjects. <i>Biological Psychiatry</i> , 2013 , 74, 84-9 | 1.9 | 39 |
| 996 | Verbal and visual-spatial memory impairment in youth at familial risk for schizophrenia or affective psychosis: a pilot study. <i>Schizophrenia Research</i> , 2013 , 144, 122-8 | 3.5 | 10 |
| 995 | Validity of the Adult ADHD Self-Report Scale (ASRS) as a screener for adult ADHD in treatment seeking substance use disorder patients. <i>Drug and Alcohol Dependence</i> , 2013 , 132, 587-96 | 4.8 | 93 |
| 994 | Association between SYP with attention-deficit/hyperactivity disorder in Chinese Han subjects: differences among subtypes and genders. <i>Psychiatry Research</i> , 2013 , 210, 308-14 | 9.6 | 9 |
| 993 | Association of genetic risk severity with ADHD clinical characteristics. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013 , 162B, 718-33 | 3.2 | 13 |

| | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 992 | Change in neuropsychological functioning over one year in youth at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2013 , 146, 87-94 | 3.5 | 30 |
| 991 | Can pediatric bipolar-I disorder be diagnosed in the context of posttraumatic stress disorder? A familial risk analysis. <i>Psychiatry Research</i> , 2013 , 208, 215-24 | 9.6 | 2 |
| 990 | Does sex moderate the clinical correlates of pediatric bipolar-I disorder? Results from a large controlled family-genetic study. <i>Journal of Affective Disorders</i> , 2013 , 149, 269-76 | 6.3 | 10 |
| 989 | Polygenic transmission and complex neuro developmental network for attention deficit hyperactivity disorder: genome-wide association study of both common and rare variants. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013 , 162B, 419-430 | 3.2 | 123 |
| 988 | The DAO gene is associated with schizophrenia and interacts with other genes in the Taiwan Han Chinese population. <i>PLoS ONE</i> , 2013 , 8, e60099 | 3.6 | 12 |
| 987 | Outpatient Detoxification Completion and One-Month Outcomes for Opioid Dependence: A Preliminary Study of a Neuropsychanalytic Treatment in Pain Patients and Addicted Patients. <i>Neuropsychanalysis</i> , 2013 , 15, 145-160 | 0.7 | 12 |
| 986 | Autistic traits in children with and without ADHD. <i>Pediatrics</i> , 2013 , 132, e612-22 | 7.1 | 65 |
| 985 | Adult attention-deficit hyperactivity disorder and obesity: epidemiological study. <i>British Journal of Psychiatry</i> , 2013 , 203, 24-34 | 5.1 | 49 |
| 984 | High loading of polygenic risk for ADHD in children with comorbid aggression. <i>American Journal of Psychiatry</i> , 2013 , 170, 909-16 | 11.3 | 103 |
| 983 | Efficacy of metadoxine extended release in patients with predominantly inattentive subtype attention-deficit/hyperactivity disorder. <i>Postgraduate Medicine</i> , 2013 , 125, 181-90 | 3.5 | 11 |
| 982 | Genetic architecture of Wistar-Kyoto rat and spontaneously hypertensive rat substrains from different sources. <i>Physiological Genomics</i> , 2013 , 45, 528-38 | 3.4 | 41 |
| 981 | Performance on the Wisconsin Card Sorting Test in families of schizophrenia patients with different familial loadings. <i>Schizophrenia Bulletin</i> , 2013 , 39, 537-46 | 1.2 | 23 |
| 980 | Attention deficit and hyperactivity disorder scores are elevated and respond to N-acetylcysteine treatment in patients with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2013 , 65, 1313-8 | | 64 |
| 979 | No association between MspI allele of the ADRA2A polymorphism and ADHD: meta-analysis of family-based studies. <i>Psychiatric Genetics</i> , 2013 , 23, 174-5 | 2.9 | 6 |
| 978 | ADHD is a risk factor for overweight and obesity in children. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2013 , 34, 566-74 | 2.3 | 55 |
| 977 | A prospective open-label trial of paliperidone monotherapy for the treatment of bipolar spectrum disorders in children and adolescents. <i>Psychopharmacology</i> , 2013 , 227, 449-58 | 4.6 | 12 |
| 976 | Background, clinical features and treatment of attention deficit hyperactivity disorder in children. <i>Expert Opinion on Pharmacotherapy</i> , 2013 , 14, 1885-906 | 3.8 | 23 |
| 975 | Examining the nature of the comorbidity between pediatric attention deficit/hyperactivity disorder and post-traumatic stress disorder. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 78-87 | 6.2 | 35 |

| | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 974 | Understanding deficient emotional self-regulation in adults with attention deficit hyperactivity disorder: a controlled study. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2013 , 5, 273-81 | 2.9 | 74 |
| 973 | The longitudinal course of attention deficit/hyperactivity disorder in velo-cardio-facial syndrome. <i>Journal of Pediatrics</i> , 2013 , 163, 187-93.e1 | 3.4 | 18 |
| 972 | Adrenergic neurotransmitter system transporter and receptor genes associated with atomoxetine response in attention-deficit hyperactivity disorder children. <i>Journal of Neural Transmission</i> , 2013 , 120, 1127-33 | 4.1 | 21 |
| 971 | Comorbid anxiety and neurocognitive dysfunctions in children with ADHD. <i>European Child and Adolescent Psychiatry</i> , 2013 , 22, 225-34 | 5.3 | 44 |
| 970 | Personal and familial correlates of bipolar (BP)-I disorder in children with a diagnosis of BP-I disorder with a positive child behavior checklist (CBCL)-severe dysregulation profile: a controlled study. <i>Journal of Affective Disorders</i> , 2013 , 147, 164-70 | 6.3 | 21 |
| 969 | Guanfacine extended release: a novel treatment for attention-deficit/hyperactivity disorder in children and adolescents. <i>Clinical Therapeutics</i> , 2013 , 35, 1778-93 | 3.3 | 22 |
| 968 | Candidate genetic pathways for attention-deficit/hyperactivity disorder (ADHD) show association to hyperactive/impulsive symptoms in children with ADHD. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013 , 52, 1204-1212.e1 | 1.4 | 61 |
| 967 | Do stimulants improve functioning in adults with ADHD? A review of the literature. <i>European Neuropsychopharmacology</i> , 2013 , 23, 528-33 | 0.8 | 33 |
| 966 | Long-term efficacy and safety of treatment with stimulants and atomoxetine in adult ADHD: a review of controlled and naturalistic studies. <i>European Neuropsychopharmacology</i> , 2013 , 23, 508-27 | 0.8 | 88 |
| 965 | A genome-wide quantitative linkage scan of niacin skin flush response in families with schizophrenia. <i>Schizophrenia Bulletin</i> , 2013 , 39, 68-76 | 1.2 | 13 |
| 964 | Substance use disorders in adolescents with attention deficit hyperactivity disorder: a 4-year follow-up study. <i>Addiction</i> , 2013 , 108, 1503-11 | 4.5 | 89 |
| 963 | Genetic analysis of reaction time variability: room for improvement?. <i>Psychological Medicine</i> , 2013 , 43, 1323-33 | 6.7 | 25 |
| 962 | Common obesity risk alleles in childhood attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013 , 162B, 295-305 | 3.2 | 64 |
| 961 | The International ADHD in Substance Use Disorders Prevalence (IASP) study: background, methods and study population. <i>International Journal of Methods in Psychiatric Research</i> , 2013 , 22, 232-44 | 4.3 | 37 |
| 960 | Deletion at the SLC1A1 glutamate transporter gene co-segregates with schizophrenia and bipolar schizoaffective disorder in a 5-generation family. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013 , 162B, 87-95 | 3.2 | 33 |
| 959 | Mechanistic target of rapamycin activation triggers IL-4 production and necrotic death of double-negative T cells in patients with systemic lupus erythematosus. <i>Journal of Immunology</i> , 2013 , 191, 2236-46 | 5.1 | 81 |
| 958 | Examining the nature of the association between attention-deficit hyperactivity disorder and nicotine dependence: a familial risk analysis. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 177-83 | 4.7 | 4 |
| 957 | Effect of psychostimulants on brain structure and function in ADHD: a qualitative literature review of magnetic resonance imaging-based neuroimaging studies. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 902-11 | 4.4 | 86 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 956 | Stimulant treatment for attention-deficit hyperactivity disorder and risk of developing substance use disorder. <i>British Journal of Psychiatry</i> , 2013 , 203, 112-9 | 5.1 | 55 |
| 955 | Posttraumatic stress disorder in adult attention-deficit/hyperactivity disorder: clinical features and familial transmission. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, e197-204 | 4.4 | 33 |
| 954 | Depression treatment in patients with coronary artery disease: a systematic review. <i>primary care companion for CNS disorders, The</i> , 2013 , 15, | 1.2 | 12 |
| 953 | How Prevalent Are Autistic Traits Among Children With Attention-Deficit/Hyperactivity Disorder? A Qualitative Review of the Literature. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2013 , 1, 33-40 | 0.6 | 1 |
| 952 | Biomarkers and attention-deficit/hyperactivity disorder: a systematic review and meta-analyses. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2012 , 51, 1003-1019.e20 | 1.4 | 132 |
| 951 | Genome-wide association study of intelligence: additive effects of novel brain expressed genes. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2012 , 51, 432-440.e2 | 1.4 | 15 |
| 950 | Poster #58 DIRECT COMPARISON OF MEMORY IMPAIRMENT IN YOUTH AT FAMILIAL RISK FOR SCHIZOPHRENIA OR AFFECTIVE PSYCHOSIS. <i>Schizophrenia Research</i> , 2012 , 136, S301 | 3.5 | |
| 949 | Longitudinal course of deficient emotional self-regulation CBCL profile in youth with ADHD: prospective controlled study. <i>Neuropsychiatric Disease and Treatment</i> , 2012 , 8, 267-76 | 2.9 | 69 |
| 948 | A re-review of the association between the NOTCH4 locus and schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 477-83 | 3.2 | 25 |
| 947 | Addendum: Genome-wide association study in German patients with attention deficit/hyperactivity disorder 2012 , 159B, 476-476 | | |
| 946 | The hierarchical factor model of ADHD: invariant across age and national groupings?. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2012 , 53, 292-303 | 7.6 | 56 |
| 945 | Aetiology for the covariation between combined type ADHD and reading difficulties in a family study: the role of IQ. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2012 , 53, 864-73 | 7.6 | 25 |
| 944 | A prospective open-label trial of quetiapine monotherapy in preschool and school age children with bipolar spectrum disorder. <i>Journal of Affective Disorders</i> , 2012 , 136, 1143-53 | 6.3 | 23 |
| 943 | Predictors of persistence in girls with attention deficit hyperactivity disorder: results from an 11-year controlled follow-up study. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 147-56 | 6.2 | 66 |
| 942 | The effects of lisdexamfetamine dimesylate on the driving performance of young adults with ADHD: a randomized, double-blind, placebo-controlled study using a validated driving simulator paradigm. <i>Journal of Psychiatric Research</i> , 2012 , 46, 484-91 | 5 | 42 |
| 941 | Further understanding of the comorbidity between Attention-Deficit/Hyperactivity Disorder and bipolar disorder in adults: an MRI study of cortical thickness. <i>Psychiatry Research - Neuroimaging</i> , 2012 , 202, 1-11 | 2.8 | 12 |
| 940 | Neuropsychological intra-individual variability explains unique genetic variance of ADHD and shows suggestive linkage to chromosomes 12, 13, and 17. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 131-40 | 3.2 | 34 |
| 939 | Cognitive Behavioral Treatment Outcomes in Adolescent ADHD. <i>Focus (American Psychiatric Publishing)</i> , 2012 , 10, 334-345 | 1.1 | 16 |

| | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 938 | Understanding the effect size of lisdexamfetamine dimesylate for treating ADHD in children and adults. <i>Journal of Attention Disorders</i> , 2012 , 16, 128-37 | 3.6 | 25 |
| 937 | Dose response effects of lisdexamfetamine dimesylate treatment in adults with ADHD: an exploratory study. <i>Journal of Attention Disorders</i> , 2012 , 16, 118-27 | 3.6 | 6 |
| 936 | Elevated rates of ADHD in mothers of children with comorbid ADHD and epilepsy. <i>Neuropsychiatry</i> , 2012 , 2, 385-391 | 0.9 | 8 |
| 935 | Investigating the contribution of common genetic variants to the risk and pathogenesis of ADHD. <i>American Journal of Psychiatry</i> , 2012 , 169, 186-94 | 11.3 | 145 |
| 934 | Examining the comorbidity between attention deficit hyperactivity disorder and bipolar I disorder: a meta-analysis of family genetic studies. <i>American Journal of Psychiatry</i> , 2012 , 169, 1256-66 | 11.3 | 64 |
| 933 | Genome-wide analysis of copy number variants in attention deficit hyperactivity disorder: the role of rare variants and duplications at 15q13.3. <i>American Journal of Psychiatry</i> , 2012 , 169, 195-204 | 11.3 | 196 |
| 932 | Psychopathology in adolescent offspring of parents with panic disorder, major depression, or both: a 10-year follow-up. <i>American Journal of Psychiatry</i> , 2012 , 169, 1175-84 | 11.3 | 32 |
| 931 | Importance of pharmacokinetic profile and timing of coadministration of short- and long-acting formulations of methylphenidate on patterns of subjective responses and abuse potential. <i>Postgraduate Medicine</i> , 2012 , 124, 166-73 | 3.5 | 6 |
| 930 | Preliminary examination of the reliability and concurrent validity of the attention-deficit/hyperactivity disorder self-report scale v1.1 symptom checklist to rate symptoms of attention-deficit/hyperactivity disorder in adolescents. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2012 , 22, 238-44 | 2.8 | 53 |
| 929 | The genetics of attention deficit/hyperactivity disorder in adults, a review. <i>Molecular Psychiatry</i> , 2012 , 17, 960-87 | 14.4 | 234 |
| 928 | Does exposure to maternal smoking during pregnancy affect the clinical features of ADHD? Results from a controlled study. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 60-4 | 3.6 | 16 |
| 927 | The dopamine receptor D4 7-repeat allele influences neurocognitive functioning, but this effect is moderated by age and ADHD status: an exploratory study. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 293-305 | 3.6 | 14 |
| 926 | The lifetime impact of attention deficit hyperactivity disorder: results from the National Epidemiologic Survey on Alcohol and Related Conditions (NESARC). <i>Psychological Medicine</i> , 2012 , 42, 875-87 | 6.7 | 140 |
| 925 | Deficient emotional self-regulation and pediatric attention deficit hyperactivity disorder: a family risk analysis. <i>Psychological Medicine</i> , 2012 , 42, 639-46 | 6.7 | 47 |
| 924 | Differential expression of SLC9A9 and interacting molecules in the hippocampus of rat models for attention deficit/hyperactivity disorder. <i>Developmental Neuroscience</i> , 2012 , 34, 218-27 | 2 | 16 |
| 923 | Severity of the aggression/anxiety-depression/attention child behavior checklist profile discriminates between different levels of deficits in emotional regulation in youth with attention-deficit hyperactivity disorder. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2012 , 33, 221-18 | 2.3 | 84 |
| 922 | Examining the association between stimulant treatment and cognitive outcomes across the life cycle of adults with attention-deficit/hyperactivity disorder: a controlled cross-sectional study. <i>Journal of Nervous and Mental Disease</i> , 2012 , 200, 69-75 | 1.7 | 6 |
| 921 | Cigarette smoking as a risk factor for other substance misuse: 10-year study of individuals with and without attention-deficit hyperactivity disorder. <i>British Journal of Psychiatry</i> , 2012 , 201, 207-14 | 5.1 | 19 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 920 | Adult outcome of attention-deficit/hyperactivity disorder: a controlled 16-year follow-up study. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 941-50 | 4.4 | 188 |
| 919 | Auditory working memory impairments in individuals at familial high risk for schizophrenia. <i>Neuropsychology</i> , 2012 , 26, 288-303 | 3.6 | 27 |
| 918 | An examination of the impact of attention-deficit hyperactivity disorder on IQ: a large controlled family-based analysis. <i>Canadian Journal of Psychiatry</i> , 2012 , 57, 608-16 | 4.7 | 15 |
| 917 | Neuropsychological correlates of emotional lability in children with ADHD. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2012 , 53, 1139-48 | 7.6 | 70 |
| 916 | Transcriptomic analysis of postmortem brain identifies dysregulated splicing events in novel candidate genes for schizophrenia. <i>Schizophrenia Research</i> , 2012 , 142, 188-99 | 3.5 | 19 |
| 915 | Is response to OROS-methylphenidate treatment moderated by treatment with antidepressants or psychiatric comorbidity? A secondary analysis from a large randomized double blind study of adults with ADHD. <i>CNS Neuroscience and Therapeutics</i> , 2012 , 18, 126-32 | 6.6 | 13 |
| 914 | The effects of lisdexamfetamine dimesylate on driving behaviors in young adults with ADHD assessed with the Manchester driving behavior questionnaire. <i>Journal of Adolescent Health</i> , 2012 , 51, 601-7 | 3 | 17 |
| 913 | A controlled study of a simulated workplace laboratory for adults with attention deficit hyperactivity disorder. <i>Psychiatry Research</i> , 2012 , 200, 949-56 | 9.6 | 10 |
| 912 | Striatal sensitivity during reward processing in attention-deficit/hyperactivity disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2012 , 51, 722-732.e9 | 1.4 | 68 |
| 911 | Growth dysregulation and ADHD: an epidemiologic study of children in France. <i>Journal of Attention Disorders</i> , 2012 , 16, 572-8 | 3.6 | 8 |
| 910 | ¿Son los estimulantes efectivos en el tratamiento de los déficits de funciones ejecutivas? Resultados de un estudio aleatorizado doble ciego sobre tratamiento con metilfenidato OROS en adultos con trastorno por déficit de atención con hiperactividad. <i>Psiquiatria Biologica</i> , 2012 , 19, 1-8 | 0.2 | 1 |
| 909 | Genome-wide association study of motor coordination problems in ADHD identifies genes for brain and muscle function. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 211-22 | 3.6 | 21 |
| 908 | What should the genome-wide significance threshold be? Empirical replication of borderline genetic associations. <i>International Journal of Epidemiology</i> , 2012 , 41, 273-86 | 7.5 | 185 |
| 907 | N-acetylcysteine reduces disease activity by blocking mammalian target of rapamycin in T cells from systemic lupus erythematosus patients: a randomized, double-blind, placebo-controlled trial. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2937-46 | | 224 |
| 906 | How informative are open-label studies for youth with bipolar disorder? A meta-analysis comparing open-label versus randomized, placebo-controlled clinical trials. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 358-65 | 4.4 | 6 |
| 905 | Psychiatric symptoms in systemic lupus erythematosus: a systematic review. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 993-1001 | 4.4 | 92 |
| 904 | Further evidence for robust familiarity of pediatric bipolar I disorder: results from a very large controlled family study of pediatric bipolar I disorder and a meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1328-34 | 4.4 | 23 |
| 903 | Genome-wide copy number variation study associates metabotropic glutamate receptor gene networks with attention deficit hyperactivity disorder. <i>Nature Genetics</i> , 2011 , 44, 78-84 | 34.9 | 276 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 902 | A functional MRI study of working memory in adolescents and young adults at genetic risk for bipolar disorder: preliminary findings. <i>Bipolar Disorders</i> , 2011 , 13, 272-86 | 3.7 | 19 |
| 901 | Identification of blood biomarkers for psychosis using convergent functional genomics. <i>Molecular Psychiatry</i> , 2011 , 16, 37-58 | 14.4 | 126 |
| 900 | CDH13 is associated with working memory performance in attention deficit/hyperactivity disorder. <i>Genes, Brain and Behavior</i> , 2011 , 10, 844-51 | 3.5 | 40 |
| 899 | Predictors of persistent ADHD: an 11-year follow-up study. <i>Journal of Psychiatric Research</i> , 2011 , 45, 150-5 | 5 | 240 |
| 898 | High level of persistence of pediatric bipolar-I disorder from childhood onto adolescent years: a four year prospective longitudinal follow-up study. <i>Journal of Psychiatric Research</i> , 2011 , 45, 1273-82 | 5 | 56 |
| 897 | Relationship of DAT1 and adult ADHD to task-positive and task-negative working memory networks. <i>Psychiatry Research - Neuroimaging</i> , 2011 , 193, 7-16 | 2.8 | 40 |
| 896 | Discriminant and concurrent validity of a simplified DSM-based structured diagnostic instrument for the assessment of autism spectrum disorders in youth and young adults. <i>BMC Psychiatry</i> , 2011 , 11, 204 | 4 | 3 |
| 895 | The impact of study design and diagnostic approach in a large multi-centre ADHD study. Part 1: ADHD symptom patterns. <i>BMC Psychiatry</i> , 2011 , 11, 54 | 4 | 59 |
| 894 | The impact of study design and diagnostic approach in a large multi-centre ADHD study: Part 2: Dimensional measures of psychopathology and intelligence. <i>BMC Psychiatry</i> , 2011 , 11, 55 | 4 | 39 |
| 893 | Advances in understanding and treating ADHD. <i>BMC Medicine</i> , 2011 , 9, 72 | 11 | 81 |
| 892 | In memoriam Terje Sagvolden. <i>Behavioral and Brain Functions</i> , 2011 , 7, 5 | 4 | 0 |
| 891 | The ATXN1 and TRIM31 genes are related to intelligence in an ADHD background: evidence from a large collaborative study totaling 4,963 subjects. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156, 145-57 | 3.2 | 16 |
| 890 | Familial transmission of schizophrenia in Palau: A 20-year genetic epidemiological study in three generations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 247-54 | 3.2 | 5 |
| 889 | Dysfunctional gene splicing as a potential contributor to neuropsychiatric disorders. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 382-92 | 3.2 | 41 |
| 888 | Exploring DRD4 and its interaction with SLC6A3 as possible risk factors for adult ADHD: a meta-analysis in four European populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 600-12 | 3.2 | 20 |
| 887 | Association analyses of MAOA in Chinese Han subjects with attention-deficit/hyperactivity disorder: family-based association test, case-control study, and quantitative traits of impulsivity. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 737-48 | 3.2 | 31 |
| 886 | SLC9A9 mutations, gene expression, and protein-protein interactions in rat models of attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 835-43 | 3.2 | 28 |
| 885 | Transcriptome-wide gene expression in a rat model of attention deficit hyperactivity disorder symptoms: rats developmentally exposed to polychlorinated biphenyls. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 898-912 | 3.2 | 15 |

| | | | |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 884 | What should be said to the lay public regarding ADHD etiology based on unbiased systematic quantitative empirical evidence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 987-8 | 3.2 | |
| 883 | Genome-wide association study in German patients with attention deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 888-97 | 3.2 | 71 |
| 882 | Deficient emotional self-regulation and adult attention deficit hyperactivity disorder: a family risk analysis. <i>American Journal of Psychiatry</i> , 2011 , 168, 617-23 | 11.3 | 85 |
| 881 | Preliminary reliability and validity of a new time-sensitive ADHD symptom scale in adolescents with ADHD. <i>Postgraduate Medicine</i> , 2011 , 123, 7-13 | 3.5 | 3 |
| 880 | Toward defining deficient emotional self-regulation in children with attention-deficit/hyperactivity disorder using the Child Behavior Checklist: a controlled study. <i>Postgraduate Medicine</i> , 2011 , 123, 50-9 | 3.5 | 76 |
| 879 | Medication adherence and symptom reduction in adults treated with mixed amphetamine salts in a randomized crossover study. <i>Postgraduate Medicine</i> , 2011 , 123, 71-9 | 3.5 | 26 |
| 878 | Predictors of ADHD persistence in girls at 5-year follow-up. <i>Journal of Attention Disorders</i> , 2011 , 15, 183-98 | 3.8 | 44 |
| 877 | Disorder Versus Disability: The Challenge of ADHD in the Context of a High IQ. <i>The ADHD Report</i> , 2011 , 19, 4-8 | 1.4 | 2 |
| 876 | Handedness and schizotypy in non-psychotic relatives of patients with schizophrenia. <i>Laterality</i> , 2011 , 16, 690-706 | 2 | 5 |
| 875 | Emotion-cognition interaction in people at familial high risk for schizophrenia: the impact of sex differences. <i>Journal of Abnormal Psychology</i> , 2011 , 120, 993-8 | 6.8 | 10 |
| 874 | Dr. Liu et al. reply. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2011 , 50, 1290-1294 | 2.4 | 1 |
| 873 | Genome-wide association study of the child behavior checklist dysregulation profile. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2011 , 50, 807-17.e8 | 1.4 | 45 |
| 872 | Pharmacologic treatments for pediatric bipolar disorder: a review and meta-analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2011 , 50, 749-62.e39 | 1.4 | 84 |
| 871 | Gray matter alterations in adults with attention-deficit/hyperactivity disorder identified by voxel based morphometry. <i>Biological Psychiatry</i> , 2011 , 69, 857-66 | 1.9 | 116 |
| 870 | Neuroanatomic predictors to prodromal psychosis in velocardiofacial syndrome (22q11.2 deletion syndrome): a longitudinal study. <i>Biological Psychiatry</i> , 2011 , 69, 945-52 | 1.9 | 69 |
| 869 | A functional variant of the serotonin transporter gene (SLC6A4) moderates impulsive choice in attention-deficit/hyperactivity disorder boys and siblings. <i>Biological Psychiatry</i> , 2011 , 70, 230-6 | 1.9 | 38 |
| 868 | ANXA7, PPP3CB, DNAJC9, and ZMYND17 genes at chromosome 10q22 associated with the subgroup of schizophrenia with deficits in attention and executive function. <i>Biological Psychiatry</i> , 2011 , 70, 51-8 | 1.9 | 16 |
| 867 | Copy number variants for schizophrenia and related psychotic disorders in Oceanic Palau: risk and transmission in extended pedigrees. <i>Biological Psychiatry</i> , 2011 , 70, 1115-21 | 1.9 | 23 |

| | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 866 | The relationship between ADHD and key cognitive phenotypes is not mediated by shared familial effects with IQ. <i>Psychological Medicine</i> , 2011 , 41, 861-71 | 6.7 | 58 |
| 865 | Group and site differences on the California Verbal Learning Test in persons with schizophrenia and their first-degree relatives: findings from the Consortium on the Genetics of Schizophrenia (COGS). <i>Schizophrenia Research</i> , 2011 , 128, 102-10 | 3.5 | 32 |
| 864 | Prevalence of attention deficit hyperactivity disorder and associated features among children in France. <i>Journal of Attention Disorders</i> , 2011 , 15, 516-24 | 3.6 | 69 |
| 863 | Reliability and validity of the Time-Sensitive ADHD Symptom Scale in adults. <i>Comprehensive Psychiatry</i> , 2011 , 52, 769-73 | 7.1 | 7 |
| 862 | Genome-wide association study of blood pressure response to methylphenidate treatment of attention-deficit/hyperactivity disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 466-72 | 5.3 | 20 |
| 861 | Impact of executive function deficits in youth with bipolar I disorder: a controlled study. <i>Psychiatry Research</i> , 2011 , 186, 58-64 | 9.6 | 28 |
| 860 | Are stimulants effective in the treatment of executive function deficits? Results from a randomized double blind study of OROS-methylphenidate in adults with ADHD. <i>European Neuropsychopharmacology</i> , 2011 , 21, 508-15 | 0.8 | 39 |
| 859 | A genome-wide linkage scan for distinct subsets of schizophrenia characterized by age at onset and neurocognitive deficits. <i>PLoS ONE</i> , 2011 , 6, e24103 | 3.6 | 5 |
| 858 | Cognitive development in adults with attention-deficit/hyperactivity disorder: a controlled study in medication-naïve adults across the adult life cycle. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 11-6 | 4.4 | 16 |
| 857 | Prediction of placebo response in 2 clinical trials of lisdexamfetamine dimesylate for the treatment of ADHD. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1366-75 | 4.4 | 15 |
| 856 | Identifying Loci for the Overlap Between Attention-Deficit/Hyperactivity Disorder and Autism Spectrum Disorder Using a Genome-wide QTL Linkage Approach. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 675-685 | 1.4 | 34 |
| 855 | Child behavior checklist clinical scales discriminate referred youth with autism spectrum disorder: a preliminary study. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2010 , 31, 485-90 | 2.3 | 46 |
| 854 | On genome-wide association studies for family-based designs: an integrative analysis approach combining ascertained family samples with unselected controls. <i>American Journal of Human Genetics</i> , 2010 , 86, 573-80 | 10.4 | 26 |
| 853 | Comparing the efficacy of stimulants for ADHD in children and adolescents using meta-analysis. <i>European Child and Adolescent Psychiatry</i> , 2010 , 19, 353-64 | 5.3 | 309 |
| 852 | Gene-gene interaction between COMT and MAOA potentially predicts the intelligence of attention-deficit hyperactivity disorder boys in China. <i>Behavior Genetics</i> , 2010 , 40, 357-65 | 3.1 | 17 |
| 851 | A naturalistic 10-year prospective study of height and weight in children with attention-deficit hyperactivity disorder grown up: sex and treatment effects. <i>Journal of Pediatrics</i> , 2010 , 157, 635-40, 640.e1 | 3.4 | 71 |
| 850 | Meta-analysis of brain-derived neurotrophic factor p.Val66Met in adult ADHD in four European populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 512-523 | 3.2 | 50 |
| 849 | Effect of dopamine transporter gene (SLC6A3) variation on dorsal anterior cingulate function in attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 365-375 | 3.2 | 42 |

| | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 848 | Intra-individual variability in genetic and environmental models of attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 1094-101 | 3.2 | 10 |
| 847 | Performance variability, impulsivity errors and the impact of incentives as gender-independent endophenotypes for ADHD. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2010 , 51, 210-8 | 7.6 | 116 |
| 846 | The influence of sex on the course and psychiatric correlates of ADHD from childhood to adolescence: a longitudinal study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2010 , 51, 233-41 | 7.6 | 40 |
| 845 | Emotional lability in children and adolescents with attention deficit/hyperactivity disorder (ADHD): clinical correlates and familial prevalence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2010 , 51, 915-23 | 7.6 | 211 |
| 844 | An international multicenter association study of the serotonin transporter gene in persistent ADHD. <i>Genes, Brain and Behavior</i> , 2010 , 9, 449-58 | 3.5 | 48 |
| 843 | A genome-wide quantitative trait loci scan of neurocognitive performances in families with schizophrenia. <i>Genes, Brain and Behavior</i> , 2010 , 9, 695-702 | 3.5 | 15 |
| 842 | A common variant of the latrophilin 3 gene, LPHN3, confers susceptibility to ADHD and predicts effectiveness of stimulant medication. <i>Molecular Psychiatry</i> , 2010 , 15, 1053-66 | 14.4 | 194 |
| 841 | ADHD-hyperactive/impulsive subtype in adults. <i>Mental Illness</i> , 2010 , 2, e9 | 0.8 | 5 |
| 840 | Effects of extended-release guanfacine on ADHD symptoms and sedation-related adverse events in children with ADHD. <i>Journal of Attention Disorders</i> , 2010 , 13, 532-8 | 3.6 | 21 |
| 839 | Structure and diagnosis of adult attention-deficit/hyperactivity disorder: analysis of expanded symptom criteria from the Adult ADHD Clinical Diagnostic Scale. <i>Archives of General Psychiatry</i> , 2010 , 67, 1168-78 | | 206 |
| 838 | Executive functioning in high-IQ adults with ADHD. <i>Psychological Medicine</i> , 2010 , 40, 1909-18 | 6.7 | 53 |
| 837 | A controlled family study of children with DSM-IV bipolar-I disorder and psychiatric co-morbidity. <i>Psychological Medicine</i> , 2010 , 40, 1079-88 | 6.7 | 27 |
| 836 | Predictability of oppositional defiant disorder and symptom dimensions in children and adolescents with ADHD combined type. <i>Psychological Medicine</i> , 2010 , 40, 2089-100 | 6.7 | 38 |
| 835 | Adult psychiatric outcomes of girls with attention deficit hyperactivity disorder: 11-year follow-up in a longitudinal case-control study. <i>American Journal of Psychiatry</i> , 2010 , 167, 409-17 | 11.3 | 172 |
| 834 | Multicenter analysis of the SLC6A3/DAT1 VNTR haplotype in persistent ADHD suggests differential involvement of the gene in childhood and persistent ADHD. <i>Neuropsychopharmacology</i> , 2010 , 35, 656-64 | 8.3 | 144 |
| 833 | Pediatric mental health care dysfunction disorder?. <i>New England Journal of Medicine</i> , 2010 , 363, 1187; author reply 1188-9 | 56.8 | 2 |
| 832 | Sex differences in the functional neuroanatomy of working memory in adults with ADHD. <i>American Journal of Psychiatry</i> , 2010 , 167, 86-94 | 11.3 | 107 |
| 831 | DAT1 and COMT effects on delay discounting and trait impulsivity in male adolescents with attention deficit/hyperactivity disorder and healthy controls. <i>Neuropsychopharmacology</i> , 2010 , 35, 2414-23 | 8.3 | 129 |

| | | | |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 830 | Separation of cognitive impairments in attention-deficit/hyperactivity disorder into 2 familial factors. <i>Archives of General Psychiatry</i> , 2010 , 67, 1159-67 | | 127 |
| 829 | Anterior cingulate volumetric alterations in treatment-naïve adults with ADHD: a pilot study. <i>Journal of Attention Disorders</i> , 2010 , 13, 407-13 | 3.6 | 42 |
| 828 | Molecular genetics of attention deficit hyperactivity disorder. <i>Psychiatric Clinics of North America</i> , 2010 , 33, 159-80 | 2.9 | 263 |
| 827 | Meta-analysis of genome-wide association studies of attention-deficit/hyperactivity disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 884-97 | 1.4 | 353 |
| 826 | Family-based genome-wide association scan of attention-deficit/hyperactivity disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 898-905.e3 | 1.4 | 108 |
| 825 | Case-control genome-wide association study of attention-deficit/hyperactivity disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 906-20 | 1.4 | 131 |
| 824 | Meta-analysis of Alzheimer's disease risk with obesity, diabetes, and related disorders. <i>Biological Psychiatry</i> , 2010 , 67, 505-12 | 1.9 | 421 |
| 823 | Neural substrates of impaired sensorimotor timing in adult attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2010 , 68, 359-67 | 1.9 | 76 |
| 822 | DEFAULT NETWORK AND MEDIAL PREFRONTAL CORTEX DYSFUNCTION IN SCHIZOPHRENIA AND IN FIRST DEGREE RELATIVES OF PERSONS WITH SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2010 , 117, 170-171 | 3.5 | 1 |
| 821 | ALTERED BRAIN FUNCTION DURING WORKING MEMORY IN ADOLESCENTS AND YOUNG ADULTS AT GENETIC RISK FOR BIPOLAR DISORDER: PRELIMINARY FINDINGS. <i>Schizophrenia Research</i> , 2010 , 117, 473 | 3.5 | |
| 820 | Regional prefrontal cortex gray matter volumes in youth at familial risk for schizophrenia from the Harvard Adolescent High Risk Study. <i>Schizophrenia Research</i> , 2010 , 123, 15-21 | 3.5 | 43 |
| 819 | Intraindividual variability (IIV) in an animal model of ADHD - the Spontaneously Hypertensive Rat. <i>Behavioral and Brain Functions</i> , 2010 , 6, 56 | 4 | 18 |
| 818 | The new genetics in child psychiatry. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 729-35 | 1.4 | 7 |
| 817 | Suggestive Linkage of the Child Behavior Checklist Juvenile Bipolar Disorder Phenotype to 1p21, 6p21, and 8q21. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 378-387 | 1.4 | 17 |
| 816 | Effects of Lisdexamfetamine Dimesylate Treatment for ADHD on Growth. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 24-32 | 1.4 | 26 |
| 815 | Cognitive and Psychiatric Predictors to Psychosis in Velocardiofacial Syndrome: A 3-Year Follow-Up Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 333-344 | 1.4 | 81 |
| 814 | Identifying loci for the overlap between attention-deficit/hyperactivity disorder and autism spectrum disorder using a genome-wide QTL linkage approach. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 675-85 | 1.4 | 24 |
| 813 | The effects of strain and prenatal nicotine exposure on ethanol consumption by adolescent male and female rats. <i>Behavioural Brain Research</i> , 2010 , 210, 147-54 | 3.3 | 7 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 812 | Methylphenidate normalizes elevated dopamine transporter densities in an animal model of the attention-deficit/hyperactivity disorder combined type, but not to the same extent in one of the attention-deficit/hyperactivity disorder inattentive type. <i>Neuroscience</i> , 2010 , 167, 1183-91 | 3.7 | 56 |
| 811 | How persistent is ADHD? A controlled 10-year follow-up study of boys with ADHD. <i>Psychiatry Research</i> , 2010 , 177, 299-304 | 9.6 | 304 |
| 810 | Adaptive phase I study of OROS methylphenidate treatment of attention deficit hyperactivity disorder with epilepsy. <i>Epilepsy and Behavior</i> , 2010 , 18, 229-37 | 2.9 | 59 |
| 809 | Linkage disequilibrium mapping of the chromosome 6q21-22.31 bipolar I disorder susceptibility locus. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 29-37 | 3.2 | 7 |
| 808 | The multidimensionality of schizotypy in nonpsychotic relatives of patients with schizophrenia and its applications in ordered subsets linkage analysis of schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 1-9 | 3.2 | 14 |
| 807 | ADHD and DAT1: further evidence of paternal over-transmission of risk alleles and haplotype. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 97-102 | 3.2 | 19 |
| 806 | An fMRI study of working memory in persons with bipolar disorder or at genetic risk for bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 120-31 | 3.2 | 37 |
| 805 | Actual motor performance and self-perceived motor competence in children with attention-deficit hyperactivity disorder compared with healthy siblings and peers. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2010 , 31, 35-40 | 2.3 | 35 |
| 804 | Cognitive and Psychiatric Predictors to Psychosis in Velocardiofacial Syndrome. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 333-344 | 1.4 | 2 |
| 803 | Suggestive Linkage of the Child Behavior Checklist Juvenile Bipolar Disorder Phenotype to 1p21, 6p21, and 8q21. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 378-387 | 1.4 | |
| 802 | Impaired intellect and memory: a missing link between genetic risk and schizophrenia?. <i>Archives of General Psychiatry</i> , 2010 , 67, 905-13 | | 92 |
| 801 | Effects of lisdexamfetamine dimesylate treatment for ADHD on growth. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 24-32 | 1.4 | 14 |
| 800 | Suggestive linkage of the child behavior checklist juvenile bipolar disorder phenotype to 1p21, 6p21, and 8q21. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 378-87 | 1.4 | 17 |
| 799 | Cognitive and psychiatric predictors to psychosis in velocardiofacial syndrome: a 3-year follow-up study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 333-44 | 1.4 | 85 |
| 798 | Moderators and mediators of symptoms and quality of life outcomes in an open-label study of adults treated for attention-deficit/hyperactivity disorder. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 381-90 | 4.4 | 46 |
| 797 | A comparison of the efficacy of medications for adult attention-deficit/hyperactivity disorder using meta-analysis of effect sizes. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 754-63 | 4.4 | 252 |
| 796 | Representativeness of participants in a clinical trial for attention-deficit/hyperactivity disorder? Comparison with adults from a large observational study. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1612-6 | 4.4 | 33 |
| 795 | Undertreatment of Motor Problems in Children with ADHD. <i>Child and Adolescent Mental Health</i> , 2009 , 15, 85-90 | 2.2 | 40 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 794 | Presenting ADHD symptoms, subtypes, and comorbid disorders in clinically referred adults with ADHD. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1557-62 | 4.4 | 159 |
| 793 | Effects of once-daily oral and transdermal methylphenidate on sleep behavior of children with ADHD. <i>Journal of Attention Disorders</i> , 2009 , 12, 308-15 | 3.6 | 39 |
| 792 | Neurocognition in first-episode schizophrenia: a meta-analytic review. <i>Neuropsychology</i> , 2009 , 23, 315-36.6 | 36.6 | 772 |
| 791 | Is adult attention deficit hyperactivity disorder a valid diagnosis in the presence of high IQ?. <i>Psychological Medicine</i> , 2009 , 39, 1325-35 | 6.7 | 48 |
| 790 | Neurocognitive impairment in unaffected siblings of youth with bipolar disorder. <i>Psychological Medicine</i> , 2009 , 39, 1253-63 | 6.7 | 46 |
| 789 | Correction for Whitfield-Gabrieli et al., Hyperactivity and hyperconnectivity of the default network in schizophrenia and in first-degree relatives of persons with schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 4572-4572 | 11 | 6 |
| 788 | Do stimulants protect against psychiatric disorders in youth with ADHD? A 10-year follow-up study. <i>Pediatrics</i> , 2009 , 124, 71-8 | 7.1 | 166 |
| 787 | Genomewide association studies: history, rationale, and prospects for psychiatric disorders. <i>American Journal of Psychiatry</i> , 2009 , 166, 540-56 | 11.3 | 347 |
| 786 | Personality traits among ADHD adults: implications of late-onset and subthreshold diagnoses. <i>Psychological Medicine</i> , 2009 , 39, 685-93 | 6.7 | 106 |
| 785 | Parsing the familiarity of oppositional defiant disorder from that of conduct disorder: a familial risk analysis. <i>Journal of Psychiatric Research</i> , 2009 , 43, 345-52 | 5 | 13 |
| 784 | Risk for switch from unipolar to bipolar disorder in youth with ADHD: a long term prospective controlled study. <i>Journal of Affective Disorders</i> , 2009 , 119, 16-21 | 6.3 | 46 |
| 783 | Convergent functional genomics of genome-wide association data for bipolar disorder: comprehensive identification of candidate genes, pathways and mechanisms. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 155-81 | 3.2 | 149 |
| 782 | The intergenerational effects of trauma from terror: A real possibility. <i>Infant Mental Health Journal</i> , 2009 , 30, 158-179 | 2.1 | 67 |
| 781 | Genome-wide association studies in ADHD. <i>Human Genetics</i> , 2009 , 126, 13-50 | 5.9 | 313 |
| 780 | Effects of maternal and paternal smoking on attentional control in children with and without ADHD. <i>European Child and Adolescent Psychiatry</i> , 2009 , 18, 465-75 | 5.3 | 33 |
| 779 | Comorbid problems in ADHD: degree of association, shared endophenotypes, and formation of distinct subtypes. Implications for a future DSM. <i>Journal of Abnormal Child Psychology</i> , 2009 , 37, 793-804 ^{3.8} | 3.8 | 95 |
| 778 | Autism symptoms in Attention-Deficit/Hyperactivity Disorder: a familial trait which correlates with conduct, oppositional defiant, language and motor disorders. <i>Journal of Autism and Developmental Disorders</i> , 2009 , 39, 197-209 | 4.4 | 158 |
| 777 | Advances in genetic studies of attention-deficit/hyperactivity disorder. <i>Current Psychiatry Reports</i> , 2009 , 11, 143-8 | 8.6 | 28 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|
| 776 | Family-based association study of the BDNF, COMT and serotonin transporter genes and DSM-IV bipolar-I disorder in children. <i>BMC Psychiatry</i> , 2009 , 9, 2 | 4 | 17 |
| 775 | Evidence for genetic association of RORB with bipolar disorder. <i>BMC Psychiatry</i> , 2009 , 9, 70 | 4 | 78 |
| 774 | A high-density single-nucleotide polymorphism screen of 23 candidate genes in attention deficit hyperactivity disorder: suggesting multiple susceptibility genes among Chinese Han population. <i>Molecular Psychiatry</i> , 2009 , 14, 546-54 | 14.4 | 85 |
| 773 | A framework for interpreting genome-wide association studies of psychiatric disorders. <i>Molecular Psychiatry</i> , 2009 , 14, 10-7 | 14.4 | 177 |
| 772 | Meta-analysis of 32 genome-wide linkage studies of schizophrenia. <i>Molecular Psychiatry</i> , 2009 , 14, 774-85 | 14.4 | 195 |
| 771 | Family-based association testing strongly implicates DRD2 as a risk gene for schizophrenia in Han Chinese from Taiwan. <i>Molecular Psychiatry</i> , 2009 , 14, 885-93 | 14.4 | 47 |
| 770 | Clustering by neurocognition for fine mapping of the schizophrenia susceptibility loci on chromosome 6p. <i>Genes, Brain and Behavior</i> , 2009 , 8, 785-94 | 3.5 | 29 |
| 769 | Examination of concordance between maternal and youth reports in the diagnosis of pediatric bipolar disorder. <i>Bipolar Disorders</i> , 2009 , 11, 298-306 | 3.7 | 8 |
| 768 | Association study of 21 circadian genes with bipolar I disorder, schizoaffective disorder, and schizophrenia. <i>Bipolar Disorders</i> , 2009 , 11, 701-10 | 3.7 | 119 |
| 767 | Familial risk analysis of the association between attention-deficit/hyperactivity disorder and psychoactive substance use disorder in female adolescents: a controlled study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2009 , 50, 352-8 | 7.6 | 11 |
| 766 | Dopamine and serotonin transporter genotypes moderate sensitivity to maternal expressed emotion: the case of conduct and emotional problems in attention deficit/hyperactivity disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2009 , 50, 1052-63 | 7.6 | 101 |
| 765 | The spontaneously hypertensive rat model of ADHD--the importance of selecting the appropriate reference strain. <i>Neuropharmacology</i> , 2009 , 57, 619-26 | 5.3 | 141 |
| 764 | Are cognitive deficits in attention deficit/hyperactivity disorder related to the course of the disorder? A prospective controlled follow-up study of grown up boys with persistent and remitting course. <i>Psychiatry Research</i> , 2009 , 170, 177-82 | 9.6 | 77 |
| 763 | Effect of candidate gene polymorphisms on the course of attention deficit hyperactivity disorder. <i>Psychiatry Research</i> , 2009 , 170, 199-203 | 9.6 | 31 |
| 762 | Parsing the associations between prenatal exposure to nicotine and offspring psychopathology in a nonreferred sample. <i>Journal of Adolescent Health</i> , 2009 , 45, 142-8 | 3 | 22 |
| 761 | Family-based association study of SELENBP1 in schizophrenia. <i>Schizophrenia Research</i> , 2009 , 113, 268-72 | 3.5 | 11 |
| 760 | Attention Deficit Hyperactivity Disorder comorbid oppositional defiant disorder and its predominately inattentive type: evidence for an association with COMT but not MAOA in a Chinese sample. <i>Behavioral and Brain Functions</i> , 2009 , 5, 8 | 4 | 24 |
| 759 | Hyperactivity and hyperconnectivity of the default network in schizophrenia and in first-degree relatives of persons with schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 1279-84 | 11 | 1054 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 758 | Sleep in children with attention-deficit/hyperactivity disorder: meta-analysis of subjective and objective studies. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009 , 48, 894-908 | 1.4 | 209 |
| 757 | ADHD and poor motor performance from a family genetic perspective. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009 , 48, 25-34 | 1.4 | 56 |
| 756 | Genetic risk for conduct disorder symptom subtypes in an ADHD sample: specificity to aggressive symptoms. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009 , 48, 757-764 | 1.4 | 58 |
| 755 | Stimulant Medications and Growth. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009 , 48, 576 | 1.4 | |
| 754 | Family and genetic association studies of bipolar disorder in children. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2009 , 18, 441-53, x | 3.1 | 24 |
| 753 | Delay and reward choice in ADHD: an experimental test of the role of delay aversion. <i>Neuropsychology</i> , 2009 , 23, 367-80 | 3.6 | 149 |
| 752 | Sleep in Children With Attention-Deficit/Hyperactivity Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009 , 48, 894-908 | 1.4 | 341 |
| 751 | Estimating the size of treatment effects: moving beyond p values. <i>Psychiatry</i> , 2009 , 6, 21-9 | | 71 |
| 750 | Using Meta-analysis to Compare the Efficacy of Medications for Attention-Deficit/Hyperactivity Disorder in Youths. <i>P and T</i> , 2009 , 34, 678-94 | 1.4 | 70 |
| 749 | Association between attention-deficit/hyperactivity disorder and sleep impairment in adulthood: evidence from a large controlled study. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1523-9 | 4.4 | 54 |
| 748 | The Child Behavior Checklist-Pediatric Bipolar Disorder profile predicts a subsequent diagnosis of bipolar disorder and associated impairments in ADHD youth growing up: a longitudinal analysis. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 732-40 | 4.4 | 109 |
| 747 | Motor coordination problems in children and adolescents with ADHD rated by parents and teachers: effects of age and gender. <i>Journal of Neural Transmission</i> , 2008 , 115, 211-20 | 4.1 | 136 |
| 746 | Adrenergic alpha2A receptor gene and response to methylphenidate in attention-deficit/hyperactivity disorder-predominantly inattentive type. <i>Journal of Neural Transmission</i> , 2008 , 115, 341-5 | 4.1 | 44 |
| 745 | Co-transmission of conduct problems with attention-deficit/hyperactivity disorder: familial evidence for a distinct disorder. <i>Journal of Neural Transmission</i> , 2008 , 115, 163-75 | 4.1 | 61 |
| 744 | Differential family and peer environmental factors are related to severity and comorbidity in children with ADHD. <i>Journal of Neural Transmission</i> , 2008 , 115, 177-86 | 4.1 | 14 |
| 743 | The Pregnancy Depression Scale (PDS): a screening tool for depression in pregnancy. <i>Archives of Womens Mental Health</i> , 2008 , 11, 277-85 | 4.9 | 18 |
| 742 | Population differences in the International Multi-Centre ADHD Gene Project. <i>Genetic Epidemiology</i> , 2008 , 32, 98-107 | 2.5 | 16 |
| 741 | Differential dopamine receptor D4 allele association with ADHD dependent of proband season of birth. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 94-9 | 3.2 | 16 |

| | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 740 | Family-based association analysis of a statistically derived quantitative traits for ADHD reveal an association in DRD4 with inattentive symptoms in ADHD individuals. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 100-6 | 3.2 | 34 |
| 739 | Intelligence in DSM-IV combined type attention-deficit/hyperactivity disorder is not predicted by either dopamine receptor/transporter genes or other previously identified risk alleles for attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147, 316-9 | 3.2 | 15 |
| 738 | The monoamine oxidase B gene exhibits significant association to ADHD. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147, 370-4 | 3.2 | 23 |
| 737 | Linkage analysis of attention deficit hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1387-91 | 3.2 | 40 |
| 736 | Genetic heterogeneity in ADHD: DAT1 gene only affects probands without CD. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1481-7 | 3.2 | 29 |
| 735 | Parent of origin effects in attention/deficit hyperactivity disorder (ADHD): analysis of data from the international multicenter ADHD genetics (IMAGE) program. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1495-500 | 3.2 | 22 |
| 734 | DSM-IV combined type ADHD shows familial association with sibling trait scores: a sampling strategy for QTL linkage. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1450-60 | 3.2 | 111 |
| 733 | Diabetes and overweight associate with non-APOE4 genotype in an Alzheimer's disease population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 822-9 | 3.2 | 31 |
| 732 | Association between tryptophan hydroxylase 2, performance on a continuance performance test and response to methylphenidate in ADHD participants. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1501-8 | 3.2 | 20 |
| 731 | Phenomic, convergent functional genomic, and biomarker studies in a stress-reactive genetic animal model of bipolar disorder and co-morbid alcoholism. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 134-66 | 3.2 | 87 |
| 730 | No association between two polymorphisms of the serotonin transporter gene and combined type attention deficit hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1306-9 | 3.2 | 18 |
| 729 | Family based association study of pediatric bipolar disorder and the dopamine transporter gene (SLC6A3). <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1182-5 | 3.2 | 35 |
| 728 | Ordered subsets linkage analysis of antisocial behavior in substance use disorder among participants in the Collaborative Study on the Genetics of Alcoholism. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1258-69 | 3.2 | 6 |
| 727 | Association of ADHD with genetic variants in the 5M region of the dopamine transporter gene: evidence for allelic heterogeneity. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1519-23 | 3.2 | 32 |
| 726 | Non-random error in genotype calling procedures: implications for family-based and case-control genome-wide association studies. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1379-86 | 3.2 | 8 |
| 725 | Differential association between MAOA, ADHD and neuropsychological functioning in boys and girls. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1524-30 | 3.2 | 29 |
| 724 | A review and analysis of the relationship between neuropsychological measures and DAT1 in ADHD. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1536-46 | 3.2 | 51 |
| 723 | The impact of individual and methodological factors in the variability of response to methylphenidate in ADHD pharmacogenetic studies from four different continents. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1419-24 | 3.2 | 19 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 722 | Does parental expressed emotion moderate genetic effects in ADHD? An exploration using a genome wide association scan. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1359-68 | 3.2 | 69 |
| 721 | Genome-wide association study of response to methylphenidate in 187 children with attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1412-8 | 3.2 | 79 |
| 720 | Genome-wide association scan of attention deficit hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1337-44 | 3.2 | 194 |
| 719 | Genome-wide association scan of quantitative traits for attention deficit hyperactivity disorder identifies novel associations and confirms candidate gene associations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1345-54 | 3.2 | 293 |
| 718 | Multivariate genomewide linkage scan of neurocognitive traits and ADHD symptoms: suggestive linkage to 3q13. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1399-411 | 3.2 | 39 |
| 717 | Genome-wide association scan of the time to onset of attention deficit hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1355-8 | 3.2 | 90 |
| 716 | A preliminary study of dopamine D4 receptor genotype and structural brain alterations in adults with ADHD. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1436-41 | 3.2 | 40 |
| 715 | Conduct disorder and ADHD: evaluation of conduct problems as a categorical and quantitative trait in the international multicentre ADHD genetics study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1369-78 | 3.2 | 87 |
| 714 | Replication of a rare protective allele in the noradrenaline transporter gene and ADHD. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1564-7 | 3.2 | 23 |
| 713 | Sexually dimorphic effects of four genes (COMT, SLC6A2, MAOA, SLC6A4) in genetic associations of ADHD: a preliminary study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1511-8 | 3.2 | 71 |
| 712 | A comparison of molecular alterations in environmental and genetic rat models of ADHD: a pilot study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1554-63 | 3.2 | 54 |
| 711 | Meta-analysis of genome-wide linkage scans of attention deficit hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1392-8 | 3.2 | 129 |
| 710 | Genetics of anxiety disorders: complexities and opportunities. <i>American Journal of Medical Genetics, Part C: Seminars in Medical Genetics</i> , 2008 , 148C, 85-8 | 2.8 | 9 |
| 709 | Neuropsychological endophenotype approach to genome-wide linkage analysis identifies susceptibility loci for ADHD on 2q21.1 and 13q12.11. <i>American Journal of Human Genetics</i> , 2008 , 83, 99-105 | 10.4 | 65 |
| 708 | Neuropsychological Endophenotype Approach to Genome-wide Linkage Analysis Identifies Susceptibility Loci for ADHD on 2q21.1 and 13q12.11. <i>American Journal of Human Genetics</i> , 2008 , 83, 294 | 10.4 | 1 |
| 707 | Further evidence of association between two NET single-nucleotide polymorphisms with ADHD. <i>Molecular Psychiatry</i> , 2008 , 13, 624-30 | 14.4 | 45 |
| 706 | A high-density SNP linkage scan with 142 combined subtype ADHD sib pairs identifies linkage regions on chromosomes 9 and 16. <i>Molecular Psychiatry</i> , 2008 , 13, 514-21 | 14.4 | 58 |
| 705 | Whole-genome association study of bipolar disorder. <i>Molecular Psychiatry</i> , 2008 , 13, 558-69 | 14.4 | 563 |

| | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 704 | The dopamine receptor D4 7-repeat allele and prenatal smoking in ADHD-affected children and their unaffected siblings: no gene-environment interaction. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2008 , 49, 1053-60 | 7.6 | 33 |
| 703 | Somatosensory functioning and experienced pain in ADHD-families: a pilot study. <i>European Journal of Paediatric Neurology</i> , 2008 , 12, 461-9 | 3.7 | 29 |
| 702 | Utility of an abbreviated questionnaire to identify individuals with ADHD at risk for functional impairments. <i>Journal of Psychiatric Research</i> , 2008 , 42, 304-10 | 5 | 11 |
| 701 | Association of SNPs and haplotypes in APOL1, 2 and 4 with schizophrenia. <i>Schizophrenia Research</i> , 2008 , 104, 153-64 | 3.5 | 20 |
| 700 | Relationship between endophenotype and phenotype in ADHD. <i>Behavioral and Brain Functions</i> , 2008 , 4, 4 | 4 | 30 |
| 699 | The influence of serotonin- and other genes on impulsive behavioral aggression and cognitive impulsivity in children with attention-deficit/hyperactivity disorder (ADHD): Findings from a family-based association test (FBAT) analysis. <i>Behavioral and Brain Functions</i> , 2008 , 4, 48 | 4 | 122 |
| 698 | Behavioral and genetic evidence for a novel animal model of Attention-Deficit/Hyperactivity Disorder Predominantly Inattentive Subtype. <i>Behavioral and Brain Functions</i> , 2008 , 4, 56 | 4 | 47 |
| 697 | Linkage to chromosome 1p36 for attention-deficit/hyperactivity disorder traits in school and home settings. <i>Biological Psychiatry</i> , 2008 , 64, 571-6 | 1.9 | 38 |
| 696 | It is time to take a stand for medical research and against terrorism targeting medical scientists. <i>Biological Psychiatry</i> , 2008 , 63, 725-7 | 1.9 | 7 |
| 695 | RASD2, MYH9, and CACNG2 genes at chromosome 22q12 associated with the subgroup of schizophrenia with non-deficit in sustained attention and executive function. <i>Biological Psychiatry</i> , 2008 , 64, 789-96 | 1.9 | 43 |
| 694 | New insights into the comorbidity between ADHD and major depression in adolescent and young adult females. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008 , 47, 426-434 | 1.4 | 206 |
| 693 | Genetics of attention deficit hyperactivity disorder. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2008 , 17, 261-84, vii-viii | 3.1 | 103 |
| 692 | Assessing the validity of the Quality of Life Enjoyment and Satisfaction Questionnaire Short Form in adults with ADHD. <i>Journal of Attention Disorders</i> , 2008 , 11, 504-9 | 3.6 | 60 |
| 691 | The child behavior checklist broad-band scales predict subsequent psychopathology: A 5-year follow-up. <i>Journal of Anxiety Disorders</i> , 2008 , 22, 532-9 | 10.6 | 56 |
| 690 | IQ decline in cross-sectional studies of schizophrenia: methodology and interpretation. <i>Psychiatry Research</i> , 2008 , 158, 181-94 | 9.6 | 37 |
| 689 | Familial transmission of derived phenotypes for molecular genetic studies of substance use disorders. <i>Drug and Alcohol Dependence</i> , 2008 , 92, 100-7 | 4.8 | 8 |
| 688 | Genome-wide linkage analysis of heroin dependence in Han Chinese: results from Wave Two of a multi-stage study. <i>Drug and Alcohol Dependence</i> , 2008 , 98, 30-4 | 4.8 | 15 |
| 687 | Effect of stimulants on height and weight: a review of the literature. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008 , 47, 994-1009 | 1.4 | 87 |

| | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 686 | Temporal stability of ADHD in the high-IQ population: results from the MGH Longitudinal Family Studies of ADHD. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008 , 47, 817-825 | 1.4 | 33 |
| 685 | Attention deficit hyperactivity disorder. Preface. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2008 , 17, xvii-xix | 3.1 | 1 |
| 684 | Lisdexamfetamine dimesylate: the first long-acting prodrug stimulant treatment for attention deficit/hyperactivity disorder. <i>Expert Opinion on Pharmacotherapy</i> , 2008 , 9, 1565-74 | 3.8 | 22 |
| 683 | The long-term longitudinal course of oppositional defiant disorder and conduct disorder in ADHD boys: findings from a controlled 10-year prospective longitudinal follow-up study. <i>Psychological Medicine</i> , 2008 , 38, 1027-36 | 6.7 | 197 |
| 682 | The reliability and validity of self- and investigator ratings of ADHD in adults. <i>Journal of Attention Disorders</i> , 2008 , 11, 711-9 | 3.6 | 71 |
| 681 | Effect of prior stimulant treatment for attention-deficit/hyperactivity disorder on subsequent risk for cigarette smoking and alcohol and drug use disorders in adolescents. <i>JAMA Pediatrics</i> , 2008 , 162, 916-21 | | 96 |
| 680 | Stimulant Therapy and Risk for Subsequent Substance Use Disorders in Male Adults With ADHD: A Naturalistic Controlled 10-Year Follow-Up Study. <i>Focus (American Psychiatric Publishing)</i> , 2008 , 6, 358-365 | 1.1 | 1 |
| 679 | Discordance between psychometric testing and questionnaire-based definitions of executive function deficits in individuals with ADHD. <i>Journal of Attention Disorders</i> , 2008 , 12, 92-102 | 3.6 | 84 |
| 678 | The Familial association between cigarette smoking and ADHD: a study of clinically referred girls with and without ADHD, and their families. <i>Nicotine and Tobacco Research</i> , 2008 , 10, 1549-58 | 4.7 | 14 |
| 677 | CBCL clinical scales discriminate ADHD youth with structured-interview derived diagnosis of oppositional defiant disorder (ODD). <i>Journal of Attention Disorders</i> , 2008 , 12, 76-82 | 3.6 | 22 |
| 676 | Stimulant therapy and risk for subsequent substance use disorders in male adults with ADHD: a naturalistic controlled 10-year follow-up study. <i>American Journal of Psychiatry</i> , 2008 , 165, 597-603 | 11.3 | 165 |
| 675 | Familial risk analyses of attention deficit hyperactivity disorder and substance use disorders. <i>American Journal of Psychiatry</i> , 2008 , 165, 107-15 | 11.3 | 83 |
| 674 | Diagnosing and treating attention-deficit/hyperactivity disorder in adults. <i>World Psychiatry</i> , 2008 , 7, 131-6 | 5.6 | 37 |
| 673 | Towards further understanding of the co-morbidity between attention deficit hyperactivity disorder and bipolar disorder: a MRI study of brain volumes. <i>Psychological Medicine</i> , 2008 , 38, 1045-56 | 6.7 | 67 |
| 672 | Effect of Stimulants on Height and Weight. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008 , 47, 994-1009 | 1.4 | 167 |
| 671 | The longitudinal course of comorbid oppositional defiant disorder in girls with attention-deficit/hyperactivity disorder: findings from a controlled 5-year prospective longitudinal follow-up study. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2008 , 29, 501-7 | 2.3 | 43 |
| 670 | Stability of executive function deficits in girls with ADHD: a prospective longitudinal followup study into adolescence. <i>Developmental Neuropsychology</i> , 2008 , 33, 44-61 | 1.8 | 56 |
| 669 | Interpreting estimates of treatment effects: implications for managed care. <i>P and T</i> , 2008 , 33, 700-11 | 1.4 | 178 |

| | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 668 | Gender differences in 2 clinical trials of adults with attention-deficit/hyperactivity disorder: a retrospective data analysis. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 213-21 | 4.4 | 59 |
| 667 | Effects of stimulant medication on neuropsychological functioning in young adults with attention-deficit/hyperactivity disorder. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1150-6 | 4.4 | 51 |
| 666 | Educational and occupational underattainment in adults with attention-deficit/hyperactivity disorder: a controlled study. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1217-22 | 4.4 | 93 |
| 665 | Stimulant therapy in the management of ADHD: mixed amphetamine salts (extended release). <i>Expert Opinion on Pharmacotherapy</i> , 2007 , 8, 2127-34 | 3.8 | 4 |
| 664 | A naturalistic study of the effects of pharmacotherapy on substance use disorders among ADHD adults. <i>Psychological Medicine</i> , 2007 , 37, 1743-52 | 6.7 | 40 |
| 663 | Targeting the dopamine system in the treatment of attention-deficit/hyperactivity disorder. <i>Expert Review of Neurotherapeutics</i> , 2007 , 7, 351-62 | 4.1 | 34 |
| 662 | Manic symptoms and behavioral dysregulation in youth with velocardiofacial syndrome (22q11.2 deletion syndrome). <i>Journal of Child and Adolescent Psychopharmacology</i> , 2007 , 17, 105-14 | 2.8 | 23 |
| 661 | Informativeness of maternal reports on the diagnosis of ADHD: an analysis of mother and youth reports. <i>Journal of Attention Disorders</i> , 2007 , 10, 410-7 | 3.6 | 15 |
| 660 | Forecasting three-month outcomes in a laboratory school comparison of mixed amphetamine salts extended release (Adderall XR) and atomoxetine (Strattera) in school-aged children With ADHD. <i>Journal of Attention Disorders</i> , 2007 , 11, 74-82 | 3.6 | 23 |
| 659 | Confirmation that a specific haplotype of the dopamine transporter gene is associated with combined-type ADHD. <i>American Journal of Psychiatry</i> , 2007 , 164, 674-7 | 11.3 | 115 |
| 658 | Comparing ADHD in velocardiofacial syndrome to idiopathic ADHD: a preliminary study. <i>Journal of Attention Disorders</i> , 2007 , 11, 64-73 | 3.6 | 33 |
| 657 | Cortical thinning of the attention and executive function networks in adults with attention-deficit/hyperactivity disorder. <i>Cerebral Cortex</i> , 2007 , 17, 1364-75 | 5 | 331 |
| 656 | Predictors, clinical characteristics, and outcome of conduct disorder in girls with attention-deficit/hyperactivity disorder: a longitudinal study. <i>Psychological Medicine</i> , 2007 , 37, 1731-41 | 6.7 | 59 |
| 655 | ADHD in adults--a familiar disease with unfamiliar challenges. <i>CNS Spectrums</i> , 2007 , 12, 14-7 | 1.7 | 8 |
| 654 | Auditory verbal working memory load and thalamic activation in nonpsychotic relatives of persons with schizophrenia: an fMRI replication. <i>Neuropsychology</i> , 2007 , 21, 599-610 | 3.6 | 18 |
| 653 | Axis I and II comorbidity in adults with ADHD. <i>Journal of Abnormal Psychology</i> , 2007 , 116, 519-28 | 6.8 | 105 |
| 652 | Can bipolar disorder-specific neuropsychological impairments in children be identified?. <i>Journal of Consulting and Clinical Psychology</i> , 2007 , 75, 210-20 | 6.2 | 50 |
| 651 | HTF9C gene of 22q11.21 region associates with schizophrenia having deficit-sustained attention. <i>Psychiatric Genetics</i> , 2007 , 17, 333-8 | 2.9 | 11 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 650 | Behavioral inhibition in preschool children at risk is a specific predictor of middle childhood social anxiety: a five-year follow-up. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2007 , 28, 225-33 | 2.3 | 193 |
| 649 | Can self-reported behavioral scales assess executive function deficits? A controlled study of adults with ADHD. <i>Journal of Nervous and Mental Disease</i> , 2007 , 195, 240-6 | 1.7 | 20 |
| 648 | Developmental trajectories of anxiety disorders in offspring at high risk for panic disorder and major depression. <i>Psychiatry Research</i> , 2007 , 153, 245-52 | 9.6 | 49 |
| 647 | Psychiatric disorders and behavioral characteristics of pediatric patients with both epilepsy and attention-deficit hyperactivity disorder. <i>Epilepsy and Behavior</i> , 2007 , 10, 384-8 | 2.9 | 65 |
| 646 | Deriving phenotypes for molecular genetic studies of substance use disorders: a family study approach. <i>Drug and Alcohol Dependence</i> , 2007 , 88, 244-50 | 4.8 | 6 |
| 645 | Evaluation of OPRM1 variants in heroin dependence by family-based association testing and meta-analysis. <i>Drug and Alcohol Dependence</i> , 2007 , 90, 159-65 | 4.8 | 45 |
| 644 | Treating common psychiatric disorders associated with attention-deficit/hyperactivity disorder. <i>Expert Opinion on Pharmacotherapy</i> , 2007 , 8, 555-62 | 3.8 | 25 |
| 643 | Long-term effects of methylphenidate transdermal delivery system treatment of ADHD on growth. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007 , 46, 1138-1147 | 1.4 | 38 |
| 642 | EFFECT OF LONG-TERM TREATMENT WITH STIMULANT MEDICATION ON GROWTH?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007 , 46, 306 | 1.4 | 9 |
| 641 | An analysis of patient adherence to treatment during a 1-year, open-label study of OROS methylphenidate in children with ADHD. <i>Journal of Attention Disorders</i> , 2007 , 11, 157-66 | 3.6 | 47 |
| 640 | The Palau Early Psychosis Study: neurocognitive functioning in high-risk adolescents. <i>Schizophrenia Research</i> , 2007 , 89, 299-307 | 3.5 | 34 |
| 639 | No association evidence between schizophrenia and dystrobrevin-binding protein 1 (DTNBP1) in Taiwanese families. <i>Schizophrenia Research</i> , 2007 , 93, 391-8 | 3.5 | 14 |
| 638 | Elaborative verbal encoding and altered anterior parahippocampal activation in adolescents and young adults at genetic risk for schizophrenia using fMRI. <i>Biological Psychiatry</i> , 2007 , 61, 564-74 | 1.9 | 37 |
| 637 | Meta-analysis of structural imaging findings in attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2007 , 61, 1361-9 | 1.9 | 592 |
| 636 | Hypothalamic abnormalities in schizophrenia: sex effects and genetic vulnerability. <i>Biological Psychiatry</i> , 2007 , 61, 935-45 | 1.9 | 289 |
| 635 | Clinical outcomes of laboratory-observed preschool behavioral disinhibition at five-year follow-up. <i>Biological Psychiatry</i> , 2007 , 62, 565-72 | 1.9 | 20 |
| 634 | Association of bipolar and substance use disorders in parents of adolescents with bipolar disorder. <i>Biological Psychiatry</i> , 2007 , 62, 129-34 | 1.9 | 25 |
| 633 | Partial replication of a DRD4 association in ADHD individuals using a statistically derived quantitative trait for ADHD in a family-based association test. <i>Biological Psychiatry</i> , 2007 , 62, 985-90 | 1.9 | 25 |

| | | | |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 632 | Time reproduction in children with ADHD and their nonaffected siblings. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007 , 46, 582-590 | 1.4 | 84 |
| 631 | Adderall XR vs. Strattera in School-Aged Children: 3-Month Projected Outcomes. <i>The ADHD Report</i> , 2007 , 15, 14-15 | 1.4 | |
| 630 | The Palau Early Psychosis Study: distribution of cases by level of genetic risk. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 5-9 | 3.2 | 15 |
| 629 | Association between polymorphisms in serotonin transporter gene and attention deficit hyperactivity disorder in Chinese Han subjects. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 14-9 | 3.2 | 42 |
| 628 | Recurrence risk to offspring in extended multiplex schizophrenia pedigrees from a Pacific Island isolate. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 41-4 | 3.2 | 5 |
| 627 | Monoamine oxidase A gene polymorphism predicts adolescent outcome of attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 430-3 | 3.2 | 28 |
| 626 | Evaluation of potential gene-gene interactions for attention deficit hyperactivity disorder in the Han Chinese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 200-6 | 3.2 | 25 |
| 625 | Towards understanding the schizophrenia code: an expanded convergent functional genomics approach. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 129-58 | 3.2 | 106 |
| 624 | Investigation of parent-of-origin effects in ADHD candidate genes. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 776-80 | 3.2 | 23 |
| 623 | Investigation of variation in SNAP-25 and ADHD and relationship to co-morbid major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 781-90 | 3.2 | 52 |
| 622 | A laboratory driving simulation for assessment of driving behavior in adults with ADHD: a controlled study. <i>Annals of General Psychiatry</i> , 2007 , 6, 4 | 3.2 | 37 |
| 621 | New models of collaboration in genome-wide association studies: the Genetic Association Information Network. <i>Nature Genetics</i> , 2007 , 39, 1045-51 | 34.9 | 256 |
| 620 | More evidence supports the association of PPP3CC with schizophrenia. <i>Molecular Psychiatry</i> , 2007 , 12, 966-74 | 14.4 | 53 |
| 619 | Evidence for an association of the dopamine D5 receptor gene on age at onset of attention deficit hyperactivity disorder. <i>Annals of Human Genetics</i> , 2007 , 71, 648-59 | 2.2 | 12 |
| 618 | Is attention deficit hyperactivity disorder a valid diagnosis in the presence of high IQ? Results from the MGH Longitudinal Family Studies of ADHD. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2007 , 48, 687-94 | 7.6 | 69 |
| 617 | Association evidence of schizophrenia with distal genomic region of NOTCH4 in Taiwanese families. <i>Genes, Brain and Behavior</i> , 2007 , 6, 497-502 | 3.5 | 8 |
| 616 | Stability of executive function deficits into young adult years: a prospective longitudinal follow-up study of grown up males with ADHD. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 129-36 | 6.2 | 120 |
| 615 | Environmental risk factors for attention-deficit hyperactivity disorder. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 96, 1269-74 | 3 | 335 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 614 | A cognitive behavioral therapy for alcohol-dependent domestic violence offenders: an integrated substance abuse-domestic violence treatment approach (SADV). <i>American Journal on Addictions</i> , 2007 , 16, 24-31 | 3.6 | 112 |
| 613 | Substance use among ADHD adults: implications of late onset and subthreshold diagnoses. <i>American Journal on Addictions</i> , 2007 , 16 Suppl 1, 24-32; quiz 33-4 | 3.6 | 162 |
| 612 | A study of how socioeconomic status moderates the relationship between SNPs encompassing BDNF and ADHD symptom counts in ADHD families. <i>Behavior Genetics</i> , 2007 , 37, 487-97 | 3.1 | 32 |
| 611 | Effect of stimulant medications for attention-deficit/hyperactivity disorder on later substance use and the potential for stimulant misuse, abuse, and diversion. <i>Journal of Clinical Psychiatry</i> , 2007 , 68 Suppl 11, 15-22 | 4.4 | 21 |
| 610 | The effect of stimulant treatment for ADHD on later substance abuse and the potential for medication misuse, abuse, and diversion. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, e28 | 4.4 | 59 |
| 609 | A randomized, placebo-controlled clinical trial of bupropion for the prevention of smoking in children and adolescents with attention-deficit/hyperactivity disorder. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1094-101 | 4.4 | 37 |
| 608 | Is age-at-onset criterion relevant for the response to methylphenidate in attention-deficit/hyperactivity disorder?. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1109-16 | 4.4 | 30 |
| 607 | Specificity of familial vulnerability for alcoholism versus major depression in men. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 809-17 | 1.7 | 17 |
| 606 | Genome scan of Han Chinese schizophrenia families from Taiwan: confirmation of linkage to 10q22.3. <i>American Journal of Psychiatry</i> , 2006 , 163, 1760-6 | 11.3 | 64 |
| 605 | A double-blind comparison of galantamine hydrogen bromide and placebo in adults with attention-deficit/hyperactivity disorder: a pilot study. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 163-6 | 1.6 | 23 |
| 604 | Absence of significant associations between four AKT1 SNP markers and schizophrenia in the Taiwanese population. <i>Psychiatric Genetics</i> , 2006 , 16, 39-41 | 2.9 | 30 |
| 603 | Psychopathology, personality traits and social development of young first-degree relatives of patients with schizophrenia. <i>British Journal of Psychiatry</i> , 2006 , 189, 337-45 | 5.1 | 65 |
| 602 | Mixed amphetamine salts extended-release in the treatment of adult ADHD: a randomized, controlled trial. <i>CNS Spectrums</i> , 2006 , 11, 625-39 | 1.7 | 132 |
| 601 | Early onset bipolar disorder: possible linkage to chromosome 9q34. <i>Bipolar Disorders</i> , 2006 , 8, 144-51 | 3.7 | 31 |
| 600 | The analysis of 51 genes in DSM-IV combined type attention deficit hyperactivity disorder: association signals in DRD4, DAT1 and 16 other genes. <i>Molecular Psychiatry</i> , 2006 , 11, 934-53 | 14.4 | 436 |
| 599 | Long-acting medications for the hyperkinetic disorders. A systematic review and European treatment guideline. <i>European Child and Adolescent Psychiatry</i> , 2006 , 15, 476-95 | 5.3 | 268 |
| 598 | The genetics of ADHD: a literature review of 2005. <i>Current Psychiatry Reports</i> , 2006 , 8, 393-7 | 8.6 | 59 |
| 597 | Effects of parental anxiety disorders in children at high risk for panic disorder: a controlled study. <i>Journal of Affective Disorders</i> , 2006 , 94, 191-7 | 6.3 | 31 |

| | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|
| 596 | Possible association of the alpha-2A adrenergic receptor gene (ADRA2A) with symptoms of attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 130-4 | 3.2 | 35 |
| 595 | Association between tryptophan hydroxylase gene polymorphisms and attention deficit hyperactivity disorder in Chinese Han population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 126-9 | 3.2 | 19 |
| 594 | Evaluation of RGS4 as a candidate gene for schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 418-20 | 3.2 | 14 |
| 593 | Contribution of 5-HT2A receptor gene -1438A>G polymorphism to outcome of attention-deficit/hyperactivity disorder in adolescents. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 473-6 | 3.2 | 26 |
| 592 | Genome-wide linkage analysis of heroin dependence in Han Chinese: results from wave one of a multi-stage study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 648-52 | 3.2 | 22 |
| 591 | The serotonin 5-HT1D receptor gene and attention-deficit hyperactivity disorder in Chinese Han subjects. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 874-6 | 3.2 | 16 |
| 590 | Absence of association with DAT1 polymorphism and response to methylphenidate in a sample of adults with ADHD. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 890-4 | 3.2 | 40 |
| 589 | ADHD Symptoms vs. Impairment: Revisited. <i>The ADHD Report</i> , 2006 , 14, 1-9 | 1.4 | 14 |
| 588 | Laboratory-observed behavioral disinhibition in the young offspring of parents with bipolar disorder: a high-risk pilot study. <i>American Journal of Psychiatry</i> , 2006 , 163, 265-71 | 11.3 | 34 |
| 587 | Validity of pilot Adult ADHD Self-Report Scale (ASRS) to Rate Adult ADHD symptoms. <i>Annals of Clinical Psychiatry</i> , 2006 , 18, 145-8 | 1.2 | 376 |
| 586 | A discordant twin study of premorbid cognitive ability in schizophrenia. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2006 , 28, 208-24 | 2 | 20 |
| 585 | Impact of psychometrically defined deficits of executive functioning in adults with attention deficit hyperactivity disorder. <i>American Journal of Psychiatry</i> , 2006 , 163, 1730-8 | 11.3 | 160 |
| 584 | Symptoms versus impairment: the case for respecting DSM-IV Criterion D. <i>Journal of Attention Disorders</i> , 2006 , 9, 465-75 | 3.6 | 161 |
| 583 | The prevalence and correlates of adult ADHD in the United States: results from the National Comorbidity Survey Replication. <i>American Journal of Psychiatry</i> , 2006 , 163, 716-23 | 11.3 | 2412 |
| 582 | Diagnosing adult attention deficit hyperactivity disorder: are late onset and subthreshold diagnoses valid?. <i>American Journal of Psychiatry</i> , 2006 , 163, 1720-9; quiz 1859 | 11.3 | 219 |
| 581 | Hypomethylation of MB-COMT promoter is a major risk factor for schizophrenia and bipolar disorder. <i>Human Molecular Genetics</i> , 2006 , 15, 3132-45 | 5.4 | 380 |
| 580 | The age-dependent decline of attention deficit hyperactivity disorder: a meta-analysis of follow-up studies. <i>Psychological Medicine</i> , 2006 , 36, 159-65 | 6.7 | 1353 |
| 579 | Young adult outcome of attention deficit hyperactivity disorder: a controlled 10-year follow-up study. <i>Psychological Medicine</i> , 2006 , 36, 167-79 | 6.7 | 596 |

| | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 578 | Neuropsychological functioning in adolescents and young adults at genetic risk for schizophrenia and affective psychoses: results from the Harvard and Hillside Adolescent High Risk Studies. <i>Schizophrenia Bulletin</i> , 2006 , 32, 507-24 | 1.2 | 105 |
| 577 | Attention-deficit hyperactivity disorder in girls: epidemiology and management. <i>CNS Drugs</i> , 2006 , 20, 107-23 | 6.5 | 100 |
| 576 | Risperidone for the treatment of affective symptoms in children with disruptive behavior disorder: a post hoc analysis of data from a 6-week, multicenter, randomized, double-blind, parallel-arm study. <i>Clinical Therapeutics</i> , 2006 , 28, 794-800 | 3.3 | 18 |
| 575 | Smoking during pregnancy and attention-deficit/hyperactivity disorder, predominantly inattentive type: a case-control study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006 , 45, 1338-1345 | 1.4 | 91 |
| 574 | Does prolonged therapy with a long-acting stimulant suppress growth in children with ADHD?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006 , 45, 527-537 | 1.4 | 96 |
| 573 | Treatment of ADHD with stimulant medications: response to Nissen perspective in the New England Journal of Medicine. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006 , 45, 1147-1150 | 1.4 | 25 |
| 572 | The IMAGE project: methodological issues for the molecular genetic analysis of ADHD. <i>Behavioral and Brain Functions</i> , 2006 , 2, 27 | 4 | 92 |
| 571 | Is cigarette smoking a gateway to alcohol and illicit drug use disorders? A study of youths with and without attention deficit hyperactivity disorder. <i>Biological Psychiatry</i> , 2006 , 59, 258-64 | 1.9 | 117 |
| 570 | Association between the 5HT1B receptor gene (HTR1B) and the inattentive subtype of ADHD. <i>Biological Psychiatry</i> , 2006 , 59, 460-7 | 1.9 | 74 |
| 569 | Latent class analysis shows strong heritability of the child behavior checklist-juvenile bipolar phenotype. <i>Biological Psychiatry</i> , 2006 , 60, 903-11 | 1.9 | 96 |
| 568 | Psychopathology in females with attention-deficit/hyperactivity disorder: a controlled, five-year prospective study. <i>Biological Psychiatry</i> , 2006 , 60, 1098-105 | 1.9 | 131 |
| 567 | Association between alpha-2a-adrenergic receptor gene and ADHD inattentive type. <i>Biological Psychiatry</i> , 2006 , 60, 1028-33 | 1.9 | 58 |
| 566 | Neuropsychological studies of late onset and subthreshold diagnoses of adult attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2006 , 60, 1081-7 | 1.9 | 101 |
| 565 | Dorsolateral prefrontal and anterior cingulate cortex volumetric abnormalities in adults with attention-deficit/hyperactivity disorder identified by magnetic resonance imaging. <i>Biological Psychiatry</i> , 2006 , 60, 1071-80 | 1.9 | 252 |
| 564 | Advances in the Genetics and Neurobiology of Attention Deficit Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2006 , 60, 1025-1027 | 1.9 | 13 |
| 563 | Decreased volume of left and total anterior insular lobule in schizophrenia. <i>Schizophrenia Research</i> , 2006 , 83, 155-71 | 3.5 | 376 |
| 562 | Altered brain activation in dorsolateral prefrontal cortex in adolescents and young adults at genetic risk for schizophrenia: an fMRI study of working memory. <i>Schizophrenia Research</i> , 2006 , 85, 58-72 | 3.5 | 116 |
| 561 | No association of G72 and D-amino acid oxidase genes with schizophrenia. <i>Schizophrenia Research</i> , 2006 , 87, 15-20 | 3.5 | 48 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 560 | Family based association analysis of statistically derived quantitative traits for drug use in ADHD and the dopamine transporter gene. <i>Addictive Behaviors</i> , 2006 , 31, 1088-99 | 4 | 8 |
| 559 | Is there heterogeneity among syndromes of substance use disorder for illicit drugs?. <i>Addictive Behaviors</i> , 2006 , 31, 929-47 | 4 | 10 |
| 558 | Is ADHD a valid disorder in children with intellectual delays?. <i>Clinical Psychology Review</i> , 2006 , 26, 555-72 | 10.3 | 67 |
| 557 | Association of attention-deficit/hyperactivity disorder with serotonin 4 receptor gene polymorphisms in Han Chinese subjects. <i>Neuroscience Letters</i> , 2006 , 401, 6-9 | 3.2 | 29 |
| 556 | No association of attention-deficit/hyperactivity disorder with genes of the serotonergic pathway in Han Chinese subjects. <i>Neuroscience Letters</i> , 2006 , 403, 172-5 | 3.2 | 16 |
| 555 | Association between polymorphisms in serotonin 2C receptor gene and attention-deficit/hyperactivity disorder in Han Chinese subjects. <i>Neuroscience Letters</i> , 2006 , 407, 107-11 | 3.2 | 32 |
| 554 | Psychopathology in the young offspring of parents with bipolar disorder: a controlled pilot study. <i>Psychiatry Research</i> , 2006 , 145, 155-67 | 9.6 | 57 |
| 553 | Neuropsychological functioning in girls with attention-deficit/hyperactivity disorder with and without learning disabilities. <i>Neuropsychology</i> , 2006 , 20, 166-77 | 3.6 | 43 |
| 552 | Efficacy of Retrospective Recall of Attention-Deficit Hyperactivity Disorder Symptoms: A Twin Study. <i>Twin Research and Human Genetics</i> , 2006 , 9, 220-232 | 2.1 | 17 |
| 551 | A controlled longitudinal 5-year follow-up study of children at high and low risk for panic disorder and major depression. <i>Psychological Medicine</i> , 2006 , 36, 1141-52 | 6.7 | 39 |
| 550 | The effects of attention-deficit/hyperactivity disorder on employment and household income. <i>MedGenMed: Medscape General Medicine</i> , 2006 , 8, 12 | | 72 |
| 549 | Comparing the efficacy of medications for ADHD using meta-analysis. <i>MedGenMed: Medscape General Medicine</i> , 2006 , 8, 4 | | 84 |
| 548 | Efficacy of retrospective recall of attention-deficit hyperactivity disorder symptoms: A twin study. <i>Twin Research and Human Genetics</i> , 2006 , 9, 220-32 | 2.1 | 6 |
| 547 | Candidate gene studies of attention-deficit/hyperactivity disorder. <i>Journal of Clinical Psychiatry</i> , 2006 , 67 Suppl 8, 13-20 | 4.4 | 57 |
| 546 | Atomoxetine and adult attention-deficit/hyperactivity disorder: the effects of comorbidity. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 415-20 | 4.4 | 65 |
| 545 | Functional impairments in adults with self-reports of diagnosed ADHD: A controlled study of 1001 adults in the community. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 524-40 | 4.4 | 379 |
| 544 | Antecedents to panic disorder in nonreferred adults. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 1179-86 | 4.4 | 16 |
| 543 | The Complex Genetics of Psychiatric Disorders 2006 , 1184-1190 | | 4 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|
| 542 | Symptoms versus Impairment: The Case for Respecting DSM-IV TM Criterion D. <i>The ADHD Report</i> , 2005 , 13, 1-9 | 1.4 | 9 |
| 541 | Training raters to assess adult ADHD: reliability of ratings. <i>Journal of Attention Disorders</i> , 2005 , 8, 121-6 | 3.6 | 44 |
| 540 | Early precursors of low attention and hyperactivity in a preterm sample at age four. <i>Issues in Comprehensive Pediatric Nursing</i> , 2005 , 28, 1-15 | | 34 |
| 539 | Serotonin gene polymorphisms and bipolar I disorder: focus on the serotonin transporter. <i>Annals of Medicine</i> , 2005 , 37, 590-602 | 1.4 | 37 |
| 538 | An open-label trial of risperidone in children and adolescents with bipolar disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2005 , 15, 311-7 | 2.8 | 70 |
| 537 | Searching for the liability to schizophrenia: concepts and methods underlying genetic high-risk studies of adolescents. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2005 , 15, 403-17 | 2.8 | 33 |
| 536 | The CBCL as a screen for psychiatric comorbidity in paediatric patients with ADHD. <i>Archives of Disease in Childhood</i> , 2005 , 90, 1010-5 | 2.1 | 69 |
| 535 | Absence of gender effects on attention deficit hyperactivity disorder: findings in nonreferred subjects. <i>American Journal of Psychiatry</i> , 2005 , 162, 1083-9 | 11.3 | 188 |
| 534 | Childhood antecedents to panic disorder in referred and nonreferred adults. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2005 , 15, 549-61 | 2.8 | 14 |
| 533 | Atomoxetine and stroop task performance in adult attention-deficit/hyperactivity disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2005 , 15, 664-70 | 2.8 | 50 |
| 532 | Reexamining the familial association between asthma and ADHD in girls. <i>Journal of Attention Disorders</i> , 2005 , 8, 136-43 | 3.6 | 23 |
| 531 | Combined analysis from eleven linkage studies of bipolar disorder provides strong evidence of susceptibility loci on chromosomes 6q and 8q. <i>American Journal of Human Genetics</i> , 2005 , 77, 582-95 | 10.4 | 185 |
| 530 | Attention-deficit hyperactivity disorder. <i>Lancet, The</i> , 2005 , 366, 237-48 | 36 | 1278 |
| 529 | Long-term effects of extended-release mixed amphetamine salts treatment of attention-deficit/hyperactivity disorder on growth. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2005 , 15, 191-202 | 2.8 | 57 |
| 528 | What is the prevalence of adult ADHD? Results of a population screen of 966 adults. <i>Journal of Attention Disorders</i> , 2005 , 9, 384-91 | 3.6 | 353 |
| 527 | Impact of gender and age on executive functioning: do girls and boys with and without attention deficit hyperactivity disorder differ neuropsychologically in preteen and teenage years?. <i>Developmental Neuropsychology</i> , 2005 , 27, 79-105 | 1.8 | 119 |
| 526 | ADHD and dyscalculia: Evidence for independent familial transmission. <i>Journal of Learning Disabilities</i> , 2005 , 38, 86-93 | 2.6 | 40 |
| 525 | Genome-wide scan of homogeneous subtypes of NIMH genetics initiative schizophrenia families. <i>Psychiatry Research</i> , 2005 , 133, 111-22 | 9.6 | 27 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|
| 524 | Efficacy of atomoxetine in adult attention-deficit/hyperactivity disorder: a drug-placebo response curve analysis. <i>Behavioral and Brain Functions</i> , 2005 , 1, 16 | 4 | 82 |
| 523 | The World Health Organization Adult ADHD Self-Report Scale (ASRS): a short screening scale for use in the general population. <i>Psychological Medicine</i> , 2005 , 35, 245-56 | 6.7 | 1737 |
| 522 | Molecular genetics of attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2005 , 57, 1313-23 | 1.9 | 1643 |
| 521 | Functional neuroanatomy of working memory in adults with attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2005 , 57, 439-47 | 1.9 | 167 |
| 520 | A large, double-blind, randomized clinical trial of methylphenidate in the treatment of adults with attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2005 , 57, 456-63 | 1.9 | 270 |
| 519 | Validity of the executive function theory of attention-deficit/hyperactivity disorder: a meta-analytic review. <i>Biological Psychiatry</i> , 2005 , 57, 1336-46 | 1.9 | 2274 |
| 518 | The corticotropin-releasing hormone gene and behavioral inhibition in children at risk for panic disorder. <i>Biological Psychiatry</i> , 2005 , 57, 1485-92 | 1.9 | 135 |
| 517 | Attention-deficit/hyperactivity disorder endophenotypes. <i>Biological Psychiatry</i> , 2005 , 57, 1324-35 | 1.9 | 169 |
| 516 | Prevalence and genetic architecture of Child Behavior Checklist-juvenile bipolar disorder. <i>Biological Psychiatry</i> , 2005 , 58, 562-8 | 1.9 | 124 |
| 515 | In vivo neuroreceptor imaging in attention-deficit/hyperactivity disorder: a focus on the dopamine transporter. <i>Biological Psychiatry</i> , 2005 , 57, 1293-300 | 1.9 | 140 |
| 514 | Patterns and predictors of attention-deficit/hyperactivity disorder persistence into adulthood: results from the national comorbidity survey replication. <i>Biological Psychiatry</i> , 2005 , 57, 1442-51 | 1.9 | 458 |
| 513 | Neuropsychological functioning in youth with bipolar disorder. <i>Biological Psychiatry</i> , 2005 , 58, 540-8 | 1.9 | 108 |
| 512 | How cardinal are cardinal symptoms in pediatric bipolar disorder? An examination of clinical correlates. <i>Biological Psychiatry</i> , 2005 , 58, 583-8 | 1.9 | 86 |
| 511 | Five NOTCH4 polymorphisms show weak evidence for association with schizophrenia: evidence from meta-analyses. <i>Schizophrenia Research</i> , 2005 , 73, 281-90 | 3.5 | 23 |
| 510 | Meta-analysis shows schizophrenia is not associated with the 40-base-pair repeat polymorphism of the dopamine transporter gene. <i>Schizophrenia Research</i> , 2005 , 73, 55-8 | 3.5 | 32 |
| 509 | Neuropsychological functioning in relatives of girls with and without ADHD. <i>Psychological Medicine</i> , 2005 , 35, 1121-32 | 6.7 | 28 |
| 508 | Influence of parental SUD and ADHD on ADHD in their offspring: preliminary results from a pilot-controlled family study. <i>American Journal on Addictions</i> , 2005 , 14, 179-87 | 3.6 | 19 |
| 507 | Characteristics of adults with attention deficit hyperactivity disorder plus substance use disorder: the role of psychiatric comorbidity. <i>American Journal on Addictions</i> , 2005 , 14, 319-27 | 3.6 | 50 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 506 | Are endophenotypes based on measures of executive functions useful for molecular genetic studies of ADHD?. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2005 , 46, 774-803 | 7.6 | 163 |
| 505 | Collaborative analysis of DRD4 and DAT genotypes in population-defined ADHD subtypes. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2005 , 46, 1067-73 | 7.6 | 70 |
| 504 | Family, twin, adoption, and molecular genetic studies of juvenile bipolar disorder. <i>Bipolar Disorders</i> , 2005 , 7, 598-609 | 3.7 | 55 |
| 503 | The CBCL predicts DSM bipolar disorder in children: a receiver operating characteristic curve analysis. <i>Bipolar Disorders</i> , 2005 , 7, 518-24 | 3.7 | 110 |
| 502 | Differences between attention-deficit disorder with and without hyperactivity: a 1H-magnetic resonance spectroscopy study. <i>Brain and Development</i> , 2005 , 27, 340-4 | 2.1 | 28 |
| 501 | Functional MRI in attention-deficit hyperactivity disorder: evidence for hypofrontality. <i>Brain and Development</i> , 2005 , 27, 544-50 | 2.1 | 112 |
| 500 | Clinical correlates of bipolar disorder in a large, referred sample of children and adolescents. <i>Journal of Psychiatric Research</i> , 2005 , 39, 611-22 | 5 | 103 |
| 499 | Patterns of comorbidity in panic disorder and major depression: findings from a nonreferred sample. <i>Depression and Anxiety</i> , 2005 , 21, 55-60 | 8.1 | 18 |
| 498 | Parental predictors of pediatric panic disorder/agoraphobia: a controlled study in high-risk offspring. <i>Depression and Anxiety</i> , 2005 , 22, 114-20 | 8.1 | 12 |
| 497 | Serotonin 5-HT1B receptor gene and attention deficit hyperactivity disorder in Chinese Han subjects. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 132B, 59-63 | 3.2 | 24 |
| 496 | Meta-analysis of the association between two polymorphisms in the serotonin transporter gene and affective disorders. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 133B, 110-5 | 3.2 | 190 |
| 495 | Taiwan schizophrenia linkage study: the field study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 134B, 30-6 | 3.2 | 41 |
| 494 | Hypermethylation of the reelin (RELN) promoter in the brain of schizophrenic patients: a preliminary report. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 134B, 60-6 | 3.2 | 289 |
| 493 | Genome scan of schizophrenia families in a large Veterans Affairs Cooperative Study sample: evidence for linkage to 18p11.32 and for racial heterogeneity on chromosomes 6 and 14. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 139B, 91-100 | 3.2 | 16 |
| 492 | Correspondence of parent and teacher reports in medication trials. <i>European Child and Adolescent Psychiatry</i> , 2005 , 14, 20-7 | 5.3 | 19 |
| 491 | The scientific foundation for understanding attention-deficit/hyperactivity disorder as a valid psychiatric disorder. <i>European Child and Adolescent Psychiatry</i> , 2005 , 14, 1-10 | 5.3 | 84 |
| 490 | Validating schizotaxia and its place in studies of preventing schizophrenia by psychopharmacological intervention. <i>Essential Psychopharmacology</i> , 2005 , 6, 91-103 | | 7 |
| 489 | Improving mental health care for children and adolescents: a role for prevention science. <i>World Psychiatry</i> , 2005 , 4, 155-6 | 13.6 | 2 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 488 | Impact of executive function deficits and attention-deficit/hyperactivity disorder (ADHD) on academic outcomes in children. <i>Journal of Consulting and Clinical Psychology</i> , 2004 , 72, 757-66 | 6.2 | 540 |
| 487 | Stimulants and Attention-Deficit/Hyperactivity Disorder Reply. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 2214 | 26.7 | 60 |
| 486 | A novel permutation testing method implicates sixteen nicotinic acetylcholine receptor genes as risk factors for smoking in schizophrenia families. <i>Human Heredity</i> , 2004 , 57, 59-68 | 1 | 50 |
| 485 | Reintroduction of antidepressant therapy across pregnancy in women who previously discontinued treatment. A preliminary retrospective study. <i>Psychotherapy and Psychosomatics</i> , 2004 , 73, 255-8 | 9 | 23 |
| 484 | Emergence of tics in children with ADHD: impact of once-daily OROS methylphenidate therapy. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2004 , 14, 185-94 | 2.8 | 47 |
| 483 | Long-term outcome of pediatric obsessive-compulsive disorder: a meta-analysis and qualitative review of the literature. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 110, 4-13 | 6.2 | 289 |
| 482 | An overview of the genetics of psychotic mood disorders. <i>Journal of Psychiatric Research</i> , 2004 , 38, 3-15 | 5 | 77 |
| 481 | Does referral bias impact findings in high-risk offspring for anxiety disorders? A controlled study of high-risk children of non-referred parents with panic disorder/agoraphobia and major depression. <i>Journal of Affective Disorders</i> , 2004 , 82, 209-16 | 6.3 | 20 |
| 480 | A prospective follow-up study of pediatric bipolar disorder in boys with attention-deficit/hyperactivity disorder. <i>Journal of Affective Disorders</i> , 2004 , 82 Suppl 1, S17-23 | 6.3 | 49 |
| 479 | A genome-wide scan of symptom dimensions in bipolar disorder pedigrees of adult probands. <i>Journal of Affective Disorders</i> , 2004 , 82 Suppl 1, S71-8 | 6.3 | 17 |
| 478 | Further evidence of unique developmental phenotypic correlates of pediatric bipolar disorder: findings from a large sample of clinically referred preadolescent children assessed over the last 7 years. <i>Journal of Affective Disorders</i> , 2004 , 82 Suppl 1, S45-58 | 6.3 | 99 |
| 477 | Absence of gender differences in pediatric bipolar disorder: findings from a large sample of referred youth. <i>Journal of Affective Disorders</i> , 2004 , 83, 207-14 | 6.3 | 22 |
| 476 | A twin study of sexual behavior in men. <i>Archives of Sexual Behavior</i> , 2004 , 33, 129-36 | 3.4 | 19 |
| 475 | Re-examining comorbidity of Obsessive Compulsive and Attention-Deficit Hyperactivity Disorder using an empirically derived taxonomy. <i>European Child and Adolescent Psychiatry</i> , 2004 , 13, 83-91 | 5.3 | 31 |
| 474 | Relapse of depression during pregnancy following antidepressant discontinuation: a preliminary prospective study. <i>Archives of Women's Mental Health</i> , 2004 , 7, 217-21 | 4.9 | 49 |
| 473 | Evidence for linkage between regulatory enzymes in glycolysis and schizophrenia in a multiplex sample. <i>American Journal of Medical Genetics Part A</i> , 2004 , 127B, 5-10 | | 44 |
| 472 | Methylomics in psychiatry: Modulation of gene-environment interactions may be through DNA methylation. <i>American Journal of Medical Genetics Part A</i> , 2004 , 127B, 51-9 | | 150 |
| 471 | DRD2 -141C insertion/deletion polymorphism is not associated with schizophrenia: results of a meta-analysis. <i>American Journal of Medical Genetics Part A</i> , 2004 , 128B, 21-3 | | 20 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 470 | Family-based and case-control association studies of DRD4 and DAT1 polymorphisms in Chinese attention deficit hyperactivity disorder patients suggest long repeats contribute to genetic risk for the disorder. <i>American Journal of Medical Genetics Part A</i> , 2004 , 128B, 84-9 | | 50 |
| 469 | Pregnancy complications associated with childhood anxiety disorders. <i>Depression and Anxiety</i> , 2004 , 19, 152-62 | 8.1 | 39 |
| 468 | DSM-IV subtypes of ADHD in a Chinese outpatient sample. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2004 , 43, 248-50 | 1.4 | 36 |
| 467 | Risk of substance use disorders in adolescents with bipolar disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2004 , 43, 1380-6 | 1.4 | 94 |
| 466 | Association of norepinephrine transporter gene with methylphenidate response. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2004 , 43, 1154-8 | 1.4 | 84 |
| 465 | Age-dependent expression of attention-deficit/hyperactivity disorder symptoms. <i>Psychiatric Clinics of North America</i> , 2004 , 27, 215-24 | 2.9 | 87 |
| 464 | The Massachusetts General Hospital studies of gender influences on attention-deficit/hyperactivity disorder in youth and relatives. <i>Psychiatric Clinics of North America</i> , 2004 , 27, 225-32 | 2.9 | 54 |
| 463 | Meta-analysis of association between the T102C polymorphism of the 5HT2a receptor gene and schizophrenia. <i>Schizophrenia Research</i> , 2004 , 67, 53-62 | 3.5 | 149 |
| 462 | Functional magnetic resonance imaging during auditory verbal working memory in nonpsychotic relatives of persons with schizophrenia: a pilot study. <i>Biological Psychiatry</i> , 2004 , 55, 490-500 | 1.9 | 90 |
| 461 | Gender effects on attention-deficit/hyperactivity disorder in adults, revisited. <i>Biological Psychiatry</i> , 2004 , 55, 692-700 | 1.9 | 251 |
| 460 | Heterogeneity of schizophrenia: a study of individual neuropsychological profiles. <i>Schizophrenia Research</i> , 2004 , 71, 307-21 | 3.5 | 75 |
| 459 | Attention-deficit/hyperactivity disorder in adults. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 619-23 | 26.7 | 192 |
| 458 | Genetics of adult attention-deficit/hyperactivity disorder. <i>Psychiatric Clinics of North America</i> , 2004 , 27, 303-21 | 2.9 | 107 |
| 457 | Moderating effects of major depression on patterns of comorbidity in patients with panic disorder. <i>Psychiatry Research</i> , 2004 , 126, 143-9 | 9.6 | 17 |
| 456 | Joint analysis of the DRD5 marker concludes association with attention-deficit/hyperactivity disorder confined to the predominantly inattentive and combined subtypes. <i>American Journal of Human Genetics</i> , 2004 , 74, 348-56 | 10.4 | 145 |
| 455 | Dr. Glatt and Colleagues Reply. <i>American Journal of Psychiatry</i> , 2004 , 161, 1135-1136 | 11.3 | 2 |
| 454 | Phenomenology of childhood psychosis: findings from a large sample of psychiatrically referred youth. <i>Journal of Nervous and Mental Disease</i> , 2004 , 192, 607-14 | 1.7 | 28 |
| 453 | Three potential susceptibility loci shown by a genome-wide scan for regions influencing the age at onset of mania. <i>American Journal of Psychiatry</i> , 2004 , 161, 625-30 | 11.3 | 65 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 452 | Meta-analysis of the efficacy of methylphenidate for treating adult attention-deficit/hyperactivity disorder. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 24-9 | 1.6 | 258 |
| 451 | Reexamining Tic persistence and Tic-associated impairment in Tourette's Disorder: findings from a naturalistic follow-up study. <i>Journal of Nervous and Mental Disease</i> , 2004 , 192, 776-80 | 1.7 | 51 |
| 450 | Lack of association between behavioral inhibition and psychosocial adversity factors in children at risk for anxiety disorders. <i>American Journal of Psychiatry</i> , 2004 , 161, 547-55 | 11.3 | 17 |
| 449 | Attention-deficit/hyperactivity disorder in adults: a survey of current practice in psychiatry and primary care. <i>Archives of Internal Medicine</i> , 2004 , 164, 1221-6 | | 74 |
| 448 | How informative are parent reports of attention-deficit/hyperactivity disorder symptoms for assessing outcome in clinical trials of long-acting treatments? A pooled analysis of parents' and teachers' reports. <i>Pediatrics</i> , 2004 , 113, 1667-71 | 7.1 | 69 |
| 447 | Gene-environment interactions in mental disorders. <i>World Psychiatry</i> , 2004 , 3, 73-83 | 13.6 | 80 |
| 446 | The Genetic Basis of Schizophrenia 2004 , 3-21 | | 4 |
| 445 | Prevention of Schizophrenia and Psychotic Behavior 2004 , 255-283 | | 3 |
| 444 | The Biology of Schizotaxia 2004 , 339-353 | | 1 |
| 443 | The Nature of Schizotaxia 2004 , 93-114 | | |
| 442 | Organizational and visual memory deficits in schizophrenia and bipolar psychoses using the Rey-Osterrieth complex figure: effects of duration of illness. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2003 , 25, 949-64 | 2 | 48 |
| 441 | Association between a functional catechol O-methyltransferase gene polymorphism and schizophrenia: meta-analysis of case-control and family-based studies. <i>American Journal of Psychiatry</i> , 2003 , 160, 469-76 | 11.3 | 295 |
| 440 | Schizophrenia is not associated with DRD4 48-base-pair-repeat length or individual alleles: results of a meta-analysis. <i>Biological Psychiatry</i> , 2003 , 54, 629-35 | 1.9 | 17 |
| 439 | A preliminary meta-analysis of the child behavior checklist in pediatric bipolar disorder. <i>Biological Psychiatry</i> , 2003 , 53, 1021-7 | 1.9 | 146 |
| 438 | Behavioral inhibition and disinhibition as hypothesized precursors to psychopathology: implications for pediatric bipolar disorder. <i>Biological Psychiatry</i> , 2003 , 53, 985-99 | 1.9 | 76 |
| 437 | Convergence between structured diagnostic interviews and clinical assessment on the diagnosis of pediatric-onset mania. <i>Biological Psychiatry</i> , 2003 , 53, 938-44 | 1.9 | 39 |
| 436 | Genome scan meta-analysis of schizophrenia and bipolar disorder, part II: Schizophrenia. <i>American Journal of Human Genetics</i> , 2003 , 73, 34-48 | 10.4 | 975 |
| 435 | Is ADHD a Risk Factor for Psychoactive Substance Use Disorders? Finding From a Four-Year Prospective Follow-Up Study. <i>Focus (American Psychiatric Publishing)</i> , 2003 , 1, 196-204 | 1.1 | 2 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 434 | Which SSRI? A meta-analysis of pharmacotherapy trials in pediatric obsessive-compulsive disorder. <i>American Journal of Psychiatry</i> , 2003 , 160, 1919-28 | 11.3 | 271 |
| 433 | Defining a developmental subtype of bipolar disorder in a sample of nonreferred adults by age at onset. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2003 , 13, 453-62 | 2.8 | 27 |
| 432 | A review and new report of medial temporal lobe dysfunction as a vulnerability indicator for schizophrenia: a magnetic resonance imaging morphometric family study of the parahippocampal gyrus. <i>Schizophrenia Bulletin</i> , 2003 , 29, 803-30 | 1.2 | 118 |
| 431 | Current concepts in the validity, diagnosis and treatment of paediatric bipolar disorder. <i>International Journal of Neuropsychopharmacology</i> , 2003 , 6, 293-300 | 5.5 | 36 |
| 430 | Is there disproportionate impairment in semantic or phonemic fluency in schizophrenia?. <i>Journal of the International Neuropsychological Society</i> , 2003 , 9, 79-88 | 3 | 44 |
| 429 | Diagnostic Threshold for Conduct Disorder in Girls and Boys. <i>Journal of Nervous and Mental Disease</i> , 2003 , 191, 379-386 | 1.7 | |
| 428 | Diagnostic threshold for conduct disorder in girls and boys. <i>Journal of Nervous and Mental Disease</i> , 2003 , 191, 379-86 | 1.7 | 6 |
| 427 | A twin study of the neuropsychological consequences of stimulant abuse. <i>Archives of General Psychiatry</i> , 2003 , 60, 303-10 | | 61 |
| 426 | Growth deficits and attention-deficit/hyperactivity disorder revisited: impact of gender, development, and treatment. <i>Pediatrics</i> , 2003 , 111, 1010-6 | 7.1 | 93 |
| 425 | Does parental ADHD bias maternal reports of ADHD symptoms in children?. <i>Journal of Consulting and Clinical Psychology</i> , 2003 , 71, 168-175 | 6.2 | 27 |
| 424 | Does comorbid attention-deficit/hyperactivity disorder impact the clinical expression of pediatric obsessive-compulsive disorder?. <i>CNS Spectrums</i> , 2003 , 8, 259-64 | 1.7 | 46 |
| 423 | Psychiatric genetics. Future and prospects. <i>Methods in Molecular Medicine</i> , 2003 , 77, 251-65 | | 0 |
| 422 | Schizotaxia: current status and future directions. <i>Current Psychiatry Reports</i> , 2003 , 5, 128-34 | 8.6 | 15 |
| 421 | Modest evidence for linkage and possible confirmation of association between NOTCH4 and schizophrenia in a large Veterans Affairs Cooperative Study sample. <i>American Journal of Medical Genetics Part A</i> , 2003 , 118B, 8-15 | | 28 |
| 420 | Family-based and case-control association studies of catechol-O-methyltransferase in attention deficit hyperactivity disorder suggest genetic sexual dimorphism. <i>American Journal of Medical Genetics Part A</i> , 2003 , 118B, 103-9 | | 88 |
| 419 | Family-based association study of markers on chromosome 22 in schizophrenia using African-American, European-American, and Chinese families. <i>American Journal of Medical Genetics Part A</i> , 2003 , 120B, 11-7 | | 23 |
| 418 | Report from the 4th international meeting of the attention deficit hyperactivity disorder molecular genetics network. <i>American Journal of Medical Genetics Part A</i> , 2003 , 121B, 55-9 | | 22 |
| 417 | CAG-repeat length in exon 1 of KCNN3 does not influence risk for schizophrenia or bipolar disorder: a meta-analysis of association studies. <i>American Journal of Medical Genetics Part A</i> , 2003 , 121B, 14-20 | | 14 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 416 | Heterogeneity and the genetics of bipolar disorder. <i>American Journal of Medical Genetics Part A</i> , 2003 , 123C, 1-9 | | 20 |
| 415 | Meta-analysis identifies an association between the dopamine D2 receptor gene and schizophrenia. <i>Molecular Psychiatry</i> , 2003 , 8, 911-5 | 14.4 | 99 |
| 414 | Revisiting the association between attention-deficit/hyperactivity disorder and anxiety disorders: a familial risk analysis. <i>Biological Psychiatry</i> , 2003 , 53, 93-9 | 1.9 | 35 |
| 413 | Family-based association study of the NOTCH4 gene in schizophrenia using Japanese and Chinese samples. <i>Biological Psychiatry</i> , 2003 , 54, 129-35 | 1.9 | 20 |
| 412 | The genetics of pediatric-onset bipolar disorder. <i>Biological Psychiatry</i> , 2003 , 53, 970-7 | 1.9 | 113 |
| 411 | Can a subtype of conduct disorder linked to bipolar disorder be identified? Integration of findings from the Massachusetts General Hospital Pediatric Psychopharmacology Research Program. <i>Biological Psychiatry</i> , 2003 , 53, 952-60 | 1.9 | 53 |
| 410 | Structural brain abnormalities among relatives of patients with schizophrenia: implications for linkage studies. <i>Schizophrenia Research</i> , 2003 , 60, 125-40 | 3.5 | 18 |
| 409 | Does stimulant therapy of attention-deficit/hyperactivity disorder beget later substance abuse? A meta-analytic review of the literature. <i>Pediatrics</i> , 2003 , 111, 179-85 | 7.1 | 652 |
| 408 | Does parental ADHD bias maternal reports of ADHD symptoms in children?. <i>Journal of Consulting and Clinical Psychology</i> , 2003 , 71, 168-75 | 6.2 | 13 |
| 407 | Does stimulant treatment lead to substance use disorders?. <i>Journal of Clinical Psychiatry</i> , 2003 , 64 Suppl 11, 9-13 | 4.4 | 20 |
| 406 | The worldwide prevalence of ADHD: is it an American condition?. <i>World Psychiatry</i> , 2003 , 2, 104-13 | 13.6 | 875 |
| 405 | Impact of low birth weight on attention-deficit hyperactivity disorder. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2002 , 23, 16-22 | 2.3 | 223 |
| 404 | The Lifetime Dimensions of Psychosis Scale (LDPS): description and interrater reliability. <i>Schizophrenia Bulletin</i> , 2002 , 28, 683-95 | 1.2 | 36 |
| 403 | Adoption Study Of ADHD. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2002 , 41, 1390-1391 | 1.4 | 1 |
| 402 | Temperamental correlates of disruptive behavior disorders in young children: preliminary findings. <i>Biological Psychiatry</i> , 2002 , 51, 563-74 | 1.9 | 52 |
| 401 | Genome scan of three quantitative traits in schizophrenia pedigrees. <i>Biological Psychiatry</i> , 2002 , 52, 847-54 | | 39 |
| 400 | A comparative profile analysis of neuropsychological functioning in patients with schizophrenia and bipolar psychoses. <i>Schizophrenia Research</i> , 2002 , 53, 31-44 | 3.5 | 185 |
| 399 | An integration of schizophrenia with schizotypy: identification of schizotaxia and implications for research on treatment and prevention. <i>Schizophrenia Research</i> , 2002 , 54, 169-75 | 3.5 | 79 |

| | | | |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 398 | Case-control study of attention-deficit hyperactivity disorder and maternal smoking, alcohol use, and drug use during pregnancy. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2002 , 41, 378-85 | 1.4 | 343 |
| 397 | Attention-deficit/hyperactivity disorder in children and adolescents with obsessive-compulsive disorder: fact or artifact?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2002 , 41, 52-8 | 1.4 | 67 |
| 396 | Preventing schizophrenia and psychotic behaviour: definitions and methodological issues. <i>Canadian Journal of Psychiatry</i> , 2002 , 47, 527-37 | 4.7 | 13 |
| 395 | Treatment of nonpsychotic relatives of patients with schizophrenia: six case studies. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 943-8 | | 13 |
| 394 | Linkage of chromosome 13q32 to schizophrenia in a large veterans affairs cooperative study sample. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 598-604 | | 28 |
| 393 | Family, twin, and adoption studies of bipolar disease. <i>Current Psychiatry Reports</i> , 2002 , 4, 130-3 | 8.6 | 85 |
| 392 | Familial links between attention deficit hyperactivity disorder, conduct disorder, and bipolar disorder. <i>Current Psychiatry Reports</i> , 2002 , 4, 146-52 | 8.6 | 28 |
| 391 | Parsing the comorbidity between bipolar disorder and anxiety disorders: a familial risk analysis. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2002 , 12, 101-11 | 2.8 | 68 |
| 390 | Influence of gender on attention deficit hyperactivity disorder in children referred to a psychiatric clinic. <i>American Journal of Psychiatry</i> , 2002 , 159, 36-42 | 11.3 | 563 |
| 389 | A double-blind comparison of desipramine and placebo in children and adolescents with chronic tic disorder and comorbid attention-deficit/hyperactivity disorder. <i>Archives of General Psychiatry</i> , 2002 , 59, 649-56 | | 88 |
| 388 | Impact of normal sexual dimorphisms on sex differences in structural brain abnormalities in schizophrenia assessed by magnetic resonance imaging. <i>Archives of General Psychiatry</i> , 2002 , 59, 154-64 | | 197 |
| 387 | Family history study of posttraumatic stress disorder with secondary psychotic symptoms. <i>American Journal of Psychiatry</i> , 2002 , 159, 1775-7 | 11.3 | 18 |
| 386 | Differential effect of environmental adversity by gender: Rutter's index of adversity in a group of boys and girls with and without ADHD. <i>American Journal of Psychiatry</i> , 2002 , 159, 1556-62 | 11.3 | 202 |
| 385 | Correlates of ADHD among children in pediatric and psychiatric clinics. <i>Psychiatric Services</i> , 2002 , 53, 1103-11 | 3.1 | 111 |
| 384 | Efficacy of Adderall for Attention-Deficit/Hyperactivity Disorder: a meta-analysis. <i>Journal of Attention Disorders</i> , 2002 , 6, 69-75 | 3.6 | 35 |
| 383 | Psychiatric comorbidity, family dysfunction, and social impairment in referred youth with oppositional defiant disorder. <i>American Journal of Psychiatry</i> , 2002 , 159, 1214-24 | 11.3 | 215 |
| 382 | Further evidence for the diagnostic continuity between child and adolescent ADHD. <i>Journal of Attention Disorders</i> , 2002 , 6, 5-13 | 3.6 | 46 |
| 381 | Left hippocampal volume as a vulnerability indicator for schizophrenia: a magnetic resonance imaging morphometric study of nonpsychotic first-degree relatives. <i>Archives of General Psychiatry</i> , 2002 , 59, 839-49 | | 215 |

| | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 380 | Understanding predisposition to schizophrenia: toward intervention and prevention. <i>Canadian Journal of Psychiatry</i> , 2002 , 47, 518-26 | 4.7 | 34 |
| 379 | Comparative efficacy of Adderall and methylphenidate in attention-deficit/hyperactivity disorder: a meta-analysis. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 468-73 | 1.6 | 52 |
| 378 | The molecular genetics of schizophrenia: an emerging consensus. <i>Expert Reviews in Molecular Medicine</i> , 2002 , 4, 1-13 | 6.3 | 19 |
| 377 | Impact of exposure to parental attention-deficit hyperactivity disorder on clinical features and dysfunction in the offspring. <i>Psychological Medicine</i> , 2002 , 32, 817-27 | 6.7 | 60 |
| 376 | Nicotine and familial vulnerability to schizophrenia: A discordant twin study.. <i>Journal of Abnormal Psychology</i> , 2002 , 111, 687-693 | 6.8 | 50 |
| 375 | Efficacy of Adderall and methylphenidate in attention deficit hyperactivity disorder: a drug-placebo and drug-drug response curve analysis of a naturalistic study. <i>International Journal of Neuropsychopharmacology</i> , 2002 , 5, 121-9 | 5.5 | 24 |
| 374 | Effect of abrupt change from standard to low serum levels of lithium: a reanalysis of double-blind lithium maintenance data. <i>American Journal of Psychiatry</i> , 2002 , 159, 1155-9 | 11.3 | 55 |
| 373 | Current concepts on the neurobiology of Attention-Deficit/Hyperactivity Disorder. <i>Journal of Attention Disorders</i> , 2002 , 6 Suppl 1, S7-16 | 3.6 | 107 |
| 372 | Novel treatments for attention-deficit/hyperactivity disorder in children. <i>Journal of Clinical Psychiatry</i> , 2002 , 63 Suppl 12, 16-22 | 4.4 | 23 |
| 371 | Nicotine and familial vulnerability to schizophrenia: a discordant twin study. <i>Journal of Abnormal Psychology</i> , 2002 , 111, 687-93 | 6.8 | 21 |
| 370 | Drs. Faraone and Biederman Reply. <i>American Journal of Psychiatry</i> , 2002 , 159, 496-a-497 | 11.3 | |
| 369 | Long-term stability of the Child Behavior Checklist in a clinical sample of youth with attention deficit hyperactivity disorder. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2001 , 30, 492-502 | 5.1 | 51 |
| 368 | Normal sexual dimorphism of the adult human brain assessed by in vivo magnetic resonance imaging. <i>Cerebral Cortex</i> , 2001 , 11, 490-7 | 5 | 724 |
| 367 | Social impairment in girls with ADHD: patterns, gender comparisons, and correlates. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2001 , 40, 704-10 | 1.4 | 120 |
| 366 | Patterns of remission and symptom decline in conduct disorder: a four-year prospective study of an ADHD sample. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2001 , 40, 290-8 | 1.4 | 82 |
| 365 | Toward the Prevention of Schizophrenia. <i>Child and Adolescent Psychopharmacology News</i> , 2001 , 6, 9-11 | | |
| 364 | The Nature and Heritability of Attention-Deficit/Hyperactivity Disorder. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2001 , 10, 299-316 | 3.1 | 191 |
| 363 | Developmental aspects of obsessive compulsive disorder: findings in children, adolescents, and adults. <i>Journal of Nervous and Mental Disease</i> , 2001 , 189, 471-7 | 1.7 | 205 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 362 | Efficacy of a mixed amphetamine salts compound in adults with attention-deficit/hyperactivity disorder. <i>Archives of General Psychiatry</i> , 2001 , 58, 775-82 | | 200 |
| 361 | Disentangling chronological age from age of onset in children and adolescents with obsessive-compulsive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2001 , 4, 169-78 | 5.5 | 54 |
| 360 | Separating attention deficit hyperactivity disorder and learning disabilities in girls: a familial risk analysis. <i>American Journal of Psychiatry</i> , 2001 , 158, 1666-72 | 11.3 | 35 |
| 359 | Lack of association between parental alcohol or drug addiction and behavioral inhibition in children. <i>American Journal of Psychiatry</i> , 2001 , 158, 1731-3 | 11.3 | 9 |
| 358 | Learning disabilities and executive dysfunction in boys with attention-deficit/hyperactivity disorder.. <i>Neuropsychology</i> , 2001 , 15, 544-556 | 3.6 | 145 |
| 357 | Patterns of psychopathology and dysfunction in high-risk children of parents with panic disorder and major depression. <i>American Journal of Psychiatry</i> , 2001 , 158, 49-57 | 11.3 | 209 |
| 356 | Adult attention deficit hyperactivity disorder. <i>Current Psychiatry Reports</i> , 2001 , 3, 129-30 | 8.6 | 5 |
| 355 | Genetic counseling for psychiatric disorders. <i>Current Psychiatry Reports</i> , 2001 , 3, 138-43 | 8.6 | 17 |
| 354 | Evidence for the multigenic inheritance of schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2001 , 105, 794-800 | | 87 |
| 353 | Genetic association analysis of behavioral inhibition using candidate loci from mouse models. <i>American Journal of Medical Genetics Part A</i> , 2001 , 105, 226-35 | | 54 |
| 352 | Examination of genetic linkage of chromosome 15 to schizophrenia in a large Veterans Affairs Cooperative Study sample*. <i>American Journal of Medical Genetics Part A</i> , 2001 , 105, 662-668 | | 69 |
| 351 | Attention deficit hyperactivity disorder with bipolar disorder in girls: further evidence for a familial subtype?. <i>Journal of Affective Disorders</i> , 2001 , 64, 19-26 | 6.3 | 79 |
| 350 | Heterogeneity of childhood conduct disorder: further evidence of a subtype of conduct disorder linked to bipolar disorder. <i>Journal of Affective Disorders</i> , 2001 , 64, 121-31 | 6.3 | 34 |
| 349 | "Schizotaxia": clinical implications and new directions for research. <i>Schizophrenia Bulletin</i> , 2001 , 27, 1-18 | 11.2 | 92 |
| 348 | Further evidence of association between behavioral inhibition and social anxiety in children. <i>American Journal of Psychiatry</i> , 2001 , 158, 1673-9 | 11.3 | 474 |
| 347 | Meta-analysis of the association between the 7-repeat allele of the dopamine D(4) receptor gene and attention deficit hyperactivity disorder. <i>American Journal of Psychiatry</i> , 2001 , 158, 1052-7 | 11.3 | 648 |
| 346 | An open-label, dose-ranging study of atomoxetine in children with attention deficit hyperactivity disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2001 , 11, 251-65 | 2.8 | 108 |
| 345 | Traumatic brain injury and schizophrenia in members of schizophrenia and bipolar disorder pedigrees. <i>American Journal of Psychiatry</i> , 2001 , 158, 440-6 | 11.3 | 107 |

| | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 344 | Impact of tic disorders on ADHD outcome across the life cycle: findings from a large group of adults with and without ADHD. <i>American Journal of Psychiatry</i> , 2001 , 158, 611-7 | 11.3 | 68 |
| 343 | Genes, environment and schizophrenia. <i>British Journal of Psychiatry</i> , 2001 , 40, s18-24 | 5.1 | 181 |
| 342 | Efficacy of Adderall and methylphenidate in attention deficit hyperactivity disorder: a reanalysis using drug-placebo and drug-drug response curve methodology. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2001 , 11, 171-80 | 2.8 | 13 |
| 341 | Methodological complexities in the diagnosis of major depression in youth: an analysis of mother and youth self-reports. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2001 , 11, 395-407 | 2.8 | 33 |
| 340 | Intelligence quotient and neuropsychological profiles in patients with schizophrenia and in normal volunteers. <i>Biological Psychiatry</i> , 2001 , 50, 453-62 | 1.9 | 108 |
| 339 | Concurrent validation of schizotaxia: a pilot study. <i>Biological Psychiatry</i> , 2001 , 50, 434-40 | 1.9 | 31 |
| 338 | A family study of psychiatric comorbidity in girls and boys with attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2001 , 50, 586-92 | 1.9 | 47 |
| 337 | Parsing pediatric bipolar disorder from its associated comorbidity with the disruptive behavior disorders. <i>Biological Psychiatry</i> , 2001 , 49, 1062-70 | 1.9 | 53 |
| 336 | ADHD: disorder or discipline problem?. <i>Science</i> , 2001 , 291, 1488-9 | 31.9 | 6 |
| 335 | Protecting the privacy of family members in research. <i>JAMA - Journal of the American Medical Association</i> , 2001 , 285, 1960-1; author reply 1962-3 | 26.7 | |
| 334 | The nature and heritability of attention-deficit/hyperactivity disorder. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2001 , 10, 299-316, viii-ix | 3.1 | 69 |
| 333 | Examination of genetic linkage of chromosome 15 to schizophrenia in a large Veterans Affairs Cooperative Study sample. <i>American Journal of Medical Genetics Part A</i> , 2001 , 105, 662-8 | | 27 |
| 332 | Learning disabilities and executive dysfunction in boys with attention-deficit/hyperactivity disorder. <i>Neuropsychology</i> , 2001 , 15, 544-56 | 3.6 | 34 |
| 331 | Genetic Influences on ADHD. <i>Child and Adolescent Psychopharmacology News</i> , 2001 , 6, 7-11 | | |
| 330 | The drug-placebo response curve: a new method for assessing drug effects in clinical trials. <i>Journal of Clinical Psychopharmacology</i> , 2000 , 20, 673-9 | 1.6 | 11 |
| 329 | Informativeness of structured diagnostic interviews in the identification of Tourette disorder in referred youth. <i>Journal of Nervous and Mental Disease</i> , 2000 , 188, 583-8 | 1.7 | 14 |
| 328 | Lifetime prevalence of mood and anxiety disorders in twin pairs discordant for schizophrenia. <i>Twin Research and Human Genetics</i> , 2000 , 3, 28-32 | | 5 |
| 327 | Family study of girls with attention deficit hyperactivity disorder. <i>American Journal of Psychiatry</i> , 2000 , 157, 1077-83 | 11.3 | 131 |

| | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 326 | Diagnostic efficiency of neuropsychological test scores for discriminating boys with and without attention deficit-hyperactivity disorder. <i>Journal of Consulting and Clinical Psychology</i> , 2000 , 68, 477-488 | 6.2 | 153 |
| 325 | Assessing symptoms of attention deficit hyperactivity disorder in children and adults: Which is more valid?. <i>Journal of Consulting and Clinical Psychology</i> , 2000 , 68, 830-842 | 6.2 | 85 |
| 324 | Neuropsychological functioning in nonreferred siblings of children with attention deficit/hyperactivity disorder. <i>Journal of Abnormal Psychology</i> , 2000 , 109, 252-265 | 6.8 | 80 |
| 323 | The paradox of normal neuropsychological function in schizophrenia.. <i>Journal of Abnormal Psychology</i> , 2000 , 109, 743-752 | 6.8 | 141 |
| 322 | Lifetime prevalence of mood and anxiety disorders in twin pairs discordant for schizophrenia. <i>Twin Research and Human Genetics</i> , 2000 , 3, 28-32 | | 1 |
| 321 | The frustrating search for schizophrenia genes. <i>American Journal of Medical Genetics Part A</i> , 2000 , 97, 1-3 | | 17 |
| 320 | Sustained attention deficits as markers of genetic susceptibility to schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2000 , 97, 52-7 | | 135 |
| 319 | Toward guidelines for pedigree selection in genetic studies of attention deficit hyperactivity disorder. <i>Genetic Epidemiology</i> , 2000 , 18, 1-16 | 2.5 | 144 |
| 318 | Collaborative possibilities for molecular genetic studies of attention deficit hyperactivity disorder: report from an international conference. <i>American Journal of Medical Genetics Part A</i> , 2000 , 96, 251-7 | | 16 |
| 317 | Department of Veterans Affairs Cooperative Studies Program genetic linkage study of schizophrenia: ascertainment methods and sample description. <i>American Journal of Medical Genetics Part A</i> , 2000 , 96, 342-7 | | 16 |
| 316 | Clinical correlates of obsessive compulsive disorder in children and adolescents referred to specialized and non-specialized clinical settings. <i>Depression and Anxiety</i> , 2000 , 11, 163-8 | 8.1 | 53 |
| 315 | The future of psychiatric genetics. <i>Current Psychiatry Reports</i> , 2000 , 2, 133-6 | 8.6 | 18 |
| 314 | Genetic influences on attention deficit hyperactivity disorder. <i>Current Psychiatry Reports</i> , 2000 , 2, 143-6 | 8.6 | 64 |
| 313 | Pediatric mania: a developmental subtype of bipolar disorder?. <i>Acta Neuropsychiatrica</i> , 2000 , 12, 131 | 3.8 | |
| 312 | Therapeutic dilemmas in the pharmacotherapy of bipolar depression in the young. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2000 , 10, 185-92 | 2.8 | 84 |
| 311 | Sleep disturbances associated with attention deficit hyperactivity disorder: the impact of psychiatric comorbidity and pharmacotherapy. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2000 , 10, 223-31 | 2.8 | 101 |
| 310 | Towards defining a meaningful anxiety phenotype for research in ADHD children. <i>Journal of Attention Disorders</i> , 2000 , 3, 192-199 | 3.6 | 33 |
| 309 | Comment on Lambert and Hartsough (1998). <i>Journal of Learning Disabilities</i> , 2000 , 33, 314; author reply 314-6 | 2.6 | 8 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|
| 308 | A controlled study of behavioral inhibition in children of parents with panic disorder and depression. <i>American Journal of Psychiatry</i> , 2000 , 157, 2002-10 | 11.3 | 166 |
| 307 | Toward reformulating the diagnosis of schizophrenia. <i>American Journal of Psychiatry</i> , 2000 , 157, 1041-50 | 11.3 | 149 |
| 306 | Neuropsychologic functioning among the nonpsychotic relatives of schizophrenic patients: the effect of genetic loading. <i>Biological Psychiatry</i> , 2000 , 48, 120-6 | 1.9 | 170 |
| 305 | Family-based tests of association and linkage that use unaffected sibs, covariates, and interactions. <i>American Journal of Human Genetics</i> , 2000 , 66, 605-14 | 10.4 | 145 |
| 304 | Age-dependent decline of symptoms of attention deficit hyperactivity disorder: impact of remission definition and symptom type. <i>American Journal of Psychiatry</i> , 2000 , 157, 816-8 | 11.3 | 1038 |
| 303 | Attention Deficit Hyperactivity Disorder in Adults: Implications for Theories of Diagnosis. <i>Current Directions in Psychological Science</i> , 2000 , 9, 33-36 | 6.3 | 51 |
| 302 | Genetics of childhood disorders: XX. ADHD, Part 4: is ADHD genetically heterogeneous?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2000 , 39, 1455-7 | 1.4 | 48 |
| 301 | Adoptive and biological families of children and adolescents with ADHD. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2000 , 39, 1432-7 | 1.4 | 159 |
| 300 | Validity of DSM-IV subtypes of attention-deficit/hyperactivity disorder: a family study perspective. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2000 , 39, 300-7 | 1.4 | 97 |
| 299 | Attention-deficit disorder and conduct disorder in girls: evidence for a familial subtype. <i>Biological Psychiatry</i> , 2000 , 48, 21-9 | 1.9 | 87 |
| 298 | Age and neuropsychologic function in schizophrenia: a decline in executive abilities beyond that observed in healthy volunteers. <i>Biological Psychiatry</i> , 2000 , 48, 137-46 | 1.9 | 128 |
| 297 | Attention-deficit/hyperactivity disorder in adults: an overview. <i>Biological Psychiatry</i> , 2000 , 48, 9-20 | 1.9 | 497 |
| 296 | Parsing the association between bipolar, conduct, and substance use disorders: a familial risk analysis. <i>Biological Psychiatry</i> , 2000 , 48, 1037-44 | 1.9 | 54 |
| 295 | Pediatric mania: a developmental subtype of bipolar disorder?. <i>Biological Psychiatry</i> , 2000 , 48, 458-66 | 1.9 | 175 |
| 294 | Towards the prevention of schizophrenia. <i>Biological Psychiatry</i> , 2000 , 48, 349-56 | 1.9 | 51 |
| 293 | Assessing symptoms of attention deficit hyperactivity disorder in children and adults: which is more valid?. <i>Journal of Consulting and Clinical Psychology</i> , 2000 , 68, 830-42 | 6.2 | 20 |
| 292 | Patterns of alcohol and drug use in adolescents can be predicted by parental substance use disorders. <i>Pediatrics</i> , 2000 , 106, 792-7 | 7.1 | 136 |
| 291 | The genetic epidemiology of bipolar disorder 2000 , 231-241 | | |

| | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 290 | Clinical correlates of obsessive compulsive disorder in children and adolescents referred to specialized and non-specialized clinical settings 2000 , 11, 163 | | 1 |
| 289 | The paradox of normal neuropsychological function in schizophrenia. <i>Journal of Abnormal Psychology</i> , 2000 , 109, 743-52 | 6.8 | 57 |
| 288 | Schizophrenia: vulnerability versus disease. <i>Dialogues in Clinical Neuroscience</i> , 2000 , 2, 257-66 | 5.4 | |
| 287 | Schizophrenia: family studies and treatment of spectrum disorders. <i>Dialogues in Clinical Neuroscience</i> , 2000 , 2, 381-91 | 5.4 | 1 |
| 286 | Schizophrenia: A Review of Genetic Studies. <i>Harvard Review of Psychiatry</i> , 1999 , 7, 185-185 | 4.1 | 34 |
| 285 | Dopamine D4 gene 7-repeat allele and attention deficit hyperactivity disorder. <i>American Journal of Psychiatry</i> , 1999 , 156, 768-70 | 11.3 | 141 |
| 284 | Treatment of nonpsychotic relatives of patients with schizophrenia: four case studies. <i>Biological Psychiatry</i> , 1999 , 45, 1412-8 | 1.9 | 85 |
| 283 | Thalamic and amygdala-hippocampal volume reductions in first-degree relatives of patients with schizophrenia: an MRI-based morphometric analysis. <i>Biological Psychiatry</i> , 1999 , 46, 941-54 | 1.9 | 210 |
| 282 | The genetics of schizophrenia. <i>Current Psychiatry Reports</i> , 1999 , 1, 20-4 | 8.6 | 17 |
| 281 | Antecedents and complications of trauma in boys with ADHD: findings from a longitudinal study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1999 , 38, 48-55 | 1.4 | 67 |
| 280 | Clinical correlates of ADHD in females: findings from a large group of girls ascertained from pediatric and psychiatric referral sources. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1999 , 38, 966-75 | 1.4 | 291 |
| 279 | Poor perception of nonverbal social-emotional cues in relatives of schizophrenic patients. <i>Schizophrenia Research</i> , 1999 , 40, 121-30 | 3.5 | 81 |
| 278 | Further validation of social impairment as a predictor of substance use disorders: findings from a sample of siblings of boys with and without ADHD. <i>Journal of Clinical Child and Adolescent Psychology</i> , 1999 , 28, 349-54 | | 72 |
| 277 | A pilot controlled family study of DSM-III-R and DSM-IV ADHD in African-American children. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1999 , 38, 34-9 | 1.4 | 19 |
| 276 | Further evidence of a bidirectional overlap between juvenile mania and conduct disorder in children. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1999 , 38, 468-76 | 1.4 | 112 |
| 275 | Absence of cardiovascular adverse effects of sertraline in children and adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1999 , 38, 573-7 | 1.4 | 25 |
| 274 | Neuropsychological functioning among the nonpsychotic relatives of schizophrenic patients: A 4-year follow-up study.. <i>Journal of Abnormal Psychology</i> , 1999 , 108, 176-181 | 6.8 | 135 |
| 273 | Pharmacotherapy of attention-deficit/hyperactivity disorder reduces risk for substance use disorder. <i>Pediatrics</i> , 1999 , 104, e20 | 7.1 | 308 |

| | | | |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 272 | Schizophrenia: A Review of Genetic Studies. <i>Harvard Review of Psychiatry</i> , 1999 , 7, 185-207 | 4.1 | 40 |
| 271 | The 4-year course of tic disorders in boys with attention-deficit/hyperactivity disorder. <i>Archives of General Psychiatry</i> , 1999 , 56, 842-7 | | 72 |
| 270 | Genetic and environmental influences on transitions in drug use. <i>Behavior Genetics</i> , 1999 , 29, 473-9 | 3.1 | 71 |
| 269 | Substance use disorders in high-risk adolescent offspring. <i>American Journal on Addictions</i> , 1999 , 8, 211-9 | 3.6 | 14 |
| 268 | Absence of effect of stimulants on the pharmacokinetics of desipramine in children. <i>Pharmacotherapy</i> , 1999 , 19, 746-52 | 5.5 | 19 |
| 267 | The concept of target features in schizophrenia research. <i>Acta Psychiatrica Scandinavica</i> , 1999 , 395, 2-11 | 6.2 | 76 |
| 266 | Sixth World Congress of Psychiatric Genetics X chromosome workshop 1999 , 88, 279-286 | | 18 |
| 265 | Suggestive linkage of chromosome 10p to schizophrenia is not due to transmission ratio distortion. <i>American Journal of Medical Genetics Part A</i> , 1999 , 88, 607-8 | | 14 |
| 264 | Desipramine clearance in children and adolescents: absence of effect of development and gender. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1999 , 38, 79-85 | 1.4 | 12 |
| 263 | Systematic chart review of the pharmacologic treatment of comorbid attention deficit hyperactivity disorder in youth with bipolar disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 1999 , 9, 247-56 | 2.8 | 79 |
| 262 | Schizophrenia: a review of genetic studies. <i>Harvard Review of Psychiatry</i> , 1999 , 7, 185-207 | 4.1 | 28 |
| 261 | Conceptualization of the liability for schizophrenia: clinical implications. <i>Dialogues in Clinical Neuroscience</i> , 1999 , 1, 153-64 | 5.4 | 2 |
| 260 | Cortical abnormalities in schizophrenia identified by structural magnetic resonance imaging. <i>Archives of General Psychiatry</i> , 1999 , 56, 537-47 | | 295 |
| 259 | Neuropsychological functioning among the nonpsychotic relatives of schizophrenic patients: a 4-year follow-up study. <i>Journal of Abnormal Psychology</i> , 1999 , 108, 176-81 | 6.8 | 39 |
| 258 | New Approaches to the Genetics of Schizophrenia: Neuropsychological and Neuroimaging Studies of Nonpsychotic First Degree Relatives of People with Schizophrenia 1999 , 191-207 | | 4 |
| 257 | Negative, positive, and disorganized symptom dimensions in schizophrenia, major depression, and bipolar disorder. <i>Journal of Nervous and Mental Disease</i> , 1998 , 186, 470-6 | 1.7 | 40 |
| 256 | Neuropsychological risk indicators for schizophrenia: a preliminary study of female relatives of schizophrenic and bipolar probands. <i>Psychiatry Research</i> , 1998 , 79, 227-40 | 9.6 | 94 |
| 255 | Depression: a family affair. <i>Lancet, The</i> , 1998 , 351, 158 | 36 | 5 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 254 | Normalized functioning in youths with persistent attention-deficit/hyperactivity disorder. <i>Journal of Pediatrics</i> , 1998 , 133, 544-51 | 3.4 | 49 |
| 253 | Neuropsychological function in adults with attention-deficit hyperactivity disorder. <i>Biological Psychiatry</i> , 1998 , 44, 260-8 | 1.9 | 224 |
| 252 | Does attention-deficit hyperactivity disorder impact the developmental course of drug and alcohol abuse and dependence?. <i>Biological Psychiatry</i> , 1998 , 44, 269-73 | 1.9 | 225 |
| 251 | Neurobiology of attention-deficit hyperactivity disorder. <i>Biological Psychiatry</i> , 1998 , 44, 951-8 | 1.9 | 449 |
| 250 | Diagnostic continuity between child and adolescent ADHD: findings from a longitudinal clinical sample. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1998 , 37, 305-13 | 1.4 | 104 |
| 249 | Biased maternal reporting of child psychopathology?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1998 , 37, 10-2 | 1.4 | 25 |
| 248 | Informativeness of child and parent reports on substance use disorders in a sample of ADHD probands, control probands, and their siblings. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1998 , 37, 752-8 | 1.4 | 33 |
| 247 | Association of neuropsychological vulnerability markers in relatives of schizophrenic patients. <i>Schizophrenia Research</i> , 1998 , 31, 89-98 | 3.5 | 90 |
| 246 | Sex differences in self-reported schizotypal traits in relatives of schizophrenic probands. <i>Schizophrenia Research</i> , 1998 , 34, 27-37 | 3.5 | 83 |
| 245 | The effects of increasing resource demand on vigilance performance in adults with schizophrenia or developmental attentional/learning disorders: a preliminary study. <i>Schizophrenia Research</i> , 1998 , 34, 101-12 | 3.5 | 36 |
| 244 | Psychiatric, neuropsychological, and psychosocial features of DSM-IV subtypes of attention-deficit/hyperactivity disorder: results from a clinically referred sample. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1998 , 37, 185-93 | 1.4 | 251 |
| 243 | Drs. Faraone and Eiederman reply. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1998 , 37, 459-460 | 1.4 | 1 |
| 242 | Effectiveness and tolerability of tomoxetine in adults with attention deficit hyperactivity disorder. <i>American Journal of Psychiatry</i> , 1998 , 155, 693-5 | 11.3 | 257 |
| 241 | Further evidence of an association between maternal smoking during pregnancy and attention deficit hyperactivity disorder: findings from a high-risk sample of siblings. <i>Journal of Clinical Child and Adolescent Psychology</i> , 1998 , 27, 352-8 | | 160 |
| 240 | A registry-based twin study of depression in men. <i>Archives of General Psychiatry</i> , 1998 , 55, 468-72 | | 138 |
| 239 | Clinical characteristics of attention deficit hyperactivity disorder in African American children. <i>American Journal of Psychiatry</i> , 1998 , 155, 696-8 | 11.3 | 28 |
| 238 | Familial risk analysis of the association between attention-deficit/hyperactivity disorder and psychoactive substance use disorders. <i>JAMA Pediatrics</i> , 1998 , 152, 945-51 | | 18 |
| 237 | Factor structure of the Wisconsin Card Sorting Test: Dimensions of deficit in schizophrenia.. <i>Neuropsychology</i> , 1998 , 12, 289-302 | 3.6 | 123 |

| | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 236 | Disentangling the Overlap between Tourette Disorder and ADHD. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1998 , 39, 1037-1044 | 7.6 | 134 |
| 235 | Familial Subtypes of Attention Deficit Hyperactivity Disorder: A 4-year Follow-up Study of Children from Antisocial-ADHD Families. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1998 , 39, 1045-1053 | 7.6 | 71 |
| 234 | Depression in attention deficit hyperactivity disorder (ADHD) children: "true" depression or demoralization?. <i>Journal of Affective Disorders</i> , 1998 , 47, 113-22 | 6.3 | 101 |
| 233 | Clinical features of children with both ADHD and mania: does ascertainment source make a difference?. <i>Journal of Affective Disorders</i> , 1998 , 51, 101-12 | 6.3 | 42 |
| 232 | Bipolar and antisocial disorders among relatives of ADHD children: parsing familial subtypes of illness 1998 , 81, 108-116 | | 50 |
| 231 | Genome-wide search for schizophrenia susceptibility loci: The NIMH genetics initiative and millennium consortium 1998 , 81, 275-281 | | 55 |
| 230 | NIMH genetics initiative millennium schizophrenia consortium: Linkage analysis of African-American pedigrees 1998 , 81, 282-289 | | 205 |
| 229 | Genome scan of European-American schizophrenia pedigrees: Results of the NIMH genetics initiative and millennium consortium 1998 , 81, 290-295 | | 209 |
| 228 | Further investigation of a chromosome 15 locus in schizophrenia: analysis of affected sibpairs from the NIMH Genetics Initiative. <i>American Journal of Medical Genetics Part A</i> , 1998 , 81, 308-12 | | 92 |
| 227 | Bipolar and antisocial disorders among relatives of ADHD children: parsing familial subtypes of illness. <i>American Journal of Medical Genetics Part A</i> , 1998 , 81, 108-16 | | 17 |
| 226 | Genome-wide search for schizophrenia susceptibility loci: the NIMH Genetics Initiative and Millennium Consortium. <i>American Journal of Medical Genetics Part A</i> , 1998 , 81, 275-81 | | 20 |
| 225 | NIMH Genetics Initiative Millenium Schizophrenia Consortium: linkage analysis of African-American pedigrees. <i>American Journal of Medical Genetics Part A</i> , 1998 , 81, 282-9 | | 69 |
| 224 | Genome scan of European-American schizophrenia pedigrees: results of the NIMH Genetics Initiative and Millennium Consortium. <i>American Journal of Medical Genetics Part A</i> , 1998 , 81, 290-5 | | 59 |
| 223 | Adults with attention-deficit/hyperactivity disorder: a controversial diagnosis. <i>Journal of Clinical Psychiatry</i> , 1998 , 59 Suppl 7, 59-68 | 4.4 | 31 |
| 222 | Familial subtypes of attention deficit hyperactivity disorder: a 4-year follow-up study of children from antisocial-ADHD families. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1998 , 39, 1045-53 | 7.6 | 17 |
| 221 | The naturalistic course of pharmacologic treatment of children with maniclike symptoms: a systematic chart review. <i>Journal of Clinical Psychiatry</i> , 1998 , 59, 628-37; quiz 638 | 4.4 | 118 |
| 220 | Bipolar and antisocial disorders among relatives of ADHD children: parsing familial subtypes of illness 1998 , 81, 108 | | 7 |
| 219 | Genome scan of European-American schizophrenia pedigrees: Results of the NIMH genetics initiative and millennium consortium 1998 , 81, 290 | | 3 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 218 | Disentangling the Overlap between Tourette Disorder and ADHD 1998 , 39, 1037 | | 17 |
| 217 | Familial Subtypes of Attention Deficit Hyperactivity Disorder: A 4-year Follow-up Study of Children from Antisocial-ADHD Families. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1998 , 39, 1045-1053 | 7.6 | 54 |
| 216 | Factor structure of the Wisconsin Card Sorting Test: dimensions of deficit in schizophrenia. <i>Neuropsychology</i> , 1998 , 12, 289-302 | 3.6 | 30 |
| 215 | Mania in Children With Pervasive Developmental Disorder Revisited. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997 , 36, 1552-1559 | 1.4 | 94 |
| 214 | Attention deficit hyperactivity disorder (ADHD) is associated with early onset substance use disorders. <i>Journal of Nervous and Mental Disease</i> , 1997 , 185, 475-82 | 1.7 | 201 |
| 213 | Do attention deficit hyperactivity disorder and major depression share familial risk factors?. <i>Journal of Nervous and Mental Disease</i> , 1997 , 185, 533-41 | 1.7 | 122 |
| 212 | Symptom reports by adults with attention deficit hyperactivity disorder: are they influenced by attention deficit hyperactivity disorder in their children?. <i>Journal of Nervous and Mental Disease</i> , 1997 , 185, 583-4 | 1.7 | 6 |
| 211 | Another view on the M _h tatistical measure of twin concordance. <i>Archives of General Psychiatry</i> , 1997 , 54, 1126-8 | | 8 |
| 210 | Revisiting the factor structure for positive and negative symptoms: evidence from a large heterogeneous group of psychiatric patients. <i>American Journal of Psychiatry</i> , 1997 , 154, 371-7 | 11.3 | 107 |
| 209 | Attention deficit disorder and conduct disorder: longitudinal evidence for a familial subtype. <i>Psychological Medicine</i> , 1997 , 27, 291-300 | 6.7 | 121 |
| 208 | Toward defining a neuropsychology of attention deficit-hyperactivity disorder: performance of children and adolescents from a large clinically referred sample. <i>Journal of Consulting and Clinical Psychology</i> , 1997 , 65, 150-160 | 6.2 | 279 |
| 207 | Adolescent outcome of boys with attention-deficit/hyperactivity disorder and social disability: results from a 4-year longitudinal follow-up study. <i>Journal of Consulting and Clinical Psychology</i> , 1997 , 65, 758-767 | 6.2 | 168 |
| 206 | Panic disorder and agoraphobia in consecutively referred children and adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997 , 36, 214-23 | 1.4 | 87 |
| 205 | Correspondence between DSM-III-R and DSM-IV attention-deficit/hyperactivity disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997 , 36, 1682-7 | 1.4 | 67 |
| 204 | Associations between expressed emotion and child behavioral inhibition and psychopathology: a pilot study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997 , 36, 205-13 | 1.4 | 101 |
| 203 | Attention-deficit hyperactivity disorder with bipolar disorder: a familial subtype?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997 , 36, 1378-87; discussion 1387-90 | 1.4 | 241 |
| 202 | ADHD is associated with early initiation of cigarette smoking in children and adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997 , 36, 37-44 | 1.4 | 412 |
| 201 | Is ADHD a risk factor for psychoactive substance use disorders? Findings from a four-year prospective follow-up study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997 , 36, 21-9 | 1.4 | 400 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 200 | Is comorbidity with ADHD a marker for juvenile-onset mania?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997 , 36, 1046-55 | 1.4 | 193 |
| 199 | Expressed emotion toward children with behavioral inhibition: associations with maternal anxiety disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997 , 36, 910-7 | 1.4 | 135 |
| 198 | A pilot study of neuropsychological function in girls with ADHD. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997 , 36, 366-73 | 1.4 | 100 |
| 197 | Predicting desipramine levels in children and adolescents: a naturalistic clinical study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997 , 36, 384-9 | 1.4 | 8 |
| 196 | Pregnancy, delivery and infancy complications and attention deficit hyperactivity disorder: issues of gene-environment interaction. <i>Biological Psychiatry</i> , 1997 , 41, 65-75 | 1.9 | 142 |
| 195 | Sex differences in self-reported schizotypal symptoms in relatives of schizophrenic probands. <i>Schizophrenia Research</i> , 1997 , 24, 18-19 | 3.5 | |
| 194 | Negative, positive, and disorganized symptom dimensions in schizophrenia, major depression, and bipolar disorder. <i>Schizophrenia Research</i> , 1997 , 24, 24 | 3.5 | |
| 193 | Object alteration deficits in firstdegree relatives of schizophrenic patients. <i>Schizophrenia Research</i> , 1997 , 24, 45 | 3.5 | 3 |
| 192 | Heterogeneity of Wisconsin Card Sorting Test performance in schizophrenia: A factor analytic study. <i>Schizophrenia Research</i> , 1997 , 24, 111-112 | 3.5 | 1 |
| 191 | Neuropsychological and symptombased evidence of dysfunction in dorsolateral and orbital frontal systems in schizophrenia. <i>Schizophrenia Research</i> , 1997 , 24, 112 | 3.5 | |
| 190 | Poor perception of nonverbal social-emotional cues in relatives of schizophrenic patients: An attentional deficit?. <i>Schizophrenia Research</i> , 1997 , 24, 127 | 3.5 | |
| 189 | Sex differences in structural brain abnormalities in schizophrenia: Frontal versus posterior brain regions. <i>Schizophrenia Research</i> , 1997 , 24, 146 | 3.5 | |
| 188 | Verbal memory and regional brain volume in schizophrenia: MRI and neuropsychological measures. <i>Schizophrenia Research</i> , 1997 , 24, 146-147 | 3.5 | |
| 187 | Structural MRI studies of first-degree relatives of schizophrenic patients. <i>Schizophrenia Research</i> , 1997 , 24, 155 | 3.5 | 1 |
| 186 | Functional MRI of attention in relatives of schizophrenic patients. <i>Schizophrenia Research</i> , 1997 , 24, 172 | 3.5 | 9 |
| 185 | Tardive dyskinesia scores as predictor of relapse with neuroleptic dose reduction. <i>Schizophrenia Research</i> , 1997 , 24, 273 | 3.5 | |
| 184 | Mania in children with pervasive developmental disorder revisited. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997 , 36, 1552-9; discussion 1559-60 | 1.4 | 36 |
| 183 | Sex differences in olfactory identification and Wisconsin Card Sorting performance in schizophrenia: relationship to attention and verbal ability. <i>Biological Psychiatry</i> , 1997 , 42, 104-15 | 1.9 | 126 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|
| 182 | Sex differences in neuropsychological function in non-psychotic relatives of schizophrenic probands. <i>Psychiatry Research</i> , 1997 , 66, 131-44 | 9.6 | 27 |
| 181 | Further Evidence of an Association Between Attention-Deficit/Hyperactivity Disorder and Cigarette Smoking. <i>American Journal on Addictions</i> , 1997 , 6, 205-217 | 3.6 | 27 |
| 180 | Associations Between ADHD and Psychoactive Substance Use Disorders. <i>American Journal on Addictions</i> , 1997 , 6, 318-329 | 3.6 | 25 |
| 179 | Conduct disorder with and without mania in a referred sample of ADHD children. <i>Journal of Affective Disorders</i> , 1997 , 44, 177-88 | 6.3 | 62 |
| 178 | Anticipation in schizophrenia: biology or bias?. <i>American Journal of Medical Genetics Part A</i> , 1997 , 74, 275-80 | | 20 |
| 177 | Reduced subcortical brain volumes in nonpsychotic siblings of schizophrenic patients: a pilot magnetic resonance imaging study. <i>American Journal of Medical Genetics Part A</i> , 1997 , 74, 507-14 | | 78 |
| 176 | Associations between ADHD and psychoactive substance use disorders. Findings from a longitudinal study of high-risk siblings of ADHD children. <i>American Journal on Addictions</i> , 1997 , 6, 318-29 | 3.6 | 66 |
| 175 | Further evidence of an association between attention-deficit/hyperactivity disorder and cigarette smoking. Findings from a high-risk sample of siblings. <i>American Journal on Addictions</i> , 1997 , 6, 205-17 | 3.6 | 58 |
| 174 | Growth deficits in ADHD children revisited: evidence for disorder-associated growth delays?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1996 , 35, 1460-9 | 1.4 | 178 |
| 173 | Child Behavior Checklist findings further support comorbidity between ADHD and major depression in a referred sample. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1996 , 35, 734-42 | 1.4 | 68 |
| 172 | Neuropsychological functioning among the elderly nonpsychotic relatives of schizophrenic patients. <i>Schizophrenia Research</i> , 1996 , 21, 27-31 | 3.5 | 30 |
| 171 | Attention deficit hyperactivity disorder in a multigenerational pedigree. <i>Biological Psychiatry</i> , 1996 , 39, 906-8 | 1.9 | 3 |
| 170 | Course of panic disorder during pregnancy and the puerperium: a preliminary study. <i>Biological Psychiatry</i> , 1996 , 39, 950-4 | 1.9 | 50 |
| 169 | Attention-deficit hyperactivity disorder and juvenile mania: an overlooked comorbidity?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1996 , 35, 997-1008 | 1.4 | 331 |
| 168 | MANIA IN CHILDREN. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1996 , 35, 1257-61 | 1.258 | 10 |
| 167 | Toward a new psychometric definition of social disability in children with attention-deficit hyperactivity disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1996 , 35, 571-8 | 1.4 | 129 |
| 166 | A prospective four-year follow-up study of children at risk for ADHD: psychiatric, neuropsychological, and psychosocial outcome. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1996 , 35, 1449-59 | 1.4 | 84 |
| 165 | Is season of birth a risk factor for attention-deficit hyperactivity disorder?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1996 , 35, 1470-6 | 1.4 | 39 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 164 | Predictors of persistence and remission of ADHD into adolescence: results from a four-year prospective follow-up study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1996 , 35, 343-51 | 1.4 | 383 |
| 163 | Is childhood oppositional defiant disorder a precursor to adolescent conduct disorder? Findings from a four-year follow-up study of children with ADHD. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1996 , 35, 1193-204 | 1.4 | 226 |
| 162 | Drs. Biederman and Faraone Reply. <i>American Journal of Psychiatry</i> , 1996 , 153, 452-452 | 11.3 | 1 |
| 161 | Diagnostic accuracy and confusability analyses: an application to the Diagnostic Interview for Genetic Studies. <i>Psychological Medicine</i> , 1996 , 26, 401-10 | 6.7 | 83 |
| 160 | The "3 Rs" and neuropsychological function in schizophrenia: An empirical test of the matching fallacy.. <i>Neuropsychology</i> , 1996 , 10, 22-31 | 3.6 | 82 |
| 159 | Assessing risk for the Tourette spectrum of disorders among first-degree relatives of probands with Tourette syndrome. <i>American Journal of Medical Genetics Part A</i> , 1996 , 67, 107-16 | | 31 |
| 158 | New phenotype definition of attention deficit hyperactivity disorder in relatives for genetic analyses. <i>American Journal of Medical Genetics Part A</i> , 1996 , 67, 369-77 | | 11 |
| 157 | Unipolar relatives in bipolar pedigrees: a search for elusive indicators of underlying bipolarity. <i>American Journal of Medical Genetics Part A</i> , 1996 , 67, 445-54 | | 15 |
| 156 | Genetic influences on DSM-III-R drug abuse and dependence: a study of 3,372 twin pairs. <i>American Journal of Medical Genetics Part A</i> , 1996 , 67, 473-7 | | 373 |
| 155 | Six-week, double-blind, placebo-controlled study of desipramine for adult attention deficit hyperactivity disorder. <i>American Journal of Psychiatry</i> , 1996 , 153, 1147-53 | 11.3 | 177 |
| 154 | Is maternal smoking during pregnancy a risk factor for attention deficit hyperactivity disorder in children?. <i>American Journal of Psychiatry</i> , 1996 , 153, 1138-42 | 11.3 | 318 |
| 153 | Genetic influences on DSM-III-R drug abuse and dependence: A study of 3,372 twin pairs 1996 , 67, 473 | | 11 |
| 152 | The Inheritance of Mood Disorders 1996 , 79-109 | | 4 |
| 151 | Clinical correlates of enuresis in ADHD and non-ADHD children. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1995 , 36, 865-77 | 7.6 | 43 |
| 150 | Performance of children with ADHD on the Rey-Osterrieth complex figure: a pilot neuropsychological study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1995 , 36, 1459-73 | 7.6 | 57 |
| 149 | Differentiation of schizoaffective bipolar disorder from bipolar disorder and schizophrenia. <i>Depression</i> , 1995 , 3, 309-315 | | 2 |
| 148 | Attention deficit hyperactivity disorder and comorbid disorders: issues of overlapping symptoms. <i>American Journal of Psychiatry</i> , 1995 , 152, 1793-9 | 11.3 | 209 |
| 147 | High risk for attention deficit hyperactivity disorder among children of parents with childhood onset of the disorder: a pilot study. <i>American Journal of Psychiatry</i> , 1995 , 152, 431-5 | 11.3 | 193 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 146 | A double-blind, crossover comparison of methylphenidate and placebo in adults with childhood-onset attention-deficit hyperactivity disorder. <i>Archives of General Psychiatry</i> , 1995 , 52, 434-43 | | 297 |
| 145 | Psychoactive substance use disorders in adults with attention deficit hyperactivity disorder (ADHD): effects of ADHD and psychiatric comorbidity. <i>American Journal of Psychiatry</i> , 1995 , 152, 1652-8 | 11.3 | 402 |
| 144 | Effects of family history and comorbidity on the neuropsychological performance of children with ADHD: preliminary findings. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1995 , 34, 1015-24 | 1.4 | 109 |
| 143 | A pilot family study of childhood-onset mania. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1995 , 34, 1577-83 | 1.4 | 150 |
| 142 | How reliable are maternal reports of their children's psychopathology? One-year recall of psychiatric diagnoses of ADHD children. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1995 , 34, 1001-8 | 1.4 | 143 |
| 141 | Verbal learning and memory in relatives of schizophrenics: preliminary findings. <i>Biological Psychiatry</i> , 1995 , 37, 750-3 | 1.9 | 44 |
| 140 | Genetic heterogeneity may in part explain sex differences in the familial risk for schizophrenia. <i>Biological Psychiatry</i> , 1995 , 38, 808-13 | 1.9 | 13 |
| 139 | The M-RsM and neuropsychological function in schizophrenia: a test of the matching fallacy in biological relatives. <i>Psychiatry Research</i> , 1995 , 56, 135-43 | 9.6 | 57 |
| 138 | The case for heterogeneity in the etiology of schizophrenia. <i>Schizophrenia Research</i> , 1995 , 17, 161-75 | 3.5 | 129 |
| 137 | Family-environment risk factors for attention-deficit hyperactivity disorder. A test of Rutter's indicators of adversity. <i>Archives of General Psychiatry</i> , 1995 , 52, 464-70 | | 315 |
| 136 | CBCL Clinical Scales Discriminate Prepubertal Children with Structured Interview-Derived Diagnosis of Mania from Those with ADHD. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1995 , 34, 464-471 | 1.4 | 221 |
| 135 | The relationship between tic disorders and Tourette's syndrome revisited. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1995 , 34, 1133-9 | 1.4 | 65 |
| 134 | Impact of adversity on functioning and comorbidity in children with attention-deficit hyperactivity disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1995 , 34, 1495-503 | 1.4 | 135 |
| 133 | Psychiatric comorbidity among referred juveniles with major depression: fact or artifact?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1995 , 34, 579-90 | 1.4 | 201 |
| 132 | Mania-like symptoms suggestive of childhood-onset bipolar disorder in clinically referred children. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1995 , 34, 867-76 | 1.4 | 575 |
| 131 | Diagnostic accuracy and linkage analysis: how useful are schizophrenia spectrum phenotypes?. <i>American Journal of Psychiatry</i> , 1995 , 152, 1286-90 | 11.3 | 129 |
| 130 | Differential heritability of adult and juvenile antisocial traits. <i>Archives of General Psychiatry</i> , 1995 , 52, 906-15 | | 237 |
| 129 | Genetic heterogeneity in attention-deficit hyperactivity disorder (ADHD): gender, psychiatric comorbidity, and maternal ADHD. <i>Journal of Abnormal Psychology</i> , 1995 , 104, 334-345 | 6.8 | 140 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 128 | Experimental and clinical neuropsychological measures of prefrontal dysfunction in schizophrenia.. <i>Neuropsychology</i> , 1995 , 9, 481-490 | 3.6 | 51 |
| 127 | Neuropsychological functioning among the nonpsychotic relatives of schizophrenic patients: A diagnostic efficiency analysis.. <i>Journal of Abnormal Psychology</i> , 1995 , 104, 286-304 | 6.8 | 245 |
| 126 | Correlates of psychosis proneness in relatives of schizophrenic patients.. <i>Journal of Abnormal Psychology</i> , 1995 , 104, 390-394 | 6.8 | 28 |
| 125 | No confirmation of Geschwind's hypothesis of associations between reading disability, immune disorders, and motor preference in ADHD. <i>Journal of Abnormal Child Psychology</i> , 1995 , 23, 545-52 | 3.8 | 22 |
| 124 | Childhood mania revisited. <i>Israel Journal of Medical Sciences</i> , 1995 , 31, 647-51 | | |
| 123 | Neuropsychological functioning among the nonpsychotic relatives of schizophrenic patients: a diagnostic efficiency analysis. <i>Journal of Abnormal Psychology</i> , 1995 , 104, 286-304 | 6.8 | 50 |
| 122 | Correlates of psychosis proneness in relatives of schizophrenic patients. <i>Journal of Abnormal Psychology</i> , 1995 , 104, 390-4 | 6.8 | 11 |
| 121 | Genetics of Attention-Deficit Hyperactivity Disorder. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 1994 , 3, 285-301 | 3.1 | 59 |
| 120 | Neuropsychological risk indicators for schizophrenia: a review of family studies. <i>Schizophrenia Bulletin</i> , 1994 , 20, 103-19 | 1.2 | 264 |
| 119 | Is attention deficit hyperactivity disorder familial?. <i>Harvard Review of Psychiatry</i> , 1994 , 1, 271-87 | 4.1 | 62 |
| 118 | Measuring diagnostic accuracy in the absence of a "gold standard". <i>American Journal of Psychiatry</i> , 1994 , 151, 650-7 | 11.3 | 156 |
| 117 | Comparison of schizotypal relatives of schizophrenic versus affective probands. <i>American Journal of Medical Genetics Part A</i> , 1994 , 54, 279-85 | | 21 |
| 116 | Motor preference, major depression and psychosocial dysfunction among children with attention deficit hyperactivity disorder. <i>Journal of Psychiatric Research</i> , 1994 , 28, 171-84 | 5 | 18 |
| 115 | An exploratory study of ADHD among second-degree relatives of ADHD children. <i>Biological Psychiatry</i> , 1994 , 35, 398-402 | 1.9 | 66 |
| 114 | Relationship of prefrontal and temporal lobe MRI measures to neuropsychological performance in chronic schizophrenia. <i>Biological Psychiatry</i> , 1994 , 35, 235-46 | 1.9 | 167 |
| 113 | Gender differences in a sample of adults with attention deficit hyperactivity disorder. <i>Psychiatry Research</i> , 1994 , 53, 13-29 | 9.6 | 226 |
| 112 | Tourette's syndrome: what are the influences of gender and comorbid obsessive-compulsive disorder?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1994 , 33, 795-804 | 1.4 | 106 |
| 111 | Systematized delusions and neuropsychological function in paranoid and nonparanoid schizophrenia. <i>Schizophrenia Research</i> , 1994 , 12, 223-36 | 3.5 | 31 |

| | | | |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 110 | Associations between childhood asthma and ADHD: issues of psychiatric comorbidity and familiarity. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1994 , 33, 842-8 | 1.4 | 82 |
| 109 | Gender differences in age at onset of schizophrenia. <i>British Journal of Psychiatry</i> , 1994 , 164, 625-9 | 5.1 | 102 |
| 108 | Diagnostic accuracy of the Child Behavior Checklist scales for attention-deficit hyperactivity disorder: a receiver-operating characteristic analysis. <i>Journal of Consulting and Clinical Psychology</i> , 1994 , 62, 1017-1025 | 6.2 | 253 |
| 107 | Is attention-deficit hyperactivity disorder in adults a valid disorder?. <i>Harvard Review of Psychiatry</i> , 1994 , 1, 326-35 | 4.1 | 82 |
| 106 | Estimating the morbidity risk for diseases having a variable age at onset. <i>Psychiatric Genetics</i> , 1994 , 4, 135-42 | 2.9 | 2 |
| 105 | The genetic epidemiology of schizophrenia. <i>Comprehensive Therapy</i> , 1994 , 20, 130-5 | | 9 |
| 104 | Unipolar relatives in bipolar pedigrees: a search for indicators of underlying bipolarity. <i>American Journal of Medical Genetics Part A</i> , 1993 , 48, 192-9 | | 32 |
| 103 | Estimating age at onset distributions: the bias from prevalent cases and its impact on risk estimation. <i>Genetic Epidemiology</i> , 1993 , 10, 43-59 | 2.5 | 13 |
| 102 | Convergence of the Child Behavior Checklist with structured interview-based psychiatric diagnoses of ADHD children with and without comorbidity. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1993 , 34, 1241-51 | 7.6 | 217 |
| 101 | Identification of the phenotype in psychiatric genetics. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1993 , 243, 131-42 | 5 | 118 |
| 100 | The relationship between DSM-III personality disorders and the five-factor model of personality. <i>Comprehensive Psychiatry</i> , 1993 , 34, 227-34 | 7.1 | 44 |
| 99 | Empirical determination of thresholds for case identification: validation of the Personality Diagnostic Questionnaire-Revised. <i>Comprehensive Psychiatry</i> , 1993 , 34, 384-91 | 7.1 | 13 |
| 98 | Diagnoses of attention-deficit hyperactivity disorder from parent reports predict diagnoses based on teacher reports. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1993 , 32, 315-7 | 1.4 | 60 |
| 97 | Social Adjustment Inventory for Children and Adolescents: concurrent validity in ADHD children. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1993 , 32, 1059-64 | 1.4 | 89 |
| 96 | Are perinatal complications relevant to the manifestation of ADD? Issues of comorbidity and familiarity. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1993 , 32, 1032-7 | 1.4 | 80 |
| 95 | A double-blind placebo controlled study of desipramine in the treatment of ADD: III. Lack of impact of comorbidity and family history factors on clinical response. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1993 , 32, 199-204 | 1.4 | 44 |
| 94 | Efficiency of diagnostic criteria for attention deficit disorder: toward an empirical approach to designing and validating diagnostic algorithms. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1993 , 32, 166-74 | 1.4 | 30 |
| 93 | A 3-year follow-up of children with and without behavioral inhibition. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1993 , 32, 814-21 | 1.4 | 400 |

| | | | |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 92 | A family study of self-reported personality traits and DSM-III-R personality disorders. <i>Psychiatry Research</i> , 1993 , 48, 243-55 | 9.6 | 11 |
| 91 | Neuropsychological performance in chronic schizophrenia in response to neuroleptic dose reduction. <i>Biological Psychiatry</i> , 1993 , 33, 575-84 | 1.9 | 55 |
| 90 | Behavioral inhibition in childhood: a risk factor for anxiety disorders. <i>Harvard Review of Psychiatry</i> , 1993 , 1, 2-16 | 4.1 | 154 |
| 89 | Patterns of psychiatric comorbidity, cognition, and psychosocial functioning in adults with attention deficit hyperactivity disorder. <i>American Journal of Psychiatry</i> , 1993 , 150, 1792-8 | 11.3 | 721 |
| 88 | Evidence for the independent familial transmission of attention deficit hyperactivity disorder and learning disabilities: results from a family genetic study. <i>American Journal of Psychiatry</i> , 1993 , 150, 891-5 ^{11.3} | 11.3 | 146 |
| 87 | Intellectual performance and school failure in children with attention deficit hyperactivity disorder and in their siblings. <i>Journal of Abnormal Psychology</i> , 1993 , 102, 616-623 | 6.8 | 246 |
| 86 | The role of gender in understanding the familial transmission of schizoaffective disorder. <i>British Journal of Psychiatry</i> , 1993 , 163, 763-8 | 5.1 | 15 |
| 85 | Behavioral Inhibition as a Temperamental Risk Factor for Anxiety Disorders. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 1993 , 2, 667-683 | 3.1 | 21 |
| 84 | Further evidence for family-genetic risk factors in attention deficit hyperactivity disorder. Patterns of comorbidity in probands and relatives psychiatrically and peditrically referred samples. <i>Archives of General Psychiatry</i> , 1992 , 49, 728-38 | | 587 |
| 83 | Segregation analysis of attention deficit hyperactivity disorder. <i>Psychiatric Genetics</i> , 1992 , 2, 257-276 | 2.9 | 119 |
| 82 | Comorbidity of parental anxiety disorders as risk for childhood-onset anxiety in inhibited children. <i>American Journal of Psychiatry</i> , 1992 , 149, 475-81 | 11.3 | 82 |
| 81 | Attention/information-processing factors in psychotic disorders. Replication and extension of recent neuropsychological findings. <i>Journal of Nervous and Mental Disease</i> , 1992 , 180, 89-93 | 1.7 | 39 |
| 80 | Using vulnerability indicators to compare conceptual models of genetic heterogeneity in schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 1992 , 180, 141-52 | 1.7 | 22 |
| 79 | Estimating age at onset distributions. <i>Psychiatric Genetics</i> , 1992 , 2, 219-238 | 2.9 | 14 |
| 78 | Stable behavioral inhibition and its association with anxiety disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1992 , 31, 103-11 | 1.4 | 433 |
| 77 | Gender and the familial risk for schizophrenia. Disentangling confounding factors. <i>Schizophrenia Research</i> , 1992 , 7, 135-40 | 3.5 | 32 |
| 76 | Comorbidity between ADDH and learning disability: a review and report in a clinically referred sample. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1992 , 31, 439-48 | 1.4 | 322 |
| 75 | Comorbidity of Diagnosis in Attention-Deficit Hyperactivity Disorder. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 1992 , 1, 335-360 | 3.1 | 64 |

| | | | |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 74 | Mathematical models of complex dose-response relationships: implications for experimental design in psychopharmacologic research. <i>Statistics in Medicine</i> , 1992 , 11, 685-702 | 2.3 | 14 |
| 73 | Linkage studies of schizophrenia: a stimulation study of statistical power. <i>Genetic Epidemiology</i> , 1992 , 9, 123-39 | 2.5 | 22 |
| 72 | Clinical Phenotypes: Problems in Diagnosis 1992 , 173-192 | | 4 |
| 71 | Familial association between attention deficit disorder and anxiety disorders. <i>American Journal of Psychiatry</i> , 1991 , 148, 251-6 | 11.3 | 123 |
| 70 | Evidence of familial association between attention deficit disorder and major affective disorders. <i>Archives of General Psychiatry</i> , 1991 , 48, 633-42 | | 165 |
| 69 | The genetics of schizophrenia. Current knowledge and future directions. <i>Schizophrenia Research</i> , 1991 , 4, 157-71 | 3.5 | 104 |
| 68 | Neuropsychological probes of fronto-limbic system dysfunction in schizophrenia. Olfactory identification and Wisconsin Card Sorting performance. <i>Schizophrenia Research</i> , 1991 , 6, 55-65 | 3.5 | 95 |
| 67 | Wisconsin Card Sorting Test performance over time in schizophrenia. Preliminary evidence from clinical follow-up and neuroleptic reduction studies. <i>Schizophrenia Research</i> , 1991 , 5, 233-42 | 3.5 | 20 |
| 66 | A high risk study of young children of parents with panic disorder and agoraphobia with and without comorbid major depression. <i>Psychiatry Research</i> , 1991 , 37, 333-48 | 9.6 | 123 |
| 65 | A family-genetic study of girls with DSM-III attention deficit disorder. <i>American Journal of Psychiatry</i> , 1991 , 148, 112-7 | 11.3 | 122 |
| 64 | Separation of DSM-III attention deficit disorder and conduct disorder: evidence from a family-genetic study of American child psychiatric patients. <i>Psychological Medicine</i> , 1991 , 21, 109-21 | 6.7 | 198 |
| 63 | Further evidence of an association between behavioral inhibition and anxiety disorders: results from a family study of children from a non-clinical sample. <i>Journal of Psychiatric Research</i> , 1991 , 25, 49-65 | 5 | 160 |
| 62 | Genetic Transmission of Negative and Positive Symptoms in the Biological Relatives of Schizophrenics 1991 , 265-291 | | 28 |
| 61 | Use of lorazepam for increased anxiety after neuroleptic dose reduction. <i>Psychiatric Services</i> , 1990 , 41, 197-8 | 3.1 | |
| 60 | Genetic transmission of major affective disorders: quantitative models and linkage analyses. <i>Psychological Bulletin</i> , 1990 , 108, 109-27 | 18.4 | 38 |
| 59 | Heterogeneity of schizophrenia. Conceptual models and analytic strategies. <i>British Journal of Psychiatry</i> , 1990 , 156, 17-26 | 5.1 | 137 |
| 58 | Sex differences in the familial transmission of schizophrenia. <i>British Journal of Psychiatry</i> , 1990 , 156, 819-26 | 5.1 | 100 |
| 57 | Psychiatric correlates of behavioral inhibition in young children of parents with and without psychiatric disorders. <i>Archives of General Psychiatry</i> , 1990 , 47, 21-6 | | 369 |

| | | | |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 56 | Parent-based diagnosis of attention deficit disorder predicts a diagnosis based on teacher report. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1990 , 29, 698-701 | 1.4 | 73 |
| 55 | Family-genetic and psychosocial risk factors in DSM-III attention deficit disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1990 , 29, 526-33 | 1.4 | 397 |
| 54 | Prolactin shifts after neuroleptic withdrawal. <i>Psychiatry Research</i> , 1990 , 32, 213-9 | 9.6 | 16 |
| 53 | Retrospective assessment of DSM-III attention deficit disorder in nonreferred individuals. <i>Journal of Clinical Psychiatry</i> , 1990 , 51, 102-6 | 4.4 | 35 |
| 52 | Familial and sporadic schizophrenia. A simulation study of statistical power. <i>Schizophrenia Research</i> , 1989 , 2, 345-53 | 3.5 | 17 |
| 51 | Gender and schizophrenia: implications for understanding the heterogeneity of the illness. <i>Psychiatry Research</i> , 1989 , 28, 243-53 | 9.6 | 101 |
| 50 | Neuroleptic nonresponse and affective symptoms: a 2-year prospective study of schizophrenic outpatients. <i>Psychiatry Research</i> , 1989 , 28, 315-21 | 9.6 | 5 |
| 49 | Family-genetic and psychosocial risk factors in clinically referred children and adolescents with attention deficit disorder (ADD). <i>Biological Psychiatry</i> , 1989 , 25, A145 | 1.9 | 5 |
| 48 | Neuroleptic dose reduction in persistently psychotic patients. <i>Psychiatric Services</i> , 1989 , 40, 1193-5 | 3.1 | 3 |
| 47 | Investigating Putative Genetic and Environmental Forms of Schizophrenia: methods and findings. <i>International Review of Psychiatry</i> , 1989 , 1, 259-275 | 3.4 | 18 |
| 46 | Schizophrenia: Recent Biosocial Developments. <i>American Journal of Psychiatry</i> , 1989 , 146, 394-394 | 11.3 | |
| 45 | Correction of serum neuroleptic activity for blood-to-brain distribution: a method that may render radioreceptor assay results comparable between neuroleptics. <i>Journal of Clinical Psychopharmacology</i> , 1989 , 9, 361-3 | 1.6 | 1 |
| 44 | Testing the significance of interobserver agreement measures in the presence of autocorrelation: The jackknife procedure. <i>Journal of Psychopathology and Behavioral Assessment</i> , 1988 , 10, 39-47 | 1.9 | 1 |
| 43 | Neuroleptic dose reduction for schizophrenic outpatients: a three-year follow-up study. <i>Psychiatric Services</i> , 1988 , 39, 1207-8 | 3.1 | |
| 42 | Familial links between schizophrenia and other disorders: application of the multifactorial polygenic model. <i>Psychiatry (New York)</i> , 1988 , 51, 37-47 | 1 | 7 |
| 41 | Psychosocial changes in persistently psychotic schizophrenic patients after an 80% reduction of neuroleptic medication [corrected]. <i>Journal of Psychosocial Nursing and Mental Health Services</i> , 1988 , 26, 13-7 | 1 | |
| 40 | Lag sequential analysis: Robust statistical methods.. <i>Psychological Bulletin</i> , 1987 , 101, 312-323 | 18.4 | 47 |
| 39 | Problems of diagnoses in family studies. <i>Journal of Psychiatric Research</i> , 1987 , 21, 391-9 | 5 | 10 |

| | | | |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 38 | Sex differences in affective disorder: genetic transmission. <i>Genetic Epidemiology</i> , 1987 , 4, 331-43 | 2.5 | 17 |
| 37 | Serum neuroleptic levels, prolactin levels, and relapse: a two-year study of schizophrenic outpatients. <i>Journal of Clinical Psychiatry</i> , 1987 , 48, 151-4 | 4.4 | 19 |
| 36 | Long-term outcome and family psychiatric illness in unipolar and bipolar disorders. <i>Psychopharmacology Bulletin</i> , 1987 , 23, 465-7 | 0.9 | |
| 35 | Neuroleptic bioavailability, psychosocial factors, and clinical status: a 1-year study of schizophrenic outpatients after dose reduction. <i>Psychiatry Research</i> , 1986 , 19, 311-22 | 9.6 | 13 |
| 34 | A statistical analysis system (SAS) computer program for Markov chain analysis. <i>Journal of Psychopathology and Behavioral Assessment</i> , 1986 , 8, 367-379 | 1.9 | 3 |
| 33 | Quantitative models of the genetic transmission of schizophrenia.. <i>Psychological Bulletin</i> , 1985 , 98, 41-66 | 8.4 | 127 |
| 32 | Familial transmission of major affective disorders. Is there evidence supporting the distinction between unipolar and bipolar disorders?. <i>British Journal of Psychiatry</i> , 1985 , 146, 268-71 | 5.1 | 58 |
| 31 | Transmission of affective disorders: an application of segregation analysis to blind family study data. <i>Journal of Psychiatric Research</i> , 1985 , 19, 23-9 | 5 | 22 |
| 30 | Quantitative models of the genetic transmission of schizophrenia. <i>Psychological Bulletin</i> , 1985 , 98, 41-66 | 8.4 | 13 |
| 29 | Information integration in price-quality tradeoffs: the effect of missing information. <i>Memory and Cognition</i> , 1984 , 12, 96-102 | 2.1 | 45 |
| 28 | Descriptive analysis of the effects of income and inflation on personal satisfaction: A reply to silver. <i>Journal of Economic Psychology</i> , 1983 , 3, 173-175 | 2.5 | 2 |
| 27 | Chi-square in small samples.. <i>American Psychologist</i> , 1982 , 37, 107-107 | 9 | 6 |
| 26 | The effects of income and inflation on personal satisfaction: Functional measurement in economic psychology. <i>Journal of Economic Psychology</i> , 1981 , 1, 303-318 | 2.5 | 11 |
| 25 | Measuring personal satisfaction under varying economic conditions. <i>Bulletin of the Psychonomic Society</i> , 1980 , 16, 356-358 | | 3 |
| 24 | Association between transient financial stress during early childhood and pre-school cognitive and socioemotional development. <i>Infant and Child Development</i> , e2267 | 1.4 | |
| 23 | Genetic correlations among psychiatric and immune-related phenotypes based on genome-wide association data | | 2 |
| 22 | Psychiatric Genomics: An Update and an Agenda | | 3 |
| 21 | Discovery of the first genome-wide significant risk loci for ADHD | | 52 |

| | | |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 20 | A genetic investigation of sex bias in the prevalence of attention deficit hyperactivity disorder | 3 |
| 19 | Genetic markers of ADHD-related variations in intracranial volume | 3 |
| 18 | Examining sex-differentiated genetic effects across neuropsychiatric and behavioral traits | 3 |
| 17 | Machine Learning And MRI-Based Diagnostic Models For ADHD: Are We There Yet? | 2 |
| 16 | Evaluation of individual and ensemble probabilistic forecasts of COVID-19 mortality in the US | 18 |
| 15 | Comparative genetic architectures of schizophrenia in East Asian and European populations | 8 |
| 14 | Schizophrenia risk conferred by protein-coding de novo mutations | 4 |
| 13 | Genome wide meta-analysis identifies genomic relationships, novel loci, and pleiotropic mechanisms across eight psychiatric disorders | 10 |
| 12 | Evidence for Similar Structural Brain Anomalies in Youth and Adult Attention-Deficit/Hyperactivity Disorder: A Machine Learning Analysis | 3 |
| 11 | Shared genetic background between children and adults with attention deficit/hyperactivity disorder | 4 |
| 10 | Spatial organization of cells and variable expression of autophagy, apoptosis, and neurodevelopmental genes might underlie selective brain region vulnerability in Attention-Deficit/Hyperactivity Disorder | 3 |
| 9 | Machine-Learning Prediction of Comorbid Substance Use Disorders in ADHD Youth Using Swedish Registry Data | 1 |
| 8 | Subcortical brain volume, regional cortical thickness and cortical surface area across attention-deficit/hyperactivity disorder (ADHD), autism spectrum disorder (ASD), and obsessive-compulsive disorder (OCD) | 4 |
| 7 | Cross-disorder GWAS meta-analysis for Attention Deficit/Hyperactivity Disorder, Autism Spectrum Disorder, Obsessive Compulsive Disorder, and Tourette Syndrome | 2 |
| 6 | Structural Brain Imaging Studies Offer Clues about the Effects of the Shared Genetic Etiology among Neuropsychiatric Disorders | 6 |
| 5 | GeneEnvironment Interactions in Schizophrenia673-678 | |
| 4 | Methods in Psychiatric Genetics65-130 | 2 |
| 3 | Epidemiology of Attention Deficit Hyperactivity Disorder449-467 | 2 |

2 Molecular genetics of ADHD174-197

1 Genetic Epidemiology31-51