Michael S Lauer

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6806205/michael-s-lauer-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

257	27,877	82	164
papers	citations	h-index	g-index
339	31,693 ext. citations	10.3	6.68
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
257	Associations of topic-specific peer review outcomes and institute and center award rates with funding disparities at the National Institutes of Health. <i>ELife</i> , 2021 , 10,	8.9	8
256	Inequalities in the distribution of National Institutes of Health research project grant funding. <i>ELife</i> , 2021 , 10,	8.9	7
255	Topic choice contributes to the lower rate of NIH awards to African-American/black scientists. <i>Science Advances</i> , 2019 , 5, eaaw7238	14.3	175
254	Unique Review Criteria and Patient and Stakeholder Reviewers: Analysis of PCORIQ Approach to Research Funding. <i>Value in Health</i> , 2018 , 21, 1152-1160	3.3	8
253	Efficient design of clinical trials and epidemiological research: is it possible?. <i>Nature Reviews Cardiology</i> , 2017 , 14, 493-501	14.8	19
252	Opinion: The Next Generation Researchers Initiative at NIH. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 11801-11803	11.5	18
251	Toward Independence: Resubmission Rate of Unfunded National Heart, Lung, and Blood Institute R01 Research Grant Applications Among Early Stage Investigators. <i>Academic Medicine</i> , 2016 , 91, 556-62	3.9	8
250	Testosterone replacement therapy: intent matters. Lancet Diabetes and Endocrinology, the, 2016, 4, 471-	· 3 8.1	1
249	Citation impact of NHLBI R01 grants funded through the American Recovery and Reinvestment Act as compared to R01 grants funded through a standard payline. <i>Circulation Research</i> , 2015 , 116, 784-8	15.7	13
248	Social Determinants of Risk and Outcomes for Cardiovascular Disease: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2015 , 132, 873-98	16.7	612
247	Matching taxpayer funding to population health needs: not so simple. <i>Circulation Research</i> , 2015 , 116, 1301-3	15.7	5
246	Publication Speed, Reporting Metrics, and Citation Impact of Cardiovascular Trials Supported by the National Heart, Lung, and Blood Institute. <i>Journal of the American Heart Association</i> , 2015 , 4, e00229	92	7
245	Time for a prepublication culture in clinical research?. <i>Lancet, The</i> , 2015 , 386, 2447-9	40	31
244	Commentary on Vickers. <i>Clinical Trials</i> , 2014 , 11, 622-3	2.2	1
243	Percentile ranking and citation impact of a large cohort of National Heart, Lung, and Blood Institute-funded cardiovascular R01 grants. <i>Circulation Research</i> , 2014 , 114, 600-6	15.7	49
242	Prior publication productivity, grant percentile ranking, and topic-normalized citation impact of NHLBI cardiovascular R01 grants. <i>Circulation Research</i> , 2014 , 115, 617-24	15.7	38
241	Personal reflections on big science, small science, or the right mix. Circulation Research, 2014, 114, 1080	-2 5.7	9

(2011-2013)

240	Refocusing the agenda on cardiovascular guidelines: an announcement from the National Heart, Lung, and Blood Institute. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 1396-8	15.1	34
239	Publication of trials funded by the National Heart, Lung, and Blood Institute. <i>New England Journal of Medicine</i> , 2013 , 369, 1926-34	59.2	77
238	Refocusing the agenda on cardiovascular guidelines: an announcement from the National Heart, Lung, and Blood Institute. <i>Circulation</i> , 2013 , 128, 1713-5	16.7	46
237	Transforming epidemiology for 21st century medicine and public health. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 508-16	4	83
236	The role of comparative effectiveness research in transfusion medicine clinical trials: proceedings of a National Heart, Lung, and Blood Institute workshop. <i>Transfusion</i> , 2012 , 52, 1363-78	2.9	8
235	Advancing the paradigm for cardiovascular imaging research. <i>Journal of Nuclear Cardiology</i> , 2012 , 19, 5-8	2.1	1
234	Lemons for obesity. Annals of Internal Medicine, 2012, 157, 139-40	8	6
233	Commentary: How the debate about comparative effectiveness research should impact the future of clinical trials. <i>Statistics in Medicine</i> , 2012 , 31, 3051-3	2.3	4
232	A policy for science. Journal of the American College of Cardiology, 2012, 59, 2154-6	15.1	4
231	Responses to commentaries. <i>Statistics in Medicine</i> , 2012 , 31, 3066-3067	2.3	
231	And what about exercise? Fitness and risk of death in "low-risk" adults. <i>Journal of the American Heart Association</i> , 2012 , 1, e003228	2.3	
	And what about exercise? Fitness and risk of death in "low-risk" adults. <i>Journal of the American</i>		82
230	And what about exercise? Fitness and risk of death in "low-risk" adults. <i>Journal of the American Heart Association</i> , 2012 , 1, e003228 Outcome of patients who refuse transfusion after cardiac surgery: a natural experiment with		82
230	And what about exercise? Fitness and risk of death in "low-risk" adults. <i>Journal of the American Heart Association</i> , 2012 , 1, e003228 Outcome of patients who refuse transfusion after cardiac surgery: a natural experiment with severe blood conservation. <i>Archives of Internal Medicine</i> , 2012 , 172, 1154-60 Cardiovascular epidemiology in a changing worldchallenges to investigators and the National	6	
230 229 228	And what about exercise? Fitness and risk of death in "low-risk" adults. <i>Journal of the American Heart Association</i> , 2012 , 1, e003228 Outcome of patients who refuse transfusion after cardiac surgery: a natural experiment with severe blood conservation. <i>Archives of Internal Medicine</i> , 2012 , 172, 1154-60 Cardiovascular epidemiology in a changing worldchallenges to investigators and the National Heart, Lung, and Blood Institute. <i>American Journal of Epidemiology</i> , 2012 , 175, 597-601 Time for a creative transformation of epidemiology in the United States. <i>JAMA - Journal of the</i>	3.8	21
230 229 228	And what about exercise? Fitness and risk of death in "low-risk" adults. <i>Journal of the American Heart Association</i> , 2012 , 1, e003228 Outcome of patients who refuse transfusion after cardiac surgery: a natural experiment with severe blood conservation. <i>Archives of Internal Medicine</i> , 2012 , 172, 1154-60 Cardiovascular epidemiology in a changing world—challenges to investigators and the National Heart, Lung, and Blood Institute. <i>American Journal of Epidemiology</i> , 2012 , 175, 597-601 Time for a creative transformation of epidemiology in the United States. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 1804-5 On the value of portfolio diversity in heart, lung, and blood research. <i>Circulation Research</i> , 2012 ,	3.8	21
230 229 228 227 226	And what about exercise? Fitness and risk of death in "low-risk" adults. <i>Journal of the American Heart Association</i> , 2012 , 1, e003228 Outcome of patients who refuse transfusion after cardiac surgery: a natural experiment with severe blood conservation. <i>Archives of Internal Medicine</i> , 2012 , 172, 1154-60 Cardiovascular epidemiology in a changing worldchallenges to investigators and the National Heart, Lung, and Blood Institute. <i>American Journal of Epidemiology</i> , 2012 , 175, 597-601 Time for a creative transformation of epidemiology in the United States. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 1804-5 On the value of portfolio diversity in heart, lung, and blood research. <i>Circulation Research</i> , 2012 , 111, 833-6	6 3.8 27.4 15.7	21 35 8

222	Quantitative electrocardiography for predicting postoperative atrial fibrillation after cardiac surgery. <i>Journal of Electrocardiology</i> , 2011 , 44, 761-7	1.4	18
221	The socio-geography of heart failure: why it matters. <i>Circulation: Heart Failure</i> , 2011 , 4, 244-5	7.6	7
220	Pseudodisease, the next great epidemic in coronary atherosclerosis?: comment on "Impact of coronary computed tomographic angiography results on patient and physician behavior in a low-risk population". <i>Archives of Internal Medicine</i> , 2011 , 171, 1268-9		9
219	Use of hundreds of electrocardiographic biomarkers for prediction of mortality in postmenopausal women: the Women@ Health Initiative. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2011 , 4, 521-3	2 ^{5.8}	30
218	Cardiovascular science in the service of national strength. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 306, 2145-6	27.4	6
217	Epidemiology, comparative effectiveness research, and the National Institutes of Health: forces for health. <i>Epidemiology</i> , 2011 , 22, 625-8	3.1	3
216	Identifying important risk factors for survival in patient with systolic heart failure using random survival forests. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2011 , 4, 39-45	5.8	88
215	How will exercise capacity gain enough respect?. Circulation, 2011, 123, 1364-6	16.7	5
214	Thought exercises on accountability and performance measures at the National Heart, Lung, and Blood Institute (NHLBI): an invited commentary for circulation research. <i>Circulation Research</i> , 2011 , 108, 405-9	15.7	17
213	Using science to improve the nation@health system: NIH@commitment to comparative effectiveness research. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 2182-3	27.4	80
212	Defining and setting national goals for cardiovascular health promotion and disease reduction: the American Heart Association@strategic Impact Goal through 2020 and beyond. <i>Circulation</i> , 2010 , 121, 586-613	16.7	2497
211	Translational research for cardiovascular diseases at the National Heart, Lung, and Blood Institute: moving from bench to bedside and from bedside to community. <i>Circulation</i> , 2010 , 121, 929-33	16.7	26
210	2010 ACCF/AHA guideline for assessment of cardiovascular risk in asymptomatic adults: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. <i>Circulation</i> , 2010 , 122, 2748-64	16.7	279
209	ACCF/ACR/AHA/NASCI/SAIP/SCAI/SCCT 2010 expert consensus document on coronary computed tomographic angiography: a report of the American College of Cardiology Foundation Task Force on Expert Consensus Documents. <i>Circulation</i> , 2010 , 121, 2509-43	16.7	139
208	2010 ACCF/AHA guideline for assessment of cardiovascular risk in asymptomatic adults: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. <i>Circulation</i> , 2010 , 122, e584-636	16.7	451
207	ACCF/ACR/AHA/NASCI/SAIP/SCAI/SCCT 2010 expert consensus document on coronary computed tomographic angiography: a report of the American College of Cardiology Foundation Task Force on Expert Consensus Documents. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 2663-99	15.1	219
206	Screening asymptomatic subjects for subclinical atherosclerosis: not so obvious. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 106-8	15.1	25
205	Risk stratification for sudden cardiac death: a puzzle beyond p values. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 1484-5	15.1	2

(2009-2010)

204	2010 ACCF/AHA guideline for assessment of cardiovascular risk in asymptomatic adults: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. <i>Journal of the American College of Cardiology</i> , 2010 , 56, e50-103	15.1	976
203	2010 ACCF/AHA Guideline for Assessment of Cardiovascular Risk in Asymptomatic Adults: Executive Summary: A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines Developed in Collaboration With the American	15.1	102
202	High-Dimensional Variable Selection for Survival Data. <i>Journal of the American Statistical Association</i> , 2010 , 105, 205-217	2.8	234
201	Risk for venous thromboembolism in patients with superficial venous thrombosis. <i>Annals of Internal Medicine</i> , 2010 , 153, 62; author reply 63	8	
200	ACCF/ACR/AHA/NASCI/SAIP/SCAI/SCCT 2010 expert consensus document on coronary computed tomographic angiography: a report of the American College of Cardiology Foundation Task Force on Expert Consensus Documents. <i>Catheterization and Cardiovascular Interventions</i> , 2010 , 76, E1-42	2.7	37
199	Mortality outcomes in pediatric rheumatology in the US. Arthritis and Rheumatism, 2010 , 62, 599-608		69
198	The historical and moral imperatives of comparative effectiveness research. <i>Statistics in Medicine</i> , 2010 , 29, 1982-4; discussion 1996-7	2.3	6
197	Discarding logic: 2008 Ancel Keys Memorial Lecture. <i>Circulation</i> , 2009 , 119, 1533-7	16.7	9
196	Elements of dangerthe case of medical imaging. New England Journal of Medicine, 2009, 361, 841-3	59.2	104
195	Importance of treadmill exercise time as an initial prognostic screening tool in patients with systolic left ventricular dysfunction. <i>Circulation</i> , 2009 , 119, 3189-97	16.7	41
194	CT angiography: first things first. Circulation: Cardiovascular Imaging, 2009, 2, 1-3	3.9	10
193	Impact of blood transfusion on short- and long-term mortality in patients with ST-segment elevation myocardial infarction. <i>JACC: Cardiovascular Interventions</i> , 2009 , 2, 46-53	5	48
192	Autonomic function and prognosis. Cleveland Clinic Journal of Medicine, 2009, 76 Suppl 2, S18-22	2.8	71
191	Microvolt T-wave alternans, peak oxygen consumption, and outcome in patients with severely impaired left ventricular systolic function. <i>Journal of Heart and Lung Transplantation</i> , 2009 , 28, 689-96	5.8	6
190	Quantitative electrocardiographic measures and long-term mortality in exercise test patients with clinically normal resting electrocardiograms. <i>American Heart Journal</i> , 2009 , 158, 61-70.e1	4.9	14
189	Comparative effectiveness research: the view from the NHLBI. <i>Journal of the American College of Cardiology</i> , 2009 , 53, 1084-6	15.1	17
188	The cardiovascular programs of the National Heart, Lung, and Blood Institute: from vision to action to impact. <i>Journal of the American College of Cardiology</i> , 2009 , 53, 1082-3	15.1	3
187	How one program at the National Heart, Lung, and Blood Institute establishes its scientific priorities. <i>Journal of the American College of Cardiology</i> , 2009 , 53, 2259-61	15.1	1

186	The Scientific Foundation for personal genomics: recommendations from a National Institutes of Health-Centers for Disease Control and Prevention multidisciplinary workshop. <i>Genetics in Medicine</i> , 2009 , 11, 559-67	8.1	186
185	Outcomes research in cardiovascular imaging: report of a workshop sponsored by the National Heart, Lung, and Blood Institute. <i>Journal of Cardiovascular Computed Tomography</i> , 2009 , 3, 212-23	2.8	3
184	Outcomes research in cardiovascular imaging: report of a workshop sponsored by the National Heart, Lung, and Blood Institute. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 766-73	5.8	8
183	Effect of exercise training in supervised cardiac rehabilitation programs on prognostic variables from the exercise tolerance test. <i>American Journal of Cardiology</i> , 2008 , 101, 1403-7	3	29
182	Emerging cardiovascular risk factors that account for a significant portion of attributable mortality risk in chronic kidney disease. <i>American Journal of Cardiology</i> , 2008 , 101, 1741-6	3	33
181	Relation between previous lipid-lowering therapy and infarct size (creatine kinase-MB level) in patients presenting with acute myocardial infarction. <i>American Journal of Cardiology</i> , 2008 , 102, 1119-24	13	5
180	for Sudden Cardiac Death. A scientific statement from the American Heart Association Council on	15.1	128
179	American Heart Association/american College of Cardiology Foundation/heart Rhythm Society scientific statement on noninvasive risk stratification techniques for identifying patients at risk for sudden cardiac death: a scientific statement from the American Heart Association Council on	6.7	48
178	Blood Pressure Research Professional Education Committee, Council on Clinical Cardiology, Stroke	16.7	691
177	Council, and Council On Cardiovascular Nursing. In collaboration with the National Heart, Lung, and Rlood Institute National Center on Sleep Disorders Research (National Institutes of Health). Random survival Forests. Annals of Applied Statistics, 2008, 2, Circulation, 2008, 118, 1080-111	2.1	972
176	Association of exercise capacity on treadmill with future cardiac events in patients referred for exercise testing. <i>Archives of Internal Medicine</i> , 2008 , 168, 174-9		48
175	ACCF/AHA 2007 clinical expert consensus document on coronary artery calcium scoring by computed tomography in global cardiovascular risk assessment and in evaluation of patients with chest pain: a report of the American College of Cardiology Foundation Clinical Expert Consensus	15.1	753
174	In unstable angina or non-ST-segment acute coronary syndrome, should patients with multivessel coronary artery disease undergo multivessel or culprit-only stenting?. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 849-54	15.1	89
173	Impact of mitral valve annuloplasty combined with revascularization in patients with functional ischemic mitral regurgitation. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 2191-201	15.1	361
172	External prognostic validations and comparisons of age- and gender-adjusted exercise capacity predictions. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 1867-75	15.1	57
171	[18F]Fluorodeoxyglucose uptake by positron emission tomography for diagnosis of suspected lung cancer: impact of verification bias. <i>Archives of Internal Medicine</i> , 2007 , 167, 161-5		13
170	Long-term prognostic value of peak oxygen consumption in women versus men with heart failure and severely impaired left ventricular systolic function. <i>American Journal of Cardiology</i> , 2007 , 100, 291-5	3	23
169	Chest pain on exercise treadmill test predicts future cardiac hospitalizations. <i>Clinical Cardiology</i> , 2007 , 30, 505-10	3.3	5

168	Association of atheroma as assessed by intraoperative transoesophageal echocardiography with long-term mortality in patients undergoing cardiac surgery. <i>European Heart Journal</i> , 2007 , 28, 1454-61	9.5	7
167	Clinical features of mixed physiology of constriction and restriction: echocardiographic characteristics and clinical outcome. <i>European Journal of Echocardiography</i> , 2007 , 8, 185-94		16
166	An externally validated model for predicting long-term survival after exercise treadmill testing in patients with suspected coronary artery disease and a normal electrocardiogram. <i>Annals of Internal Medicine</i> , 2007 , 147, 821-8	8	52
165	Quantitative measures of electrocardiographic left ventricular mass, conduction, and repolarization, and long-term survival after coronary artery bypass grafting. <i>Circulation</i> , 2007 , 116, 888-	-9 ¹ 3 ^{6.7}	14
164	ACCF/AHA 2007 clinical expert consensus document on coronary artery calcium scoring by computed tomography in global cardiovascular risk assessment and in evaluation of patients with chest pain: a report of the American College of Cardiology Foundation Clinical Expert Consensus Task Force (ACCF/AHA Writing Committee to Update the 2000 Expert Consensus Document on	16.7	399
163	Electrocardiographic left ventricular hypertrophy in GUSTO IV ACS: an important risk marker of mortality in women. <i>European Heart Journal</i> , 2007 , 28, 2064-9	9.5	21
162	What is the best test for a patient with classic angina?. Cleveland Clinic Journal of Medicine, 2007 , 74, 123-6	2.8	3
161	Screening for coronary heart disease: has the time for universal imaging arrived?. <i>Cleveland Clinic Journal of Medicine</i> , 2007 , 74, 645-50, 653-4, 656	2.8	4
160	Choosing the right coronary test. Cleveland Clinic Journal of Medicine, 2007, 74, 122	2.8	
159	Cardiovascular medicine update 2007: perioperative risk, carotid angioplasty, drug-eluting stents, stronger statins. <i>Cleveland Clinic Journal of Medicine</i> , 2007 , 74, 505-11	2.8	1
158	Exercise-induced QT/R-R-interval hysteresis as a predictor of myocardial ischemia. <i>Journal of Electrocardiology</i> , 2006 , 39, 315-23	1.4	22
157	Believability of clinical trials: a diagnostic testing perspective. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2006 , 132, 249-51	1.5	2
156	Predictors of revascularization method and long-term outcome of percutaneous coronary intervention or repeat coronary bypass surgery in patients with multivessel coronary disease and previous coronary bypass surgery. <i>European Heart Journal</i> , 2006 , 27, 413-8	9.5	76
155	Mediators of the Association Between Mortality Risk and Socioeconomic Status R eply. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 296, 763	27.4	1
154	Myocardial viability testing and the effect of early intervention in patients with advanced left ventricular systolic dysfunction. <i>Circulation</i> , 2006 , 113, 230-7	16.7	134
153	Exercise electrocardiogram testing: beyond the ST segment. <i>Circulation</i> , 2006 , 114, 2070-82	16.7	124
152	Cost effectiveness of biventricular pacemakers in heart failure patients. <i>American Journal of Cardiovascular Drugs</i> , 2006 , 6, 129-37	4	5
151	Short- and long-term risk stratification in acute coronary syndromes: the added value of quantitative ST-segment depression and multiple biomarkers. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 939-47	15.1	55

150	Association of socioeconomic status with functional capacity, heart rate recovery, and all-cause mortality. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 784-92	27.4	91
149	Exercise Testing and Risk Assessment 2006 , 265-283		
148	Should we screen for abdominal aortic aneurysms?. <i>Cleveland Clinic Journal of Medicine</i> , 2006 , 73, 9-10, 13, 16-7 passim	2.8	1
147	Cardiac rehabilitation and secondary prevention of coronary heart disease: an American Heart Association scientific statement from the Council on Clinical Cardiology (Subcommittee on Exercise, Cardiac Rehabilitation, and Prevention) and the Council on Nutrition, Physical Activity, and	16.7	706
146	Prediction of death or myocardial infarction by exercise single photon emission computed tomography perfusion scintigraphy in patients who have had recent coronary artery stenting. American Heart Journal, 2005, 149, 534-40	4.9	13
145	Can we reliably predict long-term mortality after exercise testing? An external validation. <i>American Heart Journal</i> , 2005 , 150, 307-14	4.9	6
144	Aortic valve replacement in patients with mild or moderate aortic stenosis and coronary bypass surgery. <i>American Journal of Medicine</i> , 2005 , 118, 735-42	2.4	53
143	Heart rate response during dipyridamole stress as a predictor of mortality in patients with normal myocardial perfusion and normal electrocardiograms. <i>American Journal of Cardiology</i> , 2005 , 95, 1159-64	13	34
142	Usefulness of tissue doppler and color M-mode indexes of left ventricular diastolic function in predicting outcomes in systolic left ventricular heart failure (from the ADEPT study). <i>American Journal of Cardiology</i> , 2005 , 96, 257-62	3	100
141	Comparison of results of carotid stenting followed by open heart surgery versus combined carotid endarterectomy and open heart surgery (coronary bypass with or without another procedure). <i>American Journal of Cardiology</i> , 2005 , 96, 519-23	3	71
140	Chronotropic incompetence as a predictor of death among patients with normal electrograms taking beta blockers (metoprolol or atenolol). <i>American Journal of Cardiology</i> , 2005 , 96, 1328-33	3	114
139	Peak oxygen consumption as a predictor of death in patients with heart failure receiving beta-blockers. <i>Circulation</i> , 2005 , 111, 2313-8	16.7	203
138	In search of fewer independent risk factors. Archives of Internal Medicine, 2005, 165, 138-45		82
137	The prognostic value of a nomogram for exercise capacity in women. <i>New England Journal of Medicine</i> , 2005 , 353, 468-75	59.2	300
136	Cardiac troponins and renal failure: the evolution of a clinical test. <i>Circulation</i> , 2005 , 112, 3036-7	16.7	14
135	Exercise testing in asymptomatic adults: a statement for professionals from the American Heart Association Council on Clinical Cardiology, Subcommittee on Exercise, Cardiac Rehabilitation, and Prevention. <i>Circulation</i> , 2005 , 112, 771-6	16.7	151
134	Propensity analysis of long-term survival after surgical or percutaneous revascularization in patients with multivessel coronary artery disease and high-risk features. <i>Circulation</i> , 2004 , 109, 2290-5	16.7	208
133	Heart rate recovery and impact of myocardial revascularization on long-term mortality. <i>Circulation</i> , 2004 , 110, 2851-7	16.7	24

(2003-2004)

132	Association of triglyceride-to-HDL cholesterol ratio with heart rate recovery. <i>Diabetes Care</i> , 2004 , 27, 936-41	14.6	59
131	Impact of donor spontaneous intracranial hemorrhage on outcome after heart transplantation. <i>American Journal of Transplantation</i> , 2004 , 4, 257-61	8.7	20
130	Usefulness of plasma brain natriuretic peptide levels in predicting dobutamine-induced myocardial ischemia. <i>American Journal of Cardiology</i> , 2004 , 93, 702-4	3	39
129	ST-segment resolution 60 minutes after combination treatment of abciximab with reteplase or reteplase alone for acute myocardial infarction (30-day mortality results from the resolution of ST-segment after reperfusion therapy substudy). <i>American Journal of Cardiology</i> , 2004 , 94, 859-63	3	19
128	Relative Risk Forests for Exercise Heart Rate Recovery as a Predictor of Mortality. <i>Journal of the American Statistical Association</i> , 2004 , 99, 591-600	2.8	31
127	Clinical epidemiology, clinical care, and the public@ health. <i>Mayo Clinic Proceedings</i> , 2004 , 79, 975-6	6.4	1
126	Constrictive pericarditis: etiology and cause-specific survival after pericardiectomy. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 1445-52	15.1	316
125	Severe frequent ventricular ectopy after exercise as a predictor of death in patients with heart failure. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 820-6	15.1	31
124	Predictors of mortality in patients with heart failure and preserved systolic function in the Digitalis Investigation Group trial. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 1025-9	15.1	92
123	Left ventricular hypertrophy: the next treatable, silent killer?. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 2396-8	27.4	77
122	Is systolic blood pressure recovery after exercise a predictor of mortality?. <i>American Heart Journal</i> , 2004 , 147, 287-92	4.9	25
121	Prognostic importance of presenting symptoms in patients undergoing exercise testing for evaluation of known or suspected coronary disease. <i>American Journal of Medicine</i> , 2004 , 117, 380-9	2.4	32
120	Global risk scores and exercise testing for predicting all-cause mortality in a preventive medicine program. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 1462-8	27.4	123
119	Association of an abnormal exercise heart rate recovery with pulmonary function abnormalities. <i>Chest</i> , 2004 , 125, 1286-91	5.3	30
118	Functional Capacity and Activities of Daily Living in Women 2004 , 103-118		
117	Readability of informed-consent forms. <i>New England Journal of Medicine</i> , 2003 , 348, 2262-3; author reply 2262-3	59.2	11
116	Is heart rate recovery a modifiable risk factor?. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2003 , 23, 88-9		7
115	Coronary Risk Prediction by Logical Analysis of Data. <i>Annals of Operations Research</i> , 2003 , 119, 15-42	3.2	57

114	Association of diabetes mellitus with abnormal heart rate recovery in patients without known coronary artery disease. <i>American Journal of Cardiology</i> , 2003 , 91, 108-11	3	29
113	Value of exercise capacity and heart rate recovery in older people. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 63-8	5.6	46
112	Frequent ventricular ectopy after exercise as a predictor of death. <i>New England Journal of Medicine</i> , 2003 , 348, 781-90	59.2	215
111	34th Bethesda Conference: Task force #5Is atherosclerosis imaging cost effective?. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 1906-17	15.1	39
110	Heart rate recovery after exercise is a predictor of mortality, independent of the angiographic severity of coronary disease. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 831-8	15.1	266
109	Preprocedural white blood cell count and death after percutaneous coronary intervention. American Heart Journal, 2003, 146, 692-8	4.9	44
108	Screening for left ventricular systolic dysfunction among patients with risk factors for heart failure. <i>American Heart Journal</i> , 2003 , 146, 736-40	4.9	29
107	The rudimentary phase of personalised medicine: coronary risk scores. <i>Lancet, The</i> , 2003 , 362, 1776-7	40	30
106	Clinical trialsmultiple treatments, multiple end points, and multiple lessons. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 289, 2575-7	27.4	60
105	Inflammation as a risk factor for atrial fibrillation. <i>Circulation</i> , 2003 , 108, 3006-10	16.7	1090
105	Inflammation as a risk factor for atrial fibrillation. <i>Circulation</i> , 2003 , 108, 3006-10 Heart rate recovery following maximal exercise testing as a predictor of cardiovascular disease and all-cause mortality in men with diabetes. <i>Diabetes Care</i> , 2003 , 26, 2052-7	16.7 14.6	1090
	Heart rate recovery following maximal exercise testing as a predictor of cardiovascular disease and		
104	Heart rate recovery following maximal exercise testing as a predictor of cardiovascular disease and all-cause mortality in men with diabetes. <i>Diabetes Care</i> , 2003 , 26, 2052-7 In-hospital initiation of lipid-lowering therapy after coronary intervention as a predictor of	14.6	140
104	Heart rate recovery following maximal exercise testing as a predictor of cardiovascular disease and all-cause mortality in men with diabetes. <i>Diabetes Care</i> , 2003 , 26, 2052-7 In-hospital initiation of lipid-lowering therapy after coronary intervention as a predictor of long-term utilization: a propensity analysis. <i>Archives of Internal Medicine</i> , 2003 , 163, 2576-82	14.6	140 60
104	Heart rate recovery following maximal exercise testing as a predictor of cardiovascular disease and all-cause mortality in men with diabetes. <i>Diabetes Care</i> , 2003 , 26, 2052-7 In-hospital initiation of lipid-lowering therapy after coronary intervention as a predictor of long-term utilization: a propensity analysis. <i>Archives of Internal Medicine</i> , 2003 , 163, 2576-82 Exercise capacity: the prognostic variable that doesn@get enough respect. <i>Circulation</i> , 2003 , 108, 1534 Who should be taking aspirin to prevent coronary events?. <i>Cleveland Clinic Journal of Medicine</i> ,	14.6 - 6 6.7	140 60 83
104 103 102	Heart rate recovery following maximal exercise testing as a predictor of cardiovascular disease and all-cause mortality in men with diabetes. <i>Diabetes Care</i> , 2003 , 26, 2052-7 In-hospital initiation of lipid-lowering therapy after coronary intervention as a predictor of long-term utilization: a propensity analysis. <i>Archives of Internal Medicine</i> , 2003 , 163, 2576-82 Exercise capacity: the prognostic variable that doesn@get enough respect. <i>Circulation</i> , 2003 , 108, 1534 Who should be taking aspirin to prevent coronary events?. <i>Cleveland Clinic Journal of Medicine</i> , 2003 , 70, 1076-80 Long-term prognosis of patients with clinical unstable angina pectoris without elevation of creatine	14.6 - 6 6.7	140 60 83
104 103 102 101	Heart rate recovery following maximal exercise testing as a predictor of cardiovascular disease and all-cause mortality in men with diabetes. <i>Diabetes Care</i> , 2003 , 26, 2052-7 In-hospital initiation of lipid-lowering therapy after coronary intervention as a predictor of long-term utilization: a propensity analysis. <i>Archives of Internal Medicine</i> , 2003 , 163, 2576-82 Exercise capacity: the prognostic variable that doesn@get enough respect. <i>Circulation</i> , 2003 , 108, 1534 Who should be taking aspirin to prevent coronary events?. <i>Cleveland Clinic Journal of Medicine</i> , 2003 , 70, 1076-80 Long-term prognosis of patients with clinical unstable angina pectoris without elevation of creatine kinase but with elevation of cardiac troponin i levels. <i>American Journal of Cardiology</i> , 2002 , 90, 875-8 Association of fasting plasma glucose with heart rate recovery in healthy adults: a	14.6 - 6 6.7 2.8	140 60 83 1

(2001-2002)

96	Development and validation of a simple exercise test score for use in women with symptoms of suspected coronary artery disease. <i>American Heart Journal</i> , 2002 , 144, 818-25	4.9	23
95	Association of educational status with heart rate recovery: a population-based propensity analysis. <i>American Journal of Medicine</i> , 2002 , 113, 643-9	2.4	12
94	Survival after aortic valve replacement for severe aortic stenosis with low transvalvular gradients and severe left ventricular dysfunction. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 1356-63	15.1	203
93	Cardiologist on trial: reflections on credible evidence. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 563-4	15.1	6
92	The prognostic value of estimated creatinine clearance alongside functional capacity in ambulatory patients with chronic congestive heart failure. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 1106-13	15.1	137
91	Troponin T levels in patients with acute coronary syndromes, with or without renal dysfunction. <i>New England Journal of Medicine</i> , 2002 , 346, 2047-52	59.2	262
90	Health toll of the Middle East crisis. <i>Lancet, The</i> , 2002 , 359, 1860-1	40	
89	Abnormal heart-rate recovery after exercise. <i>Lancet, The</i> , 2002 , 360, 1176-7	40	21
88	Exercise testing for assessment of autonomic function. <i>American Heart Journal</i> , 2002 , 144, 580-2	4.9	1
87	Promise of combined low-molecular-weight heparin and platelet glycoprotein IIb/IIIa inhibition: results from Platelet IIb/IIIa Antagonist for the Reduction of Acute coronary syndrome events in a Global Organization Network B (PARAGON B). <i>American Heart Journal</i> , 2002 , 144, 995-1002	4.9	41
86	Exercise testing for assessment of autonomic function. <i>American Heart Journal</i> , 2002 , 144, 580-582	4.9	6
85	Chronotropic Incompetence and Heart Rate Recovery. <i>Developments in Cardiovascular Medicine</i> , 2002 , 37-48		
84	Prognostic importance of concomitant heparin with eptifibatide in acute coronary syndromes. PURSUIT Investigators. Platelet Glycoprotein IIb/IIIa in Unstable Angina: Receptor Suppression Using Integrilin Therapy. <i>American Journal of Cardiology</i> , 2001 , 87, 532-6	3	21
83	A propensity analysis of cigarette smoking and mortality with consideration of the effects of alcohol. <i>American Journal of Cardiology</i> , 2001 , 87, 706-11	3	33
82	Prediction of coronary artery disease in patients undergoing operations for mitral valve degeneration. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2001 , 121, 894-901	1.5	24
81	Heart rate response in stress testing: clinical implications. <i>ACC Current Journal Review</i> , 2001 , 10, 16-19		10
80	Aspirin use and all-cause mortality among patients being evaluated for known or suspected coronary artery disease: A propensity analysis. <i>JAMA - Journal of the American Medical Association</i> , 2001 , 286, 1187-94	27.4	171
79	Effect of hydroxymethylglutaryl coenzyme a reductase inhibitors on the progression of calcific aortic stenosis. <i>Circulation</i> , 2001 , 104, 2205-9	16.7	307

78	Incremental prognostic value of elevated baseline C-reactive protein among established markers of risk in percutaneous coronary intervention. <i>Circulation</i> , 2001 , 104, 992-7	16.7	202
77	Updated guidelines for cholesterol management. <i>JAMA - Journal of the American Medical Association</i> , 2001 , 285, 2508-9	27.4	57
76	Prediction of mortality using dobutamine echocardiography. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 754-60	15.1	146
75	Independent contribution of myocardial perfusion defects to exercise capacity and heart rate recovery for prediction of all-cause mortality in patients with known or suspected coronary heart disease. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 1558-64	15.1	67
74	Exercise electrocardiogram testing and prognosis. Novel markers and predictive instruments. <i>Cardiology Clinics</i> , 2001 , 19, 401-14	2.5	36
73	Complete bundle branch block as an independent predictor of all-cause mortality: report of 7,073 patients referred for nuclear exercise testing. <i>American Journal of Medicine</i> , 2001 , 110, 253-9	2.4	125
72	Medical therapy for coronary artery disease works, even (especially) in the real world. <i>American Journal of Medicine</i> , 2001 , 110, 497-8	2.4	6
71	Effect of lipid-lowering therapy on early mortality after acute coronary syndromes: an observational study. <i>Lancet, The</i> , 2001 , 357, 1063-8	40	247
70	Uses of error: more chefs. <i>Lancet, The</i> , 2001 , 358, 1641	40	
69	Using exercise testing to prognosticate patients with heart failure. Which parameter should we measure?. <i>Cardiology Clinics</i> , 2001 , 19, 573-81	2.5	11
68	Heart Rate Recovery Immediately After Treadmill Exercise and Left Ventricular Systolic Dysfunction as Predictors of Mortality. <i>Circulation</i> , 2001 , 104, 1911-1916	16.7	252
67	Using aspirin and ACE inhibitors in combination: why the hullabaloo?. <i>Cleveland Clinic Journal of Medicine</i> , 2001 , 68, 569-74	2.8	3
66	Role of stress testing and cardiac imaging in patients who have undergone previous coronary revascularization. <i>Cardiology in Review</i> , 2000 , 8, 158-65	3.2	7
65	Noninvasive strategies for the estimation of cardiac risk in stable chest pain patients. The Economics of Noninvasive Diagnosis (END) Study Group. <i>American Journal of Cardiology</i> , 2000 , 86, 1-7	3	61
64	Usefulness of impaired chronotropic response to exercise as a predictor of mortality, independent of the severity of coronary artery disease. <i>American Journal of Cardiology</i> , 2000 , 86, 602-9	3	96
63	Prediction of global left ventricular function after bypass surgery in patients with severe left ventricular dysfunction. Impact of pre-operative myocardial function, perfusion, and metabolism. <i>European Heart Journal</i> , 2000 , 21, 125-36	9.5	48
62	Heart rate recovery and treadmill exercise score as predictors of mortality in patients referred for exercise ECG. <i>JAMA - Journal of the American Medical Association</i> , 2000 , 284, 1392-8	27.4	472
61	Primary angioplastytime is of the essence. <i>JAMA - Journal of the American Medical Association</i> , 2000 , 283, 2988-9	27.4	4

(1998-2000)

60	Association of smoking with abnormal exercise heart rate responses and long-term prognosis in a healthy, population-based cohort. <i>American Journal of Medicine</i> , 2000 , 109, 20-6	2.4	19
59	Evaluation of the effects of aspirin combined with angiotensin-converting enzyme inhibitors in patients with coronary artery disease. <i>American Journal of Medicine</i> , 2000 , 109, 371-7	2.4	47
58	Heart rate recovery after submaximal exercise testing as a predictor of mortality in a cardiovascularly healthy cohort. <i>Annals of Internal Medicine</i> , 2000 , 132, 552-5	8	361
57	Impaired chronotropic response to exercise stress testing as a predictor of mortality. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 281, 524-9	27.4	397
56	Blood pressure response during treadmill testing as a risk factor for new-onset hypertension. The Framingham heart study. <i>Circulation</i> , 1999 , 99, 1831-6	16.7	334
55	Ventilatory and heart rate responses to exercise: better predictors of heart failure mortality than peak oxygen consumption. <i>Circulation</i> , 1999 , 100, 2411-7	16.7	203
54	Association of exercise-induced ventricular ectopic activity with thallium myocardial perfusion and angiographic coronary artery disease in stable, low-risk populations. <i>American Journal of Cardiology</i> , 1999 , 83, 530-4	3	32
53	Usefulness of an exaggerated systolic blood pressure response to exercise in predicting myocardial perfusion defects in known or suspected coronary artery disease. <i>American Journal of Cardiology</i> , 1999 , 84, 1304-10	3	24
52	The economic consequences of available diagnostic and prognostic strategies for the evaluation of stable angina patients: an observational assessment of the value of precatheterization ischemia. Economics of Noninvasive Diagnosis (END) Multicenter Study Group. <i>Journal of the American</i>	15.1	282
51	Functional status and quality of life in patients with heart failure undergoing coronary bypass surgery after assessment of myocardial viability. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 750-8	15.1	132
50	Use of segmental tissue Doppler velocity to quantitate exercise echocardiography. <i>Journal of the American Society of Echocardiography</i> , 1999 , 12, 901-12	5.8	75
49	Heart-rate recovery immediately after exercise as a predictor of mortality. <i>New England Journal of Medicine</i> , 1999 , 341, 1351-7	59.2	1296
48	Cause of death in clinical research: time for a reassessment?. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 618-20	15.1	493
47	Delayed systolic blood pressure recovery after graded exercise: an independent correlate of angiographic coronary disease. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 754-9	15.1	88
46	Association of left ventricular dilatation and hypertrophy with chronotropic incompetence in the Framingham Heart Study. <i>American Heart Journal</i> , 1999 , 137, 903-9	4.9	37
45	The noninvasive prediction of cardiac mortality in men and women with known or suspected coronary artery disease. Economics of Noninvasive Diagnosis (END) Study Group. <i>American Journal of Medicine</i> , 1999 , 106, 172-8	2.4	97
44	Resuscitating the exercise stress test. Cleveland Clinic Journal of Medicine, 1999, 66, 278-82	2.8	1
43	Clinical yield and cost of exercise treadmill testing to screen for coronary artery disease in asymptomatic adults. <i>American Journal of Cardiology</i> , 1998 , 81, 219-24	3	32

42	Exercise performance and chronotropic response in heart failure patients with implantable left ventricular assist devices. <i>American Journal of Cardiology</i> , 1998 , 81, 1230-2	3	8
41	Diagnostic and prognostic implications of left ventricular cavity obliteration response to dobutamine echocardiography. <i>American Journal of Cardiology</i> , 1998 , 81, 1318-22	3	31
40	Risk stratification of patients with medically treated unstable angina using exercise echocardiography. <i>American Journal of Cardiology</i> , 1998 , 82, 720-4	3	16
39	Use of dobutamine echocardiography for cardiac risk stratification of patients with chronic renal failure. <i>Journal of Internal Medicine</i> , 1998 , 244, 155-61	10.8	26
38	Screening with exercise thallium testing after coronary-artery-bypass grafting. <i>Lancet, The</i> , 1998 , 351, 1586-1587	40	
37	Prediction of death and myocardial infarction by screening with exercise-thallium testing after coronary-artery-bypass grafting. <i>Lancet, The</i> , 1998 , 351, 615-22	40	109
36	The duration of pretreatment with ticlopidine prior to stenting is associated with the risk of procedure-related non-Q-wave myocardial infarctions. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 1366-70	15.1	62
35	Association of chronotropic incompetence with echocardiographic ischemia and prognosis. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 1280-6	15.1	66
34	Prognostic significance of exercise-induced left bundle-branch block. <i>JAMA - Journal of the American Medical Association</i> , 1998 , 279, 153-6	27.4	67
33	Increased left ventricular cavity size, not wall thickness, potentiates myocardial ischemia. <i>American Heart Journal</i> , 1997 , 133, 691-7	4.9	6
32	Age and referral to coronary angiography after an abnormal treadmill thallium test. <i>American Heart Journal</i> , 1997 , 133, 139-46	4.9	9
31	Sex and diagnostic evaluation of possible coronary artery disease after exercise treadmill testing at one academic teaching center. <i>American Heart Journal</i> , 1997 , 134, 807-13	4.9	12
30	Use of exercise echocardiography for prognostic evaluation of patients with known or suspected coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 83-90	15.1	120
29	Importance of estimated functional capacity as a predictor of all-cause mortality among patients referred for exercise thallium single-photon emission computed tomography: report of 3,400 patients from a single center. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 641-8	15.1	151
28	Cardiac outcomes in coronary patients with submaximum dobutamine stress echocardiography. <i>American Journal of Cardiology</i> , 1997 , 80, 725-9	3	22
27	Incremental value of rubidium-82 positron emission tomography for prognostic assessment of known or suspected coronary artery disease. <i>American Journal of Cardiology</i> , 1997 , 80, 865-70	3	109
26	Time-related trends in the preoperative evaluation of patients with valvular stenosis. <i>American Journal of Cardiology</i> , 1997 , 80, 1464-8	3	15
25	Association of cigarette smoking with chronotropic incompetence and prognosis in the Framingham Heart Study. <i>Circulation</i> , 1997 , 96, 897-903	16.7	40

24	Prognostic value of dobutamine echocardiography in patients with left ventricular dysfunction. Journal of the American College of Cardiology, 1996 , 27, 132-9	15.1	145
23	Blunt traumatic rupture of a mitral papillary muscle head. <i>Annals of Thoracic Surgery</i> , 1996 , 61, 1526-8	2.7	13
22	Gender and referral for coronary angiography after treadmill thallium testing. <i>American Journal of Cardiology</i> , 1996 , 78, 278-83	3	47
21	Impaired heart rate response to graded exercise. Prognostic implications of chronotropic incompetence in the Framingham Heart Study. <i>Circulation</i> , 1996 , 93, 1520-6	16.7	346
20	Chronotropic response to exercise. Improved performance of ST-segment depression criteria after adjustment for heart rate reserve. <i>Circulation</i> , 1996 , 94, 3226-31	16.7	28
19	An 81-year-old woman with dyspnea on exertion. Cleveland Clinic Journal of Medicine, 1996 , 63, 209-12	2.8	2
18	Preoperative evaluation before noncardiac vascular surgery. <i>Cleveland Clinic Journal of Medicine</i> , 1996 , 63, 325-30	2.8	1
17	Use of positron emission tomography for prediction of perioperative and late cardiac events before vascular surgery. <i>American Heart Journal</i> , 1995 , 130, 1196-202	4.9	10
16	Gender-specific reference M-mode values in adults: population-derived values with consideration of the impact of height. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 1039-46	15.1	82
15	Angiographic and prognostic implications of an exaggerated exercise systolic blood pressure response and rest systolic blood pressure in adults undergoing evaluation for suspected coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 1630-6	15.1	89
14	Impact of echocardiographic left ventricular mass on mechanistic implications of exercise testing parameters. <i>American Journal of Cardiology</i> , 1995 , 76, 952-6	3	15
13	Chronotropic response to exercise predicts angiographic severity in patients with suspected or stable coronary artery disease. <i>American Journal of Cardiology</i> , 1995 , 76, 1228-32	3	36
12	Influence of blood pressure on left atrial size. The Framingham Heart Study. <i>Hypertension</i> , 1995 , 25, 11	5 5. 60	196
11	Left ventricular hypertrophy and cardiovascular prognosis. <i>Cleveland Clinic Journal of Medicine</i> , 1995 , 62, 169-75	2.8	6
10	A new method for indexing left ventricular mass for differences in body size. <i>American Journal of Cardiology</i> , 1994 , 74, 487-91	3	121
9	Is there a relationship between exercise systolic blood pressure response and left ventricular mass? The Framingham Heart Study. <i>Annals of Internal Medicine</i> , 1992 , 116, 203-10	8	132
8	Separate and joint influences of obesity and mild hypertension on left ventricular mass and geometry: the Framingham Heart Study. <i>Journal of the American College of Cardiology</i> , 1992 , 19, 130-4	15.1	142
7	Selection of patients for coronary angiography and coronary revascularization early after myocardial infarction: is there evidence for a gender bias?. <i>Annals of Internal Medicine</i> , 1992 , 116, 785-9	008	205

6	Prognostic implications of subclinical left ventricular dilatation and systolic dysfunction in men free of overt cardiovascular disease (the Framingham Heart Study). <i>American Journal of Cardiology</i> , 1992 , 70, 1180-4	3	118
5	Echocardiographic determinants of clinical outcome in subjects with coronary artery disease (the Framingham Heart Study). <i>American Journal of Cardiology</i> , 1992 , 70, 971-6	3	47
4	The Impact of Obesity on Left Ventricular Mass and Geometry. <i>JAMA - Journal of the American Medical Association</i> , 1991 , 266, 231	27.4	363
3	Influence of contemporary versus 30-year blood pressure levels on left ventricular mass and geometry: the Framingham Heart Study. <i>Journal of the American College of Cardiology</i> , 1991 , 18, 1287-9	4 ^{15.1}	114
2	Atrial fibrillation following coronary artery bypass surgery. <i>Progress in Cardiovascular Diseases</i> , 1989 , 31, 367-78	8.5	171
1	National Institutes of Health Institute and Center Award Rates and Funding Disparities		3