

# Robert D Burgoyne

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6806762/publications.pdf>

Version: 2024-02-01

325  
papers

18,397  
citations

9234

74  
h-index

18606

119  
g-index

390  
all docs

390  
docs citations

390  
times ranked

10827  
citing authors

#	ARTICLE	IF	CITATIONS
1	A centrosome-localized calcium signal is essential for mammalian cell mitosis. <i>FASEB Journal</i> , 2019, 33, 14602-14610.	0.2	17
2	Calcium Sensors in Neuronal Function and Dysfunction. <i>Cold Spring Harbor Perspectives in Biology</i> , 2019, 11, a035154.	2.3	65
3	Dystonia-Associated Hippocalcin Mutants Dysregulate Cellular Calcium Influx. <i>Biophysical Journal</i> , 2018, 114, 467a-468a.	0.2	0
4	A <i>Caenorhabditis elegans</i> assay of seizure-like activity optimised for identifying antiepileptic drugs and their mechanisms of action. <i>Journal of Neuroscience Methods</i> , 2018, 309, 132-142.	1.3	17
5	Î±-Methyl-Î±-phenylsuccinimide ameliorates neurodegeneration in a <i>C. elegans</i> model of TDP-43 proteinopathy. <i>Neurobiology of Disease</i> , 2018, 118, 40-54.	2.1	19
6	Biophysical and functional characterization of hippocalcin mutants responsible for human dystonia. <i>Human Molecular Genetics</i> , 2017, 26, 2426-2435.	1.4	29
7	Ethanol Stimulates Locomotion via a GÎ±s-Signaling Pathway in IL2 Neurons in <i>Caenorhabditis elegans</i> . <i>Genetics</i> , 2017, 207, 1023-1039.	1.2	14
8	Phosphorylation of Cysteine String Protein Triggers a Major Conformational Switch. <i>Structure</i> , 2016, 24, 1380-1386.	1.6	23
9	Interaction of ARF-1.1 and neuronal calcium sensor-1 in the control of the temperature-dependency of locomotion in <i>Caenorhabditis elegans</i> . <i>Scientific Reports</i> , 2016, 6, 30023.	1.6	6
10	Expression profile of a <i>Caenorhabditis elegans</i> model of adult neuronal ceroid lipofuscinosis reveals down regulation of ubiquitin E3 ligase components. <i>Scientific Reports</i> , 2015, 5, 14392.	1.6	7
11	Using <i>C. elegans</i> to discover therapeutic compounds for ageing-associated neurodegenerative diseases. <i>Chemistry Central Journal</i> , 2015, 9, 65.	2.6	98
12	Ethosuximide ameliorates neurodegenerative disease phenotypes by modulating DAF-16/FOXO target gene expression. <i>Molecular Neurodegeneration</i> , 2015, 10, 51.	4.4	31
13	Editorial. <i>Seminars in Cell and Developmental Biology</i> , 2015, 40, 105.	2.3	0
14	Modulation of phosphatidylinositol 4-phosphate levels by CaBP7 controls cytokinesis in mammalian cells. <i>Molecular Biology of the Cell</i> , 2015, 26, 1428-1439.	0.9	17
15	Cysteine string protein (CSP) and its role in preventing neurodegeneration. <i>Seminars in Cell and Developmental Biology</i> , 2015, 40, 153-159.	2.3	62
16	Sense and specificity in neuronal calcium signalling. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 1921-1932.	1.9	48
17	Neuronal Calcium Sensor-1 Binds the D2 Dopamine Receptor and G-protein-coupled Receptor Kinase 1 (GRK1) Peptides Using Different Modes of Interactions. <i>Journal of Biological Chemistry</i> , 2015, 290, 18744-18756.	1.6	45
18	<i>Caenorhabditis elegans</i> dnj-14, the orthologue of the DNAJC5 gene mutated in adult onset neuronal ceroid lipofuscinosis, provides a new platform for neuroprotective drug screening and identifies a SIR-2.1-independent action of resveratrol. <i>Human Molecular Genetics</i> , 2014, 23, 5916-5927.	1.4	42

#	ARTICLE	IF	CITATIONS
19	Mutations that disrupt PHOXB interaction with the neuronal calcium sensor HPCAL1 impede cellular differentiation in neuroblastoma. <i>Oncogene</i> , 2014, 33, 3316-3324.	2.6	25
20	Demonstration of Binding of Neuronal Calcium Sensor-1 to the Ca <sup>v</sup> 2.1 P/Q-Type Calcium Channel. <i>Biochemistry</i> , 2014, 53, 6052-6062.	1.2	16
21	Identification of key structural elements for neuronal calcium sensor-1 function in the regulation of the temperature-dependency of locomotion in <i>C. elegans</i> . <i>Molecular Brain</i> , 2013, 6, 39.	1.3	14
22	Generation and characterization of a lysosomally targeted, genetically encoded Ca <sup>2+</sup> -sensor. <i>Biochemical Journal</i> , 2013, 449, 449-457.	1.7	37
23	Solution NMR Structure of the Ca <sup>2+</sup> -bound N-terminal Domain of CaBP7. <i>Journal of Biological Chemistry</i> , 2012, 287, 38231-38243.	1.6	7
24	PKC-2 Phosphorylation of UNC-18 Ser322 in AFD Neurons Regulates Temperature Dependency of Locomotion. <i>Journal of Neuroscience</i> , 2012, 32, 7042-7051.	1.7	19
25	Embodiment in the war film: <i>Paradise Now</i> and <i>The Hurt Locker</i> . <i>Journal of War and Culture Studies</i> , 2012, 5, 7-19.	0.1	15
26	Biochemical, biophysical and genetic approaches to intracellular calcium signalling. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2012, 1820, 1159.	1.1	0
27	Identification of common genetic modifiers of neurodegenerative diseases from an integrative analysis of diverse genetic screens in model organisms. <i>BMC Genomics</i> , 2012, 13, 71.	1.2	29
28	Neurotransmitter release mechanisms studied in <i>Caenorhabditis elegans</i> . <i>Cell Calcium</i> , 2012, 52, 289-295.	1.1	25
29	Evolution and functional diversity of the Calcium Binding Proteins (CaBPs). <i>Frontiers in Molecular Neuroscience</i> , 2012, 5, 9.	1.4	37
30	Understanding the physiological roles of the neuronal calcium sensor proteins. <i>Molecular Brain</i> , 2012, 5, 2.	1.3	78
31	Determination of the Membrane Topology of the Small EF-Hand Ca <sup>2+</sup> -Sensing Proteins CaBP7 and CaBP8. <i>PLoS ONE</i> , 2011, 6, e17853.	1.1	13
32	InsP <sub>3</sub> receptors and Orai channels in pancreatic acinar cells: co-localization and its consequences. <i>Biochemical Journal</i> , 2011, 436, 231-239.	1.7	50
33	Chaperoning the SNAREs: a role in preventing neurodegeneration?. <i>Nature Cell Biology</i> , 2011, 13, 8-9.	4.6	49
34	Munc18-1 Tuning of Vesicle Merger and Fusion Pore Properties. <i>Journal of Neuroscience</i> , 2011, 31, 9055-9066.	1.7	67
35	Structure-Function Study of Mammalian Munc18-1 and <i>C. elegans</i> UNC-18 Implicates Domain 3b in the Regulation of Exocytosis. <i>PLoS ONE</i> , 2011, 6, e17999.	1.1	18
36	Characterisation of the Interaction of the C-Terminus of the Dopamine D2 Receptor with Neuronal Calcium Sensor-1. <i>PLoS ONE</i> , 2011, 6, e27779.	1.1	35

#	ARTICLE	IF	CITATIONS
37	Role of phosphoinositides in STIM1 dynamics and store-operated calcium entry. <i>Biochemical Journal</i> , 2010, 425, 159-168.	1.7	138
38	Evidence for an interaction between Golli and STIM1 in store-operated calcium entry. <i>Biochemical Journal</i> , 2010, 430, 453-460.	1.7	60
39	<i>Caenorhabditis elegans</i> : a useful tool to decipher neurodegenerative pathways. <i>Biochemical Society Transactions</i> , 2010, 38, 559-563.	1.6	19
40	Neuronal Calcium Sensor-1 Regulation of Calcium Channels, Secretion, and Neuronal Outgrowth. <i>Cellular and Molecular Neurobiology</i> , 2010, 30, 1283-1292.	1.7	67
41	Bioinformatic analysis of CaBP/calneuron proteins reveals a family of highly conserved vertebrate Ca <sup>2+</sup> -binding proteins. <i>BMC Research Notes</i> , 2010, 3, 118.	0.6	25
42	Decoding glutamate receptor activation by the Ca <sup>2+</sup> sensor protein hippocalcin in rat hippocampal neurons. <i>European Journal of Neuroscience</i> , 2010, 32, 347-358.	1.2	17
43	EF-Hand Proteins and Calcium Sensing. , 2010, , 973-978.		0
44	The Diversity of Calcium Sensor Proteins in the Regulation of Neuronal Function. <i>Cold Spring Harbor Perspectives in Biology</i> , 2010, 2, a004085-a004085.	2.3	83
45	Presynaptic targets for acute ethanol sensitivity. <i>Biochemical Society Transactions</i> , 2010, 38, 172-176.	1.6	16
46	Structural and Functional Deficits in a Neuronal Calcium Sensor-1 Mutant Identified in a Case of Autistic Spectrum Disorder. <i>PLoS ONE</i> , 2010, 5, e10534.	1.1	61
47	Neuronal calcium sensor proteins: emerging roles in membrane traffic and synaptic plasticity. <i>F1000 Biology Reports</i> , 2010, 2, .	4.0	4
48	Haunting in the War Film: Flags of Our Fathers and Letters from Iwo Jima. , 2010, , 164-189.		0
49	Prosthetic Memory/National Memory: Forrest Gump. , 2010, , 104-119.		1
50	National Identity, Gender Identity, and the Rescue Fantasy in <i>Born on the Fourth of July</i> . , 2010, , 57-87.		0
51	Race and Nation in <i>Glory</i> . , 2010, , 16-37.		0
52	Native America, Thunderheart, and the National Imaginary. , 2010, , 38-56.		0
53	The Columbian Exchange: Pocahontas and The New World. , 2010, , 120-142.		0
54	Modernism and the Narrative of Nation in <i>JFK</i> . , 2010, , 88-103.		0

#	ARTICLE	IF	CITATIONS
55	Homeland or Promised Land? The Ethnic Construction of Nation in Gangs of New York. , 2010, , 143-163.		0
56	Trauma and History in United 93 and World Trade Center. , 2010, , 190-212.		0
57	UNC-18 Modulates Ethanol Sensitivity in <i>Caenorhabditis elegans</i> . <i>Molecular Biology of the Cell</i> , 2009, 20, 43-55.	0.9	32
58	Ribosome-free Terminals of Rough ER Allow Formation of STIM1 Puncta and Segregation of STIM1 from IP3 Receptors. <i>Current Biology</i> , 2009, 19, 1648-1653.	1.8	114
59	The Functions of Munc18 in Regulated Exocytosis. <i>Annals of the New York Academy of Sciences</i> , 2009, 1152, 76-86.	1.8	48
60	Membrane targeting of the EF-hand containing calcium-sensing proteins CaBP7 and CaBP8. <i>Biochemical and Biophysical Research Communications</i> , 2009, 380, 825-831.	1.0	23
61	A VAMP7/Vti1a SNARE complex distinguishes a non-conventional traffic route to the cell surface used by KChIP1 and Kv4 potassium channels. <i>Biochemical Journal</i> , 2009, 418, 529-540.	1.7	41
62	Binding of UNC-18 to the N-terminus of syntaxin is essential for neurotransmission in <i>Caenorhabditis elegans</i> . <i>Biochemical Journal</i> , 2009, 418, 73-80.	1.7	54
63	ATP depletion induces translocation of STIM1 to puncta and formation of STIM1-ORAI1 clusters: translocation and re-translocation of STIM1 does not require ATP. <i>Pflügers Archiv European Journal of Physiology</i> , 2008, 457, 505-517.	1.3	40
64	Cysteine-String Protein. <i>Journal of Neurochemistry</i> , 2008, 74, 1781-1789.	2.1	126
65	Unexpected tails of a Ca <sup>2+</sup> sensor. <i>Nature Chemical Biology</i> , 2008, 4, 90-91.	3.9	15
66	Hippocampin signaling via site-specific translocation in hippocampal neurons. <i>Neuroscience Letters</i> , 2008, 442, 152-157.	1.0	23
67	Neuronal calcium sensor proteins are unable to modulate NFAT activation in mammalian cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2008, 1780, 240-248.	1.1	8
68	The Rab27 effector Rabphilin, unlike Granophilin and Noc2, rapidly exchanges between secretory granules and cytosol in PC12 cells. <i>Biochemical and Biophysical Research Communications</i> , 2008, 373, 275-281.	1.0	21
69	S-nitrosylation of syntaxin 1 at Cys145 is a regulatory switch controlling Munc18-1 binding. <i>Biochemical Journal</i> , 2008, 413, 479-491.	1.7	55
70	A Random Mutagenesis Approach to Isolate Dominant-Negative Yeast <i>sec1</i> Mutants Reveals a Functional Role for Domain 3a in Yeast and Mammalian Sec1/Munc18 Proteins. <i>Genetics</i> , 2008, 180, 165-178.	1.2	34
71	Specific effects of KChIP3/calsenilin/DREAM, but not KChIPs 1, 2 and 4, on calcium signalling and regulated secretion in PC12 cells. <i>Biochemical Journal</i> , 2008, 413, 71-80.	1.7	22
72	A gain-of-function mutant of Munc18-1 stimulates secretory granule recruitment and exocytosis and reveals a direct interaction of Munc18-1 with Rab3. <i>Biochemical Journal</i> , 2008, 409, 407-416.	1.7	53

#	ARTICLE	IF	CITATIONS
73	Differential dynamics of Rab3A and Rab27A on secretory granules. <i>Journal of Cell Science</i> , 2007, 120, 973-984.	1.2	66
74	The balcony of history. <i>Rethinking History</i> , 2007, 11, 547-554.	0.2	5
75	Evidence against roles for phorbol binding protein Munc13-1, ADAM adaptor Eve-1, or vesicle trafficking phosphoproteins Munc18 or NSF as phospho-state-sensitive modulators of phorbol/PKC-activated Alzheimer APP ectodomain shedding. <i>Molecular Neurodegeneration</i> , 2007, 2, 23.	4.4	15
76	Neuronal calcium sensor proteins: generating diversity in neuronal Ca <sup>2+</sup> signalling. <i>Nature Reviews Neuroscience</i> , 2007, 8, 182-193.	4.9	514
77	Specificity, Promiscuity and Localization of ARF Protein Interactions with NCS-1 and Phosphatidylinositol-4 Kinase-III $\beta$ . <i>Traffic</i> , 2007, 8, 1080-1092.	1.3	37
78	Membrane Trafficking: Three Steps to Fusion. <i>Current Biology</i> , 2007, 17, R255-R258.	1.8	57
79	Techno-euphoria and the world-improving dream: Gladiator. <i>Ilha Do Desterro</i> , 2006, .	0.0	0
80	Analysis of the interacting partners of the neuronal calcium-binding proteins L-CaBP1, hippocalcin, NCS-1 and neurocalcin $\alpha$ . <i>Proteomics</i> , 2006, 6, 1822-1832.	1.3	55
81	Conserved Prefusion Protein Assembly in Regulated Exocytosis. <i>Molecular Biology of the Cell</i> , 2006, 17, 283-294.	0.9	64
82	Protein Kinase B/Akt Is a Novel Cysteine String Protein Kinase That Regulates Exocytosis Release Kinetics and Quantal Size. <i>Journal of Biological Chemistry</i> , 2006, 281, 1564-1572.	1.6	25
83	High-affinity interaction of the N-terminal myristoylation motif of the neuronal calcium sensor protein hippocalcin with phosphatidylinositol 4,5-bisphosphate. <i>Biochemical Journal</i> , 2005, 391, 231-238.	1.7	42
84	Calcium-dependent regulation of exocytosis. <i>Cell Calcium</i> , 2005, 38, 343-353.	1.1	109
85	Interaction of Neuronal Calcium Sensor-1 and ADP-ribosylation Factor 1 Allows Bidirectional Control of Phosphatidylinositol 4-Kinase $\beta$ and trans-Golgi Network-Plasma Membrane Traffic. <i>Journal of Biological Chemistry</i> , 2005, 280, 6047-6054.	1.6	129
86	Traffic of Kv4 K <sup>+</sup> channels mediated by KChIP1 is via a novel post-ER vesicular pathway. <i>Journal of Cell Biology</i> , 2005, 171, 459-469.	2.3	87
87	Munc18-1 Regulates Early and Late Stages of Exocytosis via Syntaxin-independent Protein Interactions. <i>Molecular Biology of the Cell</i> , 2005, 16, 470-482.	0.9	58
88	Amisyn Regulates Exocytosis and Fusion Pore Stability by Both Syntaxin-dependent and Syntaxin-independent Mechanisms. <i>Journal of Biological Chemistry</i> , 2005, 280, 31615-31623.	1.6	40
89	The Rab-Binding Protein Noc2 Is Associated with Insulin-Containing Secretory Granules and Is Essential for Pancreatic $\beta$ -Cell Exocytosis. <i>Molecular Endocrinology</i> , 2004, 18, 117-126.	3.7	78
90	Synaptotagmin Interaction with the Syntaxin/SNAP-25 Dimer Is Mediated by an Evolutionarily Conserved Motif and Is Sensitive to Inositol Hexakisphosphate. <i>Journal of Biological Chemistry</i> , 2004, 279, 12574-12579.	1.6	111

#	ARTICLE	IF	CITATIONS
91	Syntaxin/Munc18 Interactions in the Late Events during Vesicle Fusion and Release in Exocytosis. <i>Journal of Biological Chemistry</i> , 2004, 279, 32751-32760.	1.6	55
92	Regulation of the Fusion Pore Conductance during Exocytosis by Cyclin-dependent Kinase 5. <i>Journal of Biological Chemistry</i> , 2004, 279, 41495-41503.	1.6	40
93	Calcium-binding Protein 1 Is an Inhibitor of Agonist-evoked, Inositol 1,4,5-Trisphosphate-mediated Calcium Signaling. <i>Journal of Biological Chemistry</i> , 2004, 279, 547-555.	1.6	111
94	Identification of Residues That Determine the Absence of a Ca <sup>2+</sup> /Myristoyl Switch in Neuronal Calcium Sensor-1. <i>Journal of Biological Chemistry</i> , 2004, 279, 14347-14354.	1.6	33
95	Membrane Traffic: Controlling Membrane Fusion by Modifying NSF. <i>Current Biology</i> , 2004, 14, R968-R970.	1.8	22
96	The neuronal calcium-sensor proteins. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2004, 1742, 59-68.	1.9	56
97	P4-180 The roles of phorbol ester targets MUNC13 and MUNC18 in vesicular trafficking and processing of the Alzheimer's disease amyloid precursor protein. <i>Neurobiology of Aging</i> , 2004, 25, S526.	1.5	0
98	Neuronal Ca <sup>2+</sup> -sensor proteins: multitasking regulators of neuronal function. <i>Trends in Neurosciences</i> , 2004, 27, 203-209.	4.2	188
99	Calcium and calmodulin in membrane fusion. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2003, 1641, 137-143.	1.9	99
100	Tying Everything Together: The Multiple Roles of Cysteine String Protein (CSP) in Regulated Exocytosis. <i>Traffic</i> , 2003, 4, 653-659.	1.3	57
101	Activation of the store-operated calcium current I <sub>CRAC</sub> can be dissociated from regulated exocytosis in rat basophilic leukaemia (RBL-1) cells. <i>Journal of Physiology</i> , 2003, 553, 387-393.	1.3	13
102	Secretory Granule Exocytosis. <i>Physiological Reviews</i> , 2003, 83, 581-632.	13.1	753
103	Residues within the myristoylation motif determine intracellular targeting of the neuronal Ca <sup>2+</sup> sensor protein KChIP1 to post-ER transport vesicles and traffic of Kv4 K <sup>+</sup> channels. <i>Journal of Cell Science</i> , 2003, 116, 4833-4845.	1.2	57
104	Phosphorylation of Munc18 by Protein Kinase C Regulates the Kinetics of Exocytosis. <i>Journal of Biological Chemistry</i> , 2003, 278, 10538-10545.	1.6	132
105	Dynamics and calcium sensitivity of the Ca <sup>2+</sup> /myristoyl switch protein hippocalcin in living cells. <i>Journal of Cell Biology</i> , 2003, 163, 715-721.	2.3	74
106	IL1 receptor accessory protein like, a protein involved in X-linked mental retardation, interacts with Neuronal Calcium Sensor-1 and regulates exocytosis. <i>Human Molecular Genetics</i> , 2003, 12, 1415-1425.	1.4	96
107	Role of myristoylation in the intracellular targeting of neuronal calcium sensor (NCS) proteins. <i>Biochemical Society Transactions</i> , 2003, 31, 963-965.	1.6	28
108	EF-Hand Proteins and Calcium Sensing: The Neuronal Calcium Sensors. , 2003, , 79-82.		1

#	ARTICLE	IF	CITATIONS
109	Dynamin-dependent and dynamin-independent processes contribute to the regulation of single vesicle release kinetics and quantal size. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 7124-7129.	3.3	149
110	Differential Use of Myristoyl Groups on Neuronal Calcium Sensor Proteins as a Determinant of Spatio-temporal Aspects of Ca <sup>2+</sup> Signal Transduction. Journal of Biological Chemistry, 2002, 277, 14227-14237.	1.6	129
111	Cysteine String Protein Interacts with and Modulates the Maturation of the Cystic Fibrosis Transmembrane Conductance Regulator. Journal of Biological Chemistry, 2002, 277, 28948-28958.	1.6	54
112	Complexin Regulates the Closure of the Fusion Pore during Regulated Vesicle Exocytosis. Journal of Biological Chemistry, 2002, 277, 18249-18252.	1.6	114
113	Localized Ca <sup>2+</sup> uncaging reveals polarized distribution of Ca <sup>2+</sup> -sensitive Ca <sup>2+</sup> release sites. Journal of Cell Biology, 2002, 158, 283-292.	2.3	69
114	Identification of Ca <sup>2+</sup> -dependent binding partners for the neuronal calcium sensor protein neurocalcin $\hat{I}$ : interaction with actin, clathrin and tubulin. Biochemical Journal, 2002, 363, 599.	1.7	47
115	Identification of Ca <sup>2+</sup> -dependent binding partners for the neuronal calcium sensor protein neurocalcin $\hat{I}$ : interaction with actin, clathrin and tubulin. Biochemical Journal, 2002, 363, 599-608.	1.7	55
116	Splitting the quantum: regulation of quantal release during vesicle fusion. Trends in Neurosciences, 2002, 25, 176-178.	4.2	59
117	Sense and sensibility in the regulation of voltage-gated Ca <sup>2+</sup> channels. Trends in Neurosciences, 2002, 25, 489-491.	4.2	33
118	Effects of Calcium Channel Antagonists on Calcium Entry and Glutamate Release from Cultured Rat Cerebellar Granule Cells. Journal of Neurochemistry, 2002, 65, 2517-2524.	2.1	23
119	Examination of the Role of ADP-Ribosylation Factor and Phospholipase D Activation in Regulated Exocytosis in Chromaffin and PC12 Cells. Journal of Neurochemistry, 2002, 71, 2023-2033.	2.1	20
120	Botulinum Neurotoxin E-Insensitive Mutants of SNAP-25 Fail to Bind VAMP but Support Exocytosis. Journal of Neurochemistry, 2002, 73, 2424-2433.	2.1	22
121	Molecular Analysis of SNAP-25 Function in Exocytosis. Annals of the New York Academy of Sciences, 2002, 971, 210-221.	1.8	31
122	Control of Fusion Pore Dynamics During Exocytosis by Munc18. Science, 2001, 291, 875-878.	6.0	195
123	The neuronal calcium sensor family of Ca <sup>2+</sup> -binding proteins. Biochemical Journal, 2001, 353, 1-12.	1.7	429
124	Cysteine residues of SNAP-25 are required for SNARE disassembly and exocytosis, but not for membrane targeting. Biochemical Journal, 2001, 357, 625.	1.7	65
125	Cysteine residues of SNAP-25 are required for SNARE disassembly and exocytosis, but not for membrane targeting. Biochemical Journal, 2001, 357, 625-634.	1.7	81
126	Control of membrane fusion dynamics during regulated exocytosis. Biochemical Society Transactions, 2001, 29, 467-472.	1.6	35



#	ARTICLE	IF	CITATIONS
127	Phosphorylation of Cysteine String Protein by Protein Kinase A. <i>Journal of Biological Chemistry</i> , 2001, 276, 47877-47885.	1.6	93
128	Cysteine string protein expression in mammary epithelial cells. <i>Pflugers Archiv European Journal of Physiology</i> , 2001, 441, 639-649.	1.3	6
129	Regulation of kiss-and-run exocytosis. <i>Trends in Cell Biology</i> , 2001, 11, 404-405.	3.6	17
130	A Direct Inhibitory Role for the Rab3-specific Effector, Noc2, in Ca <sup>2+</sup> -regulated Exocytosis in Neuroendocrine Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 9726-9732.	1.6	46
131	Voltage-independent Inhibition of P/Q-type Ca <sup>2+</sup> Channels in Adrenal Chromaffin Cells via a Neuronal Ca <sup>2+</sup> Sensor-1-dependent Pathway Involves Src Family Tyrosine Kinase. <i>Journal of Biological Chemistry</i> , 2001, 276, 44804-44811.	1.6	56
132	SNARE proteins are highly enriched in lipid rafts in PC12 cells: Implications for the spatial control of exocytosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 5619-5624.	3.3	385
133	SNAP-25 with mutations in the zero layer supports normal membrane fusion kinetics. <i>Journal of Cell Science</i> , 2001, 114, 4397-4405.	1.2	25
134	The neuronal calcium sensor family of Ca <sup>2+</sup> -binding proteins. <i>Biochemical Journal</i> , 2000, 353, 1.	1.7	188
135	Purification of Golgi casein kinase from bovine milk. <i>Biochemical Journal</i> , 2000, 350, 463.	1.7	12
136	Purification of Golgi casein kinase from bovine milk. <i>Biochemical Journal</i> , 2000, 350, 463-468.	1.7	21
137	Comparison of Cysteine String Protein (Csp) and Mutant $\hat{\pm}$ -SNAP Overexpression Reveals a Role for Csp in Late Steps of Membrane Fusion in Dense-Core Granule Exocytosis in Adrenal Chromaffin Cells. <i>Journal of Neuroscience</i> , 2000, 20, 1281-1289.	1.7	114
138	Neuronal Ca <sup>2+</sup> Sensor-1/Frequenin Functions in an Autocrine Pathway Regulating Ca <sup>2+</sup> Channels in Bovine Adrenal Chromaffin Cells. <i>Journal of Biological Chemistry</i> , 2000, 275, 40082-40087.	1.6	99
139	Measurement of exocytosis by amperometry in adrenal chromaffin cells: Effects of clostridial neurotoxins and activation of protein kinase C on fusion pore kinetics. <i>Biochimie</i> , 2000, 82, 469-479.	1.3	94
140	Ethnic Nationalism and Globalization. <i>Rethinking History</i> , 2000, 4, 157-164.	0.2	6
141	Neuronal Ca <sup>2+</sup> Sensor 1. <i>Journal of Biological Chemistry</i> , 1999, 274, 30258-30265.	1.6	105
142	The Rab5 effector EEA1 is a core component of endosome docking. <i>Nature</i> , 1999, 397, 621-625.	13.7	752
143	The effect of transfection with Botulinum neurotoxin C1 light chain on exocytosis measured in cell populations and by single-cell amperometry in PC12 cells. <i>Pflugers Archiv European Journal of Physiology</i> , 1999, 437, 754-762.	1.3	27
144	Protein phosphorylation and the regulation of synaptic membrane traffic. <i>Trends in Neurosciences</i> , 1999, 22, 459-464.	4.2	213

#	ARTICLE	IF	CITATIONS
145	Early requirement for alpha -SNAP and NSF in the secretory cascade in chromaffin cells. EMBO Journal, 1999, 18, 3293-3304.	3.5	92
146	Doc2 is not associated with known regulated exocytotic or endosomal compartments in adrenal chromaffin cells. Biochemical Journal, 1999, 341, 179-183.	1.7	4
147	nSec-1 (munc-18) interacts with both primed and unprimed syntaxin 1A and associates in a dimeric complex on adrenal chromaffin granules. Biochemical Journal, 1999, 342, 707-714.	1.7	24
148	Doc2 is not associated with known regulated exocytotic or endosomal compartments in adrenal chromaffin cells. Biochemical Journal, 1999, 341, 179.	1.7	2
149	nSec-1 (munc-18) interacts with both primed and unprimed syntaxin 1A and associates in a dimeric complex on adrenal chromaffin granules. Biochemical Journal, 1999, 342, 707.	1.7	12
150	Secretion of milk proteins. Journal of Mammary Gland Biology and Neoplasia, 1998, 3, 275-286.	1.0	57
151	Two forms of triggered endocytosis in regulated secretory cells. Journal of Physiology, 1998, 506, 589-589.	1.3	4
152	Calcium sensors in regulated exocytosis. Cell Calcium, 1998, 24, 367-376.	1.1	95
153	Analysis of regulated exocytosis in adrenal chromaffin cells: insights into NSF/SNAP/SNARE function. BioEssays, 1998, 20, 328-335.	1.2	102
154	Stimulation of NSF ATPase activity during t-SNARE priming. FEBS Letters, 1998, 436, 1-5.	1.3	23
155	Cysteine-string proteins regulate exocytosis of insulin independent from transmembrane ion fluxes. FEBS Letters, 1998, 437, 267-272.	1.3	52
156	Neuronal Ca <sup>2+</sup> Sensor 1, the Mammalian Homologue of Frequentin, Is Expressed in Chromaffin and PC12 Cells and Regulates Neurosecretion from Dense-core Granules. Journal of Biological Chemistry, 1998, 273, 22768-22772.	1.6	146
157	Cysteine String Protein Functions Directly in Regulated Exocytosis. Molecular Biology of the Cell, 1998, 9, 2259-2267.	0.9	74
158	The cysteine-string domain of the secretory vesicle cysteine-string protein is required for membrane targeting. Biochemical Journal, 1998, 335, 205-209.	1.7	57
159	Stimulation of NSF ATPase Activity by $\hat{\pm}$ -SNAP Is Required for SNARE Complex Disassembly and Exocytosis. Journal of Cell Biology, 1997, 139, 875-883.	2.3	169
160	The Molecular Chaperone Function of the Secretory Vesicle Cysteine String Proteins. Journal of Biological Chemistry, 1997, 272, 31420-31426.	1.6	78
161	Activation of the ATPase activity of heat-shock proteins Hsc70/Hsp70 by cysteine-string protein. Biochemical Journal, 1997, 322, 853-858.	1.7	113
162	Introduction: The chromaffin cell. Seminars in Cell and Developmental Biology, 1997, 8, 99-100.	2.3	1

#	ARTICLE	IF	CITATIONS
163	Common mechanisms for regulated exocytosis in the chromaffin cell and the synapse. <i>Seminars in Cell and Developmental Biology</i> , 1997, 8, 141-149.	2.3	61
164	NSF and SNAP are present on adrenal chromaffin granules. <i>FEBS Letters</i> , 1997, 414, 349-352.	1.3	21
165	A hypo-osmotically induced increase in intracellular Ca <sup>2+</sup> in lactating mouse mammary epithelial cells involving Ca <sup>2+</sup> influx. <i>Pflugers Archiv European Journal of Physiology</i> , 1997, 433, 609-616.	1.3	24
166	Evidence Against an Acute Inhibitory Role of nSec <sup>18</sup> (Munc <sup>18</sup> ) in Late Steps of Regulated Exocytosis in Chromaffin and PC12 Cells. <i>Journal of Neurochemistry</i> , 1997, 69, 2369-2377.	2.1	50
167	Identification of Proteins Involved in Regulated Exocytosis. , 1997, , 719-727.		0
168	Botulinum neurotoxin light chains inhibit both Ca <sup>2+</sup> -induced and GTP analogue-induced catecholamine release from permeabilised adrenal chromaffin cells. <i>FEBS Letters</i> , 1996, 386, 137-140.	1.3	32
169	Similar effects of Î±- and Î²-SNAP on Ca <sup>2+</sup> -regulated exocytosis. <i>FEBS Letters</i> , 1996, 393, 185-188.	1.3	28
170	Calmodulin increases the initial rate of exocytosis in adrenal chromaffin cells. <i>Pflugers Archiv European Journal of Physiology</i> , 1996, 431, 464-466.	1.3	21
171	Characterization of the effects of Ca <sup>2+</sup> depletion on the synthesis, phosphorylation and secretion of caseins in lactating mammary epithelial cells. <i>Biochemical Journal</i> , 1996, 317, 487-493.	1.7	42
172	Soluble <i>N</i> -ethylmaleimide-sensitive-factor attachment protein and <i>N</i> -ethylmaleimide-insensitive factors are required for Ca <sup>2+</sup> -stimulated exocytosis of insulin. <i>Biochemical Journal</i> , 1996, 314, 199-203.	1.7	75
173	SNAPs and SNAREs in exocytosis in chromaffin cells. <i>Biochemical Society Transactions</i> , 1996, 24, 653-657.	1.6	15
174	Annexins in <i>Paramecium</i> cells. <i>Histochemistry and Cell Biology</i> , 1996, 105, 269-281.	0.8	17
175	Cysteine String Proteins Are Associated with Chromaffin Granules. <i>Journal of Biological Chemistry</i> , 1996, 271, 19514-19517.	1.6	70
176	Identification of a Novel Cysteine String Protein Variant and Expression of Cysteine String Proteins in Non-neuronal Cells. <i>Journal of Biological Chemistry</i> , 1996, 271, 7320-7323.	1.6	72
177	Is NSF a fusion protein?. <i>Trends in Cell Biology</i> , 1995, 5, 335-339.	3.6	101
178	Targeting the chromaffin cell. <i>Trends in Cell Biology</i> , 1995, 5, 471-473.	3.6	1
179	Fast exocytosis and endocytosis triggered by depolarisation in single adrenal chromaffin cells before rapid Ca <sup>2+</sup> current run-down. <i>Pflugers Archiv European Journal of Physiology</i> , 1995, 430, 213-219.	1.3	64
180	Distinct effects of alpha-SNAP, 14-3-3 proteins, and calmodulin on priming and triggering of regulated exocytosis.. <i>Journal of Cell Biology</i> , 1995, 130, 1063-1070.	2.3	184

#	ARTICLE	IF	CITATIONS
181	Ca <sup>2+</sup> and secretory-vesicle dynamics. Trends in Neurosciences, 1995, 18, 191-196.	4.2	193
182	Stimulation of catecholamine secretion from adrenal chromaffin cells by 14-3-3 proteins is due to reorganisation of the cortical actin network. FEBS Letters, 1995, 374, 77-81.	1.3	68
183	The Secretory Pathway for Milk Protein Secretion and Its Regulation. , 1995, , 253-263.		2
184	Fluorescent choleric and cholestatic bile salts take different paths across the hepatocyte: transcytosis of glycolithocholate leads to an extensive redistribution of annexin II.. Journal of Cell Biology, 1994, 127, 401-410.	2.3	65
185	Control of secretory function in mammary epithelial cells. Cellular Signalling, 1994, 6, 607-616.	1.7	18
186	Activation of metabotropic glutamate receptors by L-AP4 stimulates survival of rat cerebellar granule cells in culture. European Journal of Pharmacology, 1994, 288, 115-123.	2.7	29
187	Characterization of Proteins That Regulate Calcium-dependent Exocytosis in Adrenal Chromaffin Cells. Annals of the New York Academy of Sciences, 1994, 710, 333-346.	1.8	14
188	Activation of exocytosis by GTP analogues in adrenal chromaffin cells revealed by patch-clamp capacitance measurement. FEBS Letters, 1994, 344, 139-142.	1.3	24
189	SNAP-25 is present in a SNARE complex in adrenal chromaffin cells. FEBS Letters, 1994, 351, 207-210.	1.3	109
190	Phosphoinositides in vesicular traffic. Trends in Biochemical Sciences, 1994, 19, 55-57.	3.7	21
191	Annexins in the endocytic pathway. Trends in Biochemical Sciences, 1994, 19, 231-232.	3.7	45
192	Control of exocytosis in adrenal chromaffin cells by GTP-binding proteins studied using permeabilized cells and patch-clamp capacitance measurements. Biochemical Society Transactions, 1994, 22, 468-472.	1.6	6
193	Isolation of chromaffin cell thapsigargin-sensitive Ca <sup>2+</sup> store in light microsomes from bovine adrenal medulla. International Journal of Biochemistry & Cell Biology, 1993, 25, 641-652.	0.8	8
194	Neurotrophic effects of NMDA receptor activation on developing cerebellar granule cells. Journal of Neurocytology, 1993, 22, 689-695.	1.6	112
195	Phosphoproteins of Cultured Cerebellar Granule Cells and Response to the Differentiation-promoting Stimuli NMDA, High K <sup>+</sup> and Ionomycin. European Journal of Neuroscience, 1993, 5, 575-583.	1.2	14
196	A synthetic peptide of the N-terminus of ADP-ribosylation factor (ARF) inhibits regulated exocytosis in adrenal chromaffin cells. FEBS Letters, 1993, 329, 121-124.	1.3	24
197	Identification of a key domain in annexin and 14-3-3 proteins that stimulate calcium-dependent exocytosis in permeabilized adrenal chromaffin cells. FEBS Letters, 1993, 320, 207-210.	1.3	61
198	The role of intracellular free calcium and phosphorylation in survival and differentiation of cultured cerebellar granule cells. Biochemical Society Transactions, 1993, 21, 13S-13S.	1.6	1

#	ARTICLE	IF	CITATIONS
199	Identification of cytosolic protein regulators of exocytosis. <i>Biochemical Society Transactions</i> , 1993, 21, 401-405.	1.6	20
200	Synchronous calcium oscillations in cerebellar granule cells in culture mediated by NMDA receptors. <i>NeuroReport</i> , 1993, 4, 539-542.	0.6	25
201	Intracellular Control of Exocytosis in Chromaffin Cells. , 1993, , 95-104.		0
202	Proteins are secreted by both constitutive and regulated secretory pathways in lactating mouse mammary epithelial cells. <i>Journal of Cell Biology</i> , 1992, 117, 269-278.	2.3	96
203	Phospholipid-binding proteins in calcium-dependent exocytosis. <i>Biochemical Society Transactions</i> , 1992, 20, 834-836.	1.6	7
204	Investigation of the Intracellular Regulators and Components of the Exocytotic Pathway. , 1992, , 433-470.		18
205	Histamine stimulates exocytosis in a sub-population of bovine adrenal chromaffin cells. <i>Neuroscience Letters</i> , 1992, 144, 207-210.	1.0	12
206	responses in rat cerebellar granule cells are modified by chronic depolarisation in culture. <i>Neuroscience Letters</i> , 1992, 142, 27-30.	1.0	19
207	Intracellular Ca <sup>2+</sup> and neuritogenesis in rat cerebellar granule cell cultures. <i>Developmental Brain Research</i> , 1992, 66, 25-32.	2.1	43
208	Relationship Between Intracellular Free Calcium Concentration and NMDA-induced Cerebellar Granule Cell Survival In Vitro. <i>European Journal of Neuroscience</i> , 1992, 4, 1369-1375.	1.2	28
209	Exo1 and Exo2 proteins stimulate calcium-dependent exocytosis in permeabilized adrenal chromaffin cells. <i>Nature</i> , 1992, 355, 833-836.	13.7	201
210	Locating intracellular calcium stores. <i>Trends in Biochemical Sciences</i> , 1991, 16, 319-320.	3.7	30
211	A distinct 2,5-di-(tert-butyl)-1,4-benzohydroquinone-sensitive calcium store in bovine adrenal chromaffin cells. <i>FEBS Letters</i> , 1991, 289, 151-154.	1.3	15
212	stimulation of the survival of rat cerebellar granule cells in culture is not dependent upon increased c-fos expression and is not mimicked by protein kinase C activation. <i>Neuroscience Letters</i> , 1991, 130, 267-270.	1.0	14
213	Calcium, the cytoskeleton and calpactin (annexin II) in exocytotic secretion from adrenal chromaffin and mammary epithelial cells. <i>Biochemical Society Transactions</i> , 1991, 19, 1085-1090.	1.6	25
214	Control of exocytosis in adrenal chromaffin cells. <i>BBA - Biomembranes</i> , 1991, 1071, 174-202.	7.9	231
215	Annexin II (calpactin I) in the mouse mammary gland: immunolocalisation by light- and electron microscopy. <i>Cell and Tissue Research</i> , 1991, 264, 549-554.	1.5	24
216	Characterisation of Distinct Inositol 1,4,5-Trisphosphate-Sensitive and Caffeine-Sensitive Calcium Stores in Digitonin-Permeabilised Adrenal Chromaffin Cells. <i>Journal of Neurochemistry</i> , 1991, 56, 1587-1593.	2.1	83

#	ARTICLE	IF	CITATIONS
217	Expression and distribution of microtubule proteins in neurites of dorsal root ganglion neurons in culture. <i>Restorative Neurology and Neuroscience</i> , 1990, 1, 173-177.	0.4	0
218	Evidence for a role of calpactin in calcium-dependent exocytosis. <i>Biochemical Society Transactions</i> , 1990, 18, 1101-1104.	1.6	25
219	Cyclic GMP Regulates Nicotine-Induced Secretion from Cultured Bovine Adrenal Chromaffin Cells: Effects of 8-Bromo-Cyclic GMP, Atrial Natriuretic Peptide, and Nitroprusside (Nitric Oxide). <i>Journal of Neurochemistry</i> , 1990, 54, 1805-1808.	2.1	78
220	The stimulatory effect of calpactin (annexin II) on calcium-dependent exocytosis in chromaffin cells: Requirement for both the N-terminal and core domains of p36 and ATP. <i>Cellular Signalling</i> , 1990, 2, 265-276.	1.7	48
221	Robert Burgoyne Replies. <i>Cinema Journal</i> , 1990, 29, 72.	0.3	0
222	The control of free arachidonic acid levels. <i>Trends in Biochemical Sciences</i> , 1990, 15, 365-366.	3.7	86
223	The non-tyrosinated $\beta$ -tubulin gene product is post-translationally tyrosinated in adult rat cerebellum. <i>Molecular Brain Research</i> , 1990, 8, 77-81.	2.5	3
224	Intracellular membrane fusion in cell-free systems. <i>Trends in Biochemical Sciences</i> , 1990, 15, 123-124.	3.7	5
225	Differential accumulation of catecholamines, proenkephalin- and chromogranin A-derived peptides in the medium after chronic nicotine stimulation of cultured bovine adrenal chromaffin cells. <i>Peptides</i> , 1990, 11, 435-441.	1.2	27
226	Neuritogenesis in cerebellar granule cells in vitro: a role for protein kinase C. <i>Developmental Brain Research</i> , 1990, 53, 40-46.	2.1	57
227	The expression of excitatory amino acid binding sites during neuritogenesis in the developing rat cerebellum. <i>Developmental Brain Research</i> , 1990, 54, 265-271.	2.1	38
228	The caffeine-sensitive $Ca^{2+}$ -store in bovine adrenal chromaffin cells; an examination of its role in triggering secretion and $Ca^{2+}$ -homeostasis. <i>FEBS Letters</i> , 1990, 266, 91-95.	1.3	58
229	Regulation of Neurite Outgrowth from Cerebellar Granule Cells in Culture: NMDA Receptors and Protein Kinase C. <i>Advances in Experimental Medicine and Biology</i> , 1990, 268, 245-253.	0.8	10
230	Control of Exocytosis in Secretory Cells: the Adrenal Chromaffin Cell. , 1990, , 191-218.		0
231	Simultaneous measurements of cytosolic calcium and secretion in single bovine adrenal chromaffin cells by fluorescent imaging of fura-2 in cocultured cells.. <i>Journal of Cell Biology</i> , 1989, 109, 1219-1227.	2.3	128
232	Temporality as Historical Argument in Bertolucci's "1900". <i>Cinema Journal</i> , 1989, 28, 57.	0.3	0
233	The annexin family of calcium-binding proteins. <i>Cell Calcium</i> , 1989, 10, 1-10.	1.1	284
234	The control of cytoskeletal actin and exocytosis in intact and permeabilized adrenal chromaffin cells: role of calcium and protein kinase C. <i>Cellular Signalling</i> , 1989, 1, 323-334.	1.7	102

#	ARTICLE	IF	CITATIONS
235	A comparison of bradykinin, angiotensin II and muscarinic stimulation of cultured bovine adrenal chromaffin cells. <i>Bioscience Reports</i> , 1989, 9, 243-252.	1.1	87
236	Developmental regulation of tyrosine kinase substrate p36 (calpactin heavy chain) in rat cerebellum. <i>Journal of Molecular Neuroscience</i> , 1989, 1, 47-54.	1.1	8
237	Developmental regulation of tyrosine kinase substrate p36 (calpactin heavy chain) in rat cerebellum. <i>Journal of Molecular Neuroscience</i> , 1989, 1, 47-54.	1.1	18
238	Differential localisation of tyrosinated, detyrosinated, and acetylated $\alpha$ -tubulins in neurites and growth cones of dorsal root ganglion neurons. <i>Cytoskeleton</i> , 1989, 12, 273-282.	4.4	117
239	A role for calpactin in calcium-dependent exocytosis in adrenal chromaffin cells. <i>Nature</i> , 1989, 340, 313-315.	13.7	335
240	Distribution of two distinct Ca <sup>2+</sup> -ATPase-like proteins and their relationships to the agonist-sensitive calcium store in adrenal chromaffin cells. <i>Nature</i> , 1989, 342, 72-74.	13.7	205
241	Small GTP-binding proteins. <i>Trends in Biochemical Sciences</i> , 1989, 14, 394-396.	3.7	66
242	L-type calcium channels in the regulation of neurite outgrowth from rat dorsal root ganglion neurons in culture. <i>Neuroscience Letters</i> , 1989, 104, 110-114.	1.0	35
243	Low molecular mass GTP-binding proteins of adrenal chromaffin cells are present on the secretory granule. <i>FEBS Letters</i> , 1989, 245, 122-126.	1.3	70
244	Spatial localization of the stimulus-induced rise in cytosolic Ca <sup>2+</sup> in bovine adrenal chromaffin cells. <i>FEBS Letters</i> , 1989, 247, 429-434.	1.3	109
245	Colocalisation of acetylated microtubules, glial filaments, and mitochondria in astrocytes in vitro. <i>Cytoskeleton</i> , 1988, 10, 438-449.	4.4	23
246	Calpactin in exocytosis?. <i>Nature</i> , 1988, 331, 20-20.	13.7	82
247	Tubulin isotypes and their interaction with microtubule associated proteins. <i>Protoplasma</i> , 1988, 145, 106-111.	1.0	16
248	A major role for protein kinase C in calcium-activated exocytosis in permeabilised adrenal chromaffin cells. <i>FEBS Letters</i> , 1988, 238, 151-155.	1.3	97
249	The role of cytoplasmic pH in the inhibitory action of high osmolarity on secretion from bovine adrenal chromaffin cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1988, 969, 211-216.	1.9	26
250	Effect of hypothyroidism on the expression of three microtubule-associated proteins (1A, 1B and 2) in developing rat cerebellum. <i>Neuroscience</i> , 1988, 27, 931-939.	1.1	18
251	The cellular neurobiology of neuronal development: The cerebellar granule cell. <i>Brain Research Reviews</i> , 1988, 13, 77-101.	9.1	181
252	Yeast mutants illuminate the secretory pathway. <i>Trends in Biochemical Sciences</i> , 1988, 13, 241-242.	3.7	11



#	ARTICLE	IF	CITATIONS
253	raises cytosolic calcium concentration in rat cerebellar granule cells in culture. <i>Neuroscience Letters</i> , 1988, 91, 47-52.	1.0	59
254	Posttranslational modifications of alpha-tubulin: acetylated and deetyrosinated forms in axons of rat cerebellum.. <i>Journal of Cell Biology</i> , 1987, 104, 1569-1574.	2.3	158
255	Differentiation of the cerebellar granule cell: Expression of a synaptic vesicle protein and the microtubule-associated protein MAP1A. <i>Developmental Brain Research</i> , 1987, 34, 1-7.	2.1	27
256	An Integrated Approach to Secretion Phosphorylation and Ca <sup>2+</sup> -Dependent Binding of Proteins Associated with Chromaffin Granules. <i>Annals of the New York Academy of Sciences</i> , 1987, 493, 563-576.	1.8	16
257	Gelsolin and p36 share a similar domain. <i>Trends in Biochemical Sciences</i> , 1987, 12, 85-86.	3.7	9
258	Glutamate acting on NMDA receptors stimulates neurite outgrowth from cerebellar granule cells. <i>FEBS Letters</i> , 1987, 223, 143-147.	1.3	294
259	Calcium transients in single adrenal chromaffin cells detected with aequorin. <i>FEBS Letters</i> , 1987, 211, 44-48.	1.3	37
260	Receptor-activation of phospholipase A2 in cellular signalling. <i>Trends in Biochemical Sciences</i> , 1987, 12, 332-333.	3.7	87
261	Phosphorylation of the muscarinic receptor. <i>Trends in Biochemical Sciences</i> , 1987, 12, 208-209.	3.7	4
262	Acetylated and deetyrosinated $\alpha$ -tubulins are co-localized in stable microtubules in rat meningeal fibroblasts. <i>Cytoskeleton</i> , 1987, 8, 284-291.	4.4	101
263	Reorganisation of peripheral actin filaments as a prelude to exocytosis. <i>Bioscience Reports</i> , 1987, 7, 281-288.	1.1	151
264	Role of fodrin in secretion. <i>Nature</i> , 1987, 326, 448-448.	13.7	44
265	Control of exocytosis. <i>Nature</i> , 1987, 328, 112-113.	13.7	98
266	Synapsin or protein 4.1 in chromaffin cells. <i>Nature</i> , 1987, 330, 115-116.	13.7	2
267	Nicotine-evoked disassembly of cortical actin filaments in adrenal chromaffin cells. <i>FEBS Letters</i> , 1986, 207, 110-114.	1.3	173
268	Microtubule proteins in neuronal differentiation. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1986, 83, 1-8.	0.2	20
269	Effects of metalloendoproteinase inhibitors on secretion and intracellular free calcium in bovine adrenal chromaffin cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1986, 889, 1-5.	1.9	14
270	Assembly and characterisation of a multi-component cytoskeletal gel from adrenal medulla. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1986, 887, 164-172.	1.9	9



#	ARTICLE	IF	CITATIONS
271	Î±-Tubulin is not deetyrosylated during axonal transport. <i>Brain Research</i> , 1986, 381, 113-120.	1.1	10
272	Identification of a secretory granule-binding protein as caldesmon. <i>Nature</i> , 1986, 319, 68-70.	13.7	92
273	Activation of the muscarinic receptor in bovine adrenal medullary chromaffin cells causes a rise in intracellular Ca <sup>2+</sup> without stimulating secretion. <i>Biochemical Society Transactions</i> , 1985, 13, 1175-1176.	1.6	0
274	Enunciation and generic address. <i>Quarterly Review of Film and Video</i> , 1985, 10, 135-142.	0.0	1
275	Effect of activation of muscarinic receptors on intracellular free calcium and secretion in bovine adrenal chromaffin cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1985, 846, 167-173.	1.9	105
276	Presence of microtubule-associated protein 2 in chromaffin cells. <i>Neuroscience</i> , 1985, 14, 955-962.	1.1	11
277	Immunocytochemical localization of tropomyosin in rat cerebellum. <i>Brain Research</i> , 1985, 361, 178-184.	1.1	10
278	Cyclic AMP inhibits secretion from bovine adrenal chromaffin cells evoked by carbamylcholine but not by high K <sup>+</sup> . <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1985, 846, 388-393.	1.9	22
279	Presence of tropomyosin in adrenal chromaffin cells and its association with chromaffin granule membranes. <i>FEBS Letters</i> , 1985, 179, 25-28.	1.3	6
280	Is the transient nature of the secretory response of chromaffin cells due to inactivation of calcium channels?. <i>FEBS Letters</i> , 1985, 182, 115-118.	1.3	35
281	Immunocytochemical demonstration of alpha-tubulin modification during axonal maturation in the cerebellar cortex.. <i>Journal of Cell Biology</i> , 1984, 98, 347-351.	2.3	84
282	Mechanisms of secretion from adrenal chromaffin cells. <i>BBA - Biomembranes</i> , 1984, 779, 201-216.	7.9	154
283	The relationship between secretion and intracellular free calcium in bovine adrenal chromaffin cells. <i>Bioscience Reports</i> , 1984, 4, 605-611.	1.1	47
284	Effect of calmidazolium and phorbol ester on catecholamine secretion from adrenal chromaffin cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1984, 805, 37-43.	1.9	36
285	Immunofluorescence distribution of Î± tubulin, Î² tubulin and microtubule-associated protein 2 during in vitro maturation of cerebellar granule cell neurones. <i>Neuroscience</i> , 1984, 12, 775-782.	1.1	29
286	Calmodulin binding and protein phosphorylation in adrenal medulla coated vesicles. <i>FEBS Letters</i> , 1984, 169, 127-132.	1.3	7
287	Measurement of free calcium in synaptosomes and the effects of depolarization by potassium and glutamate. <i>Biochemical Society Transactions</i> , 1984, 12, 806-807.	1.6	2
288	Regulation of the Muscarinic Acetylcholine Receptor: Effects of Phosphorylating Conditions on Agonist and Antagonist Binding. <i>Journal of Neurochemistry</i> , 1983, 40, 324-331.	2.1	49

#	ARTICLE	IF	CITATIONS
289	Recruitment of cytosolic proteins to a secretory granule membrane depends on Ca <sup>2+</sup> -calmodulin. <i>Nature</i> , 1983, 301, 432-435.	13.7	53
290	Neurobiology: Contractile proteins in brain cells. <i>Nature</i> , 1983, 304, 118-118.	13.7	5
291	Compartmentalization of neuronal cytoskeletal proteins. <i>Bioscience Reports</i> , 1983, 3, 997-1006.	1.1	23
292	Synaptic development and microtubule organization. <i>Cell and Tissue Research</i> , 1983, 231, 93-102.	1.5	31
293	Immunocytochemical evidence for tubulin in the presynaptic terminal of synaptosomes. <i>Neuroscience Letters</i> , 1983, 37, 215-220.	1.0	14
294	Taxol stabilizes synaptosomal microtubules without inhibiting acetylcholine release. <i>Brain Research</i> , 1983, 280, 190-193.	1.1	11
295	The effect of depolarization and calcium ion influx on synaptosomal microtubules. <i>Biochemical Society Transactions</i> , 1983, 11, 86-87.	1.6	1
296	Calcium-dependent proteolysis of microtubule-associated proteins in brain and synaptosomal cytosol. <i>Biochemical Society Transactions</i> , 1983, 11, 158-159.	1.6	5
297	Narrative and Sexual Excess. <i>October</i> , 1982, 21, 51.	0.3	3
298	Effect of Ca <sup>2+</sup> , calmodulin and trifluoperazine on protein phosphorylation in adrenal chromaffin granule membranes. <i>Biochemical Society Transactions</i> , 1982, 10, 267-268.	1.6	5
299	Depolymerization of dendritic microtubules following incubation of cortical slices. <i>Neuroscience Letters</i> , 1982, 31, 81-85.	1.0	14
300	Presynaptic microtubules: Organisation and assembly/disassembly. <i>Neuroscience</i> , 1982, 7, 739-749.	1.1	56
301	Interaction of calmodulin with adrenal chromaffin granule membranes. <i>FEBS Letters</i> , 1982, 143, 69-72.	1.3	34
302	Evidence for the presence of high-M <sub>r</sub> microtubule-associated proteins and their Ca <sup>2+</sup> -dependent proteolysis in synaptosomal cytosol. <i>FEBS Letters</i> , 1982, 146, 273-277.	1.3	30
303	The Effect of Visual Deprivation on $\alpha$ -Adrenergic Receptors in the Visual Centres of the Rat Brain. <i>Journal of Neurochemistry</i> , 1982, 38, 1038-1043.	2.1	26
304	Calcium-Dependent Binding of Cytosolic Proteins by Chromaffin Granules from Adrenal Medulla. <i>Journal of Neurochemistry</i> , 1982, 38, 1735-1741.	2.1	75
305	Phosphoproteins of the Adrenal Chromaffin Granule Membrane. <i>Journal of Neurochemistry</i> , 1982, 39, 1387-1396.	2.1	24
306	The loss of muscarinic acetylcholine receptors in synaptic membranes under phosphorylating conditions is dependent on calmodulin. <i>FEBS Letters</i> , 1981, 127, 144-148.	1.3	37

#	ARTICLE	IF	CITATIONS
307	Specific binding of 125 I-calmodulin to and protein phosphorylation in adrenal chromaffin granule membranes. <i>FEBS Letters</i> , 1981, 131, 127-131.	1.3	59
308	Muscarinic acetylcholine receptor regulation and protein phosphorylation in primary cultures of rat cerebellum. <i>Developmental Brain Research</i> , 1981, 2, 55-63.	2.1	27
309	Developmental Changes in Polypeptide Composition of, and Precursor Incorporation into, Cellular and Subcellular Fractions of Rat Cerebral Cortex. <i>Journal of Neurochemistry</i> , 1981, 36, 661-669.	2.1	17
310	Influence of Prenatal Hypoxia on Brain Development: Effects on Body Weight, Brain Weight, DNA, Protein, Acetylcholinesterase, 3-Quinuclidinyl Benzilate Binding, and In Vivo Incorporation of [14C]Lysine into Subcellular Fractions. <i>Journal of Neurochemistry</i> , 1981, 37, 229-237.	2.1	15
311	Increased Incorporation of [3H]Lysine into Synaptic Membranes of the Visual Cortex Following First Exposure of Dark-Reared Rats to Light Is Confined to Particular Polypeptides. <i>Journal of Neurochemistry</i> , 1981, 36, 2089-2091.	2.1	3
312	The effect of visual deprivation on $\hat{1}^2$ -adrenergic receptors in the visual centres of the rat brain. <i>Biochemical Society Transactions</i> , 1980, 8, 623-624.	1.6	2
313	Polypeptide composition of separated cells from the developing rat cerebral cortex. <i>Biochemical Society Transactions</i> , 1980, 8, 335-336.	1.6	1
314	Increased Incorporation of [3H]Fucose into Chick Brain Glycoproteins Following Training on a Passive Avoidance Task. <i>Journal of Neurochemistry</i> , 1980, 34, 1000-1006.	2.1	58
315	Changes in Glycoprotein Metabolism in the Cerebral Cortex Following First Exposure of Dark-reared Rats to Light. <i>Journal of Neurochemistry</i> , 1980, 34, 510-517.	2.1	23
316	A possible role of synaptic-membrane protein phosphorylation in the regulation of muscarinic acetylcholine receptors. <i>FEBS Letters</i> , 1980, 122, 288-292.	1.3	30
317	Subcellular localization of increased incorporation of [3H]fucose following passive avoidance learning in the chick. <i>Neuroscience Letters</i> , 1980, 19, 343-348.	1.0	31
318	Further studies on a vaccinia virus cytotoxin present in infected cell extracts: Identification as surface tubule monomer and possible mode of action. <i>Archives of Virology</i> , 1979, 59, 107-119.	0.9	9
319	Transient increase in 3H-fucose incorporation following first exposure of dark-reared rats to light. <i>Life Sciences</i> , 1978, 23, 2697-2703.	2.0	7
320	A model for the molecular basis of circadian rhythms involving monovalent ion-mediated translational control. <i>FEBS Letters</i> , 1978, 94, 17-19.	1.3	37
321	Increased Incorporation of [3H]Fucose into Synaptic Membranes of the Visual Cortex after First Exposure to Light of Dark-Reared Rats. <i>Biochemical Society Transactions</i> , 1978, 6, 1025-1026.	1.6	2
322	Studies on the MgSO <sub>4</sub> -induced cytoplasmic uptake of proteins by cells in culture. <i>Experimental Cell Research</i> , 1977, 104, 377-388.	1.2	6
323	Vaccinia virus cytotoxin. <i>Archives of Virology</i> , 1977, 53, 25-37.	0.9	4
324	The preparation of stable, biologically active B fragment of diphtheria toxin. <i>Biochemical and Biophysical Research Communications</i> , 1976, 71, 920-925.	1.0	9

#	ARTICLE	IF	CITATIONS
325	Ncs-1. The AFCS-nature Molecule Pages, 0, , .	0.2	0