

Antti Arola

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6807235/publications.pdf>

Version: 2024-02-01

126
papers

4,556
citations

94433

37
h-index

133252

59
g-index

206
all docs

206
docs citations

206
times ranked

5148
citing authors

#	ARTICLE	IF	CITATIONS
1	Optical properties of accumulation mode, polluted mineral dust: effects of particle shape, hematite content and semi-external mixing with carbonaceous species. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 64, 18536.	1.6	29
2	Deep-learning-based post-process correction of the aerosol parameters in the high-resolution Sentinel-3 Level-2 Synergy product. <i>Atmospheric Measurement Techniques</i> , 2022, 15, 895-914.	3.1	4
3	A Distributed Modular Data Processing Chain Applied to Simulated Satellite Ozone Observations. <i>Remote Sensing</i> , 2021, 13, 210.	4.0	0
4	Observations on aerosol optical properties and scavenging during cloud events. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 1683-1695.	4.9	3
5	Challenges in the atmospheric characterization for the retrieval of spectrally resolved fluorescence and PRI region dynamics from space. <i>Remote Sensing of Environment</i> , 2021, 254, 112226.	11.0	12
6	Application of the Complete Data Fusion algorithm to the ozone profiles measured by geostationary and low-Earth-orbit satellites: a feasibility study. <i>Atmospheric Measurement Techniques</i> , 2021, 14, 2041-2053.	3.1	6
7	Model-enforced post-process correction of satellite aerosol retrievals. <i>Atmospheric Measurement Techniques</i> , 2021, 14, 2981-2992.	3.1	2
8	Using Copernicus Atmosphere Monitoring Service (CAMS) Products to Assess Illuminances at Ground Level under Cloudless Conditions. <i>Atmosphere</i> , 2021, 12, 643.	2.3	1
9	Rethinking the correction for absorbing aerosols in the OMI- and TROPOMI-like surface UV algorithms. <i>Atmospheric Measurement Techniques</i> , 2021, 14, 4947-4957.	3.1	2
10	UV-Indien network: ground-based measurements dedicated to the monitoring of UV radiation over the western Indian Ocean. <i>Earth System Science Data</i> , 2021, 13, 4275-4301.	9.9	9
11	Mass concentration estimates of long-range-transported Canadian biomass burning aerosols from a multi-wavelength Raman polarization lidar and a ceilometer in Finland. <i>Atmospheric Measurement Techniques</i> , 2021, 14, 6159-6179.	3.1	3
12	Significance of the organic aerosol driven climate feedback in the boreal area. <i>Nature Communications</i> , 2021, 12, 5637.	12.8	38
13	Monitoring Solar Radiation UV Exposure in the Comoros. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10475.	2.6	3
14	Eddy covariance measurements of CO ₂ exchange from agro-ecosystems located in subtropical (India) and boreal (Finland) climatic conditions. <i>Journal of Earth System Science</i> , 2020, 129, 1.	1.3	13
15	Joint retrieval of the aerosol fine mode fraction and optical depth using MODIS spectral reflectance over northern and eastern China: Artificial neural network method. <i>Remote Sensing of Environment</i> , 2020, 249, 112006.	11.0	48
16	Solar UV Irradiance in a Changing Climate: Trends in Europe and the Significance of Spectral Monitoring in Italy. <i>Environments - MDPI</i> , 2020, 7, 1.	3.3	39
17	Evaluation of aerosol and cloud properties in three climate models using MODIS observations and its corresponding COSP simulator, as well as their application in aerosol–cloud interactions. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 1607-1626.	4.9	12
18	Solar UV radiation measurements in Marambio, Antarctica, during years 2017–2019. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 6037-6054.	4.9	9

#	ARTICLE	IF	CITATIONS
19	A hybrid method for reconstructing the historical evolution of aerosol optical depth from sunshine duration measurements. <i>Atmospheric Measurement Techniques</i> , 2020, 13, 3061-3079.	3.1	7
20	Merging regional and global aerosol optical depth records from major available satellite products. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 2031-2056.	4.9	98
21	Influence of cloud, fog, and high relative humidity during pollution transport events in South Korea: Aerosol properties and PM2.5 variability. <i>Atmospheric Environment</i> , 2020, 232, 117530.	4.1	37
22	Advanced Ultraviolet Radiation and Ozone Retrieval for Applications—Surface Ultraviolet Radiation Products. <i>Atmosphere</i> , 2020, 11, 324.	2.3	4
23	Constraining the Twomey effect from satellite observations: issues and perspectives. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 15079-15099.	4.9	49
24	Validation of the TROPOspheric Monitoring Instrument (TROPOMI) surface UV radiation product. <i>Atmospheric Measurement Techniques</i> , 2020, 13, 6999-7024.	3.1	17
25	New continuous total ozone, UV, VIS and PAR measurements at Marambio, 64°S, Antarctica. <i>Earth System Science Data</i> , 2020, 12, 947-960.	9.9	9
26	Aerosol Effect on the Cloud Phase of Low-Level Clouds Over the Arctic. <i>Journal of Geophysical Research D: Atmospheres</i> , 2019, 124, 7886-7899.	3.3	12
27	Technical note: Effects of uncertainties and number of data points on line fitting—a case study on new particle formation. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 12531-12543.	4.9	14
28	A New Clear-Sky Method for Assessing Photosynthetically Active Radiation at the Surface Level. <i>Atmosphere</i> , 2019, 10, 219.	2.3	8
29	Improving the McClear model estimating the downwelling solar radiation at ground level in cloud-free conditions—McClear v3. <i>Meteorologische Zeitschrift</i> , 2019, 28, 147-163.	1.0	47
30	Assessment of Six Different Methods for the Estimation of Surface Ultra-Violet Fluxes at One Location in Uruguay. , 2019, , .		0
31	Observations of the Interaction and Transport of Fine Mode Aerosols With Cloud and/or Fog in Northeast Asia From Aerosol Robotic Network and Satellite Remote Sensing. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018, 123, 5560-5587.	3.3	49
32	Performance of the FMI cosine error correction method for the Brewer spectral UV measurements. <i>Atmospheric Measurement Techniques</i> , 2018, 11, 5167-5180.	3.1	7
33	Advanced Ultraviolet Radiation and Ozone Retrieval for Applications (AURORA): A Project Overview. <i>Atmosphere</i> , 2018, 9, 454.	2.3	11
34	SALSA2.0: The sectional aerosol module of the aerosol—chemistry—climate model ECHAM6.3.0-HAM2.3-MOZ1.0. <i>Geoscientific Model Development</i> , 2018, 11, 3833-3863.	3.6	52
35	The Ozone Monitoring Instrument: overview of 14 years in space. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 5699-5745.	4.9	259
36	The TROPOMI surface UV algorithm. <i>Atmospheric Measurement Techniques</i> , 2018, 11, 997-1008.	3.1	23

#	ARTICLE	IF	CITATIONS
37	Bayesian aerosol retrieval algorithm for MODIS AOD retrieval over land. <i>Atmospheric Measurement Techniques</i> , 2018, 11, 1529-1547.	3.1	22
38	Summertime Aerosol Radiative Effects and Their Dependence on Temperature over the Southeastern USA. <i>Atmosphere</i> , 2018, 9, 180.	2.3	8
39	Validation of OMI erythemal doses with multi-sensor ground-based measurements in Thessaloniki, Greece. <i>Atmospheric Environment</i> , 2018, 183, 106-121.	4.1	16
40	Black carbon radiative forcing derived from AERONET measurements and models over an urban location in the southeastern Iberian Peninsula. <i>Atmospheric Research</i> , 2017, 191, 44-56.	4.1	8
41	Tropospheric emissions: Monitoring of pollution (TEMPO). <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2017, 186, 17-39.	2.3	239
42	Size-selected black carbon mass distributions and mixing state in polluted and clean environments of northern India. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 371-383.	4.9	35
43	Assessment of cloud-related fine-mode AOD enhancements based on AERONET SDA product. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 5991-6001.	4.9	17
44	Making better sense of the mosaic of environmental measurement networks: a system-of-systems approach and quantitative assessment. <i>Geoscientific Instrumentation, Methods and Data Systems</i> , 2017, 6, 453-472.	1.6	23
45	A new method for estimating UV fluxes at ground level in cloud-free conditions. <i>Atmospheric Measurement Techniques</i> , 2017, 10, 4965-4978.	3.1	10
46	Aerosol absorption retrieval at ultraviolet wavelengths in a complex environment. <i>Atmospheric Measurement Techniques</i> , 2016, 9, 5997-6011.	3.1	22
47	Implementation of state-of-the-art ternary new-particle formation scheme to the regional chemical transport model PMCAMx-UF in Europe. <i>Geoscientific Model Development</i> , 2016, 9, 2741-2754.	3.6	13
48	Data flow of spectral UV measurements at Sodankylä and Jokioinen. <i>Geoscientific Instrumentation, Methods and Data Systems</i> , 2016, 5, 193-203.	1.6	13
49	Artificial bias typically neglected in comparisons of uncertain atmospheric data. <i>Geophysical Research Letters</i> , 2016, 43, 10,003.	4.0	24
50	Impacts of brown carbon from biomass burning on surface UV and ozone photochemistry in the Amazon Basin. <i>Scientific Reports</i> , 2016, 6, 36940.	3.3	90
51	Remote sensing of soot carbon α_{m} Part 2: Understanding the absorption λ^{-1} exponent. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 1587-1602.	4.9	60
52	Validation of satellite-based noontime LVI with NDACC ground-based instruments: influence of topography, environment and satellite overpass time. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 15049-15074.	4.9	19
53	Remote sensing of soot carbon α_{m} Part 1: Distinguishing different absorbing aerosol species. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 1565-1585.	4.9	81
54	Retrieval of aerosol optical depth from surface solar radiation measurements using machine learning algorithms, non-linear regression and a radiative transfer-based look-up table. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 8181-8191.	4.9	21

#	ARTICLE	IF	CITATIONS
55	OMI/Aura UV product validation using NILU-UV ground-based measurements in Thessaloniki, Greece. <i>Atmospheric Environment</i> , 2016, 140, 283-297.	4.1	22
56	Direct radiative effect by brown carbon over the Indo-Gangetic Plain. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 12731-12740.	4.9	24
57	Characterization of satellite-based proxies for estimating nucleation mode particles over South Africa. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 4983-4996.	4.9	15
58	Comparison of OMI UV observations with ground-based measurements at high northern latitudes. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 7391-7412.	4.9	40
59	Technical Note: A novel parameterization of the transmissivity due to ozone absorption in the <i>distribution method and correlated-<i> approximation of Kato et al. (1999) over the UV band. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 7449-7456.	4.9	9
60	Biotic stress accelerates formation of climate-relevant aerosols in boreal forests. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 12139-12157.	4.9	48
61	On the use of a satellite remote-sensing-based approach for determining aerosol direct radiative effect over land: a case study over China. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 505-518.	4.9	18
62	Geographical and diurnal features of amine-enhanced boundary layer nucleation. <i>Journal of Geophysical Research D: Atmospheres</i> , 2015, 120, 9606-9624.	3.3	37
63	Validation of reactive gases and aerosols in the MACC global analysis and forecast system. <i>Geoscientific Model Development</i> , 2015, 8, 3523-3543.	3.6	49
64	Contribution of Brown Carbon to Direct Radiative Forcing over the Indo-Gangetic Plain. <i>Environmental Science & Technology</i> , 2015, 49, 10474-10481.	10.0	70
65	Brief communication: Light-absorbing impurities can reduce the density of melting snow. <i>Cryosphere</i> , 2014, 8, 991-995.	3.9	35
66	Comparing ECMWF AOD with AERONET observations at visible and UV wavelengths. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 593-608.	4.9	65
67	Observations of rapid aerosol optical depth enhancements in the vicinity of polluted cumulus clouds. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 11633-11656.	4.9	58
68	Effect of water vapor on the determination of aerosol direct radiative effect based on the AERONET fluxes. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 6103-6110.	4.9	11
69	Aerosol optical properties in Finland during Russian forest fires in 2010. , 2013, , .		0
70	About UV albedo of seasonal snow at Sodankyla including Arctic - Antarctic comparison aspects. , 2013, , .		0
71	Two decades of spectral UV measurements at Sodankyla. , 2013, , .		0
72	McClear: a new model estimating downwelling solar radiation at ground level in clear-sky conditions. <i>Atmospheric Measurement Techniques</i> , 2013, 6, 2403-2418.	3.1	272

#	ARTICLE	IF	CITATIONS
73	Long-term measurements of cloud droplet concentrations and aerosol-cloud interactions in continental boundary layer clouds. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2013, 65, 20138.	1.6	30
74	Influence of observed diurnal cycles of aerosol optical depth on aerosol direct radiative effect. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 7895-7901.	4.9	32
75	Effective aerosol optical depth from pyranometer measurements of surface solar radiation (global) T_j ETQq1 1 0.784314 rgBT /Overlo	4.9	18
76	Spectral albedo of seasonal snow during intensive melt period at Sodankylä, beyond the Arctic Circle. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 3793-3810.	4.9	54
77	Biomass Burning Aerosols Observed in Northern Finland during the 2010 Wildfires in Russia. <i>Atmosphere</i> , 2013, 4, 17-34.	2.3	18
78	Evaluation of the sectional aerosol microphysics module SALSA implementation in ECHAM5-HAM aerosol-climate model. <i>Geoscientific Model Development</i> , 2012, 5, 845-868.	3.6	59
79	Technical Note: One year of Raman-lidar measurements in Gual Pahari ELICAARI site close to New Delhi in India - Seasonal characteristics of the aerosol vertical structure. <i>Atmospheric Chemistry and Physics</i> , 2012, 12, 4513-4524.	4.9	63
80	Seasonal cycle and source analyses of aerosol optical properties in a semi-urban environment at Puijo station in Eastern Finland. <i>Atmospheric Chemistry and Physics</i> , 2012, 12, 5647-5659.	4.9	20
81	On the variation of aerosol properties over Finland based on the optical columnar measurements. <i>Atmospheric Research</i> , 2012, 116, 46-55.	4.1	19
82	Fog- and cloud-induced aerosol modification observed by the Aerosol Robotic Network (AERONET). <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	99
83	Effect of aerosol size distribution changes on AOD, CCN and cloud droplet concentration: Case studies from Erfurt and Melpitz, Germany. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	14
84	Influence of desert dust intrusions on ground-based and satellite-derived ultraviolet irradiance in southeastern Spain. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	9
85	Direct and indirect effects of sea spray geoengineering and the role of injected particle size. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	49
86	Biomass burning aerosols observed in Eastern Finland during the Russian wildfires in summer 2010 - Part 2: Remote sensing. <i>Atmospheric Environment</i> , 2012, 47, 279-287.	4.1	41
87	Biomass burning aerosols observed in Eastern Finland during the Russian wildfires in summer 2010 - Part 1: In-situ aerosol characterization. <i>Atmospheric Environment</i> , 2012, 47, 269-278.	4.1	30
88	Evaluating the assumptions of surface reflectance and aerosol type selection within the MODIS aerosol retrieval over land: the problem of dust type selection. <i>Atmospheric Measurement Techniques</i> , 2011, 4, 201-214.	3.1	38
89	Characterization of the aerosol type using simultaneous measurements of the lidar ratio and estimations of the single scattering albedo. <i>Atmospheric Research</i> , 2011, 101, 46-53.	4.1	13
90	The first estimates of global nucleation mode aerosol concentrations based on satellite measurements. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 10791-10801.	4.9	31

#	ARTICLE	IF	CITATIONS
91	Use of satellite erythral UV products in analysing the global UV changes. Atmospheric Chemistry and Physics, 2011, 11, 9649-9658.	4.9	21
92	Inferring absorbing organic carbon content from AERONET data. Atmospheric Chemistry and Physics, 2011, 11, 215-225.	4.9	175
93	Comparison of UV irradiances from Aura/Ozone Monitoring Instrument (OMI) with Brewer measurements at El Arenosillo (Spain) – Part 2: Analysis of site aerosol influence. Atmospheric Chemistry and Physics, 2010, 10, 11867-11880.	4.9	28
94	Comparison of UV irradiances from Aura/Ozone Monitoring Instrument (OMI) with Brewer measurements at El Arenosillo (Spain) – Part 1: Analysis of parameter influence. Atmospheric Chemistry and Physics, 2010, 10, 5979-5989.	4.9	40
95	The effect of the global UV irradiance measurement accuracy on the single scattering albedo retrieval. Atmospheric Measurement Techniques, 2010, 3, 1029-1037.	3.1	14
96	Comparison of surface UV irradiance in mountainous regions derived from satellite observations and model calculations with ground-based measurements. Meteorologische Zeitschrift, 2010, 19, 481-490.	1.0	9
97	On the wavelength-dependent attenuation of radiation in the UV-visible range by a homogeneous cloud layer. , 2009, , .		0
98	The PROMOTE UV Record: Toward a Global Satellite-Based Climatology of Surface Ultraviolet Irradiance. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2009, 2, 207-212.	4.9	11
99	Comparison of CALIOP level 2 aerosol subtypes to aerosol types derived from AERONET inversion data. Geophysical Research Letters, 2009, 36, .	4.0	131
100	A new approach to correct for absorbing aerosols in OMI UV. Geophysical Research Letters, 2009, 36, .	4.0	71
101	Observational signature of the direct radiative effect by natural boreal forest aerosols and its relation to the corresponding first indirect effect. Journal of Geophysical Research, 2009, 114, .	3.3	30
102	Ozone monitoring instrument satellite UV irradiance product correction using a global aerosol climatology. , 2009, , .		0
103	Aerosol single scattering albedo retrieval with various techniques in the UV and visible wavelength range. , 2009, , .		0
104	Ozone Monitoring Instrument spectral UV irradiance products: comparison with ground based measurements at an urban environment. Atmospheric Chemistry and Physics, 2009, 9, 585-594.	4.9	73
105	Spatial and temporal UV irradiance and aerosol variability within the area of an OMI satellite pixel. Atmospheric Chemistry and Physics, 2009, 9, 4593-4601.	4.9	51
106	Effect of aerosols on the infrared transmission in Lakiala, Finland. Atmospheric Environment, 2008, 42, 2603-2610.	4.1	2
107	On the wavelength-dependent attenuation of UV radiation by clouds. Geophysical Research Letters, 2008, 35, .	4.0	50
108	Quality assurance of the Brewer spectral UV measurements in Finland. Atmospheric Chemistry and Physics, 2008, 8, 3369-3383.	4.9	50

#	ARTICLE	IF	CITATIONS
109	A case study on biomass burning aerosols: effects on aerosol optical properties and surface radiation levels. <i>Atmospheric Chemistry and Physics</i> , 2007, 7, 4257-4266.	4.9	45
110	A method for reconstruction of past UV radiation based on radiative transfer modeling: Applied to four stations in northern Europe. <i>Journal of Geophysical Research</i> , 2007, 112, .	3.3	52
111	Surface ultraviolet irradiance from OMI. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2006, 44, 1267-1271.	6.3	98
112	Possibilities to detect trends in spectral UV irradiance. <i>Theoretical and Applied Climatology</i> , 2005, 81, 33-44.	2.8	43
113	Assessment of TOMS UV bias due to absorbing aerosols. <i>Journal of Geophysical Research</i> , 2005, 110, .	3.3	73
114	On the sources of bias in aerosol optical depth retrieval in the UV range. <i>Journal of Geophysical Research</i> , 2004, 109, .	3.3	43
115	Assessment of TOMS UV bias due to absorbing aerosols. , 2004, , .		3
116	Long-term erythemal UV doses at Sodankylä estimated using total ozone, sunshine duration, and snow depth. <i>Journal of Geophysical Research</i> , 2003, 108, .	3.3	40
117	Factors affecting short- and long-term changes of spectral UV irradiance at two European stations. <i>Journal of Geophysical Research</i> , 2003, 108, .	3.3	26
118	A new approach to estimating the albedo for snow-covered surfaces in the satellite UV method. <i>Journal of Geophysical Research</i> , 2003, 108, .	3.3	25
119	Use of the moving time-window technique to determine surface albedo from TOMS reflectivity data. , 2003, , .		10
120	Version 2 total ozone mapping spectrometer ultraviolet algorithm: problems and enhancements. <i>Optical Engineering</i> , 2002, 41, 3028.	1.0	41
121	<title>Version 2 TOMS UV algorithm: problems and enhancements</title>. , 2002, 4482, 82.		8
122	Assessment of four methods to estimate surface UV radiation using satellite data, by comparison with ground measurements from four stations in Europe. <i>Journal of Geophysical Research</i> , 2002, 107, ACL 11-1.	3.3	39
123	Parameterization of Turbulent and Mesoscale Fluxes for Heterogeneous Surfaces. <i>Journals of the Atmospheric Sciences</i> , 1999, 56, 584-598.	1.7	35
124	Short-wave optical properties of precipitating water clouds. <i>Quarterly Journal of the Royal Meteorological Society</i> , 1997, 123, 883-899.	2.7	44
125	Short-wave optical properties of precipitating water clouds. <i>Quarterly Journal of the Royal Meteorological Society</i> , 1997, 123, 883-899.	2.7	2
126	Effects of Subgrid Spatial Heterogeneity on GCM-Scale Land Surface Energy and Moisture Fluxes. <i>Journal of Climate</i> , 1996, 9, 1339-1349.	3.2	26