

Claudi L H Bockting

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6807682/publications.pdf>

Version: 2024-02-01

162
papers

6,747
citations

71004

43
h-index

90395

73
g-index

166
all docs

166
docs citations

166
times ranked

9041
citing authors

#	ARTICLE	IF	CITATIONS
1	Meta-Analysis: Relapse Prevention Strategies for Depression and Anxiety in Remitted Adolescents and Young Adults. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2023, 62, 306-317.	0.3	6
2	Effectiveness of cognitive remediation in depression: a meta-analysis. <i>Psychological Medicine</i> , 2022, 52, 4146-4161.	2.7	38
3	Autobiographical memory style and clinical outcomes following mindfulness-based cognitive therapy (MBCT): An individual patient data meta-analysis. <i>Behaviour Research and Therapy</i> , 2022, 151, 104048.	1.6	3
4	Neural basis of positive and negative emotion regulation in remitted depression. <i>NeuroImage: Clinical</i> , 2022, 34, 102988.	1.4	12
5	Ambassadors of Clinical Psychology and Psychological Treatment. <i>Clinical Psychology in Europe</i> , 2022, 4, .	0.5	0
6	Suicidal ideation in remitted major depressive disorder predicts recurrence. <i>Journal of Psychiatric Research</i> , 2022, 151, 65-72.	1.5	10
7	Augmenting neurocognitive remediation therapy to Preventive Cognitive Therapy for partially remitted depressed patients: protocol of a pragmatic multicentre randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e063407.	0.8	0
8	The interplay between psychopathological symptoms: transdiagnostic cross-lagged panel network model. <i>BJPsych Open</i> , 2022, 8, .	0.3	6
9	Psychological interventions as an alternative and add-on to antidepressant medication to prevent depressive relapse: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2021, 219, 538-545.	1.7	17
10	The efficacy of cognitive behavioral therapy for emotional disorders.. , 2021, , 51-89.		6
11	Magnetic resonance imaging for individual prediction of treatment response in major depressive disorder: a systematic review and meta-analysis. <i>Translational Psychiatry</i> , 2021, 11, 168.	2.4	31
12	The relationship between cognitive functioning and psychopathology in patients with psychiatric disorders: a transdiagnostic network analysis. <i>Psychological Medicine</i> , 2021, , 1-10.	2.7	13
13	Continuation of Antidepressants vs Sequential Psychological Interventions to Prevent Relapse in Depression. <i>JAMA Psychiatry</i> , 2021, 78, 868.	6.0	33
14	Explaining the efficacy of an internet-based behavioral activation intervention for major depression: A mechanistic study of a randomized-controlled trial. <i>Clinical Psychology in Europe</i> , 2021, 3, .	0.5	2
15	Initial treatment choices to achieve sustained response in major depression: a systematic review and network meta-analysis. <i>World Psychiatry</i> , 2021, 20, 387-396.	4.8	64
16	Advancing urban mental health research: from complexity science to actionable targets for intervention. <i>Lancet Psychiatry</i> , 2021, 8, 991-1000.	3.7	41
17	Are patients accurate forecasters of their emotional response to medical conditions? A scoping review on affective forecasting. <i>BMJ Open</i> , 2021, 11, e053370.	0.8	1
18	I am a total failure: associations between beliefs and anxiety and depression in patients with inflammatory bowel disease with poor mental quality of life. <i>Behavioural and Cognitive Psychotherapy</i> , 2020, 48, 91-102.	0.9	7

#	ARTICLE	IF	CITATIONS
19	Effects of psychological treatment of mental health problems in pregnant women to protect their offspring: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2020, 216, 182-188.	1.7	24
20	Long-term Outcomes of Cognitive Behavioral Therapy for Anxiety-Related Disorders. <i>JAMA Psychiatry</i> , 2020, 77, 265.	6.0	172
21	The antidepressant standoff: why it continues and how to resolve it. <i>Psychological Medicine</i> , 2020, 50, 177-186.	2.7	15
22	Tapering Antidepressants While Receiving Digital Preventive Cognitive Therapy During Pregnancy: An Experience Sampling Methodology Trial. <i>Frontiers in Psychiatry</i> , 2020, 11, 574357.	1.3	10
23	Effectiveness of digital psychological interventions for mental health problems in low-income and middle-income countries: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2020, 7, 851-864.	3.7	145
24	Effectiveness of Emotional Memory Reactivation vs Control Memory Reactivation Before Electroconvulsive Therapy in Adult Patients With Depressive Disorder. <i>JAMA Network Open</i> , 2020, 3, e2012389.	2.8	4
25	Individual participant data (IPD) meta-analysis of psychological relapse prevention interventions versus control for patients in remission from depression: a protocol. <i>BMJ Open</i> , 2020, 10, e034158.	0.8	7
26	Dose-effect of maternal serotonin reuptake inhibitor use during pregnancy on birth outcomes: A prospective cohort study. <i>Journal of Affective Disorders</i> , 2020, 267, 57-62.	2.0	8
27	A systematic review of mental health measurement scales for evaluating the effects of mental health prevention interventions. <i>European Journal of Public Health</i> , 2020, 30, 510-516.	0.1	21
28	Guided internet interventions for depression: impact of sociodemographic factors on treatment outcome in Indonesia. <i>Behaviour Research and Therapy</i> , 2020, 130, 103589.	1.6	4
29	Low socioeconomic status increases effects of negative life events on antenatal anxiety and depression. <i>Women and Birth</i> , 2019, 32, e138-e143.	0.9	41
30	Towards personalising treatment: a systematic review and meta-analysis of face-to-face efficacy moderators of cognitive-behavioral therapy and interpersonal psychotherapy for major depressive disorder. <i>Psychological Medicine</i> , 2019, 49, 2657-2668.	2.7	17
31	Psychological theories of depressive relapse and recurrence: A systematic review and meta-analysis of prospective studies. <i>Clinical Psychology Review</i> , 2019, 74, 101773.	6.0	20
32	Predictive value of attentional bias for the recurrence of depression: A 4-year prospective study in remitted depressed individuals. <i>Behaviour Research and Therapy</i> , 2019, 114, 25-34.	1.6	11
33	The Effects of Meditation, Yoga, and Mindfulness on Depression, Anxiety, and Stress in Tertiary Education Students: A Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2019, 10, 193.	1.3	105
34	Recurrence of depression in the perinatal period: Clinical features and associated vulnerability markers in an observational cohort. <i>PLoS ONE</i> , 2019, 14, e0212964.	1.1	5
35	Cost-effectiveness, cost-utility and the budget impact of antidepressants versus preventive cognitive therapy with or without tapering of antidepressants. <i>BJPsych Open</i> , 2019, 5, e12.	0.3	9
36	Neurocognitive working mechanisms of the prevention of relapse in remitted recurrent depression (NEWPRIDE): protocol of a randomized controlled neuroimaging trial of preventive cognitive therapy. <i>BMC Psychiatry</i> , 2019, 19, 409.	1.1	6

#	ARTICLE	IF	CITATIONS
37	The cost-utility of stepped-care algorithms according to depression guideline recommendations "Results of a state-transition model analysis. <i>Journal of Affective Disorders</i> , 2019, 242, 244-254.	2.0	16
38	Dysfunctional attitudes or extreme response style as predictors of depressive relapse and recurrence after mobile cognitive therapy for recurrent depression. <i>Journal of Affective Disorders</i> , 2019, 243, 48-54.	2.0	20
39	GPs' attitudes towards digital technologies for depression: an online survey in primary care. <i>British Journal of General Practice</i> , 2019, 69, e164-e170.	0.7	19
40	The effectiveness and cost-effectiveness of e-health interventions for depression and anxiety in primary care: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2019, 245, 728-743.	2.0	74
41	A Hot-Cold Cognitive Model of Depression: Integrating the Neuropsychological Approach Into the Cognitive Theory Framework. <i>Clinical Psychology in Europe</i> , 2019, 1, .	0.5	22
42	The Lancet Psychiatry Commission on psychological treatments research in tomorrow's science. <i>Lancet Psychiatry</i> , 2018, 5, 237-286.	3.7	412
43	The measurement of cognitive reactivity to sad mood in patients remitted from major depressive disorder. <i>British Journal of Clinical Psychology</i> , 2018, 57, 313-327.	1.7	11
44	Antidepressants during pregnancy: Guideline adherence and current practice amongst Dutch gynaecologists and midwives. <i>Midwifery</i> , 2018, 61, 29-35.	1.0	11
45	The effects of cognitive-behavior therapy for depression on repetitive negative thinking: A meta-analysis. <i>Behaviour Research and Therapy</i> , 2018, 106, 71-85.	1.6	106
46	Effectiveness of preventive cognitive therapy while tapering antidepressants versus maintenance antidepressant treatment versus their combination in prevention of depressive relapse or recurrence (DRD study): a three-group, multicentre, randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 401-410.	3.7	84
47	Cross-sectional networks of depressive symptoms before and after antidepressant medication treatment. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 617-627.	1.6	46
48	T149. Do We Have Evidence for Predictive Biomarkers for Major Depressive Disorder? A Meta-Analysis and Systematic Review of Prospective Studies. <i>Biological Psychiatry</i> , 2018, 83, S186.	0.7	1
49	Replicability and Generalizability of Posttraumatic Stress Disorder (PTSD) Networks: A Cross-Cultural Multisite Study of PTSD Symptoms in Four Trauma Patient Samples. <i>Clinical Psychological Science</i> , 2018, 6, 335-351.	2.4	306
50	No Sustainable Effects of an Internet-Based Relapse Prevention Program over 24 Months in Recurrent Depression: Primary Outcomes of a Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 55-57.	4.0	17
51	Exploring the relation between visual mental imagery and affect in the daily life of previously depressed and never depressed individuals. <i>Cognition and Emotion</i> , 2018, 32, 1131-1138.	1.2	9
52	A supported self-help for recurrent depression in primary care; An economic evaluation alongside a multi-center randomised controlled trial. <i>PLoS ONE</i> , 2018, 13, e0208570.	1.1	5
53	Offspring outcomes after prenatal interventions for common mental disorders: a meta-analysis. <i>BMC Medicine</i> , 2018, 16, 208.	2.3	13
54	Self-Esteem Instability in Current, Remitted, Recovered, and Comorbid Depression and Anxiety. <i>Cognitive Therapy and Research</i> , 2018, 42, 813-822.	1.2	9

#	ARTICLE	IF	CITATIONS
55	The association between the number of previous episodes and modifiable vulnerability factors in remitted patients with recurrent depression. <i>PLoS ONE</i> , 2018, 13, e0206495.	1.1	11
56	Attentional bias for negative, positive, and threat words in current and remitted depression. <i>PLoS ONE</i> , 2018, 13, e0205154.	1.1	26
57	Individual Negative Affective Trajectories Can Be Detected during Different Depressive Relapse Prevention Strategies. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 243-245.	4.0	10
58	Acceptability of internet-based interventions for depression in Indonesia. <i>Internet Interventions</i> , 2018, 13, 8-15.	1.4	22
59	Prevalence and predictors of violent victimization in remitted patients with recurrent depression. <i>Journal of Affective Disorders</i> , 2018, 238, 405-411.	2.0	8
60	Methodological Recommendations for Trials of Psychological Interventions. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 276-284.	4.0	146
61	Internet-based behavioural activation with lay counsellor support versus online minimal psychoeducation without support for treatment of depression: a randomised controlled trial in Indonesia. <i>Lancet Psychiatry</i> , 2018, 5, 707-716.	3.7	80
62	Prevention of violent revictimization in depressed patients with an add-on internet-based emotion regulation training (iERT): study protocol for a multicenter randomized controlled trial. <i>BMC Psychiatry</i> , 2018, 18, 29.	1.1	11
63	What are the effects of preventative interventions on major depressive disorder (MDD) in young adults? A systematic review and meta-analysis of randomized controlled trials. <i>Journal of Affective Disorders</i> , 2018, 239, 18-29.	2.0	27
64	Depression recurrence after recovery: Prognostic value of implicit and explicit self-depressed associations. <i>Behaviour Research and Therapy</i> , 2018, 107, 76-82.	1.6	9
65	Development and validation of a clinical prediction tool to estimate the individual risk of depressive relapse or recurrence in individuals with recurrent depression. <i>Journal of Psychiatric Research</i> , 2018, 104, 1-7.	1.5	19
66	Economic Evaluation of an Internet-Based Preventive Cognitive Therapy With Minimal Therapist Support for Recurrent Depression: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018, 20, e10437.	2.1	15
67	Guided Act and Feel Indonesia – Internet-based Behavioral Activation Intervention for Depression in Indonesia: A Systematic Cultural Adaptation. <i>Makara Hubs-Asia</i> , 2018, 22, 3.	0.1	10
68	Beliefs about the causes of depression and recovery and their impact on adherence, dosage, and successful tapering of antidepressants. <i>Depression and Anxiety</i> , 2017, 34, 227-235.	2.0	11
69	Emotion Regulation Protects Against Recurrence of Depressive Symptoms Following Inpatient Care for Major Depressive Disorder. <i>Behavior Therapy</i> , 2017, 48, 739-749.	1.3	12
70	The role of affect in predicting depressive symptomatology in remitted recurrently depressed patients. <i>Journal of Affective Disorders</i> , 2017, 210, 66-71.	2.0	13
71	Imagine your mood: Study design and protocol of a randomized controlled micro-trial using app-based experience sampling methodology to explore processes of change during relapse prevention interventions for recurrent depression. <i>Contemporary Clinical Trials Communications</i> , 2017, 7, 172-178.	0.5	9
72	Effectiveness of Supported Self-Help in Recurrent Depression: A Randomized Controlled Trial in Primary Care. <i>Psychotherapy and Psychosomatics</i> , 2017, 86, 220-230.	4.0	25

#	ARTICLE	IF	CITATIONS
73	Blended care vs. usual care in the treatment of depressive symptoms and disorders in general practice [BLENDING]: study protocol of a non-inferiority randomized trial. <i>BMC Psychiatry</i> , 2017, 17, 218.	1.1	12
74	The Ghent Psychotherapy Study (GPS) on the differential efficacy of supportive-expressive and cognitive behavioral interventions in dependent and self-critical depressive patients: study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 126.	0.7	18
75	Rethinking a Negative Event: The Affective Impact of Ruminative versus Imagery-Based Processing of Aversive Autobiographical Memories. <i>Frontiers in Psychiatry</i> , 2017, 8, 82.	1.3	9
76	Indicators of patients with major depressive disorder in need of highly specialized care: A systematic review. <i>PLoS ONE</i> , 2017, 12, e0171659.	1.1	12
77	Effectiveness of cognitive-behavioral therapy on quality of life, anxiety, and depressive symptoms among patients with inflammatory bowel disease: A multicenter randomized controlled trial. <i>Journal of Consulting and Clinical Psychology</i> , 2017, 85, 918-925.	1.6	53
78	The Inventory of Depressive Symptomatology Self Report (IDS-SR): Psychometric properties of the Indonesian version. <i>PLoS ONE</i> , 2017, 12, e0187009.	1.1	7
79	Imagery Rescripting: The Impact of Conceptual and Perceptual Changes on Aversive Autobiographical Memories. <i>PLoS ONE</i> , 2016, 11, e0160235.	1.1	19
80	Guided Act and Feel Indonesia (GAF-ID) – Internet-based behavioral activation intervention for depression in Indonesia: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 455.	0.7	16
81	Vulnerability for new episodes in recurrent major depressive disorder: protocol for the longitudinal DELTA-neuroimaging cohort study. <i>BMJ Open</i> , 2016, 6, e009510.	0.8	29
82	The role of avoidant and obsessive-compulsive personality disorder traits in matching patients with major depression to cognitive behavioral and psychodynamic therapy: A replication study. <i>Journal of Affective Disorders</i> , 2016, 205, 400-405.	2.0	7
83	Non-fatal disease burden for subtypes of depressive disorder: population-based epidemiological study. <i>BMC Psychiatry</i> , 2016, 16, 139.	1.1	7
84	Stop or go? Preventive cognitive therapy with guided tapering of antidepressants during pregnancy: study protocol of a pragmatic multicentre non-inferiority randomized controlled trial. <i>BMC Psychiatry</i> , 2016, 16, 72.	1.1	26
85	Emotion regulation mediates the effect of childhood trauma on depression. <i>Journal of Affective Disorders</i> , 2016, 198, 189-197.	2.0	98
86	Implicit and Explicit Self-Esteem in Current, Remitted, Recovered, and Comorbid Depression and Anxiety Disorders: The NESDA Study. <i>PLoS ONE</i> , 2016, 11, e0166116.	1.1	19
87	Risk of Criminal Victimization in Outpatients with Common Mental Health Disorders. <i>PLoS ONE</i> , 2015, 10, e0128508.	1.1	18
88	Does Publication Bias Inflate the Apparent Efficacy of Psychological Treatment for Major Depressive Disorder? A Systematic Review and Meta-Analysis of US National Institutes of Health-Funded Trials. <i>PLoS ONE</i> , 2015, 10, e0137864.	1.1	153
89	Pregnancy Outcomes After a Maternity Intervention for Stressful Emotions (PROMISES): A Randomised Controlled Trial. <i>Advances in Neurobiology</i> , 2015, 10, 443-459.	1.3	0
90	For whom are internet-based occupational mental health interventions effective? Moderators of internet-based problem-solving training outcome. <i>Internet Interventions</i> , 2015, 2, 39-47.	1.4	24

#	ARTICLE	IF	CITATIONS
91	Cognitive reactivity, self-depressed associations, and the recurrence of depression. <i>Journal of Affective Disorders</i> , 2015, 183, 300-309.	2.0	24
92	Enduring effects of Preventive Cognitive Therapy in adults remitted from recurrent depression: A 10 year follow-up of a randomized controlled trial. <i>Journal of Affective Disorders</i> , 2015, 185, 188-194.	2.0	34
93	DHEAS and cortisol/DHEAS-ratio in recurrent depression: State, or trait predicting 10-year recurrence?. <i>Psychoneuroendocrinology</i> , 2015, 59, 91-101.	1.3	45
94	From loss to loneliness: The relationship between bereavement and depressive symptoms.. <i>Journal of Abnormal Psychology</i> , 2015, 124, 256-265.	2.0	213
95	Erythrocyte fatty acid profiles and plasma homocysteine, folate and vitamin B6 and B12 in recurrent depression: Implications for co-morbidity with cardiovascular disease. <i>Psychiatry Research</i> , 2015, 229, 992-998.	1.7	14
96	Understanding emotion and emotional scarring in recurrent depression. <i>Comprehensive Psychiatry</i> , 2015, 59, 54-61.	1.5	13
97	A lifetime approach to major depressive disorder: The contributions of psychological interventions in preventing relapse and recurrence. <i>Clinical Psychology Review</i> , 2015, 41, 16-26.	6.0	217
98	Editorial to the Special issue: Psychological interventions for depression: A roadmap to stable remission. <i>Clinical Psychology Review</i> , 2015, 41, 1-2.	6.0	1
99	The Three-Month Effect of Mobile Internet-Based Cognitive Therapy on the Course of Depressive Symptoms in Remitted Recurrently Depressed Patients: Results of a Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2015, 84, 90-99.	4.0	38
100	Network destabilization and transition in depression: New methods for studying the dynamics of therapeutic change. <i>Clinical Psychology Review</i> , 2015, 41, 27-39.	6.0	81
101	Preventive Cognitive Therapy versus Treatment as Usual in preventing recurrence of depression: protocol of a multi-centered randomized controlled trial. <i>BMC Psychiatry</i> , 2015, 15, 139.	1.1	9
102	Effectiveness of psychological interventions in preventing recurrence of depressive disorder: Meta-analysis and meta-regression. <i>Journal of Affective Disorders</i> , 2015, 174, 400-410.	2.0	139
103	Personality and cognitive vulnerability in remitted recurrently depressed patients. <i>Journal of Affective Disorders</i> , 2015, 173, 97-104.	2.0	16
104	Cognitive Reactivity Versus Dysfunctional Cognitions and the Prediction of Relapse in Recurrent Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e1306-e1312.	1.1	47
105	Stressful Events and Continued Smoking and Continued Alcohol Consumption during Mid-Pregnancy. <i>PLoS ONE</i> , 2014, 9, e86359.	1.1	13
106	The Scars of Childhood Adversity: Minor Stress Sensitivity and Depressive Symptoms in Remitted Recurrently Depressed Adult Patients. <i>PLoS ONE</i> , 2014, 9, e111711.	1.1	8
107	Predictive accuracy of Edinburgh Postnatal Depression Scale assessment during pregnancy for the risk of developing postpartum depressive symptoms: a prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 1604-1610.	1.1	40
108	Continued smoking and continued alcohol consumption during early pregnancy distinctively associated with personality. <i>Addictive Behaviors</i> , 2014, 39, 980-986.	1.7	14

#	ARTICLE	IF	CITATIONS
109	Associations of life events during pregnancy with longitudinal change in symptoms of antenatal anxiety and depression. <i>Midwifery</i> , 2014, 30, 526-531.	1.0	32
110	How do you feel? Detection of recurrent Major Depressive Disorder using a single-item screening tool. <i>Psychiatry Research</i> , 2014, 220, 287-293.	1.7	28
111	The one-carbon-cycle and methylenetetrahydrofolate reductase (MTHFR) C677T polymorphism in recurrent major depressive disorder; influence of antidepressant use and depressive state?. <i>Journal of Affective Disorders</i> , 2014, 166, 115-123.	2.0	17
112	Successful emotion regulation skills application predicts subsequent reduction of symptom severity during treatment of major depressive disorder.. <i>Journal of Consulting and Clinical Psychology</i> , 2014, 82, 248-262.	1.6	88
113	Relationship between the hypothalamic-pituitary-adrenal-axis and fatty acid metabolism in recurrent depression. <i>Psychoneuroendocrinology</i> , 2013, 38, 1607-1617.	1.3	55
114	The Patient Simple Clinical Colitis Activity Index (P-SCCAI) can detect ulcerative colitis (UC) disease activity in remission: A comparison of the P-SCCAI with clinician-based SCCAI and biological markers. <i>Journal of Crohn's and Colitis</i> , 2013, 7, 890-900.	0.6	94
115	Reply to Drs. Walmsley and Casey letter. <i>Journal of Crohn's and Colitis</i> , 2013, 7, 932.	0.6	0
116	Therapygenetics: the 5HTTLPR as a biomarker for response to psychological therapy?. <i>Molecular Psychiatry</i> , 2013, 18, 744-745.	4.1	24
117	Does cognitive behaviour therapy have an enduring effect that is superior to keeping patients on continuation pharmacotherapy? A meta-analysis. <i>BMJ Open</i> , 2013, 3, e002542.	0.8	195
118	Development of the Patient Harvey Bradshaw Index and a Comparison With a Clinician-based Harvey Bradshaw Index Assessment of Crohn's Disease Activity. <i>Journal of Clinical Gastroenterology</i> , 2013, 47, 850-856.	1.1	66
119	Hidden scars in depression? Implicit and explicit self-associations following recurrent depressive episodes.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 951-960.	2.0	28
120	Interaction between the MTHFR C677T polymorphism and traumatic childhood events predicts depression. <i>Translational Psychiatry</i> , 2013, 3, e288-e288.	2.4	51
121	Psychotherapy, Antidepressants, and Their Combination for Chronic Major Depressive Disorder: A Systematic Review. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 386-392.	0.9	42
122	Mood reactivity rather than cognitive reactivity is predictive of depressive relapse: A randomized study with 5.5-year follow-up.. <i>Journal of Consulting and Clinical Psychology</i> , 2013, 81, 508-517.	1.6	48
123	Double Trouble: Does Co-Morbid Chronic Somatic Illness Increase Risk for Recurrence in Depression? A Systematic Review. <i>PLoS ONE</i> , 2013, 8, e57510.	1.1	14
124	Ala54Thr Fatty Acid-Binding Protein 2 (FABP2) Polymorphism in Recurrent Depression: Associations with Fatty Acid Concentrations and Waist Circumference. <i>PLoS ONE</i> , 2013, 8, e82980.	1.1	17
125	Lower cortisol levels predict recurrence in remitted patients with recurrent depression: A 5.5 year prospective study. <i>Psychiatry Research</i> , 2012, 200, 281-287.	1.7	50
126	Cognitive functioning in euthymic recurrently depressed patients: Relationship with future relapses and prior course of disease. <i>Journal of Affective Disorders</i> , 2012, 141, 300-307.	2.0	25

#	ARTICLE	IF	CITATIONS
127	Do Inflammatory Bowel Disease patients with anxiety and depressive symptoms receive the care they need?. <i>Journal of Crohn's and Colitis</i> , 2012, 6, 68-76.	0.6	105
128	The effectiveness of cognitive behavioral therapy on the quality of life of patients with inflammatory bowel disease: multi-center design and study protocol (KLIC-study). <i>BMC Psychiatry</i> , 2012, 12, 227.	1.1	22
129	Cost-effectiveness of nurse-led self-help for recurrent depression in the primary care setting: design of a pragmatic randomised controlled trial. <i>BMC Psychiatry</i> , 2012, 12, 59.	1.1	13
130	Preventing mood and anxiety disorders in youth: a multi-centre RCT in the high risk offspring of depressed and anxious patients. <i>BMC Psychiatry</i> , 2012, 12, 31.	1.1	15
131	Statistical Methodological Issues in Handling of Fatty Acid Data: Percentage or Concentration, Imputation and Indices. <i>Lipids</i> , 2012, 47, 541-547.	0.7	51
132	Postpartum depression predicts offspring mental health problems in adolescence independently of parental lifetime psychopathology. <i>Journal of Affective Disorders</i> , 2012, 136, 948-954.	2.0	84
133	Sustained medically unexplained physical symptoms in euthymic patients with recurrent depression: Predictive value for recurrence and associations with omega 3- and 6 fatty acids and 5-HTTLPR?. <i>Journal of Affective Disorders</i> , 2012, 136, 604-611.	2.0	2
134	Longitudinal hypothalamic-pituitary-adrenal axis trait and state effects in recurrent depression. <i>Psychoneuroendocrinology</i> , 2012, 37, 892-902.	1.3	87
135	Can a One-Item Mood Scale Do the Trick? Predicting Relapse over 5.5-Years in Recurrent Depression. <i>PLoS ONE</i> , 2012, 7, e46796.	1.1	42
136	Relapse and recurrence prevention in depression: Current research and future prospects. <i>Clinical Psychology Review</i> , 2011, 31, 1349-1360.	6.0	119
137	Disrupting the rhythm of depression using Mobile Cognitive Therapy for recurrent depression: randomized controlled trial design and protocol. <i>BMC Psychiatry</i> , 2011, 11, 12.	1.1	27
138	REFLEX, a social-cognitive group treatment to improve insight in schizophrenia: study protocol of a multi-center RCT. <i>BMC Psychiatry</i> , 2011, 11, 161.	1.1	29
139	Disrupting the rhythm of depression: design and protocol of a randomized controlled trial on preventing relapse using brief cognitive therapy with or without antidepressants. <i>BMC Psychiatry</i> , 2011, 11, 8.	1.1	16
140	PRegnancy Outcomes after a Maternity Intervention for Stressful EmotionS (PROMISES): study protocol for a randomised controlled trial. <i>Trials</i> , 2011, 12, 157.	0.7	18
141	9 Cognitieve therapie ter preventie van terugval bij depressie en angststoornissen. , 2011, , 231-260.		0
142	5 Cognitieve therapie bij de bipolaire stoornis. , 2011, , 123-136.		0
143	4 Cognitieve therapie bij de depressieve stoornis. , 2011, , 87-122.		0
144	Health related quality of life in recurrent depression: A comparison with a general population sample. <i>Journal of Affective Disorders</i> , 2010, 120, 126-132.	2.0	73

#	ARTICLE	IF	CITATIONS
145	Duration of subsequent episodes and periods of recovery in recurrent major depression. <i>Journal of Affective Disorders</i> , 2010, 125, 141-145.	2.0	10
146	Brief cognitive behavioral therapy compared to general practitioners care for depression in primary care: a randomized trial. <i>Trials</i> , 2010, 11, 96.	0.7	2
147	The "Weight" of Recurrent Depression: A Comparison between Individuals with Recurrent Depression and the General Population and the Influence of Antidepressants. <i>Psychotherapy and Psychosomatics</i> , 2010, 79, 386-388.	4.0	2
148	Plasma and Erythrocyte Fatty Acid Patterns in Patients with Recurrent Depression: A Matched Case-Control Study. <i>PLoS ONE</i> , 2010, 5, e10635.	1.1	113
149	Prediction of Recurrence in Recurrent Depression. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 984-991.	1.1	88
150	Adherence to continuation and maintenance antidepressant use in recurrent depression. <i>Journal of Affective Disorders</i> , 2009, 115, 167-170.	2.0	72
151	Screening for depression in high-risk groups: prospective cohort study in general practice. <i>British Journal of Psychiatry</i> , 2009, 194, 399-403.	1.7	37
152	Predictors of Nonadherence to Continuation and Maintenance Antidepressant Medication in Patients With Remitted Recurrent Depression. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 63-69.	1.1	31
153	Long-Term Effects of Preventive Cognitive Therapy in Recurrent Depression. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1621-1628.	1.1	96
154	Continuation and Maintenance Use of Antidepressants in Recurrent Depression. <i>Psychotherapy and Psychosomatics</i> , 2008, 77, 17-26.	4.0	106
155	Selective Publication of Antidepressant Trials. <i>New England Journal of Medicine</i> , 2008, 358, 2180-2182.	13.9	6
156	The endorsement of dysfunctional attitudes is associated with an impaired retrieval of specific autobiographical memories in response to matching cues. <i>Memory</i> , 2007, 15, 324-338.	0.9	43
157	Autobiographical memory in the euthymic phase of recurrent depression.. <i>Journal of Abnormal Psychology</i> , 2006, 115, 590-600.	2.0	68
158	Differential Predictors of Response to Preventive Cognitive Therapy in Recurrent Depression: A 2-Year Prospective Study. <i>Psychotherapy and Psychosomatics</i> , 2006, 75, 229-236.	4.0	60
159	Prediction of Recurrence in Recurrent Depression and the Influence of Consecutive Episodes on Vulnerability for Depression. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 747-755.	1.1	75
160	Prediction of recurrence in recurrent depression and the influence of consecutive episodes on vulnerability for depression: a 2-year prospective study. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 747-55.	1.1	30
161	Preventing Relapse/Recurrence in Recurrent Depression With Cognitive Therapy: A Randomized Controlled Trial.. <i>Journal of Consulting and Clinical Psychology</i> , 2005, 73, 647-657.	1.6	225
162	Fatty acids and homocysteine levels in patients with recurrent depression: an explorative pilot study. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2004, 70, 349-356.	1.0	53