

Ulrich Reininghaus

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6810811/ulrich-reininghaus-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131
papers

4,755
citations

42
h-index

66
g-index

159
ext. papers

6,342
ext. citations

4.8
avg, IF

5.86
L-index

#	Paper	IF	Citations
131	Polygenic risk, familial liability and stress reactivity in psychosis: an experience sampling study.. <i>Psychological Medicine</i> , 2022 , 1-10	6.9	0
130	Self-esteem and psychosis in daily life: An experience sampling study. 2022 , 131, 182-197		0
129	Validity and utility of Hierarchical Taxonomy of Psychopathology (HiTOP): III. Emotional dysfunction superspectrum.. <i>World Psychiatry</i> , 2022 , 21, 26-54	14.4	10
128	Development of the Thought Disorder Measure for the Hierarchical Taxonomy of Psychopathology. <i>Assessment</i> , 2022 , 29, 46-61	3.7	2
127	Efficacy of Acceptance and Commitment Therapy in Daily Life in Early Psychosis: Results from the Multi-Center INTERACT Randomized Controlled Trial.. <i>Psychotherapy and Psychosomatics</i> , 2022 , 1-13	9.4	1
126	Negative life events and stress sensitivity in youth's daily life: an ecological momentary assessment study.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1	4.5	1
125	The jumping to conclusions reasoning bias as a cognitive factor contributing to psychosis progression and persistence: findings from NEMESIS-2. <i>Psychological Medicine</i> , 2021 , 51, 1696-1703	6.9	4
124	Artificial intelligence applications in social media for depression screening: A systematic review protocol for content validity processes. <i>PLoS ONE</i> , 2021 , 16, e0259499	3.7	0
123	Momentary Manifestations of Negative Symptoms as Predictors of Clinical Outcomes in People at High Risk for Psychosis: Experience Sampling Study. <i>JMIR Mental Health</i> , 2021 , 8, e30309	6	1
122	Effects of a Novel, Transdiagnostic, Hybrid Ecological Momentary Intervention for Improving Resilience in Youth (EMlcompass): Protocol for an Exploratory Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2021 , 10, e27462	2	3
121	Across the continuum: Associations between (fluctuations in) momentary self-esteem and psychotic experiences. <i>Schizophrenia Research</i> , 2021 , 238, 188-198	3.6	0
120	Elucidating negative symptoms in the daily life of individuals in the early stages of psychosis. <i>Psychological Medicine</i> , 2021 , 51, 2599-2609	6.9	5
119	Modelling the temporal interplay between stress and affective disturbances in pathways to psychosis: an experience sampling study. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	4
118	Evidence Synthesis of Digital Interventions to Mitigate the Negative Impact of the COVID-19 Pandemic on Public Mental Health: Rapid Meta-review. <i>Journal of Medical Internet Research</i> , 2021 , 23, e23365	7.6	49
117	Social Isolation and Loneliness during COVID-19 Lockdown: Associations with Depressive Symptoms in the German Old-Age Population. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	16
116	Bullying victimization and stress sensitivity in help-seeking youth: findings from an experience sampling study. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 591-605	5.5	12
115	Neurological Signs at the First Psychotic Episode as Correlates of Long-Term Outcome: Results From the AESOP-10 Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 118-127	1.3	6

114	Diagnostic stability and outcome after first episode psychosis. <i>Journal of Mental Health</i> , 2021 , 30, 104-112	2
113	Stress reactivity as a putative mechanism linking childhood trauma with clinical outcomes in individuals at ultra-high-risk for psychosis: Findings from the EU-GEI High Risk Study. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e40	5.1 3
112	Traumatic events and psychotic experiences: a nationally representative study in Thailand. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e47	5.1
111	Rethinking the course of psychotic disorders: modelling long-term symptom trajectories. <i>Psychological Medicine</i> , 2021 , 1-10	6.9 2
110	Mental distress among young people in inner cities: the Resilience, Ethnicity and AdolesCent Mental Health (REACH) study. <i>Journal of Epidemiology and Community Health</i> , 2021 ,	5.1 2
109	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021 , 11, 423	8.6 1
108	A Compassion-Focused Ecological Momentary Intervention for Enhancing Resilience in Help-Seeking Youth: Uncontrolled Pilot Study. <i>JMIR Mental Health</i> , 2021 , 8, e25650	6 3
107	Efficacy of a transdiagnostic ecological momentary intervention for improving self-esteem (SELFIE) in youth exposed to childhood adversity: study protocol for a multi-center randomized controlled trial. <i>Trials</i> , 2021 , 22, 641	2.8 1
106	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021 , 236, 69-79	3.6 0
105	Social isolation, mental health, and use of digital interventions in youth during the COVID-19 pandemic: A nationally representative survey. <i>European Psychiatry</i> , 2021 , 64, e20	6 33
104	Establishing a Mental Health Surveillance in Germany: Development of a framework concept and indicator set. 2021 , 6, 34-63	0
103	Validity and utility of Hierarchical Taxonomy of Psychopathology (HiTOP): I. Psychosis superspectrum. <i>World Psychiatry</i> , 2020 , 19, 151-172	14.4 60
102	Temporal dynamics of suspiciousness and hallucinations in clinical high risk and first episode psychosis. <i>Psychiatry Research</i> , 2020 , 290, 113039	9.9 5
101	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2020 , 1-9	6.9 13
100	Expressive suppression in psychosis: The association with social context. <i>PLoS ONE</i> , 2020 , 15, e0230102	3.7 1
99	Blended care in the treatment of subthreshold symptoms of depression and psychosis in emerging adults: A randomised controlled trial of Acceptance and Commitment Therapy in Daily-Life (ACT-DL). <i>Behaviour Research and Therapy</i> , 2020 , 128, 103592	5.2 13
98	A comparison between self-report and interviewer-rated retrospective reports of childhood abuse among individuals with first-episode psychosis and population-based controls. <i>Journal of Psychiatric Research</i> , 2020 , 123, 145-150	5.2 13
97	The EUropean Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 645-657	4.5 20

96	Neurobiology and the Hierarchical Taxonomy of Psychopathology: progress toward ontogenetically informed and clinically useful nosology?. <i>Dialogues in Clinical Neuroscience</i> , 2020 , 22, 51-63	5.7	12
95	Redefining phenotypes to advance psychiatric genetics: Implications from hierarchical taxonomy of psychopathology. <i>Journal of Abnormal Psychology</i> , 2020 , 129, 143-161	7	47
94	Threatening Life Events and Difficulties and Psychotic Disorder. <i>Schizophrenia Bulletin</i> , 2020 , 46, 814-822.	3	8
93	Mental wellbeing in the German old age population largely unaltered during COVID-19 lockdown: results of a representative survey. <i>BMC Geriatrics</i> , 2020 , 20, 489	4.1	42
92	Affective and psychotic reactivity to daily-life stress in adults with 22q11DS: a study using the experience sampling method. <i>Journal of Neurodevelopmental Disorders</i> , 2020 , 12, 30	4.6	4
91	Threat, hostility and violence in childhood and later psychotic disorder: population-based case-control study. <i>British Journal of Psychiatry</i> , 2020 , 217, 575-582	5.4	9
90	Letter to the editor: Is polygenic risk for Parkinson's disease associated with less risk of first episode psychosis?. <i>Psychological Medicine</i> , 2020 , 50, 173-176	6.9	1
89	Symptom remission at 12-weeks strongly predicts long-term recovery from the first episode of psychosis. <i>Psychological Medicine</i> , 2020 , 50, 1452-1462	6.9	7
88	ACT in daily life in early psychosis: an ecological momentary intervention approach. <i>Psychosis</i> , 2019 , 11, 93-104	1.2	15
87	The relationship between childhood trauma and clinical characteristics in ultra-high risk for psychosis youth. <i>Psychosis</i> , 2019 , 11, 28-41	1.2	4
86	A Hierarchical Taxonomy of Psychopathology Can Transform Mental Health Research. <i>Perspectives on Psychological Science</i> , 2019 , 14, 419-436	9.8	149
85	Lower cortisol levels and attenuated cortisol reactivity to daily-life stressors in adults with 22q11.2 deletion syndrome. <i>Psychoneuroendocrinology</i> , 2019 , 106, 85-94	5	9
84	Recovery from daily-life stressors in early and chronic psychosis. <i>Schizophrenia Research</i> , 2019 , 213, 32-39.	3.6	13
83	Criterion A of the AMPD in HiTOP. <i>Journal of Personality Assessment</i> , 2019 , 101, 345-355	2.8	46
82	The development of ecological momentary interventions 2019 , 124-141		2
81	Are fit indices used to test psychopathology structure biased? A simulation study. <i>Journal of Abnormal Psychology</i> , 2019 , 128, 740-764	7	65
80	Integrating the Hierarchical Taxonomy of Psychopathology (HiTOP) into clinical practice. <i>Journal of Consulting and Clinical Psychology</i> , 2019 , 87, 1069-1084	6.5	72
79	Efficacy of Acceptance and Commitment Therapy in Daily Life (ACT-DL) in early psychosis: study protocol for a multi-centre randomized controlled trial. <i>Trials</i> , 2019 , 20, 769	2.8	18

78	Reasoning bias, working memory performance and a transdiagnostic phenotype of affective disturbances and psychotic experiences in the general population. <i>Psychological Medicine</i> , 2019 , 49, 1799-1809 ¹⁰	6.9	10
77	Liberal Acceptance Bias, Momentary Aberrant Salience, and Psychosis: An Experimental Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, 871-882	1.3	11
76	Transdiagnostic dimensions of psychosis in the Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP). <i>World Psychiatry</i> , 2019 , 18, 67-76	14.4	58
75	Recurrent Neural Networks in Mobile Sampling and Intervention. <i>Schizophrenia Bulletin</i> , 2019 , 45, 272-276	1.3	14
74	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019 , 49, 1378-1391	6.9	42
73	Interaction between environmental and familial affective risk impacts psychosis admixture in states of affective dysregulation. <i>Psychological Medicine</i> , 2019 , 49, 1879-1889	6.9	22
72	Sensitivity to Peer Evaluation and Its Genetic and Environmental Determinants: Findings from a Population-Based Twin Study. <i>Child Psychiatry and Human Development</i> , 2018 , 49, 766-778	3.3	3
71	5.3 EVIDENCE ON A TRANSDIAGNOSTIC PSYCHOSIS SPECTRUM OF SCHIZOPHRENIA, SCHIZOAFFECTIVE AND PSYCHOTIC BIPOLAR DISORDER IN THE BIPOLAR-SCHIZOPHRENIA NETWORK ON INTERMEDIATE PHENOTYPES (B-SNIP). <i>Schizophrenia Bulletin</i> , 2018 , 44, S6-S7	1.3	78
70	Subjective quality of life in psychosis: Evidence for an association with real world functioning?. <i>Psychiatry Research</i> , 2018 , 261, 116-123	9.9	10
69	Evidence That Environmental and Familial Risks for Psychosis Additively Impact a Multidimensional Subthreshold Psychosis Syndrome. <i>Schizophrenia Bulletin</i> , 2018 , 44, 710-719	1.3	38
68	Early sustained recovery following first episode psychosis: Evidence from the AESOP10 follow-up study. <i>Schizophrenia Research</i> , 2018 , 199, 341-345	3.6	8
67	The Cascade of Stress: A Network Approach to Explore Differential Dynamics in Populations Varying in Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2018 , 44, 328-337	1.3	45
66	Experience sampling methodology in mental health research: new insights and technical developments. <i>World Psychiatry</i> , 2018 , 17, 123-132	14.4	175
65	5.2 RETHINKING THE COURSE OF PSYCHOTIC DISORDERS: IDENTIFYING LATENT TRAJECTORIES. <i>Schizophrenia Bulletin</i> , 2018 , 44, S6-S6	1.3	78
64	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018 , 75, 36-46	14.5	154
63	5.4 BIOLOGICAL AND EPIDEMIOLOGICAL EXAMINATION OF TRANSDIAGNOSTIC AND SPECIFIC SYMPTOM DIMENSIONS AT PSYCHOSIS ONSET: FINDINGS FROM THE EUGEI STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S7-S7	1.3	1
62	F4. LINKING LIFE EVENTS WITH NEGATIVE AFFECT AND PSYCHOTIC EXPERIENCES IN DAILY LIVES OF YOUTH: STRESS SENSITIVITY AS A PUTATIVE MECHANISM?. <i>Schizophrenia Bulletin</i> , 2018 , 44, S219-S219	1.3	78
61	F220. THREAT ANTICIPATION AND NEGATIVE AFFECT IN EARLY PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S307-S307	1.3	78

60	Progress in achieving quantitative classification of psychopathology. <i>World Psychiatry</i> , 2018 , 17, 282-293	14.4	225
59	T110. FIRST EPISODE PSYCHOTIC PATIENTS WITH A HISTORY OF FREQUENT CANNABIS USE EXPRESS MORE POSITIVE SYMPTOMS AT ILLNESS ONSET THAN THOSE WHO NEVER USED CANNABIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S158-S159	1.3	1
58	T115. REASONING BIAS, WORKING MEMORY PERFORMANCE, AND A TRANSDIAGNOSTIC PHENOTYPE OF AFFECTIVE DISTURBANCES AND PSYCHOTIC EXPERIENCES IN THE GENERAL POPULATION. <i>Schizophrenia Bulletin</i> , 2018 , 44, S160-S161	1.3	78
57	The Psychosis Continuum: Testing a Bifactor Model of Psychosis in a General Population Sample. <i>Schizophrenia Bulletin</i> , 2017 , 43, 133-141	1.3	43
56	Antipsychotic treatment resistance in first-episode psychosis: prevalence, subtypes and predictors. <i>Psychological Medicine</i> , 2017 , 47, 1981-1989	6.9	121
55	Does the Social Functioning Scale reflect real-life social functioning? An experience sampling study in patients with a non-affective psychotic disorder and healthy control individuals. <i>Psychological Medicine</i> , 2017 , 47, 2777-2786	6.9	31
54	The experience sampling method as an mHealth tool to support self-monitoring, self-insight, and personalized health care in clinical practice. <i>Depression and Anxiety</i> , 2017 , 34, 481-493	8.4	79
53	Modeling the Interplay Between Psychological Processes and Adverse, Stressful Contexts and Experiences in Pathways to Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2017 , 43, 302-315	1.3	39
52	SA92. Trauma, Stress, and the Hippocampus in the At-Risk Mental State. <i>Schizophrenia Bulletin</i> , 2017 , 43, S146-S146	1.3	78
51	Stress sensitivity as a putative mechanism linking childhood trauma and psychopathology in youth's daily life. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 373-388	6.5	29
50	Ethnicity and long-term course and outcome of psychotic disorders in a UK sample: the BOP-10 study. <i>British Journal of Psychiatry</i> , 2017 , 211, 88-94	5.4	41
49	The impact of gender on treatment effectiveness of body psychotherapy for negative symptoms of schizophrenia: A secondary analysis of the NESS trial data. <i>Psychiatry Research</i> , 2017 , 247, 73-78	9.9	9
48	The Search for Environmental Mechanisms Underlying the Expression of Psychosis: Introduction. <i>Schizophrenia Bulletin</i> , 2017 , 43, 283-286	1.3	5
47	Effectiveness of group body psychotherapy for negative symptoms of schizophrenia: multicentre randomised controlled trial. <i>British Journal of Psychiatry</i> , 2016 , 209, 54-61	5.4	34
46	Outcomes following first-episode psychosis - Why we should intervene early in all ages, not only in youth. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 1055-1063	2.6	20
45	The relationship between experiential deficits of negative symptoms and subjective quality of life in schizophrenia. <i>Schizophrenia Research</i> , 2016 , 176, 387-391	3.6	27
44	Stress Sensitivity, Aberrant Salience, and Threat Anticipation in Early Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2016 , 42, 712-22	1.3	164
43	Exposure to conflict and disaster: A national survey on the prevalence of psychotic experiences in Sri Lanka. <i>Schizophrenia Research</i> , 2016 , 171, 79-85	3.6	10

42	Ecological Interventionist Causal Models in Psychosis: Targeting Psychological Mechanisms in Daily Life. <i>Schizophrenia Bulletin</i> , 2016 , 42, 264-9	1.3	47
41	Biological and psychosocial risk factors for psychotic major depression. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 233-45	4.5	14
40	Clinical effectiveness and cost-effectiveness of body psychotherapy in the treatment of negative symptoms of schizophrenia: a multicentre randomised controlled trial. <i>Health Technology Assessment</i> , 2016 , 20, vii-xxiii, 1-100	4.4	14
39	Ecological momentary interventions in psychiatry. <i>Current Opinion in Psychiatry</i> , 2016 , 29, 258-63	4.9	93
38	Psychological processes underlying the association between childhood trauma and psychosis in daily life: an experience sampling study. <i>Psychological Medicine</i> , 2016 , 46, 2799-813	6.9	53
37	Ten-year outcomes in first episode psychotic major depression patients compared with schizophrenia and bipolar patients. <i>Schizophrenia Research</i> , 2016 , 176, 417-422	3.6	19
36	Psychosis as a transdiagnostic and extended phenotype in the general population. <i>World Psychiatry</i> , 2016 , 15, 118-24	14.4	269
35	Evaluation of the validity and utility of a transdiagnostic psychosis dimension encompassing schizophrenia and bipolar disorder. <i>British Journal of Psychiatry</i> , 2016 , 209, 107-13	5.4	58
34	Mortality in schizophrenia and other psychoses: a 10-year follow-up of the BOP first-episode cohort. <i>Schizophrenia Bulletin</i> , 2015 , 41, 664-73	1.3	101
33	Diagnostic change 10 years after a first episode of psychosis. <i>Psychological Medicine</i> , 2015 , 45, 2757-69	6.9	61
32	Ten-Year Outcomes of First-Episode Psychoses in the MRC BOP-10 Study. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 379-86	1.8	70
31	Adversity, cannabis use and psychotic experiences: evidence of cumulative and synergistic effects. <i>British Journal of Psychiatry</i> , 2014 , 204, 346-53	5.4	76
30	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36	1.3	186
29	Multilevel ordinal factor analysis of the positive and negative syndrome scale (PANSS). <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23, 25-35	4.3	10
28	Reappraising the long-term course and outcome of psychotic disorders: the AESOP-10 study □ CORRIGENDUM. <i>Psychological Medicine</i> , 2014 , 44, 2727-2727	6.9	1
27	Modelling the interplay between childhood and adult adversity in pathways to psychosis: initial evidence from the AESOP study. <i>Psychological Medicine</i> , 2014 , 44, 407-19	6.9	52
26	Reappraising the long-term course and outcome of psychotic disorders: the AESOP-10 study. <i>Psychological Medicine</i> , 2014 , 44, 2713-26	6.9	137
25	Effectiveness and cost-effectiveness of body psychotherapy in the treatment of negative symptoms of schizophrenia—a multi-centre randomised controlled trial. <i>BMC Psychiatry</i> , 2013 , 13, 26	4.2	14

24	The validity of patient- and clinician-rated measures of needs and the therapeutic relationship in psychosis: a pooled analysis. <i>Psychiatry Research</i> , 2013 , 209, 711-20	9.9	7
23	Testing the psychopathology of psychosis: evidence for a general psychosis dimension. <i>Schizophrenia Bulletin</i> , 2013 , 39, 884-95	1.3	85
22	Urbanicity, social adversity and psychosis. <i>World Psychiatry</i> , 2013 , 12, 187-97	14.4	133
21	The validity of subjective quality of life measures in psychotic patients with severe psychopathology and cognitive deficits: an item response model analysis. <i>Quality of Life Research</i> , 2012 , 21, 237-46	3.7	18
20	Measuring patient-reported outcomes in psychosis: conceptual and methodological review. <i>British Journal of Psychiatry</i> , 2012 , 201, 262-7	5.4	48
19	Patient-reported outcome data generated in a clinical intervention in community mental health care—psychometric properties. <i>BMC Psychiatry</i> , 2012 , 12, 113	4.2	18
18	Association between symptoms and quality of life in patients with schizophrenia: a pooled analysis of changes over time. <i>Schizophrenia Research</i> , 2011 , 133, 17-21	3.6	61
17	Patient characteristics predicting better treatment outcomes in day hospitals compared with inpatient wards. <i>Psychiatric Services</i> , 2011 , 62, 278-84	3.3	14
16	Measuring patients' views: a bifactor model of distinct patient-reported outcomes in psychosis. <i>Psychological Medicine</i> , 2011 , 41, 277-89	6.9	25
15	Factors influencing subjective quality of life in patients with schizophrenia and other mental disorders: a pooled analysis. <i>Schizophrenia Research</i> , 2010 , 121, 251-8	3.6	71
14	Ethnic identity, perceptions of disadvantage, and psychosis: findings from the BOP study. <i>Schizophrenia Research</i> , 2010 , 124, 43-8	3.6	28
13	Unemployment, social isolation, achievement-expectation mismatch and psychosis: findings from the AESOP Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 743-51	4.5	74
12	The High Secure Psychiatric Hospitals Nursing Staff Stress Survey 3: Identifying stress resistance resources in the stress process of physical assault. <i>Personality and Individual Differences</i> , 2007 , 42, 397-408	3.3	14
11	Assessing morale in community mental health professionals: a pooled analysis of data from four European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 237-43	4.5	16
10	Dissociative symptoms in alcohol-dependent patients: associations with childhood trauma and substance abuse characteristics. <i>Comprehensive Psychiatry</i> , 2007 , 48, 539-45	7.3	38
9	A test method for 50 Hz capability of vacuum interrupter materials. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 1997 , 4, 854-856	2.3	1
8	. <i>IEEE Transactions on Electrical Insulation</i> , 1993 , 28, 621-627		23
7	Effects of a Novel, Transdiagnostic, Hybrid Ecological Momentary Intervention for Improving Resilience in Youth (EMlcompass): Protocol for an Exploratory Randomized Controlled Trial (Preprint)		1

6	A Compassion-Focused Ecological Momentary Intervention for Enhancing Resilience in Help-Seeking Youth: Uncontrolled Pilot Study (Preprint)	1
5	The effects of a novel, transdiagnostic, hybrid ecological momentary intervention for improving resilience in youth (EMicompass): study protocol for an exploratory randomized controlled trial	2
4	Efficacy of a transdiagnostic ecological momentary intervention for improving self-esteem (SELFIE) in youth exposed to childhood adversity: study protocol for a multi-centre randomized controlled trial	3
3	An ecological momentary compassion-focused intervention for enhancing resilience in help-seeking youths: a pilot study	6
2	Digital interventions to mitigate the negative impact of the COVID-19 pandemic on public mental health: a rapid meta-review	5
1	Social isolation, mental health, and use of digital interventions in youth during the COVID-19 pandemic: a nationally representative survey	9