

Ugo CorrÃ

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6811678/publications.pdf>

Version: 2024-02-01

169
papers

21,535
citations

28272

55
h-index

9102

144
g-index

178
all docs

178
docs citations

178
times ranked

23042
citing authors

#	ARTICLE	IF	CITATIONS
1	Functional capacity assessment and Minimal Clinically Important Difference in post-acute cardiac patients: the role of Short Physical Performance Battery. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1008-1014.	1.8	18
2	CARDIOPULMONARY EXERCISE TESTING IN PATIENTS WITH ASYMPTOMATIC LEFT VENTRICULAR DYSFUNCTION: LACK OF PROGNOSTIC PREDICTIVE POWER OF VENTILATORY VARIABLES. <i>European Journal of Preventive Cardiology</i> , 2022, , .	1.8	2
3	Cardiovascular disease patients and predictors of length of stay of residential of cardiac rehabilitation. A specific rehabilitation is mandatory in very old patients?. <i>Monaldi Archives for Chest Disease</i> , 2022, , .	0.6	1
4	Old and new equations for maximal heart rate prediction in patients with heart failure and reduced ejection fraction on beta-blockers treatment: results from the MECKI score data set. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1680-1688.	1.8	11
5	Prognostic value of 6-min walk test compared to cardiopulmonary exercise test in patients with severe heart failure. <i>Journal of Cardiovascular Medicine</i> , 2022, 23, 379-386.	1.5	1
6	Secondary prevention through comprehensive cardiovascular rehabilitation: From knowledge to implementation. 2020 update. A position paper from the Secondary Prevention and Rehabilitation Section of the European Association of Preventive Cardiology. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 460-495.	1.8	388
7	Comprehensive multicomponent cardiac rehabilitation in cardiac implantable electronic devices recipients: a consensus document from the European Association of Preventive Cardiology (EAPC); <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i> <i>European Journal of Preventive Cardiology</i> , 2021, 28, 1736-1752.	1.8	1
8	Comprehensive multicomponent cardiac rehabilitation in cardiac implantable electronic devices recipients: a consensus document from the European Association of Preventive Cardiology (EAPC); <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i> <i>Europace</i> , 2021, 23, 1336-1337o.	1.7	5
9	Exertional and nocturnal periodic breathing after successful cardiac transplantation. A case report. <i>Monaldi Archives for Chest Disease</i> , 2021, 91, .	0.6	0
10	Exercise Dynamic of Patients with Chronic Heart Failure and Reduced Ejection Fraction. <i>Current Cardiology Reports</i> , 2021, 23, 92.	2.9	1
11	The Future of Exercise-Based Cardiac Rehabilitation for Patients With Heart Failure. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 709898.	2.4	14
12	Exercise intensity assessment and prescription in cardiovascular rehabilitation: never ending story. <i>European Journal of Preventive Cardiology</i> , 2021, , .	1.8	0
13	The Impact of Cardiac Rehabilitation on Activities of Daily Life in Elderly Patients With Heart Failure. <i>Frontiers in Physiology</i> , 2021, 12, 785501.	2.8	5
14	Gender and age normalization and ventilation efficiency during exercise in heart failure with reduced ejection fraction. <i>ESC Heart Failure</i> , 2020, 7, 368-377.	3.1	23
15	Update on cardiovascular prevention in clinical practice: A position paper of the European Association of Preventive Cardiology of the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 181-205.	1.8	148
16	Increased serum uric acid level predicts poor prognosis in mildly severe chronic heart failure with reduced ejection fraction. An analysis from the MECKI score research group. <i>European Journal of Internal Medicine</i> , 2020, 72, 47-52.	2.2	15
17	Role of gender, age and BMI in prognosis of heart failure. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 46-51.	1.8	47
18	Role of comorbidities in heart failure prognosis Part 2: Chronic kidney disease, elevated serum uric acid. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 35-45.	1.8	34

#	ARTICLE	IF	CITATIONS
19	Comparison among different multiparametric scores for risk stratification in heart failure patients with reduced ejection fraction. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 12-18.	1.8	10
20	Exercise capacity in left ventricular assistance device recipients: exercise tolerance to be fit. <i>Journal of Cardiovascular Medicine</i> , 2020, 21, 481-482.	1.5	0
21	The MECKI score initiative: a successful and ongoing story. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 3-4.	1.8	1
22	Long-term prognostic role of diabetes mellitus and glycemic control in heart failure patients with reduced ejection fraction. <i>International Journal of Cardiology</i> , 2020, 317, 103-110.	1.7	13
23	Alternative aerobic training session in coronary artery disease patients in cardiac rehabilitation. A new stone thrown in the pond. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1688-1690.	1.8	0
24	Cardiopulmonary exercise testing in chronic heart failure patients treated with beta-blockers: Still a valid prognostic tool. <i>International Journal of Cardiology</i> , 2020, 317, 128-132.	1.7	2
25	Choosing among β -blockers in heart failure patients according to β -receptors' location and functions in the cardiopulmonary system. <i>Pharmacological Research</i> , 2020, 156, 104785.	7.1	14
26	Difference in prevalence of exertional oscillatory ventilation between healthy subjects and patients with cardiovascular disease. <i>Monaldi Archives for Chest Disease</i> , 2020, 90, .	0.6	1
27	Cardiovascular Death Risk in Recovered Mid-Range Ejection Fraction Heart Failure: Insights From Cardiopulmonary Exercise Test. <i>Journal of Cardiac Failure</i> , 2020, 26, 932-943.	1.7	8
28	Regional differences in exercise training implementation in heart failure: findings from the Exercise Training in Heart Failure (ExTraHF) survey. <i>European Journal of Heart Failure</i> , 2019, 21, 1142-1148.	7.1	14
29	Anaerobic Threshold and Respiratory Compensation Point Identification During Cardiopulmonary Exercise Tests in Chronic Heart Failure. <i>Chest</i> , 2019, 156, 338-347.	0.8	22
30	Early mobilization in LVAD recipients: An obligatory step towards recovery. <i>Monaldi Archives for Chest Disease</i> , 2019, 89, .	0.6	3
31	The importance of return to work: How to achieve optimal reintegration in ACS patients. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1358-1369.	1.8	27
32	Isocapnic buffering period: From physiology to clinics. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1107-1114.	1.8	12
33	Exercise oscillatory ventilation and prognosis in heart failure patients with reduced and mid-range ejection fraction. <i>European Journal of Heart Failure</i> , 2019, 21, 1586-1595.	7.1	24
34	Exercise training in patients with ventricular assist devices: a review of the evidence and practical advice. A position paper from the Committee on Exercise Physiology and Training and the Committee of Advanced Heart Failure of the Heart Failure Association of the European Society of Cardiology. <i>European Journal of Heart Failure</i> , 2019, 21, 3-13.	7.1	84
35	Modes of death and prognostic outliers in chronic heart failure. <i>American Heart Journal</i> , 2019, 208, 100-109.	2.7	7
36	Heart failure prognosis over time: how the prognostic role of oxygen consumption and ventilatory efficiency during exercise has changed in the last 20 years. <i>European Journal of Heart Failure</i> , 2019, 21, 208-217.	7.1	60

#	ARTICLE	IF	CITATIONS
37	Mineralocorticoid receptor antagonists for heart failure: a real-life observational study. <i>ESC Heart Failure</i> , 2018, 5, 267-274.	3.1	13
38	The EXPERT vision of exercise training in cardiovascular disease patients: A routine, practical and reasonable technique. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 679-681.	1.8	2
39	Gait speed has comparable prognostic capability to six-minute walk distance in older patients with cardiovascular disease. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 212-219.	1.8	92
40	Multiparametric prognostic scores in chronic heart failure with reduced ejection fraction: a long-term comparison. <i>European Journal of Heart Failure</i> , 2018, 20, 700-710.	7.1	84
41	Role of cardiopulmonary exercise testing in clinical stratification in heart failure. A position paper from the Committee on Exercise Physiology and Training of the Heart Failure Association of the European Society of Cardiology. <i>European Journal of Heart Failure</i> , 2018, 20, 3-15.	7.1	157
42	Main messages for primary care from the 2016 European Guidelines on cardiovascular disease prevention in clinical practice. <i>European Journal of General Practice</i> , 2018, 24, 51-56.	2.0	36
43	Cardiac Prevention and Rehabilitation 3.0: From acute to chronic phase. Position Paper of the Italian Association for Cardiovascular Prevention and Rehabilitation (GICR-IACPR). <i>Monaldi Archives for Chest Disease</i> , 2018, 88, 1004.	0.6	17
44	Prevalence of exertional oscillatory ventilation in continuous-flow left ventricular assist device recipients. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1838-1842.	1.8	8
45	Exertional oscillatory ventilation in patients supported with continuous-flow left ventricular assist device: Not so exceptional as supposed. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1836-1837.	1.8	0
46	Exercise gas exchange in continuous-flow left ventricular assist device recipients. <i>PLoS ONE</i> , 2018, 13, e0187112.	2.5	13
47	Dose-dependent efficacy of β -blocker in patients with chronic heart failure and atrial fibrillation. <i>International Journal of Cardiology</i> , 2018, 273, 141-146.	1.7	13
48	Exercise Prescription in Patients with Different Combinations of Cardiovascular Disease Risk Factors: A Consensus Statement from the EXPERT Working Group. <i>Sports Medicine</i> , 2018, 48, 1781-1797.	6.5	126
49	European Heart Rhythm Association (EHRA)/European Association of Cardiovascular Prevention and Rehabilitation (EACPR) position paper on how to prevent atrial fibrillation endorsed by the Heart Rhythm Society (HRS) and Asia Pacific Heart Rhythm Society (APHRS). <i>Europace</i> , 2017, 19, euw242.	1.7	67
50	Pre-participation cardiovascular evaluation for athletic participants to prevent sudden death: Position paper from the EHRA and the EACPR, branches of the ESC. Endorsed by APHRS, HRS, and SOLAECE. <i>Europace</i> , 2017, 19, euw243.	1.7	86
51	Frailty and cardiac rehabilitation: A call to action from the EAPC Cardiac Rehabilitation Section. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 577-590.	1.8	161
52	Prognostic role of β -blocker selectivity and dosage regimens in heart failure patients. Insights from the MECKI score database. <i>European Journal of Heart Failure</i> , 2017, 19, 904-914.	7.1	28
53	The European Association of Preventive Cardiology Exercise Prescription in Everyday Practice and Rehabilitative Training (EXPERT) tool: A digital training and decision support system for optimized exercise prescription in cardiovascular disease. Concept, definitions and construction methodology. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1017-1031.	1.8	141
54	Different Determinants of Ventilatory Inefficiency at Different Stages of Reduced Ejection Fraction Chronic Heart Failure Natural History. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	8

#	ARTICLE	IF	CITATIONS
55	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017, 6, 299-310.	1.0	25
56	Periodic Breathing during Incremental Exercise. <i>Annals of the American Thoracic Society</i> , 2017, 14, S116-S122.	3.2	20
57	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Journal of Cardiovascular Nursing</i> , 2017, 16, 369-380.	0.9	18
58	Cardiopulmonary Exercise Testing in Patients with Heart Failure with Specific Comorbidities. <i>Annals of the American Thoracic Society</i> , 2017, 14, S110-S115.	3.2	15
59	2016 European Guidelines on cardiovascular disease prevention in clinical practice. <i>International Journal of Behavioral Medicine</i> , 2017, 24, 321-419.	1.7	84
60	Exertional Oscillatory Ventilation and Central Sleep Apnea in Heart Failure: Siblings, Cousins, or What Else?. , 2017, , 183-202.		1
61	Exercise Prescriptions for Training and Rehabilitation in Patients with Heart and Lung Disease. <i>Annals of the American Thoracic Society</i> , 2017, 14, S59-S66.	3.2	14
62	Secondary prevention: Where we are. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 14-21.	1.8	11
63	Prognostic Impact of Diabetes and Prediabetes on Survival Outcomes in Patients With Chronic Heart Failure: A Postâ€Hoc Analysis of the GISSIâ€HF (Gruppo Italiano per lo Studio della Sopravvivenza nella) Tj ETQq1 1:0778431451gBT /O		
64	European Heart Rhythm Association (EHRA)/European Association of Cardiovascular Prevention and Rehabilitation (EACPR) position paper on how to prevent atrial fibrillation endorsed by the Heart Rhythm Society (HRS) and Asia Pacific Heart Rhythm Society (APHRS). <i>European Journal of Preventive Cardiology</i> , 2017, 24, 4-40.	1.8	83
65	Pre-participation cardiovascular evaluation for athletic participants to prevent sudden death: Position paper from the EHRA and the EACPR, branches of the ESC. Endorsed by APHRS, HRS, and SOLAECE. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 41-69.	1.8	181
66	Heart failure and anemia: Effects on prognostic variables. <i>European Journal of Internal Medicine</i> , 2017, 37, 56-63.	2.2	33
67	Characteristics of structured physical training currently provided in cardiac patients: insights from the Exercise Training in Cardiac Rehabilitation (ETCR) Italian survey. <i>Monaldi Archives for Chest Disease</i> , 2017, 87, 778.	0.6	14
68	Cardiopulmonary exercise testing in systolic heart failure: from basic to advanced practice. <i>Monaldi Archives for Chest Disease</i> , 2016, 86, 757.	0.6	0
69	Exercise tolerance can explain the obesity paradox in patients with systolic heart failure: data from the <sc>MECKI</sc> Score Research Group. <i>European Journal of Heart Failure</i> , 2016, 18, 545-553.	7.1	64
70	Telerehabilitation in heart failure patients: The evidence and the pitfalls. <i>International Journal of Cardiology</i> , 2016, 220, 408-413.	1.7	73
71	2016 European Guidelines on cardiovascular disease prevention in clinical practice. <i>European Heart Journal</i> , 2016, 37, 2315-2381.	2.2	5,370
72	Prognostic value of angiotensin-converting enzyme inhibitors in patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2016, 212, 364-368.	1.7	28

#	ARTICLE	IF	CITATIONS
73	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1994-2006.	1.8	117
74	2016 European Guidelines on cardiovascular disease prevention in clinical practice. <i>Atherosclerosis</i> , 2016, 252, 207-274.	0.8	415
75	Obituary â€“ Pantaleo Giannuzzi. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1802-1803.	1.8	1
76	2016 European Guidelines on cardiovascular disease prevention in clinical practice. <i>European Journal of Preventive Cardiology</i> , 2016, 23, NP1-NP96.	1.8	683
77	Greater functional improvement in patients with diabetes after rehabilitation following cardiac surgery. <i>Diabetic Medicine</i> , 2016, 33, 1067-1075.	2.3	5
78	Sex Profile and Risk Assessment With Cardiopulmonary Exercise Testing in Heart Failure: Propensity Score Matching for Sex Selection Bias. <i>Canadian Journal of Cardiology</i> , 2016, 32, 754-759.	1.7	19
79	Exercise oscillatory ventilation in heart failure. <i>International Journal of Cardiology</i> , 2016, 206, S13-S15.	1.7	22
80	The metabolic exercise test data combined with Cardiac And Kidney Indexes (MECKI) score and prognosis in heart failure. A validation study. <i>International Journal of Cardiology</i> , 2016, 203, 1067-1072.	1.7	36
81	Echocardiography of Right Ventriculoarterial Coupling Combined With Cardiopulmonary Exercise Testing to Predict Outcome in Heart Failure. <i>Chest</i> , 2015, 148, 226-234.	0.8	123
82	<scp>ExtraHF</scp> survey: the first European survey on implementation of exercise training in heart failure patients. <i>European Journal of Heart Failure</i> , 2015, 17, 631-638.	7.1	69
83	Exercise Performance Is a Prognostic Indicator in Elderly Patients With Chronic Heart Failureâ€“ Application of Metabolic Exercise Cardiac Kidney Indexes Score â€“. <i>Circulation Journal</i> , 2015, 79, 2608-2615.	1.6	21
84	Renal Function and Peak Exercise Oxygen Consumption in Chronic Heart Failure With Reduced Left Ventricular Ejection Fraction. <i>Circulation Journal</i> , 2015, 79, 583-591.	1.6	29
85	Prognostic role of atrial fibrillation in patients affected by chronic heart failure. Data from the MECKI score research group. <i>European Journal of Internal Medicine</i> , 2015, 26, 515-520.	2.2	16
86	Regular Wine Consumption in Chronic Heart Failure. <i>Circulation: Heart Failure</i> , 2015, 8, 428-437.	3.9	26
87	Healthy Lifestyle Interventions to Combat Noncommunicable Diseaseâ€“ A Novel Nonhierarchical Connectivity Model for Key Stakeholders: A Policy Statement From the American Heart Association, European Society of Cardiology, European Association for Cardiovascular Prevention and Rehabilitation, and American College of Preventive Medicine. <i>Mayo Clinic Proceedings</i> , 2015, 90,	3.0	77
88	Healthy lifestyle interventions to combat noncommunicable diseaseâ€“ a novel nonhierarchical connectivity model for key stakeholders: a policy statement from the American Heart Association, European Society of Cardiology, European Association for Cardiovascular Prevention and Rehabilitation, and American College of Preventive Medicine. <i>European Heart Journal</i> , 2015, 36, 2097-2109.	2.2	117
89	Metabolic exercise data combined with cardiac and kidney indexes: MECKI score. Predictive role in cardiopulmonary exercise testing with low respiratory exchange ratio in heart failure. <i>International Journal of Cardiology</i> , 2015, 184, 299-301.	1.7	10
90	Deceptive meaning of oxygen uptake measured at the anaerobic threshold in patients with systolic heart failure and atrial fibrillation. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 1046-1055.	1.8	32

#	ARTICLE	IF	CITATIONS
91	Exercise programs for LVAD supported patients: A snapshot from the ESC affiliated countries. <i>International Journal of Cardiology</i> , 2015, 201, 215-219.	1.7	32
92	Challenges in secondary prevention of cardiovascular diseases. <i>International Journal of Cardiology</i> , 2015, 180, 114-119.	1.7	43
93	Cardiovascular mortality and chronotropic incompetence in systolic heart failure: the importance of a reappraisal of current cut-off criteria. <i>European Journal of Heart Failure</i> , 2014, 16, 201-209.	7.1	44
94	Secondary prevention in the clinical management of patients with cardiovascular diseases. Core components, standards and outcome measures for referral and delivery. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 664-681.	1.8	486
95	Cardiopulmonary exercise testing in systolic heart failure in 2014: the evolving prognostic role. <i>European Journal of Heart Failure</i> , 2014, 16, 929-941.	7.1	83
96	Systemic perfusion at peak incremental exercise in left ventricular assist device recipients: Partitioning pump and native left ventricle relative contribution. <i>International Journal of Cardiology Heart & Vessels</i> , 2014, 4, 40-45.	0.5	17
97	Prognostic Value of Indeterminable Anaerobic Threshold in Heart Failure. <i>Circulation: Heart Failure</i> , 2013, 6, 977-987.	3.9	60
98	Peak oxygen consumption and prognosis in heart failure. <i>International Journal of Cardiology</i> , 2013, 167, 157-161.	1.7	26
99	Speeding of pulmonary VO ₂ on-kinetics by light-to-moderate-intensity aerobic exercise training in chronic heart failure: Clinical and pathophysiological correlates. <i>International Journal of Cardiology</i> , 2013, 167, 2189-2195.	1.7	51
100	Metabolic exercise test data combined with cardiac and kidney indexes, the MECKI score: A multiparametric approach to heart failure prognosis. <i>International Journal of Cardiology</i> , 2013, 167, 2710-2718.	1.7	183
101	Severe heart failure prognosis evaluation for transplant selection in the era of beta-blockers: Role of peak oxygen consumption. <i>International Journal of Cardiology</i> , 2013, 168, 5078-5081.	1.7	25
102	Prognostic significance of peak oxygen consumption ≥ 10 ml/kg/min in heart failure: Context vs. criteria. <i>International Journal of Cardiology</i> , 2013, 168, 3419-3423.	1.7	4
103	How to face emergencies in heart failure patients with ventricular assist device. <i>International Journal of Cardiology</i> , 2013, 168, 5143-5148.	1.7	8
104	Cardiopulmonary exercise testing and prognosis in heart failure due to systolic left ventricular dysfunction: a validation study of the European Society of Cardiology Guidelines and Recommendations (2008) and further developments. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 32-40.	1.8	44
105	Ventricular assist device patients on the horizon of cardiovascular prevention and rehabilitation. Can we convert challenges into opportunities?. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 490-493.	1.8	9
106	Exercise training reverses exertional oscillatory ventilation in heart failure patients. <i>European Respiratory Journal</i> , 2012, 40, 1238-1244.	6.7	42
107	Reduced exercise capacity in early-stage amyotrophic lateral sclerosis: Role of skeletal muscle. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2012, 13, 87-94.	2.1	11
108	A new cardiopulmonary exercise testing prognosticating algorithm for heart failure patients treated with beta-blockers. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 185-191.	1.8	8

#	ARTICLE	IF	CITATIONS
109	Exercise training in heart failure: from theory to practice. A consensus document of the Heart Failure Association and the European Association for Cardiovascular Prevention and Rehabilitation. <i>European Journal of Heart Failure</i> , 2011, 13, 347-357.	7.1	580
110	Long-Term Effectiveness of Cardiac Resynchronization Therapy in Heart Failure Patients With Unfavorable Cardiac Veins Anatomy. <i>Journal of the American College of Cardiology</i> , 2011, 58, 483-490.	2.8	47
111	Cardiovascular prevention and rehabilitation for patients with ventricular assist device From exercise therapy to long-term therapy Part II: Long-term therapy. <i>Monaldi Archives for Chest Disease</i> , 2011, 76, 136-45.	0.6	11
112	Cardiovascular prevention and rehabilitation for patients with ventricular assist device From exercise therapy to long-term therapy Part I: exercise therapy. <i>Monaldi Archives for Chest Disease</i> , 2011, 76, 27-32.	0.6	21
113	Upper Intensity Limit for Prolonged Aerobic Exercise in Chronic Heart Failure. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 633-639.	0.4	36
114	Exercise intolerance in chronic heart failure: mechanisms and therapies. Part I. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 637-642.	2.8	107
115	Age-related prolongation of phase I of $\dot{V}_{I\ddot{t}}$ on-kinetics in healthy humans. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010, 299, R968-R976.	1.8	29
116	Exercise intolerance in chronic heart failure: mechanisms and therapies. Part II. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 643-648.	2.8	49
117	Secondary prevention through cardiac rehabilitation: physical activity counselling and exercise training: Key components of the position paper from the Cardiac Rehabilitation Section of the European Association of Cardiovascular Prevention and Rehabilitation. <i>European Heart Journal</i> , 2010, 31, 1967-1974.	2.2	306
118	Secondary prevention through cardiac rehabilitation: from knowledge to implementation. A position paper from the Cardiac Rehabilitation Section of the European Association of Cardiovascular Prevention and Rehabilitation. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 1-17.	2.8	629
119	Exercise haemodynamic variables rather than ventilatory efficiency indexes contribute to risk assessment in chronic heart failure patients treated with carvedilol. <i>European Heart Journal</i> , 2009, 30, 3000-3006.	2.2	42
120	Multicenter randomised trial on home-based telemanagement to prevent hospital readmission of patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2009, 131, 192-199.	1.7	196
121	Standards for the use of cardiopulmonary exercise testing for the functional evaluation of cardiac patients: a report from the Exercise Physiology Section of the European Association for Cardiovascular Prevention and Rehabilitation. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009, 16, 249-267.	2.8	308
122	Central adaptations to exercise training in patients with chronic heart failure. <i>Heart Failure Reviews</i> , 2008, 13, 13-20.	3.9	40
123	ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2008: The Task Force for the Diagnosis and Treatment of Acute and Chronic Heart Failure 2008 of the European Society of Cardiology. Developed in collaboration with the Heart Failure Association of the ESC (HFA) and endorsed by the European Society of Intensive Care Medicine (ESICM). <i>European Heart Journal</i> , 2008, 29, 2388-2412.	2.2	2,656
124	Time Course of Effects of Cardiac Resynchronization Therapy in Chronic Heart Failure: Benefits in Patients with Preserved Exercise Capacity. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008, 31, 701-708.	1.2	32
125	Methodological approach to the first and second lactate threshold in incremental cardiopulmonary exercise testing. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 726-734.	2.8	319
126	Permanent atrial fibrillation affects exercise capacity in chronic heart failure patients. <i>European Heart Journal</i> , 2008, 29, 2367-2372.	2.2	73

#	ARTICLE	IF	CITATIONS
127	Perioperative and postoperative predictors of outcome in patients with low ejection fraction early after coronary artery bypass grafting: the additional value of left ventricular remodeling. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 441-447.	2.8	7
128	ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2008. <i>European Journal of Heart Failure</i> , 2008, 10, 933-989.	7.1	1,893
129	Anaerobic and aerobic relative contribution to total energy release during supramaximal effort in patients with left ventricular dysfunction. <i>Journal of Applied Physiology</i> , 2008, 104, 97-102.	2.5	4
130	Future perspectives in cardiac rehabilitation: a new European Association for Cardiovascular Prevention and Rehabilitation Position Paper on "secondary prevention through cardiac rehabilitation". <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 723-725.	2.8	6
131	Low plasma levels of brain natriuretic peptide in severe acute heart failure: Merely a case?. <i>International Journal of Cardiology</i> , 2007, 122, e18-e20.	1.7	1
132	Unreliability of the %VO ₂ reserve versus %heart rate reserve relationship for aerobic effort relative intensity assessment in chronic heart failure patients on or off beta-blocking therapy. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 92-98.	2.8	30
133	Cardiac Rehabilitation in Chronic Heart Failure. , 2007, , 393-406.		0
134	Statement on cardiopulmonary exercise testing in chronic heart failure due to left ventricular dysfunction: recommendations for performance and interpretation Part I: Definition of cardiopulmonary exercise testing parameters for appropriate use in chronic heart failure. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 150-164.	2.8	92
135	Maximal Accumulated Oxygen Deficit in Patients with Chronic Heart Failure. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 424-432.	0.4	10
136	Prognostic value of time-related changes of cardiopulmonary exercise testing indices in stable chronic heart failure: a pragmatic and operative scheme. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 186-192.	2.8	40
137	Role of cardiopulmonary exercise testing in today's cardiovascular prevention and rehabilitation. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 473-474.	2.8	7
138	Sleep and Exertional Periodic Breathing in Chronic Heart Failure. <i>Circulation</i> , 2006, 113, 44-50.	1.6	237
139	Statement on cardiopulmonary exercise testing in chronic heart failure due to left ventricular dysfunction: recommendations for performance and interpretation Part II: How to perform cardiopulmonary exercise testing in chronic heart failure. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 300-311.	2.8	3
140	Statement on cardiopulmonary exercise testing in chronic heart failure due to left ventricular dysfunction. Recommendations for performance and interpretation. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 10-12.	2.8	4
141	Response to Letter Regarding Article "Sleep and Exertional Periodic Breathing in Chronic Heart Failure: Prognostic Importance and Interdependence". <i>Circulation</i> , 2006, 114, .	1.6	3
142	Moving towards non-moving training in chronic heart failure: is electrical stimulation a surrogate for exercise in reversing skeletal muscle abnormalities?. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 234-235.	2.8	1
143	Executive summary of the Position Paper of the Working Group on Cardiac Rehabilitation and Exercise Physiology of the European Society of Cardiology (ESC): core components of cardiac rehabilitation in chronic heart failure. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 321-325.	2.8	66
144	Cardiopulmonary Exercise Testing and Prognosis in Chronic Heart Failure*. <i>Chest</i> , 2004, 126, 942-950.	0.8	111

#	ARTICLE	IF	CITATIONS
145	Limited predictive value of cardiopulmonary exercise indices in patients with moderate chronic heart failure treated with carvedilol. <i>American Heart Journal</i> , 2004, 147, 553-560.	2.7	33
146	Chronic heart failure-related myopathy and exercise training: a developing therapy for heart failure symptoms. <i>Current Problems in Cardiology</i> , 2003, 28, 521-547.	2.4	12
147	Contribution of peak respiratory exchange ratio to peak VO ₂ prognostic reliability in patients with chronic heart failure and severely reduced exercise capacity. <i>American Heart Journal</i> , 2003, 145, 1102-1107.	2.7	94
148	Antiremodeling Effect of Long-Term Exercise Training in Patients With Stable Chronic Heart Failure. <i>Circulation</i> , 2003, 108, 554-559.	1.6	297
149	Central Sleep Apnea in Left Ventricular Dysfunction. <i>Circulation</i> , 2003, 107, 727-732.	1.6	282
150	Oscillatory Ventilation During Exercise in Patients With Chronic Heart Failure. <i>Chest</i> , 2002, 121, 1572-1580.	0.8	164
151	Ventilatory response to exercise improves risk stratification in patients with chronic heart failure and intermediate functional capacity. <i>American Heart Journal</i> , 2002, 143, 418-426.	2.7	168
152	Chronic heart failure-related myopathy and exercise training: A developing therapy for heart failure symptoms. <i>Progress in Cardiovascular Diseases</i> , 2002, 45, 157-172.	3.1	9
153	Accurate noninvasive estimation of pulmonary vascular resistance by Doppler echocardiography in patients with chronic heart failure. <i>Journal of the American College of Cardiology</i> , 2001, 37, 1813-1819.	2.8	100
154	Chronic mitral regurgitation and doppler estimation of left ventricular filling pressures in patients with heart failure. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 1094-1099.	2.8	18
155	Habitual Activities and Peak Aerobic Capacity in Patients With Asymptomatic and Symptomatic Left Ventricular Dysfunction. <i>Chest</i> , 2000, 117, 1291-1299.	0.8	32
156	Estimation of pulmonary wedge pressure by transmitral Doppler in patients with chronic heart failure and atrial fibrillation. <i>American Journal of Cardiology</i> , 1999, 83, 724-727.	1.6	90
157	Doppler-Derived Acceleration Rate of Right Ventricular Early Filling as a Measurement of Right Atrial Pressure in Chronic Heart Failure Secondary to Ischemic or Idiopathic Dilated Cardiomyopathy. <i>American Journal of Cardiology</i> , 1998, 81, 513-515.	1.6	13
158	Reversible Restrictive Left Ventricular Diastolic Filling With Optimized Oral Therapy Predicts a More Favorable Prognosis in Patients With Chronic Heart Failure. <i>Journal of the American College of Cardiology</i> , 1998, 31, 1591-1597.	2.8	123
159	Attenuation of Unfavorable Sympathetic Hyperactivity Induced by Long-Term Physical Training in Postinfarction Patients: Fact or Speculation?. <i>Circulation</i> , 1998, 98, 1042-1043.	1.6	5
160	Attenuation of Unfavorable Remodeling by Exercise Training in Postinfarction Patients With Left Ventricular Dysfunction. <i>Circulation</i> , 1997, 96, 1790-1797.	1.6	161
161	Independent and incremental prognostic value of doppler-derived mitral deceleration time of early filling in both symptomatic and asymptomatic patients with left ventricular dysfunction. <i>Journal of the American College of Cardiology</i> , 1996, 28, 383-390.	2.8	242
162	<title>Clinical use of NIR laser reflectometry</title>. , 1996, , .		1

#	ARTICLE	IF	CITATIONS
163	Independent and Incremental Prognostic Value of Doppler-Derived Mitral Deceleration Time of Early Filling in Both Symptomatic and Asymptomatic Patients With Left Ventricular Dysfunction. Journal of the American College of Cardiology, 1996, 28, 383-390.	2.8	209
164	Residual exertional ischemia and unfavorable left ventricular remodeling in patients with systolic dysfunction after anterior myocardial infarction. Journal of the American College of Cardiology, 1995, 25, 1539-1546.	2.8	21
165	Simple noninvasive laser diode oxymeter for measurements on human tissues. , 1994, 2131, 475.		3
166	Long-term physical training and left ventricular remodelling after anterior myocardial infarction: Results of the exercise in anterior myocardial infarction (EAMI) trial. Journal of the American College of Cardiology, 1993, 22, 1821-1829.	2.8	159
167	EAMI"Exercise Training in Anterior Myocardial Infarction: An Ongoing Multicenter Randomized Study". Chest, 1992, 101, 315S-321S.	0.8	10
168	The Anaerobic Index: Uses and Limitations in the Assessment of Heart Failure. Cardiology, 1989, 76, 357-367.	1.4	1
169	Sex difference and outcome in healthy individuals with biomarkers Many steps remain to move!.. European Journal of Preventive Cardiology, 0, , .	1.8	0