Ugo Corr

List of Publications by Citations

Source: https://exaly.com/author-pdf/6811678/ugo-corra-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156 48 15,937 125 h-index g-index citations papers 19,065 178 5.1 5.79 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
156	2016 European Guidelines on cardiovascular disease prevention in clinical practice: The Sixth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of 10 societies and by invited	9.5	3919
155	ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2008: the Task Force for the Diagnosis and Treatment of Acute and Chronic Heart Failure 2008 of the European Society of Cardiology. Developed in collaboration with the Heart Failure Association of the ESC	9.5	2298
154	ESC guidelines for the diagnosis and treatment of acute and chronic heart failure 2008: the Task Force for the diagnosis and treatment of acute and chronic heart failure 2008 of the European Society of Cardiology. Developed in collaboration with the Heart Failure Association of the ESC	12.3	1355
153	Secondary prevention through cardiac rehabilitation: from knowledge to implementation. A position paper from the Cardiac Rehabilitation Section of the European Association of Cardiovascular Prevention and Rehabilitation. European Journal of Cardiovascular Prevention and		502
152	2016 European Guidelines on cardiovascular disease prevention in clinical practice: The Sixth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of 10 societies and by invited	3.9	445
151	Exercise training in heart failure: from theory to practice. A consensus document of the Heart Failure Association and the European Association for Cardiovascular Prevention and Rehabilitation. <i>European Journal of Heart Failure</i> , 2011 , 13, 347-57	12.3	430
150	Secondary prevention in the clinical management of patients with cardiovascular diseases. Core components, standards and outcome measures for referral and delivery: a policy statement from the cardiac rehabilitation section of the European Association for Cardiovascular Prevention &	3.9	365
149	2016 European Guidelines on cardiovascular disease prevention in clinical practice: The Sixth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of 10 societies and by invited	3.1	341
148	Antiremodeling effect of long-term exercise training in patients with stable chronic heart failure: results of the Exercise in Left Ventricular Dysfunction and Chronic Heart Failure (ELVD-CHF) Trial. <i>Circulation</i> , 2003 , 108, 554-9	16.7	251
147	Central sleep apnea in left ventricular dysfunction: prevalence and implications for arrhythmic risk. <i>Circulation</i> , 2003 , 107, 727-32	16.7	241
146	Standards for the use of cardiopulmonary exercise testing for the functional evaluation of cardiac patients: a report from the Exercise Physiology Section of the European Association for Cardiovascular Prevention and		240
145	Secondary prevention through cardiac rehabilitation: physical activity counselling and exercise training: key components of the position paper from the Cardiac Rehabilitation Section of the European Association of Cardiovascular Prevention and Rehabilitation. European Heart Journal,	9.5	239
144	2010, 31, 1967-74 Methodological approach to the first and second lactate threshold in incremental cardiopulmonary exercise testing. European Journal of Cardiovascular Prevention and Rehabilitation, 2008, 15, 726-34		216
143	Independent and incremental prognostic value of Doppler-derived mitral deceleration time of early filling in both symptomatic and asymptomatic patients with left ventricular dysfunction. <i>Journal of the American College of Cardiology</i> , 1996 , 28, 383-90	15.1	207
142	Sleep and exertional periodic breathing in chronic heart failure: prognostic importance and interdependence. <i>Circulation</i> , 2006 , 113, 44-50	16.7	202
141	Independent and Incremental Prognostic Value of Doppler-Derived Mitral Deceleration Time of Early Filling in Both Symptomatic and Asymptomatic Patients With Left Ventricular Dysfunction. <i>Journal of the American College of Cardiology</i> , 1996 , 28, 383-390	15.1	198
140	Multicenter randomised trial on home-based telemanagement to prevent hospital readmission of patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2009 , 131, 192-9	3.2	161

139	Oscillatory ventilation during exercise in patients with chronic heart failure: clinical correlates and prognostic implications. <i>Chest</i> , 2002 , 121, 1572-80	5.3	139
138	Ventilatory response to exercise improves risk stratification in patients with chronic heart failure and intermediate functional capacity. <i>American Heart Journal</i> , 2002 , 143, 418-26	4.9	134
137	Metabolic exercise test data combined with cardiac and kidney indexes, the MECKI score: a multiparametric approach to heart failure prognosis. <i>International Journal of Cardiology</i> , 2013 , 167, 271	0 ² 8	131
136	Secondary prevention through comprehensive cardiovascular rehabilitation: From knowledge to implementation. 2020 update. A position paper from the Secondary Prevention and Rehabilitation Section of the European Association of Preventive Cardiology. European Journal of Preventive	3.9	131
135	Long-term physical training and left ventricular remodeling after anterior myocardial infarction: results of the Exercise in Anterior Myocardial Infarction (EAMI) trial. EAMI Study Group. <i>Journal of the American College of Cardiology</i> , 1993 , 22, 1821-9	15.1	124
134	Attenuation of unfavorable remodeling by exercise training in postinfarction patients with left ventricular dysfunction: results of the Exercise in Left Ventricular Dysfunction (ELVD) trial. <i>Circulation</i> , 1997 , 96, 1790-7	16.7	123
133	Reversible restrictive left ventricular diastolic filling with optimized oral therapy predicts a more favorable prognosis in patients with chronic heart failure. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 1591-7	15.1	112
132	Pre-participation cardiovascular evaluation for athletic participants to prevent sudden death: Position paper from the EHRA and the EACPR, branches of the ESC. Endorsed by APHRS, HRS, and SOLAECE. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 41-69	3.9	110
131	Frailty and cardiac rehabilitation: A call to action from the EAPC Cardiac Rehabilitation Section. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 577-590	3.9	104
130	Cardiopulmonary exercise testing and prognosis in chronic heart failure: a prognosticating algorithm for the individual patient. <i>Chest</i> , 2004 , 126, 942-50	5.3	90
129	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1994-2006	3.9	88
128	Echocardiography of Right Ventriculoarterial Coupling Combined With Cardiopulmonary Exercise Testing to Predict Outcome in Heart Failure. <i>Chest</i> , 2015 , 148, 226-234	5.3	85
127	Exercise intolerance in chronic heart failure: mechanisms and therapies. Part I. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010 , 17, 637-42		85
126	The European Association of Preventive Cardiology Exercise Prescription in Everyday Practice and Rehabilitative Training (EXPERT) tool: A digital training and decision support system for optimized exercise prescription in cardiovascular disease. Concept, definitions and construction methodology.	3.9	84
125	Accurate noninvasive estimation of pulmonary vascular resistance by Doppler echocardiography in patients with chronic failure heart failure. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 1813-	g ^{15.1}	84
124	Role of cardiopulmonary exercise testing in clinical stratification in heart failure. A position paper from the Committee on Exercise Physiology and Training of the Heart Failure Association of the European Society of Cardiology. <i>European Journal of Heart Failure</i> , 2018 , 20, 3-15	12.3	83
123	Estimation of pulmonary wedge pressure by transmitral Doppler in patients with chronic heart failure and atrial fibrillation. <i>American Journal of Cardiology</i> , 1999 , 83, 724-7	3	82
122	Contribution of peak respiratory exchange ratio to peak VO2 prognostic reliability in patients with chronic heart failure and severely reduced exercise capacity. <i>American Heart Journal</i> , 2003 , 145, 1102-7	4.9	78

121	Healthy lifestyle interventions to combat noncommunicable disease-a novel nonhierarchical connectivity model for key stakeholders: a policy statement from the American Heart Association, European Association for Cardiovascular Prevention and	9.5	77
120	Update on cardiovascular prevention in clinical practice: A position paper of the European Association of Preventive Cardiology of the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 181-205	3.9	76
119	Statement on cardiopulmonary exercise testing in chronic heart failure due to left ventricular dysfunction: recommendations for performance and interpretation. Part I: definition of cardiopulmonary exercise testing parameters for appropriate use in chronic heart failure. <i>European</i>		68
118	Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 150-64 Gait speed has comparable prognostic capability to six-minute walk distance in older patients with cardiovascular disease. European Journal of Preventive Cardiology, 2018, 25, 212-219	3.9	67
117	Exercise Prescription in Patients with Different Combinations of Cardiovascular Disease Risk Factors: A Consensus Statement from the EXPERT Working Group. <i>Sports Medicine</i> , 2018 , 48, 1781-1797	,10.6	67
116	Cardiopulmonary exercise testing in systolic heart failure in 2014: the evolving prognostic role: a position paper from the committee on exercise physiology and training of the heart failure association of the ESC. <i>European Journal of Heart Failure</i> , 2014 , 16, 929-41	12.3	65
115	Healthy Lifestyle Interventions to Combat Noncommunicable Disease A Novel Nonhierarchical Connectivity Model for Key Stakeholders: A Policy Statement From the American Heart Association, European Society of Cardiology, European Association for Cardiovascular Prevention and	6.4	59
114	Rehabilitation, and American College of Preventive Medicine. <i>Mayo Clinic Proceedings</i> , 2015 , 90, 1082-10 Permanent atrial fibrillation affects exercise capacity in chronic heart failure patients. <i>European Heart Journal</i> , 2008 , 29, 2367-72	9.5	59
113	Exercise training in patients with ventricular assist devices: a review of the evidence and practical advice. A position paper from the Committee on Exercise Physiology and Training and the Committee of Advanced Heart Failure of the Heart Failure Association of the European Society of	12.3	56
112	Cardiology. European Journal of Heart Failure, 2019 , 21, 3-13 ExtraHF survey: the first European survey on implementation of exercise training in heart failure patients. European Journal of Heart Failure, 2015 , 17, 631-8	12.3	54
111	Executive summary of the position paper of the Working Group on Cardiac Rehabilitation and Exercise Physiology of the European Society of Cardiology (ESC): core components of cardiac rehabilitation in chronic heart failure. European Journal of Cardiovascular Prevention and Rehabilitation, 2005, 12, 321-5		52
110	Multiparametric prognostic scores in chronic heart failure with reduced ejection fraction: a long-term comparison. <i>European Journal of Heart Failure</i> , 2018 , 20, 700-710	12.3	51
109	Telerehabilitation in heart failure patients: The evidence and the pitfalls. <i>International Journal of Cardiology</i> , 2016 , 220, 408-13	3.2	46
108	European Heart Rhythm Association (EHRA)/European Association of Cardiovascular Prevention and Rehabilitation (EACPR) position paper on how to prevent atrial fibrillation endorsed by the Heart Rhythm Society (HRS) and Asia Pacific Heart Rhythm Society (APHRS). <i>Europace</i> , 2017 , 19, 190-225	3.9 5	44
107	Exercise intolerance in chronic heart failure: mechanisms and therapies. Part II. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010 , 17, 643-8		44
106	Exercise tolerance can explain the obesity paradox in patients with systolic heart failure: data from the MECKI Score Research Group. <i>European Journal of Heart Failure</i> , 2016 , 18, 545-53	12.3	44
105	European Heart Rhythm Association (EHRA)/European Association of Cardiovascular Prevention and Rehabilitation (EACPR) position paper on how to prevent atrial fibrillation endorsed by the Heart Rhythm Society (HRS) and Asia Pacific Heart Rhythm Society (APHRS). European Journal of	3.9	43
104	Speeding of pulmonary VO2 on-kinetics by light-to-moderate-intensity aerobic exercise training in chronic heart failure: clinical and pathophysiological correlates. <i>International Journal of Cardiology</i> , 2013 , 167, 2189-95	3.2	41

(2010-2012)

103	Cardiopulmonary exercise testing and prognosis in heart failure due to systolic left ventricular dysfunction: a validation study of the European Society of Cardiology Guidelines and Recommendations (2008) and further developments. <i>European Journal of Preventive Cardiology</i> ,	3.9	41
102	2012 , 19, 32-40 Prognostic value of indeterminable anaerobic threshold in heart failure. <i>Circulation: Heart Failure</i> , 2013 , 6, 977-87	7.6	39
101	Prognostic Impact of Diabetes and Prediabetes on Survival Outcomes in Patients With Chronic Heart Failure: A Post-Hoc Analysis of the GISSI-HF (Gruppo Italiano per lo Studio della Sopravvivenza nella Insufficienza Cardiaca-Heart Failure) Trial. <i>Journal of the American Heart</i>	6	39
100	Long-term effectiveness of cardiac resynchronization therapy in heart failure patients with unfavorable cardiac veins anatomy comparison of surgical versus hemodynamic procedure. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 483-90	15.1	38
99	Exercise training reverses exertional oscillatory ventilation in heart failure patients. <i>European Respiratory Journal</i> , 2012 , 40, 1238-44	13.6	38
98	Cardiovascular mortality and chronotropic incompetence in systolic heart failure: the importance of a reappraisal of current cut-off criteria. <i>European Journal of Heart Failure</i> , 2014 , 16, 201-9	12.3	37
97	Pre-participation cardiovascular evaluation for athletic participants to prevent sudden death: Position paper from the EHRA and the EACPR, branches of the ESC. Endorsed by APHRS, HRS, and SOLAECE. <i>Europace</i> , 2017 , 19, 139-163	3.9	36
96	Challenges in secondary prevention of cardiovascular diseases: a review of the current practice. <i>International Journal of Cardiology</i> , 2015 , 180, 114-9	3.2	34
95	Central adaptations to exercise training in patients with chronic heart failure. <i>Heart Failure Reviews</i> , 2008 , 13, 13-20	5	34
94	Heart failure prognosis over time: how the prognostic role of oxygen consumption and ventilatory efficiency during exercise has changed in the last 20 years. <i>European Journal of Heart Failure</i> , 2019 , 21, 208-217	12.3	33
93	Prognostic value of time-related changes of cardiopulmonary exercise testing indices in stable chronic heart failure: a pragmatic and operative scheme. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 186-92		31
92	Exercise haemodynamic variables rather than ventilatory efficiency indexes contribute to risk assessment in chronic heart failure patients treated with carvedilol. <i>European Heart Journal</i> , 2009 , 30, 3000-6	9.5	30
91	Habitual activities and peak aerobic capacity in patients with asymptomatic and symptomatic left ventricular dysfunction. <i>Chest</i> , 2000 , 117, 1291-9	5.3	29
90	Upper intensity limit for prolonged aerobic exercise in chronic heart failure. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 633-9	1.2	26
89	Time course of effects of cardiac resynchronization therapy in chronic heart failure: benefits in patients with preserved exercise capacity. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 701-8	1.6	26
88	Exercise programs for LVAD supported patients: A snapshot from the ESC affiliated countries. <i>International Journal of Cardiology</i> , 2015 , 201, 215-9	3.2	25
87	The metabolic exercise test data combined with Cardiac And Kidney Indexes (MECKI) score and prognosis in heart failure. A validation study. <i>International Journal of Cardiology</i> , 2016 , 203, 1067-72	3.2	25
86	Age-related prolongation of phase I of VO2 on-kinetics in healthy humans. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010 , 299, R968-76	3.2	25

85	Deceptive meaning of oxygen uptake measured at the anaerobic threshold in patients with systolic heart failure and atrial fibrillation. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 1046-55	3.9	24
84	Renal function and peak exercise oxygen consumption in chronic heart failure with reduced left ventricular ejection fraction. <i>Circulation Journal</i> , 2015 , 79, 583-91	2.9	24
83	Limited predictive value of cardiopulmonary exercise indices in patients with moderate chronic heart failure treated with carvedilol. <i>American Heart Journal</i> , 2004 , 147, 553-60	4.9	24
82	Heart failure and anemia: Effects on prognostic variables. <i>European Journal of Internal Medicine</i> , 2017 , 37, 56-63	3.9	23
81	Unreliability of the %VO2 reserve versus %heart rate reserve relationship for aerobic effort relative intensity assessment in chronic heart failure patients on or off beta-blocking therapy. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 92-8		23
80	Main messages for primary care from the 2016 European Guidelines on cardiovascular disease prevention in clinical practice. <i>European Journal of General Practice</i> , 2018 , 24, 51-56	2.8	23
79	Severe heart failure prognosis evaluation for transplant selection in the era of beta-blockers: role of peak oxygen consumption. <i>International Journal of Cardiology</i> , 2013 , 168, 5078-81	3.2	21
78	Prognostic value of angiopoietin-2 in patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2016 , 212, 364-8	3.2	21
77	Regular wine consumption in chronic heart failure: impact on outcomes, quality of life, and circulating biomarkers. <i>Circulation: Heart Failure</i> , 2015 , 8, 428-37	7.6	20
76	Peak oxygen consumption and prognosis in heart failure: 14 mL/kg/min is not a "gender-neutral" reference. <i>International Journal of Cardiology</i> , 2013 , 167, 157-61	3.2	20
75	Prognostic role of Eblocker selectivity and dosage regimens in heart failure patients. Insights from the MECKI score database. <i>European Journal of Heart Failure</i> , 2017 , 19, 904-914	12.3	19
74	Cardiovascular prevention and rehabilitation for patients with ventricular assist device from exercise therapy to long-term therapy. Part I: Exercise therapy. <i>Monaldi Archives for Chest Disease</i> , 2011 , 76, 27-32	2.7	19
73	Exercise Performance Is a Prognostic Indicator in Elderly Patients With Chronic Heart FailureApplication of Metabolic Exercise Cardiac Kidney Indexes Score. <i>Circulation Journal</i> , 2015 , 79, 2608-15	2.9	18
72	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017 , 6, 299-310	4.3	16
71	Residual exertional ischemia and unfavorable left ventricular remodeling in patients with systolic dysfunction after anterior myocardial infarction. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 1539-46	15.1	16
70	The importance of return to work: How to achieve optimal reintegration in ACS patients. <i>European Journal of Preventive Cardiology</i> , 2019 , 26, 1358-1369	3.9	15
69	Exercise oscillatory ventilation in heart failure. <i>International Journal of Cardiology</i> , 2016 , 206 Suppl, S13-	- 5 .2	15
68	Chronic mitral regurgitation and Doppler estimation of left ventricular filling pressures in patients with heart failure. <i>Journal of the American Society of Echocardiography</i> , 2001 , 14, 1094-9	5.8	15

67	Sex Profile and Risk Assessment With Cardiopulmonary Exercise Testing in Heart Failure: Propensity Score Matching for Sex Selection Bias. <i>Canadian Journal of Cardiology</i> , 2016 , 32, 754-9	3.8	14
66	Systemic perfusion at peak incremental exercise in left ventricular assist device recipients: Partitioning pump and native left ventricle relative contribution. <i>International Journal of Cardiology Heart & Vessels</i> , 2014 , 4, 40-45		14
65	Prognostic role of atrial fibrillation in patients affected by chronic heart failure. Data from the MECKI score research group. <i>European Journal of Internal Medicine</i> , 2015 , 26, 515-20	3.9	14
64	Periodic Breathing during Incremental Exercise. <i>Annals of the American Thoracic Society</i> , 2017 , 14, S116	-S _{41.7} 2	13
63	Role of gender, age and BMI in prognosis of heart failure. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 46-51	3.9	13
62	Exercise oscillatory ventilation and prognosis in heart failure patients with reduced and mid-range ejection fraction. <i>European Journal of Heart Failure</i> , 2019 , 21, 1586-1595	12.3	12
61	Cardiopulmonary Exercise Testing in Patients with Heart Failure with Specific Comorbidities. <i>Annals of the American Thoracic Society</i> , 2017 , 14, S110-S115	4.7	11
60	Anaerobic Threshold and Respiratory Compensation Point Identification During Cardiopulmonary Exercise Tests in Chronic Heart Failure. <i>Chest</i> , 2019 , 156, 338-347	5.3	11
59	Gender and age normalization and ventilation efficiency during exercise in heart failure with reduced ejection fraction. <i>ESC Heart Failure</i> , 2020 , 7, 371-380	3.7	11
58	Dose-dependent efficacy of Eblocker in patients with chronic heart failure and atrial fibrillation. <i>International Journal of Cardiology</i> , 2018 , 273, 141-146	3.2	10
57	Doppler-derived acceleration rate of right ventricular early filling as a measurement of right atrial pressure in chronic heart failure secondary to ischemic or idiopathic dilated cardiomyopathy. American Journal of Cardiology, 1998, 81, 513-5	3	10
56	Increased serum uric acid level predicts poor prognosis in mildly severe chronic heart failure with reduced ejection fraction. An analysis from the MECKI score research group. <i>European Journal of Internal Medicine</i> , 2020 , 72, 47-52	3.9	10
55	Guā ESC 2016 sobre prevenciā de la enfermedad cardiovascular en la prātica clāica. <i>Revista Espanola De Cardiologia</i> , 2016 , 69, 939.e1-939.e87	1.5	10
54	Exercise gas exchange in continuous-flow left ventricular assist device recipients. <i>PLoS ONE</i> , 2018 , 13, e0187112	3.7	10
53	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Journal of Cardiovascular Nursing</i> , 2017 , 16, 369-380	3.3	9
52	Isocapnic buffering period: From physiology to clinics. <i>European Journal of Preventive Cardiology</i> , 2019 , 26, 1107-1114	3.9	9
51	Choosing among Eblockers in heart failure patients according to Ereceptors' location and functions in the cardiopulmonary system. <i>Pharmacological Research</i> , 2020 , 156, 104785	10.2	9
50	Characteristics of structured physical training currently provided in cardiac patients: insights from the Exercise Training in Cardiac Rehabilitation (ETCR) Italian survey. <i>Monaldi Archives for Chest Disease</i> 2017 87 778	2.7	9

49	Exercise Prescriptions for Training and Rehabilitation in Patients with Heart and Lung Disease. <i>Annals of the American Thoracic Society</i> , 2017 , 14, S59-S66	4.7	9
48	Reduced exercise capacity in early-stage amyotrophic lateral sclerosis: Role of skeletal muscle. Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders, 2012 , 13, 87-94		9
47	Metabolic exercise data combined with cardiac and kidney indexes: MECKI score. Predictive role in cardiopulmonary exercise testing with low respiratory exchange ratio in heart failure. <i>International Journal of Cardiology</i> , 2015 , 184, 299-301	3.2	8
46	Maximal accumulated oxygen deficit in patients with chronic heart failure. <i>Medicine and Science in Sports and Exercise</i> , 2006 , 38, 424-32	1.2	8
45	Chronic heart failure-related myopathy and exercise training: A developing therapy for heart failure symptoms. <i>Progress in Cardiovascular Diseases</i> , 2002 , 45, 157-72	8.5	8
44	Role of comorbidities in heart failure prognosis Part 2: Chronic kidney disease, elevated serum uric acid. European Journal of Preventive Cardiology, 2020 , 27, 35-45	3.9	8
43	How to face emergencies in heart failure patients with ventricular assist device. <i>International Journal of Cardiology</i> , 2013 , 168, 5143-8	3.2	7
42	Cardiac Prevention and Rehabilitation "3.0": From acute to chronic phase. Position Paper of the ltalian Association for Cardiovascular Prevention and Rehabilitation (GICR-IACPR). <i>Monaldi Archives for Chest Disease</i> , 2018 , 88, 1004	2.7	7
41	A new cardiopulmonary exercise testing prognosticating algorithm for heart failure patients treated with beta-blockers. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 185-91	3.9	6
40	Chronic heart failure-related myopathy and exercise training: a developing therapy for heart failure symptoms. <i>Current Problems in Cardiology</i> , 2003 , 28, 521-47	17.1	6
39	EAMI E xercise Training in Anterior Myocardial Infarction: An Ongoing Multicenter Randomized Study*. <i>Chest</i> , 1992 , 101, 315S-321S	5.3	6
38	Long-term prognostic role of diabetes mellitus and glycemic control in heart failure patients with reduced ejection fraction: Insights from the MECKI Score database. <i>International Journal of Cardiology</i> , 2020 , 317, 103-110	3.2	5
37	Regional differences in exercise training implementation in heart failure: findings from the Exercise Training in Heart Failure (ExTraHF) survey. <i>European Journal of Heart Failure</i> , 2019 , 21, 1142-1148	12.3	5
36	Secondary prevention: Where we are. European Journal of Preventive Cardiology, 2017, 24, 14-21	3.9	5
35	Cardiovascular prevention and rehabilitation for patients with ventricular assist device from exercise therapy to long-term therapy. Part II: long-term therapy. <i>Monaldi Archives for Chest Disease</i> , 2011 , 76, 136-45	2.7	5
34	Modes of death and prognostic outliers in chronic heart failure. <i>American Heart Journal</i> , 2019 , 208, 100	-109	5
33	Different Determinants of Ventilatory Inefficiency at Different Stages of Reduced Ejection Fraction Chronic Heart Failure Natural History. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	4
32	Mineralocorticoid receptor antagonists for heart failure: a real-life observational study. <i>ESC Heart Failure</i> , 2018 , 5, 267-274	3.7	4

(2020-2008)

31	Perioperative and postoperative predictors of outcome in patients with low ejection fraction early after coronary artery bypass grafting: the additional value of left ventricular remodeling. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008 , 15, 441-7		4	
30	Attenuation of unfavorable sympathetic hyperactivity induced by long-term physical training in postinfarction patients: fact or speculation?. <i>Circulation</i> , 1998 , 98, 1042-3	16.7	4	
29	Comparison among different multiparametric scores for risk stratification in heart failure patients with reduced ejection fraction. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 12-18	3.9	4	
28	Functional capacity assessment and Minimal Clinically Important Difference in post-acute cardiac patients: the role of Short Physical Performance Battery. <i>European Journal of Preventive Cardiology</i> , 2021 ,	3.9	4	
27	The Future of Exercise-Based Cardiac Rehabilitation for Patients With Heart Failure. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 709898	5.4	4	
26	Prognostic significance of peak oxygen consumption [1] 0 ml/kg/min in heart failure: context vs. criteria. <i>International Journal of Cardiology</i> , 2013 , 168, 3419-23	3.2	3	
25	Anaerobic and aerobic relative contribution to total energy release during supramaximal effort in patients with left ventricular dysfunction. <i>Journal of Applied Physiology</i> , 2008 , 104, 97-102	3.7	3	
24	Statement on cardiopulmonary exercise testing in chronic heart failure due to left ventricular dysfunction: recommendations for performance and interpretation Part II: How to perform cardiopulmonary exercise testing in chronic heart failure. European Journal of Cardiovascular		3	
23	Simple noninvasive laser diode oxymeter for measurements on human tissues 1994 , 2131, 475		3	
22	Comprehensive multicomponent cardiac rehabilitation in cardiac implantable electronic devices recipients: a consensus document from the European Association of Preventive Cardiology (EAPC; Secondary prevention and rehabilitation section) and European Heart Rhythm Association (EHRA).	3.9	3	
21	Greater functional improvement in patients with diabetes after rehabilitation following cardiac surgery. <i>Diabetic Medicine</i> , 2016 , 33, 1067-75	3.5	2	
20	Response to Letter Regarding Article Bleep and Exertional Periodic Breathing in Chronic Heart Failure: Prognostic Importance and Interdependence [Circulation, 2006, 114,	16.7	2	
19	Cardiovascular Death Risk in Recovered Mid-Range Ejection Fraction Heart Failure: Insights From Cardiopulmonary Exercise Test. <i>Journal of Cardiac Failure</i> , 2020 , 26, 932-943	3.3	2	
18	Comprehensive multicomponent cardiac rehabilitation in cardiac implantable electronic devices recipients: a consensus document from the European Association of Preventive Cardiology (EAPC; Secondary prevention and rehabilitation section) and European Heart Rhythm Association (EHRA).	3.9	2	
17	Prevalence of exertional oscillatory ventilation in continuous-flow left ventricular assist device recipients. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1838-1842	3.9	2	
16	Exertional Oscillatory Ventilation and Central Sleep Apnea in Heart Failure: Siblings, Cousins, or What Else? 2017 , 183-202		1	
15	Cardiopulmonary exercise testing in chronic heart failure patients treated with beta-blockers: Still a valid prognostic tool. <i>International Journal of Cardiology</i> , 2020 , 317, 128-132	3.2	1	
14	Difference in prevalence of exertional oscillatory ventilation between healthy subjects and patients with cardiovascular disease. <i>Monaldi Archives for Chest Disease</i> , 2020 , 90,	2.7	1	

13	Low plasma levels of brain natriuretic peptide in severe acute heart failure: merely a case?. <i>International Journal of Cardiology</i> , 2007 , 122, e18-20	3.2	1
12	Obituary - Pantaleo Giannuzzi. European Journal of Preventive Cardiology, 2016 , 23, 1802-1803	3.9	O
11	Moving towards non-moving training in chronic heart failure: is electrical stimulation a surrogate for exercise in reversing skeletal muscle abnormalities?. European Journal of Cardiovascular Prevention and Rehabilitation, 2005, 12, 234-235		0
10	The anaerobic index: uses and limitations in the assessment of heart failure. <i>Cardiology</i> , 1989 , 76, 357-6	7 1.6	O
9	The Impact of Cardiac Rehabilitation on Activities of Daily Life in Elderly Patients With Heart Failure <i>Frontiers in Physiology</i> , 2021 , 12, 785501	4.6	O
8	The MECKI score initiative: a successful and ongoing story. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 3-4	3.9	O
7	Exercise Dynamic of Patients with Chronic Heart Failure and Reduced Ejection Fraction. <i>Current Cardiology Reports</i> , 2021 , 23, 92	4.2	О
6	Cardiac Rehabilitation in Chronic Heart Failure 2007 , 393-406		
5	Exercise capacity in left ventricular assistance device recipients: exercise tolerance to be fit. <i>Journal of Cardiovascular Medicine</i> , 2020 , 21, 481-482	1.9	
4	Exertional and nocturnal periodic breathing after successful cardiac transplantation. A case report. <i>Monaldi Archives for Chest Disease</i> , 2021 , 91,	2.7	
3	Cardiopulmonary exercise testing in systolic heart failure: from basic to advanced practice. <i>Monaldi Archives for Chest Disease</i> , 2016 , 86, 757	2.7	
2	Exertional oscillatory ventilation in patients supported with continuous-flow left ventricular assist device: Not so exceptional as supposed. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1836-1837	3.9	
1	Prognostic value of 6-min walk test compared to cardiopulmonary exercise test in patients with	1.9	