## Ugo Corr

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6811678/ugo-corra-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156 48 15,937 125 h-index g-index citations papers 19,065 178 5.1 5.79 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
156	Prognostic value of 6-min walk test compared to cardiopulmonary exercise test in patients with severe heart failure. <i>Journal of Cardiovascular Medicine</i> , <b>2022</b> , 23, 379-386	1.9	
155	The Impact of Cardiac Rehabilitation on Activities of Daily Life in Elderly Patients With Heart Failure <i>Frontiers in Physiology</i> , <b>2021</b> , 12, 785501	4.6	О
154	Exertional and nocturnal periodic breathing after successful cardiac transplantation. A case report. <i>Monaldi Archives for Chest Disease</i> , <b>2021</b> , 91,	2.7	
153	Functional capacity assessment and Minimal Clinically Important Difference in post-acute cardiac patients: the role of Short Physical Performance Battery. <i>European Journal of Preventive Cardiology</i> , <b>2021</b> ,	3.9	4
152	Exercise Dynamic of Patients with Chronic Heart Failure and Reduced Ejection Fraction. <i>Current Cardiology Reports</i> , <b>2021</b> , 23, 92	4.2	O
151	Comprehensive multicomponent cardiac rehabilitation in cardiac implantable electronic devices recipients: a consensus document from the European Association of Preventive Cardiology (EAPC; Secondary prevention and rehabilitation section) and European Heart Rhythm Association (EHRA).	3.9	2
150	Comprehensive multicomponent cardiac rehabilitation in cardiac implantable electronic devices recipients: a consensus document from the European Association of Preventive Cardiology (EAPC; Secondary prevention and rehabilitation section) and European Heart Rhythm Association (EHRA).	3.9	3
149	The Future of Exercise-Based Cardiac Rehabilitation for Patients With Heart Failure. <i>Frontiers in Cardiovascular Medicine</i> , <b>2021</b> , 8, 709898	5.4	4
148	Long-term prognostic role of diabetes mellitus and glycemic control in heart failure patients with reduced ejection fraction: Insights from the MECKI Score database. <i>International Journal of Cardiology</i> , <b>2020</b> , 317, 103-110	3.2	5
147	Cardiopulmonary exercise testing in chronic heart failure patients treated with beta-blockers: Still a valid prognostic tool. <i>International Journal of Cardiology</i> , <b>2020</b> , 317, 128-132	3.2	1
146	Choosing among Eblockers in heart failure patients according to Ereceptors' location and functions in the cardiopulmonary system. <i>Pharmacological Research</i> , <b>2020</b> , 156, 104785	10.2	9
145	Difference in prevalence of exertional oscillatory ventilation between healthy subjects and patients with cardiovascular disease. <i>Monaldi Archives for Chest Disease</i> , <b>2020</b> , 90,	2.7	1
144	Cardiovascular Death Risk in Recovered Mid-Range Ejection Fraction Heart Failure: Insights From Cardiopulmonary Exercise Test. <i>Journal of Cardiac Failure</i> , <b>2020</b> , 26, 932-943	3.3	2
143	Gender and age normalization and ventilation efficiency during exercise in heart failure with reduced ejection fraction. <i>ESC Heart Failure</i> , <b>2020</b> , 7, 371-380	3.7	11
142	Update on cardiovascular prevention in clinical practice: A position paper of the European Association of Preventive Cardiology of the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , <b>2020</b> , 27, 181-205	3.9	76
141	Increased serum uric acid level predicts poor prognosis in mildly severe chronic heart failure with reduced ejection fraction. An analysis from the MECKI score research group. <i>European Journal of Internal Medicine</i> , <b>2020</b> , 72, 47-52	3.9	10
140	Role of gender, age and BMI in prognosis of heart failure. <i>European Journal of Preventive Cardiology</i> , <b>2020</b> , 27, 46-51	3.9	13

### (2018-2020)

139	Role of comorbidities in heart failure prognosis Part 2: Chronic kidney disease, elevated serum uric acid. <i>European Journal of Preventive Cardiology</i> , <b>2020</b> , 27, 35-45	3.9	8
138	Comparison among different multiparametric scores for risk stratification in heart failure patients with reduced ejection fraction. <i>European Journal of Preventive Cardiology</i> , <b>2020</b> , 27, 12-18	3.9	4
137	Exercise capacity in left ventricular assistance device recipients: exercise tolerance to be fit. <i>Journal of Cardiovascular Medicine</i> , <b>2020</b> , 21, 481-482	1.9	
136	The MECKI score initiative: a successful and ongoing story. <i>European Journal of Preventive Cardiology</i> , <b>2020</b> , 27, 3-4	3.9	O
135	Secondary prevention through comprehensive cardiovascular rehabilitation: From knowledge to implementation. 2020 update. A position paper from the Secondary Prevention and Rehabilitation Section of the European Association of Preventive Cardiology. European Journal of Preventive	3.9	131
134	Cardiology, <b>2020</b> , 2047487320913379  Anaerobic Threshold and Respiratory Compensation Point Identification During Cardiopulmonary Exercise Tests in Chronic Heart Failure. <i>Chest</i> , <b>2019</b> , 156, 338-347	5.3	11
133	The importance of return to work: How to achieve optimal reintegration in ACS patients. <i>European Journal of Preventive Cardiology</i> , <b>2019</b> , 26, 1358-1369	3.9	15
132	Isocapnic buffering period: From physiology to clinics. <i>European Journal of Preventive Cardiology</i> , <b>2019</b> , 26, 1107-1114	3.9	9
131	Regional differences in exercise training implementation in heart failure: findings from the Exercise Training in Heart Failure (ExTraHF) survey. <i>European Journal of Heart Failure</i> , <b>2019</b> , 21, 1142-1148	12.3	5
130	Exercise oscillatory ventilation and prognosis in heart failure patients with reduced and mid-range ejection fraction. <i>European Journal of Heart Failure</i> , <b>2019</b> , 21, 1586-1595	12.3	12
129	Exercise training in patients with ventricular assist devices: a review of the evidence and practical advice. A position paper from the Committee on Exercise Physiology and Training and the Committee of Advanced Heart Failure of the Heart Failure Association of the European Society of Cardiology. European Journal of Heart Failure, 2019, 21, 3-13	12.3	56
128	Modes of death and prognostic outliers in chronic heart failure. <i>American Heart Journal</i> , <b>2019</b> , 208, 100-	·1µ9	5
127	Heart failure prognosis over time: how the prognostic role of oxygen consumption and ventilatory efficiency during exercise has changed in the last 20 years. <i>European Journal of Heart Failure</i> , <b>2019</b> , 21, 208-217	12.3	33
126	Mineralocorticoid receptor antagonists for heart failure: a real-life observational study. <i>ESC Heart Failure</i> , <b>2018</b> , 5, 267-274	3.7	4
125	Gait speed has comparable prognostic capability to six-minute walk distance in older patients with cardiovascular disease. <i>European Journal of Preventive Cardiology</i> , <b>2018</b> , 25, 212-219	3.9	67
124	Multiparametric prognostic scores in chronic heart failure with reduced ejection fraction: a long-term comparison. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 700-710	12.3	51
123	Role of cardiopulmonary exercise testing in clinical stratification in heart failure. A position paper from the Committee on Exercise Physiology and Training of the Heart Failure Association of the European Society of Cardiology. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 3-15	12.3	83
122	Dose-dependent efficacy of Eblocker in patients with chronic heart failure and atrial fibrillation.  International Journal of Cardiology, 2018, 273, 141-146	3.2	10

121	Exercise Prescription in Patients with Different Combinations of Cardiovascular Disease Risk Factors: A Consensus Statement from the EXPERT Working Group. <i>Sports Medicine</i> , <b>2018</b> , 48, 1781-1797	,10.6	67
120	Main messages for primary care from the 2016 European Guidelines on cardiovascular disease prevention in clinical practice. <i>European Journal of General Practice</i> , <b>2018</b> , 24, 51-56	2.8	23
119	Cardiac Prevention and Rehabilitation "3.0": From acute to chronic phase. Position Paper of the ltalian Association for Cardiovascular Prevention and Rehabilitation (GICR-IACPR). <i>Monaldi Archives for Chest Disease</i> , <b>2018</b> , 88, 1004	2.7	7
118	Prevalence of exertional oscillatory ventilation in continuous-flow left ventricular assist device recipients. <i>European Journal of Preventive Cardiology</i> , <b>2018</b> , 25, 1838-1842	3.9	2
117	Exertional oscillatory ventilation in patients supported with continuous-flow left ventricular assist device: Not so exceptional as supposed. <i>European Journal of Preventive Cardiology</i> , <b>2018</b> , 25, 1836-1837	3.9	
116	Exercise gas exchange in continuous-flow left ventricular assist device recipients. <i>PLoS ONE</i> , <b>2018</b> , 13, e0187112	3.7	10
115	Frailty and cardiac rehabilitation: A call to action from the EAPC Cardiac Rehabilitation Section. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 577-590	3.9	104
114	Prognostic role of Eblocker selectivity and dosage regimens in heart failure patients. Insights from the MECKI score database. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 904-914	12.3	19
113	The European Association of Preventive Cardiology Exercise Prescription in Everyday Practice and Rehabilitative Training (EXPERT) tool: A digital training and decision support system for optimized exercise prescription in cardiovascular disease. Concept, definitions and construction methodology.	3.9	84
112	Different Determinants of Ventilatory Inefficiency at Different Stages of Reduced Ejection Fraction Chronic Heart Failure Natural History. <i>Journal of the American Heart Association</i> , <b>2017</b> , 6,	6	4
111	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2017</b> , 6, 299-310	4.3	16
110	Periodic Breathing during Incremental Exercise. Annals of the American Thoracic Society, 2017, 14, S116-	S472	13
109	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Journal of Cardiovascular Nursing</i> , <b>2017</b> , 16, 369-380	3.3	9
108	Cardiopulmonary Exercise Testing in Patients with Heart Failure with Specific Comorbidities. <i>Annals of the American Thoracic Society</i> , <b>2017</b> , 14, S110-S115	4.7	11
107	Exertional Oscillatory Ventilation and Central Sleep Apnea in Heart Failure: Siblings, Cousins, or What Else? <b>2017</b> , 183-202		1
106	Characteristics of structured physical training currently provided in cardiac patients: insights from the Exercise Training in Cardiac Rehabilitation (ETCR) Italian survey. <i>Monaldi Archives for Chest Disease</i> , <b>2017</b> , 87, 778	2.7	9
105	European Heart Rhythm Association (EHRA)/European Association of Cardiovascular Prevention and Rehabilitation (EACPR) position paper on how to prevent atrial fibrillation endorsed by the Heart Rhythm Society (HRS) and Asia Pacific Heart Rhythm Society (APHRS). <i>Europace</i> , <b>2017</b> , 19, 190-22.	3.9 5	44
104	Pre-participation cardiovascular evaluation for athletic participants to prevent sudden death: Position paper from the EHRA and the EACPR, branches of the ESC. Endorsed by APHRS, HRS, and SOLAECE. <i>Europace</i> , <b>2017</b> , 19, 139-163	3.9	36

10	Exercise Prescriptions for Training and Rehabilitation in Patients with Heart and Lung Disease.  Annals of the American Thoracic Society, 2017, 14, S59-S66	4.7	9
10	O2 Secondary prevention: Where we are. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 14-21	3.9	5
10	Prognostic Impact of Diabetes and Prediabetes on Survival Outcomes in Patients With Chronic Heart Failure: A Post-Hoc Analysis of the GISSI-HF (Gruppo Italiano per lo Studio della Sopravvivenza nella Insufficienza Cardiaca-Heart Failure) Trial. <i>Journal of the American Heart</i>	6	39
10	European Heart Rhythm Association (EHRA)/European Association of Cardiovascular Prevention and Rehabilitation (EACPR) position paper on how to prevent atrial fibrillation endorsed by the Heart Rhythm Society (HRS) and Asia Pacific Heart Rhythm Society (APHRS). European Journal of	3.9	43
99	Pre-participation cardiovascular evaluation for athletic participants to prevent sudden death: Position paper from the EHRA and the EACPR, branches of the ESC. Endorsed by APHRS, HRS, and SOLAECE. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 41-69	3.9	110
98	Heart failure and anemia: Effects on prognostic variables. <i>European Journal of Internal Medicine</i> , <b>2017</b> , 37, 56-63	3.9	23
97	2016 European Guidelines on cardiovascular disease prevention in clinical practice: The Sixth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of 10 societies and by invited experts) Developed with the special contribution of the European Association for Cardiovascular	3.1	341
90	Prevention & Rehabilitation (FACPR) Atherosclerosis 2016 252 207-274	3.9	0
9.	Prevention in Clinical Practice (constituted by representatives of 10 societies and by invited	3.9	445
94	experts): Developed with the special contribution of the European Association for Cardiovascular Greater functional improvement in patients with diabetes after rehabilitation following cardiacNP9 surgery. Diabetic Medicine, <b>2016</b> , 33, 1067-75	3.5	2
93	Sex Profile and Risk Assessment With Cardiopulmonary Exercise Testing in Heart Failure: Propensity Score Matching for Sex Selection Bias. <i>Canadian Journal of Cardiology</i> , <b>2016</b> , 32, 754-9	3.8	14
92	Exercise oscillatory ventilation in heart failure. <i>International Journal of Cardiology</i> , <b>2016</b> , 206 Suppl,	S13- <u>5</u> .2	15
9	The metabolic exercise test data combined with Cardiac And Kidney Indexes (MECKI) score and prognosis in heart failure. A validation study. <i>International Journal of Cardiology</i> , <b>2016</b> , 203, 1067-77	2 3.2	25
90	Cardiopulmonary exercise testing in systolic heart failure: from basic to advanced practice. <i>Monald Archives for Chest Disease</i> , <b>2016</b> , 86, 757	i 2.7	
89	Exercise tolerance can explain the obesity paradox in patients with systolic heart failure: data from the MECKI Score Research Group. <i>European Journal of Heart Failure</i> , <b>2016</b> , 18, 545-53	12.3	44
88	Telerehabilitation in heart failure patients: The evidence and the pitfalls. <i>International Journal of Cardiology</i> , <b>2016</b> , 220, 408-13	3.2	46
8	Prevention in Clinical Practice (constituted by representatives of 10 societies and by invited	9.5	3919
80	experts) Developed with the special contribution of the European Association for Cardiovascular Prognostic value of angiopoietin-2 in patients with chronic heart failure. <i>International Journal of Cardiology</i> , <b>2016</b> , 212, 364-8	3.2	21

85	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Journal of Preventive Cardiology</i> , <b>2016</b> , 23, 1994-2006	3.9	88
84	Gull ESC 2016 sobre prevencili de la enfermedad cardiovascular en la prlitica clilica. <i>Revista Espanola De Cardiologia</i> , <b>2016</b> , 69, 939.e1-939.e87	1.5	10
83	Regular wine consumption in chronic heart failure: impact on outcomes, quality of life, and circulating biomarkers. <i>Circulation: Heart Failure</i> , <b>2015</b> , 8, 428-37	7.6	20
82	Healthy Lifestyle Interventions to Combat Noncommunicable Disease A Novel Nonhierarchical Connectivity Model for Key Stakeholders: A Policy Statement From the American Heart Association, European Society of Cardiology, European Association for Cardiovascular Prevention and	6.4	59
81	Healthy lifestyle interventions to combat noncommunicable disease-a novel nonhierarchical connectivity model for key stakeholders: a policy statement from the American Heart Association, European Society of Cardiology, European Association for Cardiovascular Prevention and	9.5	77
80	Metabolic exercise data combined with cardiac and kidney indexes: MECKI score. Predictive role in cardiopulmonary exercise testing with low respiratory exchange ratio in heart failure. <i>International Journal of Cardiology</i> , <b>2015</b> , 184, 299-301	3.2	8
79	Deceptive meaning of oxygen uptake measured at the anaerobic threshold in patients with systolic heart failure and atrial fibrillation. <i>European Journal of Preventive Cardiology</i> , <b>2015</b> , 22, 1046-55	3.9	24
78	Exercise programs for LVAD supported patients: A snapshot from the ESC affiliated countries. <i>International Journal of Cardiology</i> , <b>2015</b> , 201, 215-9	3.2	25
77	Challenges in secondary prevention of cardiovascular diseases: a review of the current practice. <i>International Journal of Cardiology</i> , <b>2015</b> , 180, 114-9	3.2	34
76	Echocardiography of Right Ventriculoarterial Coupling Combined With Cardiopulmonary Exercise Testing to Predict Outcome in Heart Failure. <i>Chest</i> , <b>2015</b> , 148, 226-234	5.3	85
75	ExtraHF survey: the first European survey on implementation of exercise training in heart failure patients. <i>European Journal of Heart Failure</i> , <b>2015</b> , 17, 631-8	12.3	54
74	Exercise Performance Is a Prognostic Indicator in Elderly Patients With Chronic Heart FailureApplication of Metabolic Exercise Cardiac Kidney Indexes Score. <i>Circulation Journal</i> , <b>2015</b> , 79, 2608-15	2.9	18
73	Renal function and peak exercise oxygen consumption in chronic heart failure with reduced left ventricular ejection fraction. <i>Circulation Journal</i> , <b>2015</b> , 79, 583-91	2.9	24
72	Prognostic role of atrial fibrillation in patients affected by chronic heart failure. Data from the MECKI score research group. <i>European Journal of Internal Medicine</i> , <b>2015</b> , 26, 515-20	3.9	14
71	Cardiopulmonary exercise testing in systolic heart failure in 2014: the evolving prognostic role: a position paper from the committee on exercise physiology and training of the heart failure association of the ESC. European Journal of Heart Failure, 2014, 16, 929-41	12.3	65
70	Systemic perfusion at peak incremental exercise in left ventricular assist device recipients: Partitioning pump and native left ventricle relative contribution. <i>International Journal of Cardiology</i> Heart & Vessels, <b>2014</b> , 4, 40-45		14
69	Cardiovascular mortality and chronotropic incompetence in systolic heart failure: the importance of a reappraisal of current cut-off criteria. <i>European Journal of Heart Failure</i> , <b>2014</b> , 16, 201-9	12.3	37
68	Secondary prevention in the clinical management of patients with cardiovascular diseases. Core components, standards and outcome measures for referral and delivery: a policy statement from the cardiac rehabilitation section of the European Association for Cardiovascular Prevention &	3.9	365

### (2010-2013)

67	Prognostic value of indeterminable anaerobic threshold in heart failure. <i>Circulation: Heart Failure</i> , <b>2013</b> , 6, 977-87	7.6	39
66	Peak oxygen consumption and prognosis in heart failure: 14 mL/kg/min is not a "gender-neutral" reference. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 157-61	3.2	20
65	Speeding of pulmonary VO2 on-kinetics by light-to-moderate-intensity aerobic exercise training in chronic heart failure: clinical and pathophysiological correlates. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 2189-95	3.2	41
64	Metabolic exercise test data combined with cardiac and kidney indexes, the MECKI score: a multiparametric approach to heart failure prognosis. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 27	10 <sup>3</sup> 8	131
63	Severe heart failure prognosis evaluation for transplant selection in the era of beta-blockers: role of peak oxygen consumption. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 5078-81	3.2	21
62	Prognostic significance of peak oxygen consumption [10 ml/kg/min in heart failure: context vs. criteria. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 3419-23	3.2	3
61	How to face emergencies in heart failure patients with ventricular assist device. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 5143-8	3.2	7
60	Cardiopulmonary exercise testing and prognosis in heart failure due to systolic left ventricular dysfunction: a validation study of the European Society of Cardiology Guidelines and Recommendations (2008) and further developments. <i>European Journal of Preventive Cardiology</i> ,	3.9	41
59	Exercise training reverses exertional oscillatory ventilation in heart failure patients. <i>European Respiratory Journal</i> , <b>2012</b> , 40, 1238-44	13.6	38
	Poducod oversice capacity in early stage amyetrophic lateral sclenesis: Pole of skeletal muscle		
58	Reduced exercise capacity in early-stage amyotrophic lateral sclerosis: Role of skeletal muscle. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , <b>2012</b> , 13, 87-94		9
58 57		3.9	9
	Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders, 2012, 13, 87-94  A new cardiopulmonary exercise testing prognosticating algorithm for heart failure patients	3.9	6
57	Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders, 2012, 13, 87-94  A new cardiopulmonary exercise testing prognosticating algorithm for heart failure patients treated with beta-blockers. European Journal of Preventive Cardiology, 2012, 19, 185-91  Long-term effectiveness of cardiac resynchronization therapy in heart failure patients with unfavorable cardiac veins anatomy comparison of surgical versus hemodynamic procedure. Journal		6
57 56	A new cardiopulmonary exercise testing prognosticating algorithm for heart failure patients treated with beta-blockers. European Journal of Preventive Cardiology, 2012, 19, 185-91  Long-term effectiveness of cardiac resynchronization therapy in heart failure patients with unfavorable cardiac veins anatomy comparison of surgical versus hemodynamic procedure. Journal of the American College of Cardiology, 2011, 58, 483-90  Cardiovascular prevention and rehabilitation for patients with ventricular assist device from exercise therapy to long-term therapy. Part II: long-term therapy. Monaldi Archives for Chest Disease	15.1	6 38
57 56 55	A new cardiopulmonary exercise testing prognosticating algorithm for heart failure patients treated with beta-blockers. <i>European Journal of Preventive Cardiology</i> , <b>2012</b> , 19, 185-91  Long-term effectiveness of cardiac resynchronization therapy in heart failure patients with unfavorable cardiac veins anatomy comparison of surgical versus hemodynamic procedure. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 58, 483-90  Cardiovascular prevention and rehabilitation for patients with ventricular assist device from exercise therapy to long-term therapy. Part II: long-term therapy. <i>Monaldi Archives for Chest Disease</i> , <b>2011</b> , 76, 136-45  Cardiovascular prevention and rehabilitation for patients with ventricular assist device from exercise therapy to long-term therapy. Part II: Exercise therapy. <i>Monaldi Archives for Chest Disease</i> ,	15.1 2.7	6 38 5
57 56 55 54	Anew cardiopulmonary exercise testing prognosticating algorithm for heart failure patients treated with beta-blockers. European Journal of Preventive Cardiology, 2012, 19, 185-91  Long-term effectiveness of cardiac resynchronization therapy in heart failure patients with unfavorable cardiac veins anatomy comparison of surgical versus hemodynamic procedure. Journal of the American College of Cardiology, 2011, 58, 483-90  Cardiovascular prevention and rehabilitation for patients with ventricular assist device from exercise therapy to long-term therapy. Part II: long-term therapy. Monaldi Archives for Chest Disease, 2011, 76, 136-45  Cardiovascular prevention and rehabilitation for patients with ventricular assist device from exercise therapy to long-term therapy. Part I: Exercise therapy. Monaldi Archives for Chest Disease, 2011, 76, 27-32  Exercise training in heart failure: from theory to practice. A consensus document of the Heart Failure Association and the European Association for Cardiovascular Prevention and Rehabilitation.	15.1 2.7 2.7	6 38 5
57 56 55 54 53	Anew cardiopulmonary exercise testing prognosticating algorithm for heart failure patients treated with beta-blockers. European Journal of Preventive Cardiology, 2012, 19, 185-91  Long-term effectiveness of cardiac resynchronization therapy in heart failure patients with unfavorable cardiac veins anatomy comparison of surgical versus hemodynamic procedure. Journal of the American College of Cardiology, 2011, 58, 483-90  Cardiovascular prevention and rehabilitation for patients with ventricular assist device from exercise therapy to long-term therapy. Part II: long-term therapy. Monaldi Archives for Chest Disease, 2011, 76, 136-45  Cardiovascular prevention and rehabilitation for patients with ventricular assist device from exercise therapy to long-term therapy. Part I: Exercise therapy. Monaldi Archives for Chest Disease, 2011, 76, 27-32  Exercise training in heart failure: from theory to practice. A consensus document of the Heart Failure Association and the European Association for Cardiovascular Prevention and Rehabilitation. European Journal of Heart Failure, 2011, 13, 347-57  Exercise intolerance in chronic heart failure: mechanisms and therapies. Part I. European Journal of	15.1 2.7 2.7	6 38 5 19 430

49	Secondary prevention through cardiac rehabilitation: physical activity counselling and exercise training: key components of the position paper from the Cardiac Rehabilitation Section of the European Association of Cardiovascular Prevention and Rehabilitation. European Heart Journal,	9.5	239
48	Secondary prevention through cardiac rehabilitation: from knowledge to implementation. A position paper from the Cardiac Rehabilitation Section of the European Association of Cardiovascular Prevention and Rehabilitation. European Journal of Cardiovascular Prevention and		502
47	Upper intensity limit for prolonged aerobic exercise in chronic heart failure. <i>Medicine and Science in Sports and Exercise</i> , <b>2010</b> , 42, 633-9	1.2	26
46	Exercise haemodynamic variables rather than ventilatory efficiency indexes contribute to risk assessment in chronic heart failure patients treated with carvedilol. <i>European Heart Journal</i> , <b>2009</b> , 30, 3000-6	9.5	30
45	Multicenter randomised trial on home-based telemanagement to prevent hospital readmission of patients with chronic heart failure. <i>International Journal of Cardiology</i> , <b>2009</b> , 131, 192-9	3.2	161
44	Standards for the use of cardiopulmonary exercise testing for the functional evaluation of cardiac patients: a report from the Exercise Physiology Section of the European Association for Cardiovascular Prevention and Rehabilitation. European Journal of Cardiovascular Prevention and		240
43	Methodological approach to the first and second lactate threshold in incremental cardiopulmonary exercise testing. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2008</b> , 15, 726-34		216
42	Permanent atrial fibrillation affects exercise capacity in chronic heart failure patients. <i>European Heart Journal</i> , <b>2008</b> , 29, 2367-72	9.5	59
41	Perioperative and postoperative predictors of outcome in patients with low ejection fraction early after coronary artery bypass grafting: the additional value of left ventricular remodeling. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2008</b> , 15, 441-7		4
40	ESC guidelines for the diagnosis and treatment of acute and chronic heart failure 2008: the Task Force for the diagnosis and treatment of acute and chronic heart failure 2008 of the European Society of Cardiology. Developed in collaboration with the Heart Failure Association of the ESC	12.3	1355
39	Anaerobic and aerobic relative contribution to total energy release during supramaximal effort in patients with left ventricular dysfunction. <i>Journal of Applied Physiology</i> , <b>2008</b> , 104, 97-102	3.7	3
38	Central adaptations to exercise training in patients with chronic heart failure. <i>Heart Failure Reviews</i> , <b>2008</b> , 13, 13-20	5	34
37	ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2008: the Task Force for the Diagnosis and Treatment of Acute and Chronic Heart Failure 2008 of the European Society of Cardiology. Developed in collaboration with the Heart Failure Association of the ESC	9.5	2298
36	(HFA) and endorsed by the European Society of Intensive Care Medicine (ESICM). European Heart Time course of effects of cardiac resynchronization therapy in chronic heart failure: benefits in patients with preserved exercise capacity. PACE - Pacing and Clinical Electrophysiology, 2008, 31, 701-8	1.6	26
35	Low plasma levels of brain natriuretic peptide in severe acute heart failure: merely a case?. <i>International Journal of Cardiology</i> , <b>2007</b> , 122, e18-20	3.2	1
34	Unreliability of the %VO2 reserve versus %heart rate reserve relationship for aerobic effort relative intensity assessment in chronic heart failure patients on or off beta-blocking therapy. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2007</b> , 14, 92-8		23
33	Cardiac Rehabilitation in Chronic Heart Failure <b>2007</b> , 393-406		
32	Prognostic value of time-related changes of cardiopulmonary exercise testing indices in stable chronic heart failure: a pragmatic and operative scheme. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2006</b> , 13, 186-92		31

### (2001-2006)

31	Sleep and exertional periodic breathing in chronic heart failure: prognostic importance and interdependence. <i>Circulation</i> , <b>2006</b> , 113, 44-50	16.7	202
30	Statement on cardiopulmonary exercise testing in chronic heart failure due to left ventricular dysfunction: recommendations for performance and interpretation Part II: How to perform cardiopulmonary exercise testing in chronic heart failure. European Journal of Cardiovascular		3
29	Response to Letter Regarding Article Bleep and Exertional Periodic Breathing in Chronic Heart Failure: Prognostic Importance and Interdependence [] Circulation, 2006, 114,	16.7	2
28	Statement on cardiopulmonary exercise testing in chronic heart failure due to left ventricular dysfunction: recommendations for performance and interpretation. Part I: definition of cardiopulmonary exercise testing parameters for appropriate use in chronic heart failure. European		68
27	Maximal accumulated oxygen deficit in patients with chronic heart failure. <i>Medicine and Science in Sports and Exercise</i> , <b>2006</b> , 38, 424-32	1.2	8
26	Executive summary of the position paper of the Working Group on Cardiac Rehabilitation and Exercise Physiology of the European Society of Cardiology (ESC): core components of cardiac rehabilitation in chronic heart failure. European Journal of Cardiovascular Prevention and		52
25	Moving towards non-moving training in chronic heart failure: is electrical stimulation a surrogate for exercise in reversing skeletal muscle abnormalities?. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2005</b> , 12, 234-235		O
24	Cardiopulmonary exercise testing and prognosis in chronic heart failure: a prognosticating algorithm for the individual patient. <i>Chest</i> , <b>2004</b> , 126, 942-50	5.3	90
23	Limited predictive value of cardiopulmonary exercise indices in patients with moderate chronic heart failure treated with carvedilol. <i>American Heart Journal</i> , <b>2004</b> , 147, 553-60	4.9	24
22	Chronic heart failure-related myopathy and exercise training: a developing therapy for heart failure symptoms. <i>Current Problems in Cardiology</i> , <b>2003</b> , 28, 521-47	17.1	6
21	Contribution of peak respiratory exchange ratio to peak VO2 prognostic reliability in patients with chronic heart failure and severely reduced exercise capacity. <i>American Heart Journal</i> , <b>2003</b> , 145, 1102-7	4.9	78
20	Antiremodeling effect of long-term exercise training in patients with stable chronic heart failure: results of the Exercise in Left Ventricular Dysfunction and Chronic Heart Failure (ELVD-CHF) Trial. <i>Circulation</i> , <b>2003</b> , 108, 554-9	16.7	251
19	Central sleep apnea in left ventricular dysfunction: prevalence and implications for arrhythmic risk. <i>Circulation</i> , <b>2003</b> , 107, 727-32	16.7	241
18	Chronic heart failure-related myopathy and exercise training: A developing therapy for heart failure symptoms. <i>Progress in Cardiovascular Diseases</i> , <b>2002</b> , 45, 157-72	8.5	8
17	Oscillatory ventilation during exercise in patients with chronic heart failure: clinical correlates and prognostic implications. <i>Chest</i> , <b>2002</b> , 121, 1572-80	5.3	139
16	Ventilatory response to exercise improves risk stratification in patients with chronic heart failure and intermediate functional capacity. <i>American Heart Journal</i> , <b>2002</b> , 143, 418-26	4.9	134
15	Accurate noninvasive estimation of pulmonary vascular resistance by Doppler echocardiography in patients with chronic failure heart failure. <i>Journal of the American College of Cardiology</i> , <b>2001</b> , 37, 1813-	9 <sup>15.1</sup>	84
14	Chronic mitral regurgitation and Doppler estimation of left ventricular filling pressures in patients with heart failure. <i>Journal of the American Society of Echocardiography</i> , <b>2001</b> , 14, 1094-9	5.8	15

13	Habitual activities and peak aerobic capacity in patients with asymptomatic and symptomatic left ventricular dysfunction. <i>Chest</i> , <b>2000</b> , 117, 1291-9	5.3	29
12	Estimation of pulmonary wedge pressure by transmitral Doppler in patients with chronic heart failure and atrial fibrillation. <i>American Journal of Cardiology</i> , <b>1999</b> , 83, 724-7	3	82
11	Doppler-derived acceleration rate of right ventricular early filling as a measurement of right atrial pressure in chronic heart failure secondary to ischemic or idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , <b>1998</b> , 81, 513-5	3	10
10	Reversible restrictive left ventricular diastolic filling with optimized oral therapy predicts a more favorable prognosis in patients with chronic heart failure. <i>Journal of the American College of Cardiology</i> , <b>1998</b> , 31, 1591-7	15.1	112
9	Attenuation of unfavorable sympathetic hyperactivity induced by long-term physical training in postinfarction patients: fact or speculation?. <i>Circulation</i> , <b>1998</b> , 98, 1042-3	16.7	4
8	Attenuation of unfavorable remodeling by exercise training in postinfarction patients with left ventricular dysfunction: results of the Exercise in Left Ventricular Dysfunction (ELVD) trial. <i>Circulation</i> , <b>1997</b> , 96, 1790-7	16.7	123
7	Independent and incremental prognostic value of Doppler-derived mitral deceleration time of early filling in both symptomatic and asymptomatic patients with left ventricular dysfunction. <i>Journal of the American College of Cardiology</i> , <b>1996</b> , 28, 383-90	15.1	207
6	Independent and Incremental Prognostic Value of Doppler-Derived Mitral Deceleration Time of Early Filling in Both Symptomatic and Asymptomatic Patients With Left Ventricular Dysfunction. <i>Journal of the American College of Cardiology</i> , <b>1996</b> , 28, 383-390	15.1	198
5	Residual exertional ischemia and unfavorable left ventricular remodeling in patients with systolic dysfunction after anterior myocardial infarction. <i>Journal of the American College of Cardiology</i> , <b>1995</b> , 25, 1539-46	15.1	16
4	Simple noninvasive laser diode oxymeter for measurements on human tissues <b>1994</b> , 2131, 475		3
3	Long-term physical training and left ventricular remodeling after anterior myocardial infarction: results of the Exercise in Anterior Myocardial Infarction (EAMI) trial. EAMI Study Group. <i>Journal of the American College of Cardiology</i> , <b>1993</b> , 22, 1821-9	15.1	124
2	EAMI <b>E</b> xercise Training in Anterior Myocardial Infarction: An Ongoing Multicenter Randomized Study*. <i>Chest</i> , <b>1992</b> , 101, 315S-321S	5.3	6

The anaerobic index: uses and limitations in the assessment of heart failure. *Cardiology*, **1989**, 76, 357-67<sub>1.6</sub>