Cezary PaÅ,czyÅ,,ski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6812393/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Upperâ€airway dysbiosis related to frequent sweets consumption increases the risk of asthma in children with chronic rhinosinusitis. Pediatric Allergy and Immunology, 2021, 32, 489-500.	1.1	7
2	Recommendations of the Polish Society of Allergology on the qualification of person with allergies and anaphylaxis to vaccination against COVID-19. Alergologia Polska - Polish Journal of Allergology, 2021, 8, 1-8.	0.0	1
3	High levels of anxiety during the COVID-19 pandemic as a risk factor of clinical worsening in patients with severe asthma. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 1381-1383.	2.0	15
4	Omalizumab therapy in a patient with severe asthma and co-existing chronic obstructive pulmonary disease. Postepy Dermatologii I Alergologii, 2019, 36, 239-241.	0.4	4
5	Prevalence, risk factors and underdiagnosis of asthma in the general population aged over 60 years. Postepy Dermatologii I Alergologii, 2019, 36, 86-91.	0.4	7
6	Metal Allergy and the Lungs. , 2018, , 533-544.		3
7	Bullous skin lesion reaction as an example of an adverse effect of a preparation containing 0.1% octenidine dihydrochloride and 2% phenoxyethanol (Octenisept®). Przeglad Dermatologiczny, 2018, 105, 753-760.	0.0	2
8	The position paper of the Polish Society of Allergology on climate changes, natural disasters and allergy and asthma. Postepy Dermatologii I Alergologii, 2018, 35, 552-562.	0.4	3
9	Occupational exposure to diisocyanates in polyurethane foam factory workers. International Journal of Occupational Medicine and Environmental Health, 2015, 28, 985-998.	0.6	21
10	The prevalence of asthma work relatedness: Preliminary data. International Journal of Occupational Medicine and Environmental Health, 2015, 28, 1025-1029.	0.6	3
11	Vitamin C inhibits the diisocyanate-induced lung inflammatory response in mice. , 2015, , .		1
12	Effect of inhaled toluene diisocyanate on local immune response based on murine model for occupational asthma. Journal of Immunotoxicology, 2014, 11, 166-171.	0.9	5
13	Allergic blepharoconjunctivitis caused by acrylates promotes allergic rhinitis response. Annals of Allergy, Asthma and Immunology, 2014, 113, 492-494.	0.5	2
14	Occupational asthma caused by samba (Triplochiton scleroxylon) wood dust in a professional maker of wooden models of airplanes: A case study. International Journal of Occupational Medicine and Environmental Health, 2014, 27, 512-9.	0.6	5
15	Work-related respiratory symptoms among health centres cleaners: A cross-sectional study. International Journal of Occupational Medicine and Environmental Health, 2014, 27, 460-6.	0.6	16
16	Chlorhexidinestill an underestimated allergic hazard for health care professionals. Occupational Medicine, 2013, 63, 301-305.	0.8	41
17	Occupational allergy to squid (Loligo vulgaris). Occupational Medicine, 2013, 63, 298-300.	0.8	13
18	Mould Sensitisation among Bakers and Farmers with Work-related Respiratory Symptoms. Industrial Health, 2013, 51, 275-284.	0.4	11

Cezary Paå,czyå,,ski

#	Article	IF	CITATIONS
19	Occupational asthma due to spruce wood. Occupational Medicine, 2012, 62, 301-304.	0.8	5
20	An Investigation of Allergenic Proteins Produced by Moulds on Building Materials. Indoor and Built Environment, 2012, 21, 253-263.	1.5	9
21	Contact allergy to metals in adolescents. Nickel release from metal accessories 7 years after the implementation of the EU Nickel Directive in Poland. Contact Dermatitis, 2012, 67, 270-276.	0.8	25
22	Immunological determinants in a murine model of toluene diisocyanate-induced asthma. International Journal of Occupational Medicine and Environmental Health, 2012, 25, 492-8.	0.6	7
23	Contact blepharoconjunctivitis due to black henna — A case report. International Journal of Occupational Medicine and Environmental Health, 2012, 25, 196-9.	0.6	9
24	Metal-induced asthma and chest X-ray changes in welders. International Journal of Occupational Medicine and Environmental Health, 2012, 25, 242-50.	0.6	25
25	Eosinophilia in conjunctival tear fluid among patients with pollen allergy. Annals of Allergy, Asthma and Immunology, 2011, 107, 281-282.	0.5	2
26	Occupational Allergies. Journal of Allergy, 2011, 2011, 1-2.	0.7	1
27	Diagnosing of bakers' respiratory allergy: Is specific inhalation challenge test essential?. Allergy and Asthma Proceedings, 2011, 32, 111-118.	1.0	13
28	Occupational allergy to Limonium sinuatum — a case report. International Journal of Occupational Medicine and Environmental Health, 2011, 24, 304-7.	0.6	5
29	Occupational allergy to birds within the population of Polish bird keepers employed in zoo gardens. International Journal of Occupational Medicine and Environmental Health, 2011, 24, 292-303.	0.6	11
30	Occupational allergic contact dermatitis caused by basil (<i>Ocimum basilicum</i>). Contact Dermatitis, 2010, 63, 365-367.	0.8	6
31	Crossâ€reactive carbohydrate determinants in diagnostics of occupational allergy – preliminary results. Allergy: European Journal of Allergy and Clinical Immunology, 2010, 65, 664-666.	2.7	8
32	Occupational asthma due to turpentine in art painter — case report. International Journal of Occupational Medicine and Environmental Health, 2009, 22, 293-5.	0.6	12
33	Is the risk of allergic hypersensitivity to fungi increased by indoor exposure to moulds?. International Journal of Occupational Medicine and Environmental Health, 2009, 22, 343-54.	0.6	11
34	Occupational exposure and sensitization to fungi among museum workers. Occupational Medicine, 2009, 59, 237-242.	0.8	38
35	Work-related respiratory symptoms in bird zoo keepers — questionnaire data. International Journal of Occupational Medicine and Environmental Health, 2009, 22, 393-9.	0.6	5
36	Cobaltâ€induced anaphylaxis, contact urticaria, and delayed allergy in a ceramics decorator. Contact Dermatitis, 2009, 60, 173-174.	0.8	22

Cezary Paå,czyå,,ski

#	Article	IF	CITATIONS
37	Occupational Asthma Due to Manganese Exposure: A Case Report. International Journal of Occupational Medicine and Environmental Health, 2008, 21, 81-3.	0.6	19
38	Exhaled Nitric Oxide Levels After Specific Inahalatory Challenge Test in Subjects with Diagnosed Occupational Asthma. International Journal of Occupational Medicine and Environmental Health, 2008, 21, 219-25.	0.6	24
39	IL-18 Levels in Nasal Lavage After Inhalatory Challenge Test with Flour in Bakers Diagnosed with Occupational Asthma. International Journal of Occupational Medicine and Environmental Health, 2008, 21, 165-72.	0.6	15
40	Challenge testing in the diagnosis of occupational allergic conjunctivitis. Occupational Medicine, 2007, 57, 532-534.	0.8	3
41	Prevalence and host determinants of occupational bronchial asthma in animal shelter workers. International Archives of Occupational and Environmental Health, 2007, 80, 423-432.	1.1	10
42	Risk factors associated with airway allergic diseases from exposure to laboratory animal allergens among veterinarians. International Archives of Occupational and Environmental Health, 2007, 80, 465-475.	1.1	27
43	Occupational allergic conjunctivitis due to coconut fibre dust. Allergy: European Journal of Allergy and Clinical Immunology, 2005, 60, 970-971.	2.7	6
44	Occupational eosinophilic bronchitis without asthma due to chloramine exposure. Occupational Medicine, 2005, 55, 396-398.	0.8	20
45	Glutaraldehyde-induced occupational asthma: BALF components and BALF and serum Clara cell protein (CC16) changes due to specific inhalatory provocation test. Occupational Medicine, 2005, 55, 572-574.	0.8	7
46	Respiratory allergy in apprentice bakers: do occupational allergies follow the allergic march?. Allergy: European Journal of Allergy and Clinical Immunology, 2004, 59, 442-450.	2.7	100
47	Small nonspecialized farming as a protective factor against immediate-type occupational respiratory allergy?. Allergy: European Journal of Allergy and Clinical Immunology, 2004, 59, 1294-1300.	2.7	19
48	Occupational allergic contact dermatits caused by padauk wood (Pterocarpus soyauxii Taub.). Contact Dermatitis, 2004, 50, 384-385.	0.8	13
49	Occupational contact urticaria and rhinoconjunctivitis in a veterinarian from bull terrier's seminal fluid. Contact Dermatitis, 2004, 50, 385-385.	0.8	17
50	Occupational contact dermatitis with rhinoconjunctivitis due to Tilia cordata and colophonium exposure in a cosmetician. Contact Dermatitis, 2004, 51, 34-34.	0.8	10
51	Occupational allergy as a challenge to developing countries. Toxicology, 2004, 198, 75-82.	2.0	8
52	Occupational asthma and allergic rhinitis due to xerographic toner. A case of occupational asthma and rhinitis caused by xerographic toner, confirmed by specific bronchial provocation. Allergy: European Journal of Allergy and Clinical Immunology, 2003, 58, 957-957.	2.7	32
53	Glutaraldehyde Inhalation Exposure of Rats: Effects on Lung Morphology, Clara-Cell Protein, and Hyaluronic Acid Levels in BAL. Inhalation Toxicology, 2003, 15, 85-97.	0.8	10
54	Follow-up study on latex allergy in health care workers. Journal of Allergy and Clinical Immunology, 2002, 109, S258-S258.	1.5	2

Cezary Paå,czyå,,ski

#	Article	IF	CITATIONS
55	The risk factors for the development of occupational respiratory allergy in apprentice bakers. Journal of Allergy and Clinical Immunology, 2002, 109, S325-S325.	1.5	О
56	Allergy to animal fur and feathers among zoo workers. International Archives of Occupational and Environmental Health, 2002, 75, 113-116.	1.1	4
57	The risk factors of occupational hypersensitivity in apprentice bakers - the predictive value of atopy markers. International Archives of Occupational and Environmental Health, 2002, 75, 117-121.	1.1	26
58	Eotaxin but not MCP-3 induces eosinophil influx into nasal fluid in allergic patients. Allergy: European Journal of Allergy and Clinical Immunology, 2002, 57, 519-528.	2.7	22
59	Occupational asthma due to mitoxantrone. Allergy: European Journal of Allergy and Clinical Immunology, 2002, 57, 461-461.	2.7	15
60	Carcinoid behind baker's asthma. Allergy: European Journal of Allergy and Clinical Immunology, 2002, 57, 966-967.	2.7	4
61	Occupational asthma and rhinitis due to glutaraldehyde: changes in nasal lavage fluid after specific inhalatory challenge test. Allergy: European Journal of Allergy and Clinical Immunology, 2001, 56, 1186-1191.	2.7	44
62	Allergic contact dermatitis from disinfectants in farmers. Contact Dermatitis, 2001, 45, 168-169.	0.8	6
63	Nasal provocation test in the diagnosis of natural rubber latex allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2000, 55, 34-41.	2.7	35
64	Latex allergy in Polish nurses. , 1999, 35, 413-419.		8
65	ECG Abnormalities in Workers Exposed to Electromagnetic Fields at Different Exposure Levels. , 1999, , 825-828.		0
66	Nasal challenge test in the diagnosis of allergic respiratory diseases in subjects occupationally exposed to a high molecular allergen (flour). Occupational Medicine, 1998, 48, 91-97.	0.8	25
67	Ambulatory ECG monitoring in workers exposed to electromagnetic fields. Journal of Medical Engineering and Technology, 1997, 21, 41-46.	0.8	18
68	Occupational rhinitis and bronchial asthma due to morphine: evidence from inhalational and nasal challenges. Allergy: European Journal of Allergy and Clinical Immunology, 1996, 51, 914-918.	2.7	18
69	Dysregulation of Autonomic Control of Cardiac Function in Workers at am Broadcasting Stations (0.738–1.503 MHz). Electromagnetic Biology and Medicine, 1995, 14, 177-191	0.4	11