

Paolo Verderio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6812529/publications.pdf>

Version: 2024-02-01

142
papers

3,683
citations

136740

32
h-index

161609

54
g-index

144
all docs

144
docs citations

144
times ranked

5969
citing authors

#	ARTICLE	IF	CITATIONS
1	Contrast-enhanced digital mammography and magnetic resonance imaging: reproducibility compared to pathologic anatomy. <i>Tumori</i> , 2022, 108, 563-571.	0.6	1
2	Prevalence and Management of Cancer of the Rectal Stump after Total Colectomy and Rectal Sparing in Patients with Familial Polyposis: Results from a Registry-Based Study. <i>Cancers</i> , 2022, 14, 298.	1.7	7
3	Exploring the association with disease recurrence of miRNAs predictive of colorectal cancer. <i>International Journal of Biological Markers</i> , 2022, 37, 102-109.	0.7	0
4	What if the future of HER2-positive breast cancer patients was written in miRNAs? An exploratory analysis from NeoALTTO study. <i>Cancer Medicine</i> , 2022, 11, 332-339.	1.3	6
5	COVID-19 Vaccination in Health Care Workers in Italy: A Literature Review and a Report from a Comprehensive Cancer Center. <i>Vaccines</i> , 2022, 10, 734.	2.1	0
6	Reply to Serrano et al. Comment on Colletti et al. Prevalence and Management of Cancer of the Rectal Stump after Total Colectomy and Rectal Sparing in Patients with Familial Polyposis: Results from a Registry-Based Study. <i>Cancers</i> 2022, 14, 298. <i>Cancers</i> , 2022, 14, 3241.	1.7	0
7	Analysis of the mutational status of SIX1/2 and microRNA processing genes in paired primary and relapsed Wilms tumors and association with relapse. <i>Cancer Gene Therapy</i> , 2021, 28, 1016-1024.	2.2	9
8	A combination of extracellular matrix- and interferon-associated signatures identifies high-grade breast cancers with poor prognosis. <i>Molecular Oncology</i> , 2021, 15, 1345-1357.	2.1	6
9	Retrospective study of late radiation-induced damages after focal radiotherapy for childhood brain tumors. <i>PLoS ONE</i> , 2021, 16, e0247748.	1.1	4
10	SARS-CoV-2 Serology Monitoring of a Cancer Center Staff in the Pandemic Most Infected Italian Region. <i>Cancers</i> , 2021, 13, 1035.	1.7	2
11	Prediction of Grade Reclassification of Prostate Cancer Patients on Active Surveillance through the Combination of a Three-miRNA Signature and Selected Clinical Variables. <i>Cancers</i> , 2021, 13, 2433.	1.7	8
12	Magnetic resonance imaging patterns of tumor response to chemotherapy in desmoid-type fibromatosis. <i>Cancer Medicine</i> , 2021, 10, 4356-4365.	1.3	6
13	Preventive Anti-inflammatory Diet to Reduce Gastrointestinal Inflammation in Familial Adenomatous Polyposis Patients: A Prospective Pilot Study. <i>Cancer Prevention Research</i> , 2021, 14, 963-972.	0.7	8
14	Circulating miRNAs as Novel Non-Invasive Biomarkers to Aid the Early Diagnosis of Suspicious Breast Lesions for Which Biopsy Is Recommended. <i>Cancers</i> , 2021, 13, 4028.	1.7	6
15	Skip pattern approach toward the early access of innovative anticancer drugs. <i>ESMO Open</i> , 2021, 6, 100227.	2.0	1
16	Hereditary colorectal cancer syndromes and the COVID-19 pandemic: results from a survey conducted in patients enrolled in a dedicated registry. <i>Quality of Life Research</i> , 2021, , 1.	1.5	1
17	Integrated Molecular and Immune Phenotype of HER2-Positive Breast Cancer and Response to Neoadjuvant Therapy: A NeoALTTO Exploratory Analysis. <i>Clinical Cancer Research</i> , 2021, 27, 6307-6313.	3.2	8
18	Analysis of Italian BRCA1/2 Pathogenic Variants Identifies a Private Spectrum in the Population from the Bergamo Province in Northern Italy. <i>Cancers</i> , 2021, 13, 532.	1.7	8

#	ARTICLE	IF	CITATIONS
19	Plasma miRNA-based signatures in CRC screening programs. <i>International Journal of Cancer</i> , 2020, 146, 1164-1173.	2.3	35
20	Short-term and long-term outcomes after preventive surgery in adolescent patients with familial adenomatous polyposis. <i>Pediatric Blood and Cancer</i> , 2020, 67, e28110.	0.8	7
21	Î² and Î³ urine free light chains: a new method for quantification. <i>Tumori</i> , 2020, 106, 457-463.	0.6	0
22	Early Modulation of Circulating MicroRNAs Levels in HER2-Positive Breast Cancer Patients Treated with Trastuzumab-Based Neoadjuvant Therapy. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1386.	1.8	33
23	The 41-gene classifier TRAR predicts response of HER2 positive breast cancer patients in the NeoALTTO study. <i>European Journal of Cancer</i> , 2019, 118, 1-9.	1.3	11
24	The impact of chemotherapy on survival of patients with extremity and trunk wall soft tissue sarcoma: revisiting the results of the EORTC-STBSG 62931 randomised trial. <i>European Journal of Cancer</i> , 2019, 109, 51-60.	1.3	134
25	High-dose-rate brachytherapy for high-grade vaginal intraepithelial neoplasia: a dosimetric analysis. <i>Journal of Contemporary Brachytherapy</i> , 2019, 11, 146-151.	0.4	9
26	Methodological and statistical issues in developing an External Quality Assessment scheme in laboratory medicine: Focus on biomarker research. <i>New Biotechnology</i> , 2019, 52, 54-59.	2.4	2
27	A Pilot Low-Inflammatory Dietary Intervention to Reduce Inflammation and Improve Quality of Life in Patients With Familial Adenomatous Polyposis: Protocol Description and Preliminary Results. <i>Integrative Cancer Therapies</i> , 2019, 18, 153473541984640.	0.8	10
28	Monitoring Vitamin B12 in Women Treated with Metformin for Primary Prevention of Breast Cancer and Age-Related Chronic Diseases. <i>Nutrients</i> , 2019, 11, 1020.	1.7	5
29	Plasma miRNA Levels for Predicting Therapeutic Response to Neoadjuvant Treatment in HER2-positive Breast Cancer: Results from the NeoALTTO Trial. <i>Clinical Cancer Research</i> , 2019, 25, 3887-3895.	3.2	42
30	Combination of Baseline LDH, Performance Status and Age as Integrated Algorithm to Identify Solid Tumor Patients with Higher Probability of Response to Anti PD-1 and PD-L1 Monoclonal Antibodies. <i>Cancers</i> , 2019, 11, 223.	1.7	18
31	Constitutive BRCA1 Promoter Hypermethylation Can Be a Predisposing Event in Isolated Early-Onset Breast Cancer. <i>Cancers</i> , 2019, 11, 58.	1.7	22
32	High-risk soft tissue sarcomas treated with perioperative chemotherapy: Improving prognostic classification in a randomised clinical trial. <i>European Journal of Cancer</i> , 2018, 93, 28-36.	1.3	49
33	In situ hybridization detection methods for HPV16 E6/E7 mRNA in identifying transcriptionally active HPV infection of oropharyngeal carcinoma: an updating. <i>Human Pathology</i> , 2018, 74, 32-42.	1.1	15
34	Different pixel pitch and maximum luminance of medical grade displays may result in different evaluations of digital radiography images. <i>Radiologia Medica</i> , 2018, 123, 586-592.	4.7	1
35	Workflow for Circulating miRNA Identification and Development in Cancer Research: Methodological Considerations. , 2018, , 103-117.		1
36	Prognostic stratification using the nomogram sarculator and its impact on study results in a randomized controlled trial (RCT) for localized soft tissue sarcomas (STS): A secondary analysis of the EORTC-STBSG 62931.. <i>Journal of Clinical Oncology</i> , 2018, 36, 11518-11518.	0.8	5

#	ARTICLE	IF	CITATIONS
37	Short, full-dose neoadjuvant chemotherapy in localized high-risk adult soft tissue sarcomas (STS): An exploratory subgroup analysis on responding patients in a randomized controlled trial comparing 3 neoadjuvant versus 3 neoadjuvant + 2 adjuvant cycles of full dose anthracycline and ifosfamide chemotherapy at a 10yr median FU.. <i>Journal of Clinical Oncology</i> , 2018, 36, 11558-11558.	0.8	0
38	A methodological procedure for evaluating the impact of hemolysis on circulating microRNAs. <i>Oncology Letters</i> , 2017, 13, 315-320.	0.8	52
39	How Does the Display Luminance Level Affect Detectability of Breast Microcalcifications and Spiculated Lesions in Digital Breast Tomosynthesis (DBT) Images?. <i>Academic Radiology</i> , 2017, 24, 795-801.	1.3	3
40	β-catenin in desmoid-type fibromatosis: deep insights into the role of T41A and S45F mutations on protein structure and gene expression. <i>Molecular Oncology</i> , 2017, 11, 1495-1507.	2.1	28
41	Expression of Iron-Related Proteins Differentiate Non-Cancerous and Cancerous Breast Tumors. <i>International Journal of Molecular Sciences</i> , 2017, 18, 410.	1.8	27
42	Detection of Circulating Tumour Cells in Urothelial Cancers and Clinical Correlations: Comparison of Two Methods. <i>Disease Markers</i> , 2017, 2017, 1-11.	0.6	13
43	Proteomic analysis of cerebrospinal fluid from children with central nervous system tumors identifies candidate proteins relating to tumor metastatic spread. <i>Oncotarget</i> , 2017, 8, 46177-46190.	0.8	24
44	The sarculator stratified prognosis of patients with high-risk soft tissue sarcomas (STS) of extremities and trunk wall treated with perioperative chemotherapy in a randomised controlled trial (RCT).. <i>Journal of Clinical Oncology</i> , 2017, 35, 11016-11016.	0.8	3
45	The focus on sample quality: Influence of colon tissue collection on reliability of qPCR data. <i>Scientific Reports</i> , 2016, 6, 29023.	1.6	7
46	In a cohort of breast cancer screened patients the proportion of HER2 positive cases is lower than that earlier reported and pathological characteristics differ between HER2 3+ and HER2 2+/Her2 amplified cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 469, 45-50.	1.4	22
47	Short, full-dose adjuvant chemotherapy (CT) in high-risk adult soft tissue sarcomas (STS): long-term follow-up of a randomized clinical trial from the Italian Sarcoma Group and the Spanish Sarcoma Group. <i>Annals of Oncology</i> , 2016, 27, 2283-2288.	0.6	90
48	Comment on "Circulating cell-free miRNAs as biomarker for triple-negative breast cancer" Methodological challenges in combining miRNAs as circulating biomarkers. <i>British Journal of Cancer</i> , 2016, 114, e5-e5.	2.9	2
49	Data and performances evaluation of the SPIDIA-DNA Pan-European External Quality Assessment: 2nd SPIDIA-DNA laboratory report. <i>Data in Brief</i> , 2016, 6, 980-984.	0.5	3
50	Developing miRNA signatures: a multivariate prospective. <i>British Journal of Cancer</i> , 2016, 115, 1-4.	2.9	22
51	Second SPIDIA-DNA External Quality Assessment (EQA): Influence of pre-analytical phase of blood samples on genomic DNA quality. <i>Clinica Chimica Acta</i> , 2016, 454, 10-14.	0.5	14
52	Effects of Transport and Storage Conditions on Gene Expression in Blood Samples. <i>Biopreservation and Biobanking</i> , 2016, 14, 122-128.	0.5	20
53	Reproducibility between messenger RNA real-time polymerase chain reaction and messenger RNA in situ hybridization in oropharyngeal squamous cell carcinoma patients. <i>Human Pathology</i> , 2016, 47, 157-158.	1.1	4
54	Tumor response assessment by Choi criteria in localized high-risk soft tissue sarcoma (STS) treated with chemotherapy (CT): Update at 10-year follow-up of an exploratory analysis on a phase III trial.. <i>Journal of Clinical Oncology</i> , 2016, 34, 11044-11044.	0.8	1

#	ARTICLE	IF	CITATIONS
55	Short, full-dose adjuvant chemotherapy (CT) in high-risk adult soft tissue sarcomas (STS): Long-term follow-up of a randomized clinical trial from the Italian Sarcoma Group and the Spanish Sarcoma Group.. <i>Journal of Clinical Oncology</i> , 2016, 34, 11045-11045.	0.8	0
56	Receptor tyrosine kinase profiles and human papillomavirus status in oropharyngeal squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2015, 44, 734-745.	1.4	8
57	Moving from Discovery to Validation in Circulating microRNA Research. <i>International Journal of Biological Markers</i> , 2015, 30, 258-261.	0.7	2
58	Androgen Receptor CAG Repeat Length and Estrogen Receptor Status in Postmenopausal Breast Cancer Prognosis. <i>International Journal of Biological Markers</i> , 2015, 30, 418-424.	0.7	3
59	<i>FANCM</i> c.5791C>T nonsense mutation (rs144567652) induces exon skipping, affects DNA repair activity and is a familial breast cancer risk factor. <i>Human Molecular Genetics</i> , 2015, 24, 5345-5355.	1.4	91
60	Combining qualitative and quantitative imaging evaluation for the assessment of genomic DNA integrity: The SPIDIA experience. <i>Analytical Biochemistry</i> , 2015, 479, 60-62.	1.1	7
61	Influence of storage conditions and extraction methods on the quantity and quality of circulating cell-free DNA (ccfDNA): the SPIDIA-DNAplis External Quality Assessment experience. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 1935-42.	1.4	69
62	Influence of pre-analytical procedures on genomic DNA integrity in blood samples: The SPIDIA experience. <i>Clinica Chimica Acta</i> , 2015, 440, 205-210.	0.5	22
63	Plasma hepcidin in early-stage breast cancer patients: no relationship with interleukin-6, erythropoietin and erythroferrone. <i>Expert Review of Proteomics</i> , 2015, 12, 695-701.	1.3	23
64	Feasibility of Preoperative Chemotherapy With or Without Radiation Therapy in Localized Soft Tissue Sarcomas of Limbs and Superficial Trunk in the Italian Sarcoma Group/Grupo Español de Investigación en Sarcomas Randomized Clinical Trial: Three Versus Five Cycles of Full-Dose Epirubicin Plus Ifosfamide. <i>Journal of Clinical Oncology</i> , 2015, 33, 3628-3634.	0.8	59
65	Association between CASP8 652 6N Del Polymorphism (rs3834129) and Colorectal Cancer Risk: Results from a Multi-Centric Study. <i>PLoS ONE</i> , 2014, 9, e85538.	1.1	8
66	SPIDIA-RNA: Second External Quality Assessment for the Pre-Analytical Phase of Blood Samples Used for RNA Based Analyses. <i>PLoS ONE</i> , 2014, 9, e112293.	1.1	33
67	Histone deacetylase inhibitor-temozolomide co-treatment inhibits melanoma growth through suppression of Chemokine (C-C motif) ligand 2-driven signals. <i>Oncotarget</i> , 2014, 5, 4516-4528.	0.8	29
68	A normalization strategy for the analysis of plasma microRNA qPCR data in colorectal cancer. <i>International Journal of Cancer</i> , 2014, 134, 2016-2018.	2.3	8
69	PALB2 sequencing in Italian familial breast cancer cases reveals a high-risk mutation recurrent in the province of Bergamo. <i>Genetics in Medicine</i> , 2014, 16, 688-694.	1.1	25
70	PI3KCA mutation status is of limited prognostic relevance in ER-positive breast cancer patients treated with hormone therapy. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 464, 85-93.	1.4	12
71	Hepcidin and ferritin blood level as noninvasive tools for predicting breast cancer. <i>Annals of Oncology</i> , 2014, 25, 352-357.	0.6	53
72	Evaluation of colon cancer histomorphology: a comparison between formalin and PAXgene tissue fixation by an international ring trial. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 465, 509-519.	1.4	24

#	ARTICLE	IF	CITATIONS
73	Circulating miR-378 in plasma: a reliable, haemolysis-independent biomarker for colorectal cancer. <i>British Journal of Cancer</i> , 2014, 110, 1001-1007.	2.9	118
74	NqA: An R-based algorithm for the normalization and analysis of microRNA quantitative real-time polymerase chain reaction data. <i>Analytical Biochemistry</i> , 2014, 461, 7-9.	1.1	15
75	Circulating Free DNA in a Screening Program for Early Colorectal Cancer Detection. <i>Tumori</i> , 2014, 100, 115-121.	0.6	39
76	Biomarkers for Monitoring Pre-Analytical Quality Variation of mRNA in Blood Samples. <i>PLoS ONE</i> , 2014, 9, e111644.	1.1	17
77	Circulating free DNA in a screening program for early colorectal cancer detection. <i>Tumori</i> , 2014, 100, 115-21.	0.6	27
78	Abstract 1874: Investigation of the cerebrospinal fluid proteome from central nervous system pediatric tumors using bait loaded hydrogel nanoparticles and mass spectrometry. , 2014, , .		0
79	SPIDIA-DNA: An External Quality Assessment for the pre-analytical phase of blood samples used for DNA-based analyses. <i>Clinica Chimica Acta</i> , 2013, 424, 274-286.	0.5	30
80	External Quality Assessment (EQA) program for the preanalytical and analytical immunohistochemical determination of HER2 in breast cancer: an experience on a regional scale. <i>Journal of Experimental and Clinical Cancer Research</i> , 2013, 32, 58.	3.5	9
81	SPIDIA-RNA: First external quality assessment for the pre-analytical phase of blood samples used for RNA based analyses. <i>Methods</i> , 2013, 59, 20-31.	1.9	39
82	X chromosome inactivation pattern in BRCA gene mutation carriers. <i>European Journal of Cancer</i> , 2013, 49, 1136-1141.	1.3	11
83	Comment to "Non-invasive assessment of hepatic fibrosis in a series of patients with Wilson's disease". <i>Digestive and Liver Disease</i> , 2013, 45, 265.	0.4	0
84	Quality of surgery and neoadjuvant combined therapy in the ISG-GEIS trial on soft tissue sarcomas of limbs and trunk wall. <i>Annals of Oncology</i> , 2013, 24, 817-823.	0.6	69
85	Effects of Warm Ischemic Time on Gene Expression Profiling in Colorectal Cancer Tissues and Normal Mucosa. <i>PLoS ONE</i> , 2013, 8, e53406.	1.1	44
86	Assessing the Clinical Relevance of Oncogenic Pathways in Neoadjuvant Breast Cancer. <i>Journal of Clinical Oncology</i> , 2012, 30, 1912-1915.	0.8	7
87	Short, Full-Dose Adjuvant Chemotherapy in High-Risk Adult Soft Tissue Sarcomas: A Randomized Clinical Trial From the Italian Sarcoma Group and the Spanish Sarcoma Group. <i>Journal of Clinical Oncology</i> , 2012, 30, 850-856.	0.8	156
88	Implementation of a proficiency testing for the assessment of the preanalytical phase of blood samples used for RNA based analysis. <i>Clinica Chimica Acta</i> , 2012, 413, 779-786.	0.5	17
89	Sequencing Analysis of SLX4/FANCP Gene in Italian Familial Breast Cancer Cases. <i>PLoS ONE</i> , 2012, 7, e31038.	1.1	10
90	miRNA Profiling in Colorectal Cancer Highlights miR-1 Involvement in MET-Dependent Proliferation. <i>Molecular Cancer Research</i> , 2012, 10, 504-515.	1.5	123

#	ARTICLE	IF	CITATIONS
91	Identification of fifteen novel germline variants in the 3'UTR of BRCA1 reveals a variant in a breast cancer case that introduces a functional miR-103 target site. <i>Human Mutation</i> , 2012, 33, 1665-1675.	1.1	49
92	Tumor response assessment by modified Choi criteria in localized high-risk soft tissue sarcoma treated with chemotherapy. <i>Cancer</i> , 2012, 118, 5857-5866.	2.0	85
93	The SNP rs895819 in miR-27a is not associated with familial breast cancer risk in Italians. <i>Breast Cancer Research and Treatment</i> , 2012, 133, 805-807.	1.1	28
94	Genomic profiling by whole-genome single nucleotide polymorphism arrays in Wilms tumor and association with relapse. <i>Genes Chromosomes and Cancer</i> , 2012, 51, 644-653.	1.5	28
95	Methylation status in patients with early stage colon cancer: A new prognostic marker?. <i>International Journal of Cancer</i> , 2012, 130, 488-489.	2.3	10
96	Multiparametric Analysis of Cell-Free DNA in Melanoma Patients. <i>PLoS ONE</i> , 2012, 7, e49843.	1.1	60
97	The CASP8 rs3834129 polymorphism and breast cancer risk in BRCA1 mutation carriers. <i>Breast Cancer Research and Treatment</i> , 2011, 125, 855-860.	1.1	11
98	PALB2 germline mutations in familial breast cancer cases with personal and family history of pancreatic cancer. <i>Breast Cancer Research and Treatment</i> , 2011, 126, 825-828.	1.1	37
99	Evaluation of SNPs in miR-146a, miR196a2 and miR-499 as low-penetrance alleles in German and Italian familial breast cancer cases. <i>Human Mutation</i> , 2010, 31, E1052-E1057.	1.1	147
100	Reproducibility in the diagnosis of needle core biopsies of non-palpable breast lesions: an international study using virtual slides published on the worldwide web. <i>Histopathology</i> , 2010, 56, 720-726.	1.6	7
101	Prevalidation of the Rat CFU-GM Assay for In Vitro Toxicology Applications. <i>ATLA Alternatives To Laboratory Animals</i> , 2010, 38, 105-117.	0.7	17
102	Research Trends for Early Cancer Biomarker Detection in Italy: An Integrated Program in Oncology (PIO) Survey. <i>Tumori</i> , 2010, 96, 721-725.	0.6	0
103	A BRCA1 promoter variant (rs11655505) and breast cancer risk. <i>Journal of Medical Genetics</i> , 2010, 47, 268-270.	1.5	6
104	Biomarkers for Early Cancer Detection – Methodological Aspects. <i>Breast Care</i> , 2010, 5, 62-65.	0.8	10
105	Abstract 4038: Identification of microRNAs involved in colorectal cancer progression. , 2010, , .		0
106	Simultaneous confidence intervals to compare gene expression profiles using ABC transporter TaqMan microfluidic cards. <i>Oncology Reports</i> , 2010, 23, 853-60.	1.2	8
107	Research trends for early cancer biomarker detection in Italy: an integrated program in oncology (PIO) survey. <i>Tumori</i> , 2010, 96, 721-5.	0.6	0
108	The Integrated Oncology Program of the Italian Ministry of Health. <i>International Journal of Biological Markers</i> , 2009, 24, 119-129.	0.7	4

#	ARTICLE	IF	CITATIONS
109	Short- and long-term effects of a training session on pathologists' performance: the INQAT experience for histological grading in breast cancer. <i>Journal of Clinical Pathology</i> , 2009, 62, 279-281.	1.0	16
110	SNPs in ultraconserved elements and familial breast cancer risk. <i>Carcinogenesis</i> , 2009, 30, 544-545.	1.3	23
111	Breast pathology guideline implementation in low- and middle-income countries. <i>Cancer</i> , 2009, 115, 5607-5607.	2.0	1
112	Tissue microarrays for immunohistochemical determination of oncological biomarkers. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009, 454, 353-354.	1.4	1
113	Evidences for association of the CASP8 -652 6N del promoter polymorphism with age at diagnosis in familial breast cancer cases. <i>Breast Cancer Research and Treatment</i> , 2009, 113, 607-608.	1.1	20
114	The Integrated Oncology Program of the Italian Ministry of Health. Analytical and clinical validation of new biomarkers for early diagnosis: network, resources, methodology, quality control, and data analysis. <i>International Journal of Biological Markers</i> , 2009, 24, 119-129.	0.7	6
115	FCI: an R-based algorithm for evaluating uncertainty of absolute real-time PCR quantification. <i>BMC Bioinformatics</i> , 2008, 9, 13.	1.2	11
116	The p53 Arg72Pro and Ins16bp polymorphisms and their haplotypes are not associated with breast cancer risk in BRCA-mutation negative familial cases. <i>Cancer Detection and Prevention</i> , 2008, 32, 140-143.	2.1	20
117	Delineation of HER2 Gene Status in Breast Carcinoma by Silver in Situ Hybridization is Reproducible among Laboratories and Pathologists. <i>Journal of Molecular Diagnostics</i> , 2008, 10, 527-536.	1.2	39
118	External quality assessment schemes for real-time PCR: a statistical procedure to corrective actions. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 717-21.	1.4	2
119	An Italian program of External Quality Control for chromogranin A (CgA) assay: performance evaluation of CgA determination. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 1244-50.	1.4	23
120	The Need for a Quality Control of the Whole Process of Immunohistochemistry Human Epidermal Growth Factor Receptor 2/ <i>neu</i> Determination: A United Kingdom National External Quality Assessment Service/Italian Network for Quality Assessment of Tumor Biomarkers Pilot Experience. <i>Journal of Clinical Oncology</i> , 2007, 25, e27-e28.	0.8	6
121	EQUAL-qual: A European Program for External Quality Assessment of Genomic DNA Extraction and PCR Amplification. <i>Clinical Chemistry</i> , 2007, 53, 1349-1357.	1.5	27
122	EQUAL-quant: An International External Quality Assessment Scheme for Real-Time PCR. <i>Clinical Chemistry</i> , 2006, 52, 1584-1591.	1.5	39
123	Bivariate statistical approach to evaluate laboratory performance by analysis of standard curves in an External Quality Assurance program for quantitative assays based on real-time PCR with Taq-Man [®] probes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 18-22.	1.4	1
124	Effects of Prolonged Storage of Whole Plasma or Isolated Plasma DNA on the Results of Circulating DNA Quantification Assays. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1848-1850.	3.0	144
125	Reproducibility of a Semiquantitative Measurement of Circulating DNA in Plasma From Neoplastic Patients. <i>Journal of Clinical Oncology</i> , 2005, 23, 3163-3164.	0.8	26
126	An Italian program of external quality control for quantitative assays based on real-time PCR with Taq-Man [®] probes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005, 43, 542-8.	1.4	19

#	ARTICLE	IF	CITATIONS
127	Confidence interval estimation for DNA and mRNA concentration by real-time PCR: A new environment for an old theorem. <i>International Journal of Biological Markers</i> , 2004, 19, 76-79.	0.7	6
128	Multimodal treatment with primary single-agent epirubicin in operable breast cancer: 5-year experience of the Michelangelo Cooperative Group. <i>Annals of Oncology</i> , 2002, 13, 1049-1058.	0.6	8
129	Five-day infusion fluorouracil plus vinorelbine in women with breast cancer previously treated with anthracyclines and paclitaxel. <i>Breast Cancer Research and Treatment</i> , 2000, 62, 135-139.	1.1	10
130	Confidential enquiry into avoidable vehicle accident deaths in the province of Modena, Italy. <i>European Journal of Epidemiology</i> , 2000, 16, 67-74.	2.5	3
131	Combined sequential approach in locally advanced breast cancer. <i>Annals of Oncology</i> , 1999, 10, 305-310.	0.6	21
132	Chronic Hepatitis C and Interferon Alpha: Conventional and Cumulative Meta-Analyses of Randomized Controlled Trials. <i>American Journal of Gastroenterology</i> , 1999, 94, 581-595.	0.2	38
133	Chronic hepatitis C and interferon alpha: conventional and cumulative meta-analyses of randomized controlled trials. <i>American Journal of Gastroenterology</i> , 1999, 94, 581-595.	0.2	34
134	Prognostic significance of p53, angiogenesis, and other conventional features in operable breast cancer: subanalysis in node-positive and node-negative patients.. <i>International Journal of Oncology</i> , 1998, 12, 1117-25.	1.4	28
135	Reliability and Accuracy in Reporting CIN in 14 Laboratories. <i>Acta Cytologica</i> , 1998, 42, 1370-1376.	0.7	9
136	Evaluation of Residual Cellularity and Proliferation on Preoperatively Treated Breast Cancer: A Comparison between Image Analysis and Light Microscopy Analysis. <i>Analytical Cellular Pathology</i> , 1998, 16, 83-93.	2.1	4
137	Lack of prognostic significance of the monoclonal antibody Ki-S1, a novel marker of proliferative activity, in node-negative breast carcinoma. <i>Breast Cancer Research and Treatment</i> , 1996, 37, 123-133.	1.1	18
138	Prognostic and predictive value of tumour angiogenesis in ovarian carcinomas. , 1996, 69, 205-211.		115
139	67-kDa laminin-receptor expression adds prognostic information to intra-tumoral microvessel density in node-negative breast cancer. <i>International Journal of Cancer</i> , 1995, 60, 604-610.	2.3	65
140	Prognostic value of intratumoral microvessel density, a measure of tumor angiogenesis, in node-negative breast carcinoma ? results of a multiparametric study. <i>Breast Cancer Research and Treatment</i> , 1995, 36, 205-217.	1.1	102
141	Cytotoxicity of some catalysts commonly used in the synthesis of copolymers for biomedical use. <i>Journal of Materials Science: Materials in Medicine</i> , 1994, 5, 393-396.	1.7	189
142	Cell kinetics in human breast cancer: Comparison between the prognostic value of the cytofluorimetric S-phase fraction and that of the antibodies to Ki-67 and PCNA antigens detected by immunocytochemistry. <i>International Journal of Cancer</i> , 1994, 57, 822-829.	2.3	75