

# Josã Lemos

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6813939/publications.pdf>

Version: 2024-02-01

44  
papers

1,955  
citations

393982

19  
h-index

288905

40  
g-index

48  
all docs

48  
docs citations

48  
times ranked

1406  
citing authors

#	ARTICLE	IF	CITATIONS
1	Selective Peptide Antagonist of the Class E Calcium Channel from the Venom of the Tarantula <i>Hysterocrates gigas</i> . <i>Biochemistry</i> , 1998, 37, 15353-15362.	1.2	367
2	Trp2 regulates entry of Ca <sup>2+</sup> into mouse sperm triggered by egg ZP3. <i>Nature Cell Biology</i> , 2001, 3, 499-502.	4.6	300
3	Two types of calcium channels coexist in peptide-releasing vertebrate nerve terminals. <i>Neuron</i> , 1989, 2, 1419-1426.	3.8	205
4	An R-Type Ca <sup>2+</sup> Current in Neurohypophysial Terminals Preferentially Regulates Oxytocin Secretion. <i>Journal of Neuroscience</i> , 1999, 19, 9235-9241.	1.7	118
5	Rat supraoptic magnocellular neurones show distinct large conductance, Ca <sup>2+</sup> -activated K <sup>+</sup> channel subtypes in cell bodies versus nerve endings. <i>Journal of Physiology</i> , 1999, 519, 101-114.	1.3	90
6	Role of Q-type Ca <sup>2+</sup> Channels in Vasopressin Secretion From Neurohypophysial Terminals of the Rat. <i>Journal of Physiology</i> , 1997, 502, 351-363.	1.3	87
7	ATP-evoked increases in [Ca <sup>2+</sup> ] <sub>i</sub> and peptide release from rat isolated neurohypophysial terminals via a P2X <sub>2</sub> purinoceptor. <i>Journal of Physiology</i> , 1998, 511, 89-103.	1.3	79
8	Ca <sup>2+</sup> Syntillas, Miniature Ca <sup>2+</sup> Release Events in Terminals of Hypothalamic Neurons, Are Increased in Frequency by Depolarization in the Absence of Ca <sup>2+</sup> Influx. <i>Journal of Neuroscience</i> , 2004, 24, 1226-1235.	1.7	77
9	Single channels and ionic currents in peptidergic nerve terminals. <i>Nature</i> , 1986, 319, 410-412.	13.7	56
10	Isolated neurosecretory nerve endings as a tool for studying the mechanism of stimulus-secretion coupling. <i>Bioscience Reports</i> , 1987, 7, 411-426.	1.1	53
11	Integrated Channel Plasticity Contributes to Alcohol Tolerance in Neurohypophysial Terminals. <i>Molecular Pharmacology</i> , 2002, 62, 135-142.	1.0	49
12	Dihydropyridine Receptors and Type 1 Ryanodine Receptors Constitute the Molecular Machinery for Voltage-Induced Ca <sup>2+</sup> Release in Nerve Terminals. <i>Journal of Neuroscience</i> , 2006, 26, 7565-7574.	1.7	49
13	Modulation/physiology of calcium channel sub-types in neurosecretory terminals. <i>Cell Calcium</i> , 2012, 51, 284-292.	1.1	45
14	Syntillas Release Ca <sup>2+</sup> at a Site Different from the Microdomain Where Exocytosis Occurs in Mouse Chromaffin Cells. <i>Biophysical Journal</i> , 2006, 90, 2027-2037.	0.2	33
15	ATP elicits inward currents in isolated vasopressinergic neurohypophysial terminals via P2X <sub>2</sub> and P2X <sub>3</sub> receptors. <i>Pflügers Archiv European Journal of Physiology</i> , 2005, 450, 381-389.	1.3	27
16	Adenosine inhibition via A <sub>1</sub> receptor of Na <sup>+</sup> -type Ca <sup>2+</sup> current and peptide release from isolated neurohypophysial terminals of the rat. <i>Journal of Physiology</i> , 2002, 540, 791-802.	1.3	26
17	Tolerance to Acute Ethanol Inhibition of Peptide Hormone Release in the Isolated Neurohypophysis. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 1077-1083.	1.4	23
18	Endogenous ATP potentiates only vasopressin secretion from neurohypophysial terminals. <i>Journal of Cellular Physiology</i> , 2008, 217, 155-161.	2.0	22

#	ARTICLE	IF	CITATIONS
19	Excitatory versus inhibitory modulation by ATP of neurohypophysial terminal activity in the rat. <i>Experimental Physiology</i> , 2000, 85, 67s-74s.	0.9	20
20	Identification of the neuropeptide content of individual rat neurohypophysial terminals. <i>Journal of Neuroscience Methods</i> , 2007, 163, 226-234.	1.3	19
21	Endogenous adenosine inhibits CNS terminal Ca <sup>2+</sup> currents and exocytosis. <i>Journal of Cellular Physiology</i> , 2007, 210, 309-314.	2.0	17
22	Î¼-Opioid Inhibition of Ca <sup>2+</sup> Currents and Secretion in Isolated Terminals of the Neurohypophysis Occurs via Ryanodine-Sensitive Ca <sup>2+</sup> Stores. <i>Journal of Neuroscience</i> , 2014, 34, 3733-3742.	1.7	17
23	Advances in the neurophysiology of magnocellular neuroendocrine cells. <i>Journal of Neuroendocrinology</i> , 2020, 32, e12826.	1.2	17
24	Ca <sup>2+</sup> -regulated, neurosecretory granule channel involved in release from neurohypophysial terminals. <i>Journal of Physiology</i> , 2002, 539, 409-418.	1.3	16
25	P2X Purinergic Receptor Knockout Mice Reveal Endogenous ATP Modulation of Both Vasopressin and Oxytocin Release from the Intact Neurohypophysis. <i>Journal of Neuroendocrinology</i> , 2012, 24, 674-680.	1.2	15
26	Functional ryanodine receptors in the membranes of neurohypophysial secretory granules. <i>Journal of General Physiology</i> , 2014, 143, 693-702.	0.9	15
27	Individual Calcium Syntillas Do Not Trigger Spontaneous Exocytosis from Nerve Terminals of the Neurohypophysis. <i>Journal of Neuroscience</i> , 2009, 29, 14120-14126.	1.7	13
28	Ethanol Effect on BK Channels is Modulated by Magnesium. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 1671-1679.	1.4	13
29	Frequency-dependent potentiation of voltage-activated responses only in the intact neurohypophysis of the rat. <i>Pflugers Archiv European Journal of Physiology</i> , 2005, 450, 96-110.	1.3	12
30	Adenosine Trisphosphate Appears to Act via Different Receptors in Terminals Versus Somata of the Hypothalamic Neurohypophysial System. <i>Journal of Neuroendocrinology</i> , 2012, 24, 681-689.	1.2	11
31	Voltage-dependent Îµ-opioid modulation of action potential waveform-elicited calcium currents in neurohypophysial terminals. <i>Journal of Cellular Physiology</i> , 2010, 225, 223-232.	2.0	10
32	Loose-patch clamp currents from the hypothalamo-neurohypophysial system of the rat. <i>Pflugers Archiv European Journal of Physiology</i> , 2003, 446, 702-713.	1.3	9
33	P2X7 Receptors in Neurohypophysial Terminals: Evidence for their Role in Arginine Vasopressin Secretion. <i>Journal of Cellular Physiology</i> , 2014, 229, 333-342.	2.0	8
34	Ionic conditions modulate stimulus-induced capacitance changes in isolated neurohypophysial terminals of the rat. <i>Journal of Physiology</i> , 2010, 588, 287-300.	1.3	7
35	Effects of calcium and sodium on ATP-induced vasopressin release from rat isolated neurohypophysial terminals. <i>Journal of Neuroendocrinology</i> , 2018, 30, e12605.	1.2	6
36	Voltage-induced Ca <sup>2+</sup> release by ryanodine receptors causes neuropeptide secretion from nerve terminals. <i>Journal of Neuroendocrinology</i> , 2020, 32, e12840.	1.2	5

#	ARTICLE	IF	CITATIONS
37	Purinergetic receptor types in the hypothalamic neurohypophysial system. Journal of Neuroendocrinology, 2018, 30, e12588.	1.2	4
38	Possible Role for Neurosecretory Granule Channel That Resembles Gap Junctions. Annals of the New York Academy of Sciences, 1991, 635, 480-482.	1.8	3
39	Tolerance to Acute Ethanol Inhibition of Peptide Hormone Release in the Isolated Neurohypophysis. , 2000, 24, 1077.		2
40	Possible role for ionic channels in neurosecretory granules of the rat neurohypophysis. Society of General Physiologists Series, 1989, 44, 333-47.	0.6	2
41	Isolated Neurohypophysial Terminals: Model for Depolarization Secretion Coupling. Neuromethods, 2014, , 191-220.	0.2	1
42	Adenosine inhibition via A1 receptor of N-type Ca <sup>2+</sup> current and peptide release from isolated neurohypophysial terminals of the rat. , 2002, 540, 791.		1
43	Adenosine inhibition via A1 receptor of N-type Ca <sup>2+</sup> current and peptide release from isolated neurohypophysial terminals of the rat. , 2002, 540, 791.		1
44	Neurosecretion: Hypothalamic Somata versus Neurohypophysial Terminals. Masterclass in Neuroendocrinology, 2020, , 17-42.	0.1	0