

# Juliana Nichterwitz Scherer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6814394/publications.pdf>

Version: 2024-02-01

47  
papers

718  
citations

759190

12  
h-index

580810

25  
g-index

54  
all docs

54  
docs citations

54  
times ranked

1062  
citing authors

#	ARTICLE	IF	CITATIONS
1	Early discharge predictors among inpatient crack cocaine users. Trends in Psychiatry and Psychotherapy, 2023, , .	0.8	0
2	Anger and substance abuse: a systematic review and meta-analysis. Revista Brasileira De Psiquiatria, 2022, 44, 103-110.	1.7	9
3	First and second COVID-19 waves in Brazil: A cross-sectional study of patients's characteristics related to hospitalization and in-hospital mortality. The Lancet Regional Health Americas, 2022, 6, 100107.	2.6	47
4	A rapid review of machine learning approaches for telemedicine in the scope of COVID-19. Artificial Intelligence in Medicine, 2022, 129, 102312.	6.5	10
5	From phone use to speeding and driving under influence: Identifying clusters of driving risk behaviors as an opportunity for targeted interventions. Journal of Psychiatric Research, 2021, 143, 556-562.	3.1	3
6	Obsessive-compulsive disorder reinforcement during the COVID-19 pandemic. Trends in Psychiatry and Psychotherapy, 2021, 43, 81-84.	0.8	12
7	Instruments and Diagnostic Criteria for Binge Eating Assessment in Adults: A Systematic Review. Revista Da Associação Brasileira De Nutrição, 2021, 12, 242-259.	0.1	1
8	Increase in serum brain-derived neurotrophic factor levels during early withdrawal in severe alcohol users. Trends in Psychiatry and Psychotherapy, 2021, , .	0.8	1
9	Obstetric violence and medical education: answering "Who Is Afraid of Obstetric Violence?". Revista Brasileira De Saude Materno Infantil, 2021, 21, 345-346.	0.5	0
10	Making the COVID-19 Pandemic a Driver for Digital Health: Brazilian Strategies. JMIR Public Health and Surveillance, 2021, 7, e28643.	2.6	12
11	The next pandemic: impact of COVID-19 in mental healthcare assistance in a nationwide epidemiological study. The Lancet Regional Health Americas, 2021, 4, 100061.	2.6	30
12	Covid-19 and prisons: Reflection on human rights and public health. Revista De Epidemiologia E Controle De Infecção, 2021, 11, .	0.0	1
13	Increased cortisol levels are associated with low treatment retention in crack cocaine users. Addictive Behaviors, 2020, 103, 106260.	3.0	13
14	Analytical reliability of four oral fluid point-of-collection testing devices for drug detection in drivers. Forensic Science International, 2020, 315, 110434.	2.2	10
15	Convalescent Plasma Therapy in Patients With Severe or Life-Threatening COVID-19: A Metadata Analysis. Journal of Infectious Diseases, 2020, 222, 1575-1578.	4.0	14
16	Prediction of attempted suicide in men and women with crack-cocaine use disorder in Brazil. PLoS ONE, 2020, 15, e0232242.	2.5	11
17	The COVID-19 pandemic and its impact on substance use: Implications for prevention and treatment. Psychiatry Research, 2020, 289, 113096.	3.3	214
18	Modulation of neuropeptide Y levels is impaired in crack withdrawal patients. Trends in Psychiatry and Psychotherapy, 2020, 42, 147-152.	0.8	0

#	ARTICLE	IF	CITATIONS
19	High rates of incarceration due to drug trafficking in the last decade in southern Brazil. Trends in Psychiatry and Psychotherapy, 2020, 42, 153-160.	0.8	1
20	Implications of Covid-19 in ophthalmology. Revista Brasileira De Oftalmologia, 2020, 79, .	0.1	0
21	Drug use and driving behaviors among drivers with and without alcohol-related infractions. Trends in Psychiatry and Psychotherapy, 2020, 42, 230-238.	0.8	2
22	AIDS incidence in Rio Grande do Sul in elderly from 1997 to 2017: an ecological study. Revista De Epidemiologia E Controle De Infecç�o, 2020, 10, .	0.0	0
23	Re-traumatization Cycle: Sexual Abuse, Post-Traumatic Stress Disorder and Sexual Risk Behaviors among Club Drug Users. Substance Use and Misuse, 2019, 54, 1499-1508.	1.4	9
24	User experience and operational feasibility of four point-of-collection oral fluid drug-testing devices according to Brazilian traffic agents. Traffic Injury Prevention, 2019, 20, 30-36.	1.4	7
25	P.728 Anti-inflammatory cytokines in alcohol use disorder: a systematic review and meta-analysis. European Neuropsychopharmacology, 2019, 29, S489-S490.	0.7	0
26	Clinical and Toxicological Profile of NBOMes: A Systematic Review. Psychosomatics, 2019, 60, 129-138.	2.5	6
27	Predictive factors associated with driving under the influence among Brazilian drug-using drivers. Accident Analysis and Prevention, 2019, 123, 256-262.	5.7	3
28	Leptin levels and its correlation with crack-cocaine use severity: A preliminary study. Neuroscience Letters, 2018, 671, 56-59.	2.1	9
29	Comparison of Cocaine/Crack Biomarkers Concentrations in Oral Fluid, Urine and Plasma Simultaneously Collected From Drug Users. Journal of Analytical Toxicology, 2018, 42, 69-76.	2.8	12
30	Child Maltreatment and Illicit Substance Abuse: A Systematic Review and Meta��Analysis of Longitudinal Studies. Child Abuse Review, 2018, 27, 344-360.	0.8	67
31	Brain-derived neurotrophic factor in substance use disorders: A systematic review and meta-analysis. Drug and Alcohol Dependence, 2018, 193, 91-103.	3.2	40
32	Markers for Severity of Problems in Interpersonal Relationships of Crack Cocaine Users from a Brazilian Multicenter Study. Psychiatric Quarterly, 2018, 89, 923-936.	2.1	6
33	Active Brazilian crack cocaine users: nutritional, anthropometric, and drug use profiles. Revista Brasileira De Psiquiatria, 2018, 40, 354-360.	1.7	15
34	Simultaneous determination of cocaine/crack and its metabolites in oral fluid, urine and plasma by liquid chromatography-mass spectrometry and its application in drug users. Journal of Pharmacological and Toxicological Methods, 2017, 86, 60-66.	0.7	22
35	Reliability of point-of-collection testing devices for drugs of abuse in oral fluid: A systematic review and meta-analysis. Journal of Pharmaceutical and Biomedical Analysis, 2017, 143, 77-85.	2.8	27
36	Oral Fluid Testing for Cocaine: Analytical Evaluation of Two Point-of-Collection Drug Screening Devices. Journal of Analytical Toxicology, 2017, 41, 392-398.	2.8	10

#	ARTICLE	IF	CITATIONS
37	Anxiety and depression symptoms in Brazilian sexual minority ecstasy and LSD users. Trends in Psychiatry and Psychotherapy, 2017, 39, 239-246.	0.8	6
38	Crack-cocaine users have less family cohesion than alcohol users. Revista Brasileira De Psiquiatria, 2017, 39, 346-351.	1.7	7
39	Brain-Derived Neurotrophic Factor in Cocaine Withdrawal. , 2017, , 555-564.		0
40	Hepatitis C: clinical and biological features related to different forms of cocaine use. Trends in Psychiatry and Psychotherapy, 2017, 39, 285-292.	0.8	7
41	Psychiatric disorders in aesthetic medicine: the importance of recognizing signs and symptoms. Revista Brasileira De Cirurgia Plastica, 2017, 32, 586-593.	0.0	0
42	Confirmatory factor analysis (CFA) of the Crack Use Relapse Scale (CURS). Revista De Psiquiatria Clinica, 2016, 43, 37-40.	0.6	8
43	Prevalence of driving under the influence of psychoactive substances and road traffic crashes among Brazilian crack-using drivers. Drug and Alcohol Dependence, 2016, 168, 255-262.	3.2	11
44	High levels of brain-derived neurotrophic factor are associated with treatment adherence among crack-cocaine users. Neuroscience Letters, 2016, 630, 169-175.	2.1	13
45	Saãde e cÃjrcere: estruturaÃŠÃŕo da atenÃŠÃŕo bÃjsica Ã saãde no sistema prisional do Rio Grande do Sul. Sistema Penal & ViolÃªncia, 2016, 8, 107.	0.0	3
46	NBOMe: a new dangerous drug similar to LSD. Revista Brasileira De Psiquiatria, 2015, 37, 351-352.	1.7	5
47	First and Second COVID-19 Waves in Brazil: A Cross-Sectional Study of Patientsâ€™ Characteristics Related to In-Hospital Mortality. SSRN Electronic Journal, 0, , .	0.4	1