

Jia-Rui Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6814518/publications.pdf>

Version: 2024-02-01

63
papers

2,198
citations

236612

25
h-index

223531

46
g-index

63
all docs

63
docs citations

63
times ranked

3324
citing authors

#	ARTICLE	IF	CITATIONS
1	Preparation of porous sea-urchin-like CuO/ZnO composite nanostructure consisting of numerous nanowires with improved gas-sensing performance. <i>Frontiers of Materials Science</i> , 2022, 16, 1.	1.1	5
2	Preparation of cross-linked porous SnO ₂ nanosheets using three-dimensional reduced graphene oxide as a template and their gas sensing property. <i>Journal of Alloys and Compounds</i> , 2022, 910, 164763.	2.8	8
3	Synthesis of Au nanoparticle-modified porous TiO ₂ nanospheres for detection of toxic volatile organic vapors. <i>Journal of Alloys and Compounds</i> , 2022, 919, 165843.	2.8	9
4	Effect of microwave sintering on KNN-based lead free ceramics. <i>Ferroelectrics, Letters Section</i> , 2022, 49, 1-5.	0.4	1
5	Synthesis of porous-carbon@reduced graphene oxide with superior electrochemical behaviors for lithium-sulfur batteries. <i>Journal of Alloys and Compounds</i> , 2021, 851, 156832.	2.8	15
6	A facile in-situ synthesis of ZIF-8 nanoparticles anchored on reduced graphene oxide as a sulfur host for Li-S batteries. <i>Materials Research Bulletin</i> , 2021, 133, 111061.	2.7	19
7	Sucrose derived microporous-mesoporous carbon for advanced lithium-sulfur batteries. <i>Ceramics International</i> , 2021, 47, 899-906.	2.3	35
8	Rice paste derived microporous carbon for advanced lithium-sulfur batteries. <i>Journal of Electroanalytical Chemistry</i> , 2021, 880, 114900.	1.9	5
9	A strategy of using temporary space-holders to increase the capacity for Li S batteries. <i>Journal of Electroanalytical Chemistry</i> , 2021, 882, 115008.	1.9	2
10	Nitrogen, phosphorus co-doped porous carbon originated from egg white for advanced lithium-sulfur battery. <i>Journal of Electroanalytical Chemistry</i> , 2021, 894, 115362.	1.9	15
11	N-doped carbon coated SnO ₂ nanospheres as Li-ion battery anode with high capacity and good cycling stability. <i>Journal of Electroanalytical Chemistry</i> , 2021, 899, 115694.	1.9	3
12	Nanoneedle-assembled hollow Fe-Fe ₂ O ₃ microflowers as Li-ion battery anode with high capacity and good temperature tolerance. <i>Journal of Electroanalytical Chemistry</i> , 2021, 898, 115625.	1.9	10
13	Self-sacrificing template method to controllable synthesize hollow SnO ₂ @C nanoboxes for lithium-ion battery anode. <i>Journal of Electroanalytical Chemistry</i> , 2021, 898, 115653.	1.9	13
14	Fabrication of hollow SnO ₂ /ZnS@C nanocubes as anode materials for advanced lithium-ion battery. <i>Journal of Alloys and Compounds</i> , 2021, 878, 160375.	2.8	22
15	Titanium nitride nanocrystals anchored evenly on interconnected carbon nanosheets with effective chemisorption and catalytic effects towards polysulfides for long-life lithium-sulfur batteries. <i>Electrochimica Acta</i> , 2021, 395, 139208.	2.6	6
16	Ultra-thin N-doped carbon coated SnO ₂ nanotubes as anode material for high performance lithium-ion batteries. <i>Applied Surface Science</i> , 2021, 568, 150969.	3.1	16
17	Fabrication of polypyrrole coated cobalt manganate porous nanocubes by a facile template precipitation and annealing method for lithium-sulfur batteries. <i>Journal of Alloys and Compounds</i> , 2021, 885, 161350.	2.8	12
18	Novel method for preparation of metal-sulfide@reduced-graphene-oxide with high energy storage performance. <i>Materials Chemistry and Physics</i> , 2020, 240, 122132.	2.0	6

#	ARTICLE	IF	CITATIONS
19	Construction of polypyrrole coated hollow cobalt manganate nanocages as an effective sulfur host for lithium-sulfur batteries. <i>Ceramics International</i> , 2020, 46, 18224-18233.	2.3	26
20	Preparation of cobalt sulfide@reduced graphene oxide nanocomposites with outstanding electrochemical behavior for lithium-ion batteries. <i>RSC Advances</i> , 2020, 10, 13543-13551.	1.7	11
21	Hierarchical porous carbon doped with high content of nitrogen as sulfur host for high performance lithium-sulfur batteries. <i>Journal of Electroanalytical Chemistry</i> , 2020, 878, 114593.	1.9	9
22	An all-in-one Sn-Co alloy as a binder-free anode for high-capacity batteries and its dynamic lithiation in situ. <i>Chemical Communications</i> , 2019, 55, 529-532.	2.2	9
23	Preparation of zinc sulfide@reduced graphene oxide nanocomposites with enhanced energy storage performance. <i>Journal of Physics and Chemistry of Solids</i> , 2019, 134, 43-51.	1.9	16
24	Preparation of reduced graphene oxide@nickel oxide nanosheets composites with enhanced lithium-ion storage performance. <i>Materials Chemistry and Physics</i> , 2019, 232, 229-239.	2.0	6
25	Co ₉ S ₈ @MoS ₂ core-shell nanostructure anchored on reduced graphene oxide with improved electrochemical performance for lithium-ion batteries. <i>Applied Surface Science</i> , 2019, 473, 918-927.	3.1	34
26	Synthesis of hierarchical molybdenum disulfide microplates consisting of numerous crosslinked nanosheets for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2019, 781, 174-185.	2.8	10
27	Preparation of manganese monoxide@reduced graphene oxide nanocomposites with superior electrochemical performances for lithium-ion batteries. <i>Ceramics International</i> , 2019, 45, 3425-3434.	2.3	22
28	Ni-encapsulated TiO ₂ nanotube array prepared using atomic layer deposition as a high-performance Li-ion battery anode. <i>Materials Letters</i> , 2018, 219, 12-15.	1.3	10
29	Hydrogel assisted synthesis of Li ₃ V ₂ (PO ₄) ₃ composite as high energy density and low-temperature stable secondary battery cathode. <i>Journal of Alloys and Compounds</i> , 2018, 739, 837-847.	2.8	10
30	Three-dimensional sandwich-structured NiMn ₂ O ₄ @reduced graphene oxide nanocomposites for highly reversible Li-ion battery anodes. <i>Journal of Power Sources</i> , 2018, 378, 677-684.	4.0	47
31	A high-capacity NiCo ₂ O ₄ @reduced graphene oxide nanocomposite Li-ion battery anode. <i>Journal of Alloys and Compounds</i> , 2018, 741, 223-230.	2.8	41
32	Effective hydrogen gas sensor based on NiO@rGO nanocomposite. <i>Sensors and Actuators B: Chemical</i> , 2018, 266, 506-513.	4.0	111
33	General approach for preparing sandwich-structured metal sulfide@reduced graphene oxide as highly reversible Li-ion battery anode. <i>Materials Research Letters</i> , 2018, 6, 307-313.	4.1	12
34	Freeze drying-assisted synthesis of Pt@reduced graphene oxide nanocomposites as excellent hydrogen sensor. <i>Journal of Physics and Chemistry of Solids</i> , 2018, 116, 324-330.	1.9	19
35	Synthesis of tin(IV) oxide@reduced graphene oxide nanocomposites with superior electrochemical behaviors for lithium-ions batteries. <i>Electrochimica Acta</i> , 2018, 290, 72-81.	2.6	27
36	A facile synthesis of sandwich-structured SnS ₂ @reduced graphene oxide with high performance for lithium-ion battery anode. <i>Journal of Alloys and Compounds</i> , 2018, 765, 1061-1071.	2.8	48

#	ARTICLE	IF	CITATIONS
37	A facile synthesis of CuS@reduced graphene oxide nanocomposite and its energy storage property. <i>Materials Chemistry and Physics</i> , 2018, 217, 102-110.	2.0	17
38	Size-controlled synthesis and electrochemical performance of porous Fe ₂ O ₃ /SnO ₂ nanocubes as an anode material for lithium ion batteries. <i>CrystEngComm</i> , 2017, 19, 708-715.	1.3	25
39	Three-dimensional graphene-based nanocomposites for high energy density Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 5977-5994.	5.2	67
40	Synthesis of hierarchical γ -Fe ₂ O ₃ nanotubes for high-performance lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2017, 714, 6-12.	2.8	34
41	Synthesis of porous TiO ₂ nanowires and their photocatalytic properties. <i>Frontiers of Optoelectronics</i> , 2017, 10, 395-401.	1.9	5
42	A novel tin hybrid nano-composite with double nets of carbon matrixes as a stable anode in lithium ion batteries. <i>Chemical Communications</i> , 2017, 53, 13125-13128.	2.2	7
43	Synthesis of the porous NiO/SnO ₂ microspheres and microcubes and their enhanced formaldehyde gas sensing performance. <i>Sensors and Actuators B: Chemical</i> , 2017, 241, 298-307.	4.0	113
44	One-dimensional hierarchical structured MoS ₂ with an ordered stacking of nanosheets: a facile template-free hydrothermal synthesis strategy and application as an efficient hydrogen evolution electrocatalyst. <i>CrystEngComm</i> , 2017, 19, 218-223.	1.3	5
45	Synthesis of a Novel Ce-bpdc for the Effective Removal of Fluoride from Aqueous Solution. <i>Advances in Condensed Matter Physics</i> , 2017, 2017, 1-8.	0.4	6
46	Preparation of three-dimensional nanosheet-based molybdenum disulfide nanotubes as anode materials for lithium storage. <i>Journal of Materials Chemistry A</i> , 2016, 4, 17000-17008.	5.2	40
47	A facile template-free approach for fabrication of flower-like CdS: the evolutionary process of the structure and the performance of photocatalytic activity. <i>CrystEngComm</i> , 2016, 18, 4681-4687.	1.3	10
48	Facile synthesis of porous TiO ₂ nanospheres and their photocatalytic properties. <i>Superlattices and Microstructures</i> , 2015, 81, 16-25.	1.4	22
49	Facile synthesis of porous Fe ₂ O ₃ nanorods and their photocatalytic properties. <i>Journal of Saudi Chemical Society</i> , 2015, 19, 479-484.	2.4	68
50	Removal of cobalt ions from aqueous solution by Ag/Fe bimetallic nanoparticles. <i>Desalination and Water Treatment</i> , 2015, 56, 2127-2134.	1.0	2
51	Selective detection of picric acid using functionalized reduced graphene oxide sensor device. <i>Sensors and Actuators B: Chemical</i> , 2014, 196, 567-573.	4.0	56
52	Removal of cobalt ions from aqueous solution by an amination graphene oxide nanocomposite. <i>Journal of Hazardous Materials</i> , 2014, 270, 1-10.	6.5	208
53	Self-assembly of single-crystalline γ -Fe ₂ O ₃ nanoplates into columnar superstructures: controllable synthesis, growth mechanism, and properties. <i>CrystEngComm</i> , 2014, 16, 6873.	1.3	20
54	Preparation of hollow porous Co-doped SnO ₂ microcubes and their enhanced gas sensing property. <i>CrystEngComm</i> , 2013, 15, 7515.	1.3	46

#	ARTICLE	IF	CITATIONS
55	Preparation of porous flower-like CuO/ZnO nanostructures and analysis of their gas-sensing property. <i>Journal of Alloys and Compounds</i> , 2013, 575, 115-122.	2.8	125
56	In situ growth of Au nanoparticles on the surfaces of Cu ₂ O nanocubes for chemical sensors with enhanced performance. <i>RSC Advances</i> , 2012, 2, 7647.	1.7	52
57	Template synthesis of Cu ₂ xSe nanoboxes and their gas sensing properties. <i>CrystEngComm</i> , 2012, 14, 3528.	1.3	39
58	Large-scale selective preparation of porous SnO ₂ 3D architectures and their gas-sensing property. <i>CrystEngComm</i> , 2012, 14, 3283.	1.3	53
59	Porous flower-like SnO ₂ nanostructures as sensitive gas sensors for volatile organic compounds detection. <i>Sensors and Actuators B: Chemical</i> , 2012, 174, 31-38.	4.0	104
60	Flower-like CuO hierarchical nanostructures: synthesis, characterization, and property. <i>Frontiers of Optoelectronics</i> , 2012, 5, 429-434.	1.9	10
61	Large-scale synthesis of hydrated tungsten oxide 3D architectures by a simple chemical solution route and their gas-sensing properties. <i>Journal of Materials Chemistry</i> , 2011, 21, 13283.	6.7	107
62	Large-scale synthesis of flowerlike ZnO nanostructure by a simple chemical solution route and its gas-sensing property. <i>Sensors and Actuators B: Chemical</i> , 2010, 146, 206-212.	4.0	203
63	Formation of single-crystal tellurium nanowires and nanotubes via hydrothermal recrystallization and their gas sensing properties at room temperature. <i>Journal of Materials Chemistry</i> , 2010, 20, 2457.	6.7	84