

Caroline Malhaire

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6814854/caroline-malhaire-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|-------------------|-----------------------|----------------|-----------------|
| 31 papers | 545 citations | 14 h-index | 23 g-index |
| 37 ext. papers | 740 ext. citations | 3.9 avg, IF | 3.04 L-index |

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 31 | Breast Magnetic Resonance Image Analysis for Surgeons Using Virtual Reality: A Comparative Study. <i>JCO Clinical Cancer Informatics</i> , 2021 , 5, 1127-1133 | 5.2 | 0 |
| 30 | Partial breast resection for multifocal lower quadrant breast tumour using virtual reality. <i>BMJ Case Reports</i> , 2021 , 14, | 0.9 | 1 |
| 29 | A radiomics pipeline dedicated to Breast MRI: validation on a multi-scanner phantom study. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2021 , 34, 355-366 | 2.8 | 3 |
| 28 | Clinical management of atypical ductal hyperplasia on vacuum-assisted biopsy of microcalcifications: External validation study of a decision tree selecting patients eligible for surveillance. <i>European Journal of Radiology</i> , 2021 , 141, 109826 | 4.7 | 0 |
| 27 | Ovarian-Adnexal Reporting Data System Magnetic Resonance Imaging (O-RADS MRI) Score for Risk Stratification of Sonographically Indeterminate Adnexal Masses. <i>JAMA Network Open</i> , 2020 , 3, e1919896 | 10.4 | 64 |
| 26 | Ovarian and peritoneal psammocarcinoma: Results of a multicenter study on 25 patients. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 862-867 | 3.6 | 1 |
| 25 | Recurrence of pseudomyxoma peritonei after cytoreductive surgery and hyperthermic intraperitoneal chemotherapy. <i>BJS Open</i> , 2019 , 3, 195-202 | 3.9 | 20 |
| 24 | Innovative DIEP flap perfusion evaluation tool: Qualitative and quantitative analysis of indocyanine green-based fluorescence angiography with the SPY-Q proprietary software. <i>PLoS ONE</i> , 2019 , 14, e0217639 | 2.7 | 5 |
| 23 | Five simultaneous artificial intelligence data challenges on ultrasound, CT, and MRI. <i>Diagnostic and Interventional Imaging</i> , 2019 , 100, 199-209 | 5.4 | 18 |
| 22 | Exploitation des données pour la recherche et l'intelligence artificielle : enjeux médicaux, éthiques, juridiques, techniques. <i>Imagerie De La Femme</i> , 2019 , 29, 62-71 | 0.1 | 2 |
| 21 | Second International Consensus Conference on lesions of uncertain malignant potential in the breast (B3 lesions). <i>Breast Cancer Research and Treatment</i> , 2019 , 174, 279-296 | 4.4 | 96 |
| 20 | Hyperechoic breast images: all that glitters is not gold!. <i>Insights Into Imaging</i> , 2018 , 9, 199-209 | 5.6 | 4 |
| 19 | Cytoreductive surgery and hyperthermic intraperitoneal chemotherapy for pseudomyxoma peritonei of appendicular and extra-appendicular origin. <i>British Journal of Surgery</i> , 2018 , 105, 668-676 | 5.3 | 30 |
| 18 | Impact of Combination Chemotherapy in Peritoneal Mesothelioma Hyperthermic Intraperitoneal Chemotherapy (HIPEC): The RENAPE Study. <i>Annals of Surgical Oncology</i> , 2018 , 25, 3271-3279 | 3.1 | 24 |
| 17 | Background parenchymal enhancement and fibroglandular tissue on breast MRI in women with high genetic risk: Are changes before and after risk-reducing salpingo-oophorectomy associated with breast cancer risk?. <i>European Journal of Radiology</i> , 2018 , 109, 171-177 | 4.7 | 4 |
| 16 | Pelvic insufficiency fracture (PIF) incidence in patients treated with intensity-modulated radiation therapy (IMRT) for gynaecological or anal cancer: single-institution experience and review of the literature. <i>British Journal of Radiology</i> , 2017 , 90, 20160885 | 3.4 | 24 |
| 15 | Immunohistochemical evaluation of two antibodies against PD-L1 and prognostic significance of PD-L1 expression in epithelioid peritoneal malignant mesothelioma: A RENAPE study. <i>European Journal of Surgical Oncology</i> , 2017 , 43, 1915-1923 | 3.6 | 17 |

| | | | |
|----|--|-----|----|
| 14 | Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy for Peritoneal Carcinomatosis in the Elderly: A Case-Controlled, Multicenter Study. <i>Annals of Surgical Oncology</i> , 2016 , 23, 737-745 | 3.1 | 18 |
| 13 | Outcome of oncoplastic breast-conserving surgery following bracketing wire localization for large breast cancer. <i>Breast</i> , 2015 , 24, 370-5 | 3.6 | 8 |
| 12 | 18F-FDG PET/CT findings in uterine leiomyomas. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014 , 41, 1034-5 | 8.8 | 4 |
| 11 | Extensive pure ductal carcinoma in situ of the breast: identification of predictors of associated infiltrating carcinoma and lymph node metastasis before immediate reconstructive surgery. <i>Breast</i> , 2014 , 23, 97-103 | 3.6 | 16 |
| 10 | Clinico-pathology and prognosis of endometrial cancer in patients previously treated for breast cancer, with or without tamoxifen: a comparative study in 363 patients. <i>European Journal of Surgical Oncology</i> , 2014 , 40, 1237-44 | 3.6 | 13 |
| 9 | Histological grade concordance between diagnostic core biopsy and corresponding surgical specimen in HR-positive/HER2-negative breast carcinoma. <i>British Journal of Cancer</i> , 2014 , 110, 2195-2008 | 8.7 | 14 |
| 8 | Digital breast tomosynthesis versus mammography and breast ultrasound: a multireader performance study. <i>European Radiology</i> , 2013 , 23, 2441-9 | 8 | 24 |
| 7 | Bilateral poly implant prosthesis implant rupture: an uncommon presentation. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2013 , 1, e29 | 1.2 | 4 |
| 6 | Skin lesions after prophylactic mastectomy and immediate reconstruction. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2013 , 1, e82 | 1.2 | 1 |
| 5 | Preoperative staging of liver metastases from uveal melanoma by magnetic resonance imaging (MRI) and fluorodeoxyglucose-positron emission tomography (FDG-PET). <i>European Journal of Surgical Oncology</i> , 2010 , 36, 189-94 | 3.6 | 51 |
| 4 | Vacuum-assisted biopsies under MR guidance: results of 72 procedures. <i>European Radiology</i> , 2010 , 20, 1554-62 | 8 | 66 |
| 3 | Tomosynthesis : principe et applications. <i>Imagerie De La Femme</i> , 2009 , 19, 136-139 | 0.1 | 2 |
| 2 | Adenocarcinomas of unknown primary (ACUP) of the mediastinum mimicking lymphoma: CT findings at diagnosis and follow-up. <i>European Journal of Radiology</i> , 2006 , 59, 42-8 | 4.7 | 5 |
| 1 | MR demonstration of septal involvement in arrhythmogenic right ventricular dysplasia. <i>European Radiology</i> , 2005 , 15, 881-3 | 8 | 1 |