

Zehong Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6815068/publications.pdf>

Version: 2024-02-01

13
papers

436
citations

933264

10
h-index

1125617

13
g-index

13
all docs

13
docs citations

13
times ranked

567
citing authors

#	ARTICLE	IF	CITATIONS
1	Flexible, switchable and wearable image storage device based on light responsive textiles. <i>Chemical Engineering Journal</i> , 2021, 404, 126488.	6.6	32
2	A Facile Method to Prepare Multifunctional Cotton Fabrics based on Zeolitic Imidazolate Framework. <i>Fibers and Polymers</i> , 2021, 22, 1041-1049.	1.1	3
3	Construction of sustainable and multifunctional polyester fabrics via an efficiently and eco-friendly spray-drying layer-by-layer strategy. <i>Journal of Colloid and Interface Science</i> , 2021, 588, 50-61.	5.0	15
4	High tri-stimulus response photochromic cotton fabrics based on spiropyran dye by thiol-ene click chemistry. <i>Cellulose</i> , 2020, 27, 493-510.	2.4	41
5	Designed Ionic Microchannels for Ultrasensitive Detection and Efficient Removal of Formaldehyde in an Aqueous Solution. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 1806-1816.	4.0	10
6	Eco-fabrication of antibacterial nanofibrous membrane with high moisture permeability from wasted wool fabrics. <i>Waste Management</i> , 2020, 102, 404-411.	3.7	32
7	A highly sensitive and wearable pressure sensor based on conductive polyacrylonitrile nanofibrous membrane via electroless silver plating. <i>Chemical Engineering Journal</i> , 2020, 394, 124960.	6.6	51
8	Flexible and Washable Poly(Ionic Liquid) Nanofibrous Membrane with Moisture Proof Pressure Sensing for Real-Life Wearable Electronics. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 27200-27209.	4.0	109
9	Titanium dioxide/quaternary phosphonium salts/polyacrylonitrile composite nanofibrous membranes with high antibacterial properties and ultraviolet resistance efficiency. <i>Journal of Materials Science</i> , 2019, 54, 13322-13333.	1.7	16
10	Pressure responsive PET fabrics via constructing conductive wrinkles at room temperature. <i>Chemical Engineering Journal</i> , 2017, 330, 146-156.	6.6	28
11	A novel and simple method of printing flexible conductive circuits on PET fabrics. <i>Applied Surface Science</i> , 2017, 396, 208-213.	3.1	24
12	Improving the dyeability of polyimide by pretreatment with alkali. <i>Coloration Technology</i> , 2016, 132, 481-487.	0.7	10
13	Low temperature sintering nano-silver conductive ink printed on cotton fabric as printed electronics. <i>Progress in Organic Coatings</i> , 2016, 101, 604-611.	1.9	65