

Gerard Lambeau

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6816526/gerard-lambeau-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

10,279
citations

55
h-index

99
g-index

149
ext. papers

11,940
ext. citations

7.5
avg, IF

5.77
L-index

#	Paper	IF	Citations
140	The interaction of secreted phospholipase A2-IIA with the microbiota alters its lipidome and promotes inflammation.. <i>JCI Insight</i> , 2022 , 7,	9.9	4
139	PplD is a de-N-acetylase of the cell wall linkage unit of streptococcal rhamnopolysaccharides.. <i>Nature Communications</i> , 2022 , 13, 590	17.4	1
138	Altered glycosylation of IgG4 promotes lectin complement pathway activation in anti-PLA2R1-associated membranous nephropathy. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	27
137	Anti-PLA2R1 Antibodies as Prognostic Biomarker in Membranous Nephropathy. <i>Kidney International Reports</i> , 2021 , 6, 1677-1686	4.1	7
136	The STARMEN trial indicates that alternating treatment with corticosteroids and cyclophosphamide is superior to sequential treatment with tacrolimus and rituximab in primary membranous nephropathy. <i>Kidney International</i> , 2021 , 99, 986-998	9.9	37
135	Group IIA secreted phospholipase A2 (PLA2G2A) augments adipose tissue thermogenesis. <i>FASEB Journal</i> , 2021 , 35, e21881	0.9	2
134	Role of human group IIA secreted phospholipase A2 in malaria pathophysiology: Insights from a transgenic mouse model. <i>Biochimie</i> , 2021 , 189, 120-136	4.6	1
133	What do secreted phospholipases A have to offer in combat against different viruses up to SARS-CoV-2?. <i>Biochimie</i> , 2021 , 189, 40-50	4.6	2
132	Multi-Autoantibody Signature and Clinical Outcome in Membranous Nephropathy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 1762-1776	6.9	5
131	Generation of a conditional transgenic mouse model expressing human Phospholipase A2 Receptor 1. <i>Scientific Reports</i> , 2020 , 10, 8190	4.9	3
130	Surfactant-secreted phospholipase A interplay and respiratory outcome in preterm neonates. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2020 , 319, L95-L104	5.8	5
129	PLA2G1B is involved in CD4 anergy and CD4 lymphopenia in HIV-infected patients. <i>Journal of Clinical Investigation</i> , 2020 , 130, 2872-2887	15.9	12
128	12-HETE is a regulator of PGE production via COX-2 expression induced by a snake venom group IIA phospholipase A in isolated peritoneal macrophages. <i>Chemico-Biological Interactions</i> , 2020 , 317, 108903 ⁵		6
127	Antimalarial Activity of Human Group IIA Secreted Phospholipase A in Relation to Enzymatic Hydrolysis of Oxidized Lipoproteins. <i>Infection and Immunity</i> , 2019 , 87,	3.7	6
126	Enzymatic activity of mouse group X-sPLA2 improves in vitro production of preimplantation bovine embryos. <i>Theriogenology</i> , 2019 , 131, 113-122	2.8	0
125	Discovery of glycerol phosphate modification on streptococcal rhamnose polysaccharides. <i>Nature Chemical Biology</i> , 2019 , 15, 463-471	11.7	30
124	High-Dose Rituximab and Early Remission in PLA2R1-Related Membranous Nephropathy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 1173-1182	6.9	41

123	Novel ELISA for thrombospondin type 1 domain-containing 7A autoantibodies in membranous nephropathy. <i>Kidney International</i> , 2019 , 95, 666-679	9.9	43
122	Anti-PLA2R1 Antibodies Containing Sera Induce In Vitro Cytotoxicity Mediated by Complement Activation. <i>Journal of Immunology Research</i> , 2019 , 2019, 1324804	4.5	11
121	Group IIA-Secreted Phospholipase A in Human Serum Kills Commensal but Not Clinical <i>Enterococcus faecium</i> Isolates. <i>Infection and Immunity</i> , 2018 , 86,	3.7	6
120	Phospholipase A2 Receptor 1 Epitope Spreading at Baseline Predicts Reduced Likelihood of Remission of Membranous Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 401-408	12.7	55
119	Streptococcal Lancefield polysaccharides are critical cell wall determinants for human Group IIA secreted phospholipase A2 to exert its bactericidal effects. <i>PLoS Pathogens</i> , 2018 , 14, e1007348	7.6	8
118	Secreted Phospholipases A in Hereditary Angioedema With C1-Inhibitor Deficiency. <i>Frontiers in Immunology</i> , 2018 , 9, 1721	8.4	15
117	Anti-phospholipase A2 receptor antibody levels at diagnosis predicts spontaneous remission of idiopathic membranous nephropathy. <i>CKJ: Clinical Kidney Journal</i> , 2017 , 10, 209-214	4.5	22
116	Group V Secreted Phospholipase A Induces the Release of Proangiogenic and Antiangiogenic Factors by Human Neutrophils. <i>Frontiers in Immunology</i> , 2017 , 8, 443	8.4	41
115	Identification of Epithelial Phospholipase A Receptor 1 as a Potential Target in Asthma. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2016 , 55, 825-836	5.7	19
114	Secreted Phospholipases A2 Are Intestinal Stem Cell Niche Factors with Distinct Roles in Homeostasis, Inflammation, and Cancer. <i>Cell Stem Cell</i> , 2016 , 19, 38-51	18	57
113	Fluorometric High-Throughput Screening Assay for Secreted Phospholipases A2 Using Phospholipid Vesicles. <i>Journal of Biomolecular Screening</i> , 2016 , 21, 713-21		3
112	Epitope Spreading of Autoantibody Response to PLA2R Associates with Poor Prognosis in Membranous Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 1517-33	12.7	112
111	Autoantibodies against thrombospondin type 1 domain-containing 7A induce membranous nephropathy. <i>Journal of Clinical Investigation</i> , 2016 , 126, 2519-32	15.9	118
110	Progesterone-induced Acrosome Exocytosis Requires Sequential Involvement of Calcium-independent Phospholipase A2 <i>[[i]]</i> and Group X Secreted Phospholipase A2 (sPLA2). <i>Journal of Biological Chemistry</i> , 2016 , 291, 3076-89	5.4	18
109	Platelet microparticles are internalized in neutrophils via the concerted activity of 12-lipoxygenase and secreted phospholipase A2-IIA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E3564-73	11.5	139
108	In vitro anti-Plasmodium falciparum properties of the full set of human secreted phospholipases A2. <i>Infection and Immunity</i> , 2015 , 83, 2453-65	3.7	6
107	Cross-reactivity of anti-PLA2R1 autoantibodies to rabbit and mouse PLA2R1 antigens and development of two novel ELISAs with different diagnostic performances in idiopathic membranous nephropathy. <i>Biochimie</i> , 2015 , 118, 104-15	4.6	15
106	The role of group IIF-secreted phospholipase A2 in epidermal homeostasis and hyperplasia. <i>Journal of Experimental Medicine</i> , 2015 , 212, 1901-19	16.6	48

105	Thrombospondin type-1 domain-containing 7A in idiopathic membranous nephropathy. <i>New England Journal of Medicine</i> , 2015 , 372, 1074-5	59.2	37
104	Identification of a Novel Heart-Liver Axis: Matrix Metalloproteinase-2 Negatively Regulates Cardiac Secreted Phospholipase A2 to Modulate Lipid Metabolism and Inflammation in the Liver. <i>Journal of the American Heart Association</i> , 2015 , 4,	6	19
103	The role of group IIF-secreted phospholipase A2 in epidermal homeostasis and hyperplasia. <i>Journal of Cell Biology</i> , 2015 , 211, 2111OIA227	7.3	
102	<i>Pseudomonas aeruginosa</i> eradicates <i>Staphylococcus aureus</i> by manipulating the host immunity. <i>Nature Communications</i> , 2014 , 5, 5105	17.4	82
101	Prediction of membranous nephropathy recurrence after transplantation by monitoring of anti-PLA2R1 (M-type phospholipase A2 receptor) autoantibodies: a case series of 15 patients. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 2334-42	4.3	43
100	Emerging roles of secreted phospholipase A2 enzymes: the 3rd edition. <i>Biochimie</i> , 2014 , 107 Pt A, 105-13	4.6	57
99	The effect of group X secreted phospholipase A2 on fertilization outcome is specific and not mimicked by other secreted phospholipases A2 or progesterone. <i>Biochimie</i> , 2014 , 99, 88-95	4.6	6
98	Lack of group X secreted phospholipase A2 increases survival following pandemic H1N1 influenza infection. <i>Virology</i> , 2014 , 454-455, 78-92	3.6	14
97	Platelets release mitochondria serving as substrate for bactericidal group IIA-secreted phospholipase A2 to promote inflammation. <i>Blood</i> , 2014 , 124, 2173-83	2.2	339
96	Secreted phospholipases A2 in cancer: diverse mechanisms of action. <i>Biochimie</i> , 2014 , 107 Pt A, 114-23	4.6	50
95	Thrombospondin type-1 domain-containing 7A in idiopathic membranous nephropathy. <i>New England Journal of Medicine</i> , 2014 , 371, 2277-2287	59.2	504
94	Secreted phospholipases A2 are differentially expressed and epigenetically silenced in human breast cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 445, 230-5	3.4	19
93	Repression of PLA2R1 by c-MYC and HIF-2alpha promotes cancer growth. <i>Oncotarget</i> , 2014 , 5, 1004-13	3.3	23
92	Development of a standardized ELISA for the determination of autoantibodies against human M-type phospholipase A2 receptor in primary membranous nephropathy. <i>Clinica Chimica Acta</i> , 2013 , 421, 213-8	6.2	92
91	PLA2R1 kills cancer cells by inducing mitochondrial stress. <i>Free Radical Biology and Medicine</i> , 2013 , 65, 969-977	7.8	25
90	Absence of inflammatory conditions in human varicose saphenous veins. <i>Inflammation Research</i> , 2013 , 62, 299-308	7.2	7
89	Effects of the propeptide of group X secreted phospholipase A(2) on substrate specificity and interfacial activity on phospholipid monolayers. <i>Biochimie</i> , 2013 , 95, 51-8	4.6	9
88	Emerging roles of secreted phospholipase A(2) enzymes: an update. <i>Biochimie</i> , 2013 , 95, 43-50	4.6	62

87	Secreted group IIA phospholipase A2 protects humans against the group B streptococcus: experimental and clinical evidence. <i>Journal of Infectious Diseases</i> , 2013 , 208, 2025-35	7	30
86	Group X secreted phospholipase A2 limits the development of atherosclerosis in LDL receptor-null mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 466-73	9.4	47
85	Lymphoid tissue phospholipase A2 group IID resolves contact hypersensitivity by driving antiinflammatory lipid mediators. <i>Journal of Experimental Medicine</i> , 2013 , 210, 1217-34	16.6	83
84	PLA2R1 mediates tumor suppression by activating JAK2. <i>Cancer Research</i> , 2013 , 73, 6334-45	10.1	43
83	Group X secreted phospholipase A(2) induces lipid droplet formation and prolongs breast cancer cell survival. <i>Molecular Cancer</i> , 2013 , 12, 111	42.1	49
82	Human group X secreted phospholipase A2 induces dendritic cell maturation through lipoprotein-dependent and -independent mechanisms. <i>Atherosclerosis</i> , 2012 , 222, 367-74	3.1	13
81	Secreted phospholipase A(2) group IIA is a neurotoxin released by stimulated human glial cells. <i>Molecular and Cellular Neurosciences</i> , 2012 , 49, 430-8	4.8	16
80	Group X secreted phospholipase A β specifically decreases sperm motility in mice. <i>Journal of Cellular Physiology</i> , 2011 , 226, 2601-9	7	11
79	A novel bacterial resistance mechanism against human group IIA-secreted phospholipase A2: role of <i>Streptococcus pyogenes</i> sortase A. <i>Journal of Immunology</i> , 2011 , 187, 6437-46	5.3	18
78	Group V phospholipase A2 in bone marrow-derived myeloid cells and bronchial epithelial cells promotes bacterial clearance after <i>Escherichia coli</i> pneumonia. <i>Journal of Biological Chemistry</i> , 2011 , 286, 35650-35662	5.4	16
77	Group X secreted phospholipase A2 proenzyme is matured by a furin-like proprotein convertase and releases arachidonic acid inside of human HEK293 cells. <i>Journal of Biological Chemistry</i> , 2011 , 286, 36509-21	5.4	26
76	Exosomes account for vesicle-mediated transcellular transport of activatable phospholipases and prostaglandins. <i>Journal of Lipid Research</i> , 2010 , 51, 2105-20	6.3	418
75	Phospholipolyzed LDL induces an inflammatory response in endothelial cells through endoplasmic reticulum stress signaling. <i>FASEB Journal</i> , 2010 , 24, 3284-97	0.9	40
74	Two cutinase-like proteins secreted by <i>Mycobacterium tuberculosis</i> show very different lipolytic activities reflecting their physiological function. <i>FASEB Journal</i> , 2010 , 24, 1893-903	0.9	59
73	Lipoprotein-associated and secreted phospholipases A β in cardiovascular disease: roles as biological effectors and biomarkers. <i>Circulation</i> , 2010 , 122, 2183-200	16.7	133
72	Production of vascular endothelial growth factors from human lung macrophages induced by group IIA and group X secreted phospholipases A2. <i>Journal of Immunology</i> , 2010 , 184, 5232-41	5.3	90
71	Snake venoms as a source of compounds modulating sperm physiology: Secreted phospholipases A2 from <i>Oxyuranus scutellatus scutellatus</i> impact sperm motility, acrosome reaction and in vitro fertilization in mice. <i>Biochimie</i> , 2010 , 92, 826-36	4.6	12
70	Emerging roles of secreted phospholipase A2 enzymes: Lessons from transgenic and knockout mice. <i>Biochimie</i> , 2010 , 92, 561-82	4.6	110

69	A novel anti-inflammatory role for secretory phospholipase A2 in immune complex-mediated arthritis. <i>EMBO Molecular Medicine</i> , 2010 , 2, 172-87	12	104
68	Group X phospholipase A2 is released during sperm acrosome reaction and controls fertility outcome in mice. <i>Journal of Clinical Investigation</i> , 2010 , 120, 1415-28	15.9	48
67	1,3,5-Triazepan-2,6-diones as conformationally constrained dipeptide mimetics. In silico guided identification of sPLA2 inhibitors. <i>Advances in Experimental Medicine and Biology</i> , 2009 , 611, 201-2	3.6	2
66	M-type phospholipase A2 receptor as target antigen in idiopathic membranous nephropathy. <i>New England Journal of Medicine</i> , 2009 , 361, 11-21	59.2	1364
65	Group X phospholipase A2 stimulates the proliferation of colon cancer cells by producing various lipid mediators. <i>Molecular Pharmacology</i> , 2009 , 76, 778-90	4.3	40
64	Molecular and functional characterization of polymorphisms in the secreted phospholipase A2 group X gene: relevance to coronary artery disease. <i>Journal of Molecular Medicine</i> , 2009 , 87, 723-33	5.5	13
63	The M-type receptor PLA2R regulates senescence through the p53 pathway. <i>EMBO Reports</i> , 2009 , 10, 271-7	6.5	95
62	Expression of phospholipases A2 in primary human lung macrophages: role of cytosolic phospholipase A2-alpha in arachidonic acid release and platelet activating factor synthesis. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2009 , 1791, 92-102	5	27
61	Biochemistry and physiology of mammalian secreted phospholipases A2. <i>Annual Review of Biochemistry</i> , 2008 , 77, 495-520	29.1	403
60	Exploration of associations between phospholipase A2 gene family polymorphisms and AIDS progression using the SNPlex method. <i>Biomedicine and Pharmacotherapy</i> , 2008 , 62, 31-40	7.5	11
59	Recombinant production and properties of binding of the full set of mouse secreted phospholipases A2 to the mouse M-type receptor. <i>Biochemistry</i> , 2007 , 46, 1647-62	3.2	89
58	Inhibition of secreted phospholipase A2. 4-glycerol derivatives of 4,5-dihydro-3-(4-tetradecyloxybenzyl)-1,2,4-oxadiazol-5-one with broad activities. <i>Journal of Medicinal Chemistry</i> , 2007 , 50, 1618-26	8.3	13
57	An envelope-determined endocytic route of viral entry allows HIV-1 to escape from secreted phospholipase A2 entry blockade. <i>Journal of Molecular Biology</i> , 2007 , 367, 702-14	6.5	13
56	Atherogenic properties of LDL particles modified by human group X secreted phospholipase A2 on human endothelial cell function. <i>FASEB Journal</i> , 2006 , 20, 2547-9	0.9	74
55	Neurotoxicity and other pharmacological activities of the snake venom phospholipase A2 OS2: the N-terminal region is more important than enzymatic activity. <i>Biochemistry</i> , 2006 , 45, 5800-16	3.2	54
54	Secreted phospholipase A2 inhibitors are also potent blockers of binding to the M-type receptor. <i>Biochemistry</i> , 2006 , 45, 13203-18	3.2	24
53	In silico-guided target identification of a scaffold-focused library: 1,3,5-triazepan-2,6-diones as novel phospholipase A2 inhibitors. <i>Journal of Medicinal Chemistry</i> , 2006 , 49, 6768-78	8.3	62
52	Analysis of expression of secreted phospholipases A2 in mouse tissues at protein and mRNA levels. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006 , 1761, 745-56	5	39

51	The proinflammatory mediator Platelet Activating Factor is an effective substrate for human group X secreted phospholipase A2. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006 , 1761, 1093-9	5	18
50	The receptor site of the spider toxin PcTx1 on the proton-gated cation channel ASIC1a. <i>Journal of Physiology</i> , 2006 , 570, 339-54	3.9	75
49	Time-resolved fluoroimmunoassays of the complete set of secreted phospholipases A2 in human serum. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2005 , 1733, 210-23	5	59
48	Structure and function comparison of Micropechis ikaheka snake venom phospholipase A2 isoenzymes. <i>FEBS Journal</i> , 2005 , 272, 1211-20	5.7	13
47	Characterization and differentiation-dependent regulation of secreted phospholipases A in human keratinocytes and in healthy and psoriatic human skin. <i>Journal of Investigative Dermatology</i> , 2005 , 124, 204-11	4.3	30
46	In vivo protective role of human group IIa phospholipase A2 against experimental anthrax. <i>Journal of Immunology</i> , 2005 , 175, 6786-91	5.3	66
45	Activation of cytokine production by secreted phospholipase A2 in human lung macrophages expressing the M-type receptor. <i>Journal of Immunology</i> , 2005 , 174, 464-74	5.3	113
44	Secretory phospholipase A2 induces dendritic cell maturation. <i>European Journal of Immunology</i> , 2004 , 34, 2293-302	6.1	56
43	Differentiation-dependent regulation of secreted phospholipases A2 in murine epidermis. <i>Journal of Investigative Dermatology</i> , 2003 , 121, 156-64	4.3	27
42	Recombinant production and solution structure of PcTx1, the specific peptide inhibitor of ASIC1a proton-gated cation channels. <i>Protein Science</i> , 2003 , 12, 1332-43	6.3	92
41	Novel mammalian group XII secreted phospholipase A2 lacking enzymatic activity. <i>Biochemistry</i> , 2003 , 42, 11494-503	3.2	93
40	Inhibitory effects of surfactant protein A on surfactant phospholipid hydrolysis by secreted phospholipases A2. <i>Journal of Immunology</i> , 2003 , 171, 995-1000	5.3	44
39	Potential of tumor necrosis factor alpha-induced secreted phospholipase A2 (sPLA2)-IIA expression in mesangial cells by an autocrine loop involving sPLA2 and peroxisome proliferator-activated receptor alpha activation. <i>Journal of Biological Chemistry</i> , 2003 , 278, 29799-812	5.4	71
38	Inverse association between phospholipase A2 and COX-2 expression during mouse colon tumorigenesis. <i>Carcinogenesis</i> , 2003 , 24, 307-15	4.6	53
37	Secreted phospholipase A2 potentiates glutamate-induced calcium increase and cell death in primary neuronal cultures. <i>Journal of Neuroscience Research</i> , 2002 , 67, 634-45	4.4	49
36	Bactericidal properties of human and murine groups I, II, V, X, and XII secreted phospholipases A(2). <i>Journal of Biological Chemistry</i> , 2002 , 277, 5849-57	5.4	190
35	Interfacial kinetic and binding properties of the complete set of human and mouse groups I, II, V, X, and XII secreted phospholipases A2. <i>Journal of Biological Chemistry</i> , 2002 , 277, 48535-49	5.4	272
34	Groups IV, V, and X phospholipases A2s in human neutrophils: role in eicosanoid production and gram-negative bacterial phospholipid hydrolysis. <i>Journal of Biological Chemistry</i> , 2002 , 277, 5061-73	5.4	154

33	Crystal structure of human group X secreted phospholipase A2. Electrostatically neutral interfacial surface targets zwitterionic membranes. <i>Journal of Biological Chemistry</i> , 2002 , 277, 29086-93	5-4	62
32	Arachidonate release and eicosanoid generation by group IIE phospholipase A(2). <i>Biochemical and Biophysical Research Communications</i> , 2002 , 292, 689-96	3-4	45
31	Characterization of group X phospholipase A(2) as the major enzyme secreted by human keratinocytes and its regulation by the phorbol ester TPA. <i>Journal of Investigative Dermatology</i> , 2001 , 116, 31-9	4-3	34
30	A peptide derived from bee venom-secreted phospholipase A2 inhibits replication of T-cell tropic HIV-1 strains via interaction with the CXCR4 chemokine receptor. <i>Molecular Pharmacology</i> , 2001 , 60, 341-7	4-3	59
29	Distinct arachidonate-releasing functions of mammalian secreted phospholipase A2s in human embryonic kidney 293 and rat mastocytoma RBL-2H3 cells through heparan sulfate shuttling and external plasma membrane mechanisms. <i>Journal of Biological Chemistry</i> , 2001 , 276, 10083-96	5-4	143
28	Cloning and cDNA sequence analysis of Lys(49) and Asp(49) basic phospholipase A(2) myotoxin isoforms from <i>Bothrops asper</i> . <i>International Journal of Biochemistry and Cell Biology</i> , 2001 , 33, 127-32	5-6	18
27	On the Functional Diversity of Secreted Phospholipases A2: Cloning of Novel Mammalian Enzymes and HIV-1 Antiviral Properties. <i>Medical Science Symposia Series</i> , 2001 , 81-84		
26	Two phospholipase A2 inhibitors from the plasma of <i>Cerrophidion (Bothrops) godmani</i> which selectively inhibit two different group-II phospholipase A2 myotoxins from its own venom: isolation, molecular cloning and biological properties. <i>Biochemical Journal</i> , 2000 , 346, 631-639	3-8	52
25	Basic residues of human group IIA phospholipase A2 are important for binding to factor Xa and prothrombinase inhibition comparison with other mammalian secreted phospholipases A2. <i>FEBS Journal</i> , 2000 , 267, 4960-9		39
24	Secreted phospholipase A2 induces vascular endothelial cell migration. <i>Blood</i> , 2000 , 96, 3809-3815	2-2	52
23	Exogenously added human group X secreted phospholipase A(2) but not the group IB, IIA, and V enzymes efficiently release arachidonic acid from adherent mammalian cells. <i>Journal of Biological Chemistry</i> , 2000 , 275, 3179-91	5-4	183
22	Redundant and segregated functions of granule-associated heparin-binding group II subfamily of secretory phospholipases A2 in the regulation of degranulation and prostaglandin D2 synthesis in mast cells. <i>Journal of Immunology</i> , 2000 , 165, 4007-14	5-3	58
21	Cloning and recombinant expression of a structurally novel human secreted phospholipase A2. <i>Journal of Biological Chemistry</i> , 2000 , 275, 39823-6	5-4	130
20	Cloning and recombinant expression of human group IIF-secreted phospholipase A(2). <i>Biochemical and Biophysical Research Communications</i> , 2000 , 279, 223-8	3-4	58
19	What can venom phospholipases A(2) tell us about the functional diversity of mammalian secreted phospholipases A(2)?. <i>Biochimie</i> , 2000 , 82, 815-31	4-6	119
18	Increasing molecular diversity of secreted phospholipases A(2) and their receptors and binding proteins. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2000 , 1488, 59-70	5	269
17	Novel human secreted phospholipase A(2) with homology to the group III bee venom enzyme. <i>Journal of Biological Chemistry</i> , 2000 , 275, 7492-6	5-4	137
16	Secreted phospholipase A2 induces vascular endothelial cell migration. <i>Blood</i> , 2000 , 96, 3809-3815	2-2	1

15	Secreted phospholipases A(2), a new class of HIV inhibitors that block virus entry into host cells. <i>Journal of Clinical Investigation</i> , 1999 , 104, 611-8	15.9	104
14	On the diversity of secreted phospholipases A(2). Cloning, tissue distribution, and functional expression of two novel mouse group II enzymes. <i>Journal of Biological Chemistry</i> , 1999 , 274, 31195-202	5.4	147
13	Cloning and recombinant expression of a novel mouse-secreted phospholipase A2. <i>Journal of Biological Chemistry</i> , 1999 , 274, 19152-60	5.4	98
12	Both group IB and group IIA secreted phospholipases A2 are natural ligands of the mouse 180-kDa M-type receptor. <i>Journal of Biological Chemistry</i> , 1999 , 274, 7043-51	5.4	114
11	Secretory phospholipase A2 potentiates glutamate-induced rat striatal neuronal cell death in vivo. <i>Neuroscience Letters</i> , 1999 , 274, 167-70	3.3	33
10	Cloning, chromosomal mapping, and expression of a novel human secretory phospholipase A2. <i>Journal of Biological Chemistry</i> , 1997 , 272, 15745-52	5.4	215
9	Localization of structural elements of bee venom phospholipase A2 involved in N-type receptor binding and neurotoxicity. <i>Journal of Biological Chemistry</i> , 1997 , 272, 7173-81	5.4	82
8	Endocytic properties of the M-type 180-kDa receptor for secretory phospholipases A2. <i>Journal of Biological Chemistry</i> , 1996 , 271, 250-7	5.4	99
7	Effects on behaviour and EEG of single chain phospholipases A2 from snake and bee venoms injected into rat brain: search for a functional antagonism. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1996 , 78, 341-7		16
6	Structural elements of secretory phospholipases A2 involved in the binding to M-type receptors. <i>Journal of Biological Chemistry</i> , 1995 , 270, 5534-40	5.4	101
5	Identification of the binding domain for secretory phospholipases A2 on their M-type 180-kDa membrane receptor. <i>Journal of Biological Chemistry</i> , 1995 , 270, 28869-73	5.4	56
4	The human 180-kDa receptor for secretory phospholipases A2. Molecular cloning, identification of a secreted soluble form, expression, and chromosomal localization. <i>Journal of Biological Chemistry</i> , 1995 , 270, 8963-70	5.4	152
3	Multifunctional activity of the extracellular domain of the M-type (180 kDa) membrane receptor for secretory phospholipases A2. <i>Biochemistry</i> , 1995 , 34, 13146-51	3.2	81
2	Identification of different receptor types for toxic phospholipases A2 in rabbit skeletal muscle. <i>FEBS Letters</i> , 1991 , 293, 29-33	3.8	35
1	Discovery of glycerol phosphate modification on streptococcal rhamnose polysaccharides		1