## **Eva Velthorst**

## List of Publications by Citations

Source: https://exaly.com/author-pdf/6816913/eva-velthorst-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 88 4,414 30 h-index g-index citations papers 5,601 5.76 95 5.5 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
88	The psychosis high-risk state: a comprehensive state-of-the-art review. <i>JAMA Psychiatry</i> , <b>2013</b> , 70, 107-	- <b>20</b> 4.5	965
87	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry,the</i> , <b>2019</b> , 6, 427-436	23.3	322
86	Environmental risk factors for autism: an evidence-based review of systematic reviews and meta-analyses. <i>Molecular Autism</i> , <b>2017</b> , 8, 13	6.5	301
85	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 729-36	1.3	186
84	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , <b>2018</b> , 75, 36-46	14.5	154
83	Baseline differences in clinical symptomatology between ultra high risk subjects with and without a transition to psychosis. <i>Schizophrenia Research</i> , <b>2009</b> , 109, 60-5	3.6	151
82	The 20-Year Longitudinal Trajectories of Social Functioning in Individuals With Psychotic Disorders. <i>American Journal of Psychiatry</i> , <b>2017</b> , 174, 1075-1085	11.9	131
81	Trauma and recent life events in individuals at ultra high risk for psychosis: review and meta-analysis. <i>Schizophrenia Research</i> , <b>2015</b> , 161, 143-9	3.6	119
80	Childhood bullying and the association with psychosis in non-clinical and clinical samples: a review and meta-analysis. <i>Psychological Medicine</i> , <b>2012</b> , 42, 2463-74	6.9	110
79	Ultra high-risk state for psychosis and non-transition: a systematic review. <i>Schizophrenia Research</i> , <b>2011</b> , 132, 8-17	3.6	109
78	Disability in people clinically at high risk of psychosis. <i>British Journal of Psychiatry</i> , <b>2010</b> , 197, 278-84	5.4	101
77	Adapted cognitive-behavioural therapy required for targeting negative symptoms in schizophrenia: meta-analysis and meta-regression. <i>Psychological Medicine</i> , <b>2015</b> , 45, 453-65	6.9	96
76	Moving beyond transition outcomes: meta-analysis of remission rates in individuals at high clinical risk for psychosis. <i>Psychiatry Research</i> , <b>2013</b> , 209, 266-72	9.9	96
75	Economic hardship and mental health complaints during COVID-19. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 27277-27284	11.5	91
74	5.2 COGNITIVE BEHAVIORAL THERAPY FOR SOCIAL ACTIVATION IN RECENT-ONSET PSYCHOSIS: RANDOMIZED CONTROLLED TRIAL. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, S93-S94	1.3	78
73	24. FROM DUSK TILL DAWN: LIFELONG TRAJECTORIES OF COGNITIVE FUNCTIONING IN PSYCHOTIC DISORDERS AND THEIR IMPLICATIONS FOR FUNCTIONAL RECOVERY AND TREATMENT DECISION. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S39-S39	1.3	78
72	24.3 EIGHTEEN-YEAR COURSE OF COGNITIVE FUNCTIONING IN PSYCHOTIC DISORDERS: FINDINGS FROM THE SUFFOLK COUNTY MENTAL HEALTH LONGITUDINAL STUDY. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S40-S40	1.3	78

## (2018-2018)

71	F126. PATHWAYS FROM SPEECH ILLUSIONS TO PSYCHOTIC SYMPTOMS IN SUBJECTS AT ULTRA-HIGH RISK FOR PSYCHOSIS: COMBINING AN EXPERIMENTAL PARADIGM OF ABERRANT EXPERIENCES WITH NETWORK ANALYSIS. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S269-S269	1.3	78
70	Neurocognitive functioning before and after the first psychotic episode: does psychosis result in cognitive deterioration?. <i>Psychological Medicine</i> , <b>2010</b> , 40, 1599-606	6.9	77
69	Childhood abuse and neglect in relation to the presence and persistence of psychotic and depressive symptomatology. <i>Psychological Medicine</i> , <b>2015</b> , 45, 1363-77	6.9	75
68	Psychosis prediction: stratification of risk estimation with information-processing and premorbid functioning variables. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 1482-90	1.3	75
67	Cannabis use and transition to psychosis in individuals at ultra-high risk: review and meta-analysis. <i>Psychological Medicine</i> , <b>2016</b> , 46, 673-81	6.9	73
66	Patterns of Nonsocial and Social Cognitive Functioning in Adults With Autism Spectrum Disorder: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , <b>2019</b> , 76, 135-151	14.5	63
65	Declining Clinical Course of Psychotic Disorders Over the Two Decades Following First Hospitalization: Evidence From the Suffolk County Mental Health Project. <i>American Journal of Psychiatry</i> , <b>2017</b> , 174, 1064-1074	11.9	53
64	To cut a short test even shorter: reliability and validity of a brief assessment of intellectual ability in schizophreniaa control-case family study. <i>Cognitive Neuropsychiatry</i> , <b>2013</b> , 18, 574-93	2	53
63	Declining transition rates to psychosis: the contribution of potential changes in referral pathways to an ultra-high-risk service. <i>Microbial Biotechnology</i> , <b>2015</b> , 9, 200-6	3.3	48
62	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , <b>2019</b> , 49, 1378-1391	6.9	42
62		6.9	4 <sup>2</sup>
	multinational EU-GEI study. <i>Psychological Medicine</i> , <b>2019</b> , 49, 1378-1391  Long-term Changes in Cognitive Functioning in Individuals With Psychotic Disorders: Findings From		
61	multinational EU-GEI study. <i>Psychological Medicine</i> , <b>2019</b> , 49, 1378-1391  Long-term Changes in Cognitive Functioning in Individuals With Psychotic Disorders: Findings From the Suffolk County Mental Health Project. <i>JAMA Psychiatry</i> , <b>2020</b> , 77, 387-396  Can quantitative EEG measures predict clinical outcome in subjects at Clinical High Risk for	14.5	41
61	multinational EU-GEI study. <i>Psychological Medicine</i> , <b>2019</b> , 49, 1378-1391  Long-term Changes in Cognitive Functioning in Individuals With Psychotic Disorders: Findings From the Suffolk County Mental Health Project. <i>JAMA Psychiatry</i> , <b>2020</b> , 77, 387-396  Can quantitative EEG measures predict clinical outcome in subjects at Clinical High Risk for psychosis? A prospective multicenter study. <i>Schizophrenia Research</i> , <b>2014</b> , 153, 42-7  History of trauma and the association with baseline symptoms in an Ultra-High Risk for psychosis	14.5 3.6	41 38
61 60 59	Long-term Changes in Cognitive Functioning in Individuals With Psychotic Disorders: Findings From the Suffolk County Mental Health Project. <i>JAMA Psychiatry</i> , <b>2020</b> , 77, 387-396  Can quantitative EEG measures predict clinical outcome in subjects at Clinical High Risk for psychosis? A prospective multicenter study. <i>Schizophrenia Research</i> , <b>2014</b> , 153, 42-7  History of trauma and the association with baseline symptoms in an Ultra-High Risk for psychosis cohort. <i>Psychiatry Research</i> , <b>2013</b> , 210, 75-81  Childhood trauma and clinical outcome in patients at ultra-high risk of transition to psychosis.	14.5 3.6 9.9	41 38 30
61 60 59 58	Long-term Changes in Cognitive Functioning in Individuals With Psychotic Disorders: Findings From the Suffolk County Mental Health Project. <i>JAMA Psychiatry</i> , <b>2020</b> , 77, 387-396  Can quantitative EEG measures predict clinical outcome in subjects at Clinical High Risk for psychosis? A prospective multicenter study. <i>Schizophrenia Research</i> , <b>2014</b> , 153, 42-7  History of trauma and the association with baseline symptoms in an Ultra-High Risk for psychosis cohort. <i>Psychiatry Research</i> , <b>2013</b> , 210, 75-81  Childhood trauma and clinical outcome in patients at ultra-high risk of transition to psychosis. <i>Schizophrenia Research</i> , <b>2015</b> , 169, 193-198  Transition to first episode psychosis in ultra high risk populations: does baseline functioning hold	14.5 3.6 9.9 3.6	41 38 30 28
61 60 59 58	Long-term Changes in Cognitive Functioning in Individuals With Psychotic Disorders: Findings From the Suffolk County Mental Health Project. <i>JAMA Psychiatry</i> , <b>2020</b> , 77, 387-396  Can quantitative EEG measures predict clinical outcome in subjects at Clinical High Risk for psychosis? A prospective multicenter study. <i>Schizophrenia Research</i> , <b>2014</b> , 153, 42-7  History of trauma and the association with baseline symptoms in an Ultra-High Risk for psychosis cohort. <i>Psychiatry Research</i> , <b>2013</b> , 210, 75-81  Childhood trauma and clinical outcome in patients at ultra-high risk of transition to psychosis. <i>Schizophrenia Research</i> , <b>2015</b> , 169, 193-198  Transition to first episode psychosis in ultra high risk populations: does baseline functioning hold the key?. <i>Schizophrenia Research</i> , <b>2013</b> , 143, 132-7  Child Maltreatment and Clinical Outcome in Individuals at Ultra-High Risk for Psychosis in the	3.6 9.9 3.6 3.6	41 38 30 28 28

53	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , <b>2021</b> , 51, 1536-1548	6.9	20
52	The EUropean Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2020</b> , 55, 645-657	4.5	20
51	Clinical Profiles and Conversion Rates Among Young Individuals With Autism Spectrum Disorder Who Present to Clinical High Risk for Psychosis Services. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , <b>2019</b> , 58, 582-588	7.2	19
50	Personality compensates for impaired quality of life and social functioning in patients with psychotic disorders who experienced traumatic events. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 1356-65	1.3	18
49	Factor analysis of the scale of prodromal symptoms: differentiating between negative and depression symptoms. <i>Psychopathology</i> , <b>2011</b> , 44, 379-85	3.4	18
48	Neurocognitive profiles in the prodrome to psychosis in NAPLS-1. <i>Schizophrenia Research</i> , <b>2019</b> , 204, 311-319	3.6	17
47	The effect of childhood adversity on 4-year outcome in individuals at ultra high risk for psychosis in the Dutch Early Detection Intervention Evaluation (EDIE-NL) Trial. <i>Psychiatry Research</i> , <b>2017</b> , 247, 55-62	9.9	16
46	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning - Results from the EU-GEI study. <i>European Psychiatry</i> , <b>2019</b> , 59, 52-59	6	15
45	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , <b>2021</b> , 51, 623-633	6.9	15
44	Developmental Trajectories of Impaired Community Functioning in Schizophrenia. <i>JAMA Psychiatry</i> , <b>2016</b> , 73, 48-55	14.5	14
43	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , <b>2020</b> , 77, 190-200	14.5	14
42	Cognitive impairment and psychosis in schizophrenia: independent or linked conditions?. <i>World Psychiatry</i> , <b>2019</b> , 18, 162-163	14.4	13
41	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , <b>2020</b> , 1-9	6.9	13
40	Neuroticism and facial emotion recognition in healthy adults. <i>Microbial Biotechnology</i> , <b>2016</b> , 10, 160-4	3.3	11
39	Quantitative and qualitative symptomatic differences in individuals at Ultra-High Risk for psychosis and healthy controls. <i>Psychiatry Research</i> , <b>2013</b> , 210, 432-7	9.9	10
38	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, 517-529	1.3	10
37	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , <b>2021</b> , 89, 288-297	7.9	10
36	Genetic risk for schizophrenia and autism, social impairment and developmental pathways to psychosis. <i>Translational Psychiatry</i> , <b>2018</b> , 8, 204	8.6	9

## (2021-2019)

35	Cognitive behavioral therapy for social activation in recent-onset psychosis: Randomized controlled trial. <i>Journal of Consulting and Clinical Psychology</i> , <b>2019</b> , 87, 151-160	6.5	8	
34	Substance Use Initiation, Particularly Alcohol, in Drug-Naive Adolescents: Possible Predictors and Consequences From a Large Cohort Naturalistic Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , <b>2021</b> , 60, 623-636	7.2	8	
33	New Research Strategy for Measuring Pre- and Postnatal Metal Dysregulation in Psychotic Disorders. <i>Schizophrenia Bulletin</i> , <b>2017</b> , 43, 1153-1157	1.3	7	
32	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , <b>2020</b> , 1-10	6.9	7	
31	Preliminary validation of a clinical staging model in schizophrenia and related disorders. <i>Clinical Schizophrenia and Related Psychoses</i> , <b>2017</b> ,	1.6	7	
30	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 2590-2604	15.1	7	
29	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 4529-4543	15.1	7	
28	The 3rd Schizophrenia International Research Society Conference, 14-18 April 2012, Florence, Italy: summaries of oral sessions. <i>Schizophrenia Research</i> , <b>2012</b> , 141, e1-e24	3.6	6	
27	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , <b>2021</b> , 1-13	6.9	6	
26	Social disability at admission for a first psychosis does not predict clinical outcome at 5-year follow-up. <i>Journal of Nervous and Mental Disease</i> , <b>2011</b> , 199, 510-2	1.8	5	
25	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , <b>2021</b> , 230, 104-107	3.6	5	
24	Economic evaluation of brief cognitive behavioural therapy for social activation in recent-onset psychosis. <i>PLoS ONE</i> , <b>2018</b> , 13, e0206236	3.7	5	
23	Psychiatric symptoms and related dysfunction in a general population sample. <i>Schizophrenia Research: Cognition</i> , <b>2018</b> , 14, 1-6	2.8	3	
22	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	3	
21	Study of resilience and environmental adversity in midlife health (STREAM). <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2015</b> , 50, 1915-22	4.5	3	
20	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , <b>2021</b> , 1-9	6.9	3	
19	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , <b>2021</b> , 47, 1674-1684	1.3	3	
18	Sleep Disturbance in Individuals at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , <b>2021</b> ,	1.3	3	

17	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study <i>Psychological Medicine</i> , <b>2022</b> , 1-10	6.9	2	
16	The independent and combined influence of schizophrenia polygenic risk score and heavy cannabis use on risk for psychotic disorder: A case-control analysis from the EUGEI study.		2	
15	Early predictors of mental health in mid-adulthood. <i>Microbial Biotechnology</i> , <b>2021</b> , 15, 158-166	3.3	2	
14	Abnormally Large Baseline P300 Amplitude Is Associated With Conversion to Psychosis in Clinical High Risk Individuals With a History of Autism: A Pilot Study. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 591127	5	2	
13	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , <b>2021</b> , 47, 1018-1028	1.3	2	
12	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , <b>2021</b> ,	1.3	2	
11	24.2 NEUROCOGNITIVE PROFILES IN THE PRODROME TO PSYCHOSIS IN NAPLS-1. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S39-S40	1.3	1	
10	Lifespan evolution of neurocognitive impairment in schizophrenia - A narrative review <i>Schizophrenia Research: Cognition</i> , <b>2022</b> , 28, 100237	2.8	1	
9	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study <i>Schizophrenia Bulletin</i> , <b>2022</b> ,	1.3	1	
8	Momentary Manifestations of Negative Symptoms as Predictors of Clinical Outcomes in People at High Risk for Psychosis: Experience Sampling Study. <i>JMIR Mental Health</i> , <b>2021</b> , 8, e30309	6	1	
7	Jumping To Conclusions, General Intelligence, And Psychosis Liability: Findings From The Multi-Centre EU-GEI Case-Control Study		1	
6	F118. ARCHITECTURE OF PSYCHOSIS SYMPTOMS AND NEURAL PREDICTORS OF CONVERSION AMONG CLINICAL HIGH RISK INDIVIDUALS WITH AUTISM SPECTRUM DISORDER. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S266-S266	1.3	1	
5	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , <b>2021</b> , 11, 423	8.6	1	
4	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. <i>Psychological Medicine</i> ,1-9	6.9	1	
3	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , <b>2021</b> , 47, 1653-1662	1.3	О	
2	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , <b>2021</b> , 236, 69-79	3.6	O	
1	Autistic traits and alcohol use in adolescents within the general population European Child and Adolescent Psychiatry, 2022, 1	5.5		