

Mawuli Dzakpasu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/681716/mawuli-dzakpasu-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66
papers

1,367
citations

18
h-index

35
g-index

74
ext. papers

1,890
ext. citations

7.7
avg, IF

4.95
L-index

#	Paper	IF	Citations
66	Solar irradiation-induced photochemical processing of dissolved organic matter in reclaimed water. <i>Journal of Water Process Engineering</i> , 2022 , 46, 102544	6.7	0
65	Stereoselective degradation pathway of amide chiral herbicides and its impacts on plant and bacterial communities in integrated vertical flow constructed wetlands.. <i>Bioresource Technology</i> , 2022 , 351, 126997	11	0
64	Enhancement effects and pathways of nitrogen removal by plant-based carbon source in integrated vertical flow constructed wetlands. <i>Journal of Water Process Engineering</i> , 2022 , 47, 102734	6.7	0
63	Microbial community and carbon-nitrogen metabolism pathways in integrated vertical flow constructed wetlands treating wastewater containing antibiotics.. <i>Bioresource Technology</i> , 2022 , 127217 ¹¹	11	0
62	New insights into the mechanisms underlying biochar-assisted sustained high-efficient co-digestion: Reducing thermodynamic constraints and enhancing extracellular electron transfer flux. <i>Science of the Total Environment</i> , 2021 , 811, 151416	10.2	0
61	Phytoremediation mechanisms and plant eco-physiological response to microorganic contaminants in integrated vertical-flow constructed wetlands. <i>Journal of Hazardous Materials</i> , 2021 , 424, 127611	12.8	3
60	Removal of trace organic contaminants in municipal wastewater by anaerobic membrane bioreactor: Efficiencies, fates and impact factors. <i>Journal of Water Process Engineering</i> , 2021 , 40, 101953	6.7	7
59	Future Changes in Simulated Evapotranspiration across Continental Africa Based on CMIP6 CNRM-CM6. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
58	Sequential detention pond-biogeochemical barrier-free water surface wetland system for effluent purification and river eutrophication control. <i>Journal of Water Process Engineering</i> , 2021 , 41, 102075	6.7	2
57	Characterization of dissolved organic matter and carbon release from wetland plants for enhanced nitrogen removal in constructed wetlands for low C-N wastewater treatment. <i>Chemosphere</i> , 2021 , 273, 129630	8.4	7
56	Solid-state synthesis of cobalt ferrite fitted with Fe ₂ O ₃ -containing nanocage for peroxymonosulfate activation and cobalt leaching control. <i>Chemical Engineering Journal</i> , 2021 , 405, 126994	14.7	9
55	Towards the formulation of rural sewage discharge standards in China. <i>Science of the Total Environment</i> , 2021 , 759, 143533	10.2	5
54	Galvanic corrosion of zero-valent iron to intensify Fe ²⁺ generation for peroxymonosulfate activation. <i>Chemical Engineering Journal</i> , 2021 , 417, 128023	14.7	3
53	Spatiotemporal Characteristics and Trend Analysis of Two Evapotranspiration-Based Drought Products and Their Mechanisms in Sub-Saharan Africa. <i>Remote Sensing</i> , 2021 , 13, 533	5	4
52	Fate of an antibiotic and its effects on nitrogen transformation functional bacteria in integrated vertical flow constructed wetlands. <i>Chemical Engineering Journal</i> , 2021 , 417, 129272	14.7	13
51	New insight into the membrane fouling of anaerobic membrane bioreactors treating sewage: Physicochemical and biological characterization of cake and gel layers. <i>Journal of Membrane Science</i> , 2021 , 632, 119383	9.6	9
50	Design influence and evaluation model of bioretention in rainwater treatment: A review. <i>Science of the Total Environment</i> , 2021 , 787, 147592	10.2	5

49	Characterization and biogeochemical implications of dissolved organic matter in aquatic environments. <i>Journal of Environmental Management</i> , 2021 , 294, 113041	7.9	3
48	Environmental risk assessment by using disability adjusted life year via constructing of a generalized linear model for morbidity estimation of waterborne pathogens. <i>Journal of Environmental Management</i> , 2021 , 299, 113566	7.9	
47	Potential of invasive watermilfoil (<i>Myriophyllum</i> spp.) to remediate eutrophic waterbodies with organic and inorganic pollutants. <i>Journal of Environmental Management</i> , 2020 , 270, 110919	7.9	11
46	Nutrient dynamics and retention in a vegetated drainage ditch receiving nutrient-rich sewage at low temperatures. <i>Science of the Total Environment</i> , 2020 , 741, 140268	10.2	9
45	Integrating stereo-elastic packing into ecological floating bed for enhanced denitrification in landscape water. <i>Bioresource Technology</i> , 2020 , 299, 122601	11	21
44	Source-Associated Gastroenteritis Risk from Swimming Exposure to Aging Fecal Pathogens. <i>Environmental Science & Technology</i> , 2020 , 54, 921-929	10.3	7
43	Anaerobic membrane bioreactors for domestic wastewater treatment 2020 , 143-165		5
42	Effects of plants competition on critical bacteria selection and pollutants dynamics in a long-term polyculture constructed wetland. <i>Bioresource Technology</i> , 2020 , 316, 123927	11	9
41	Application of the anammox-based process for nitrogen removal from anaerobic digestion effluent: A review of treatment performance, biochemical reactions, and impact factors. <i>Journal of Water Process Engineering</i> , 2020 , 38, 101595	6.7	18
40	Interception of sediment-liberated phosphate in a surface aquatic system for eutrophication control. <i>Water Science and Technology: Water Supply</i> , 2020 , 20, 197-208	1.4	5
39	Development of a water cycle management approach to Sponge City construction in Xilan, China. <i>Science of the Total Environment</i> , 2019 , 685, 490-496	10.2	19
38	Attenuation of BPA degradation by SO_4^{2-} in a system of peroxymonosulfate coupled with Mn/Fe MOF-templated catalysts and its synergism with Cl^- and bicarbonate. <i>Chemical Engineering Journal</i> , 2019 , 372, 605-615	14.7	80
37	Thermodynamic prediction and experimental investigation of short-term dynamic membrane formation in dynamic membrane bioreactors: Effects of sludge properties. <i>Journal of Environmental Sciences</i> , 2019 , 77, 85-96	6.4	10
36	Bioretention cell incorporating Fe-biochar and saturated zones for enhanced stormwater runoff treatment. <i>Chemosphere</i> , 2019 , 237, 124424	8.4	41
35	Role of divalent metals Cu and Zn in <i>Microcystis aeruginosa</i> proliferation and production of toxic microcystins. <i>Toxicon</i> , 2019 , 170, 51-59	2.8	1
34	Significance of B-site cobalt on bisphenol A degradation by MOFs-templated $Co_xFe_{3-x}O_4$ catalysts and its severe attenuation by excessive cobalt-rich phase. <i>Chemical Engineering Journal</i> , 2019 , 359, 552-563	14.7	24
33	Transferral of HMs pollution from road-deposited sediments to stormwater runoff during transport processes. <i>Frontiers of Environmental Science and Engineering</i> , 2019 , 13, 1	5.8	11
32	A novel index of total oxygen demand for the comprehensive evaluation of energy consumption for urban wastewater treatment. <i>Applied Energy</i> , 2019 , 236, 253-261	10.7	25

31	Dynamic membrane bioreactor performance enhancement by powdered activated carbon addition: Evaluation of sludge morphological, aggregative and microbial properties. <i>Journal of Environmental Sciences</i> , 2019 , 75, 73-83	6.4	13
30	Replenishment of landscape water with reclaimed water: Optimization of supply scheme using transparency as an indicator. <i>Ecological Indicators</i> , 2018 , 88, 503-511	5.8	18
29	Development of an indicator for characterizing particle size distribution and quality of stormwater runoff. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 7991-8001	5.1	6
28	On the risks from sediment and overlying water by replenishing urban landscape ponds with reclaimed wastewater. <i>Environmental Pollution</i> , 2018 , 236, 488-497	9.3	17
27	Coagulation performance of cucurbit[8]uril for the removal of azo dyes: effect of solution chemistry and coagulant dose. <i>Water Science and Technology</i> , 2018 , 78, 415-423	2.2	6
26	MOF-templated synthesis of CoFe ₂ O ₄ nanocrystals and its coupling with peroxymonosulfate for degradation of bisphenol A. <i>Chemical Engineering Journal</i> , 2018 , 353, 329-339	14.7	177
25	Molecular characterization of long-term impacts of macrophytes harvest management in constructed wetlands. <i>Bioresource Technology</i> , 2018 , 268, 514-522	11	24
24	Impacts of different biochar types on hydrogen production promotion during fermentative co-digestion of food wastes and dewatered sewage sludge. <i>Waste Management</i> , 2018 , 80, 73-80	8.6	35
23	Long-term impact of primary domestic sewage on metal/loid accumulation in drainage ditch sediments, plants and water: Implications for phytoremediation and restoration. <i>Science of the Total Environment</i> , 2017 , 581-582, 773-781	10.2	20
22	Validity and utility of ecological footprint accounting: A state-of-the-art review. <i>Sustainable Cities and Society</i> , 2017 , 32, 411-416	10.1	28
21	Evaluation of ecotoxicological effects of benzophenone UV filters: Luminescent bacteria toxicity, genotoxicity and hormonal activity. <i>Ecotoxicology and Environmental Safety</i> , 2017 , 142, 338-347	7	27
20	Genetic characterization of fecal impacts of seagull migration on an urban scenery lake. <i>Water Research</i> , 2017 , 117, 27-36	12.5	10
19	Growth characteristics and nutrient removal capability of eco-ditch plants in mesocosm sediment receiving primary domestic wastewater. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 23926-23938	5.1	13
18	Nutrient removal in a trapezoidal vegetated drainage ditch used to treat primary domestic sewage in a small catchment of the upper Yangtze River. <i>Water and Environment Journal</i> , 2017 , 31, 72-79	1.7	10
17	Performance of a pilot demonstration-scale hybrid constructed wetland system for on-site treatment of polluted urban river water in Northwestern China. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 447-54	5.1	15
16	Uptake and Release of Sequestered Nutrient in Subtropical Monsoon Ecological Ditch Plant Species. <i>Water, Air, and Soil Pollution</i> , 2016 , 227, 1	2.6	14
15	Transformation and utilization of slowly biodegradable organic matters in biological sewage treatment of anaerobic anoxic oxic systems. <i>Bioresource Technology</i> , 2016 , 218, 53-61	11	18
14	Effects of interspecific competition on the growth of macrophytes and nutrient removal in constructed wetlands: A comparative assessment of free water surface and horizontal subsurface flow systems. <i>Bioresource Technology</i> , 2016 , 207, 134-41	11	40

13	Characterizing phosphorus removal from polluted urban river water by steel slags in a vertical flow constructed wetland. <i>Water Science and Technology</i> , 2016 , 73, 2644-53	2.2	5
12	Current status of urban wastewater treatment plants in China. <i>Environment International</i> , 2016 , 92-93, 11-22	12.9	292
11	Effects of annual harvesting on plants growth and nutrients removal in surface-flow constructed wetlands in northwestern China. <i>Ecological Engineering</i> , 2015 , 83, 268-275	3.9	54
10	Characteristics of nitrogen and phosphorus removal by a surface-flow constructed wetland for polluted river water treatment. <i>Water Science and Technology</i> , 2015 , 71, 904-12	2.2	15
9	Adaptive neuro-fuzzy inference system for real-time monitoring of integrated-constructed wetlands. <i>Water Science and Technology</i> , 2015 , 71, 22-30	2.2	3
8	Functions of slags and gravels as substrates in large-scale demonstration constructed wetland systems for polluted river water treatment. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 12982-91	5.1	27
7	Phosphorus retention and mass balance in an integrated constructed wetland treating domestic wastewater. <i>Water and Environment Journal</i> , 2015 , 29, 298-306	1.7	8
6	Assessment of long-term phosphorus retention in an integrated constructed wetland treating domestic wastewater. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 305-13	5.1	16
5	Nitrogen transformations and mass balance in an integrated constructed wetland treating domestic wastewater. <i>Water Science and Technology</i> , 2014 , 70, 1496-502	2.2	12
4	Groundwater Quality Impacts from a Full-Scale Integrated Constructed Wetland. <i>Ground Water Monitoring and Remediation</i> , 2014 , 34, 51-64	1.4	11
3	Characterising infiltration and contaminant migration beneath earthen-lined integrated constructed wetlands. <i>Ecological Engineering</i> , 2012 , 41, 41-51	3.9	9
2	Impact of Hydraulic Loading Rate and Season on Water Contaminant Reductions Within Integrated Constructed Wetlands. <i>Wetlands</i> , 2011 , 31, 499-509	1.7	42
1	Nitrogen removal in an integrated constructed wetland treating domestic wastewater. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2011 , 46, 742-50	2.3	14