

# Joseph Ventura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6818097/publications.pdf>

Version: 2024-02-01

104  
papers

9,106  
citations

61945

43  
h-index

40954

93  
g-index

104  
all docs

104  
docs citations

104  
times ranked

7786  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Prodromal Assessment With the Structured Interview for Prodromal Syndromes and the Scale of Prodromal Symptoms: Predictive Validity, Interrater Reliability, and Training to Reliability. <i>Schizophrenia Bulletin</i> , 2003, 29, 703-715. | 2.3 | 1,492     |
| 2  | Training and quality assurance with the structured clinical interview for DSM-IV (SCID-I/P). <i>Psychiatry Research</i> , 1998, 79, 163-173.   | 1.7 | 520       |
| 3  | Symptoms as mediators of the relationship between neurocognition and functional outcome in schizophrenia: A meta-analysis. <i>Schizophrenia Research</i> , 2009, 113, 189-199.   | 1.1 | 462       |
| 4  | Developmental Processes in Schizophrenic Disorders: Longitudinal Studies of Vulnerability and Stress. <i>Schizophrenia Bulletin</i> , 1992, 18, 387-425.   | 2.3 | 460       |
| 5  | Operational criteria and factors related to recovery from schizophrenia. <i>International Review of Psychiatry</i> , 2002, 14, 256-272.  | 1.4 | 362       |
| 6  | Social Cognition in Schizophrenia, Part 1: Performance Across Phase of Illness. <i>Schizophrenia Bulletin</i> , 2012, 38, 854-864.   | 2.3 | 354       |
| 7  | Symptom dimensions in recent-onset schizophrenia and mania: a principal components analysis of the 24-item Brief Psychiatric Rating Scale. <i>Psychiatry Research</i> , 2000, 97, 129-135.   | 1.7 | 315       |
| 8  | Neurocognitive Predictors of Work Outcome in Recent-Onset Schizophrenia. <i>Schizophrenia Bulletin</i> , 2011, 37, S33-S40.  | 2.3 | 256       |
| 9  | Neurocognitive function in clinically stable men with bipolar I disorder or schizophrenia and normal control subjects. <i>Biological Psychiatry</i> , 2004, 56, 560-569.   | 0.7 | 253       |
| 10 | Social Cognition in Schizophrenia, Part 2: 12-Month Stability and Prediction of Functional Outcome in First-Episode Patients. <i>Schizophrenia Bulletin</i> , 2012, 38, 865-872.   | 2.3 | 248       |
| 11 | Clinical Outcome Following Neuroleptic Discontinuation in Patients With Remitted Recent-Onset Schizophrenia. <i>American Journal of Psychiatry</i> , 2001, 158, 1835-1842.   | 4.0 | 215       |
| 12 | Increased Anterior Cingulate/Medial Prefrontal Cortical Glutamate and Creatine in Bipolar Depression. <i>Neuropsychopharmacology</i> , 2007, 32, 2490-2499.  | 2.8 | 208       |
| 13 | Long-Acting Injectable Risperidone for Relapse Prevention and Control of Breakthrough Symptoms After a Recent First Episode of Schizophrenia. <i>JAMA Psychiatry</i> , 2015, 72, 822.  | 6.0 | 205       |
| 14 | Individual placement and support for individuals with recent-onset schizophrenia: Integrating supported education and supported employment.. <i>Psychiatric Rehabilitation Journal</i> , 2008, 31, 340-349.                                  | 0.8 | 188       |
| 15 | Symptom Domains and Neurocognitive Functioning Can Help Differentiate Social Cognitive Processes in Schizophrenia: A Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2013, 39, 102-111.   | 2.3 | 187       |
| 16 | Consistency of Brief Psychiatric Rating Scale Factor Structure across a Broad Spectrum of Schizophrenia Patients. <i>Psychopathology</i> , 2008, 41, 77-84.  | 1.1 | 172       |
| 17 | A prospective study of stressful life events and schizophrenic relapse.. <i>Journal of Abnormal Psychology</i> , 1989, 98, 407-411.  | 2.0 | 168       |
| 18 | The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021, 20, 4-33.  | 4.8 | 153       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Disorganization and reality distortion in schizophrenia: A meta-analysis of the relationship between positive symptoms and neurocognitive deficits. <i>Schizophrenia Research</i> , 2010, 121, 1-14. | 1.1 | 143       |
| 20 | Negative symptoms and functioning during the first year after a recent onset of schizophrenia and 8years later. <i>Schizophrenia Research</i> , 2015, 161, 407-413.                                  | 1.1 | 121       |
| 21 | The Psychosis Prodrome in Adolescent Patients Viewed Through the Lens of DSM-IV. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2005, 15, 434-451.                                      | 0.7 | 115       |
| 22 | Risperidone Nonadherence and Return of Positive Symptoms in the Early Course of Schizophrenia. <i>American Journal of Psychiatry</i> , 2011, 168, 286-292.   | 4.0 | 106       |
| 23 | A novel, online social cognitive training program for young adults with schizophrenia: A pilot study. <i>Schizophrenia Research: Cognition</i> , 2014, 1, e11-e19.                                   | 0.7 | 93        |
| 24 | Neurocognition and symptoms identify links between facial recognition and emotion processing in schizophrenia: Meta-analytic findings. <i>Schizophrenia Research</i> , 2013, 151, 78-84.             | 1.1 | 89        |
| 25 | Remission and recovery during the first outpatient year of the early course of schizophrenia. <i>Schizophrenia Research</i> , 2011, 132, 18-23.  | 1.1 | 88        |
| 26 | The Cognitive Assessment Interview (CAI): Development and validation of an empirically derived, brief interview-based measure of cognition. <i>Schizophrenia Research</i> , 2010, 121, 24-31.        | 1.1 | 76        |
| 27 | Psychological Distress in Solitary Confinement: Symptoms, Severity, and Prevalence in the United States, 2017â€“2018. <i>American Journal of Public Health</i> , 2020, 110, S56-S62.                 | 1.5 | 76        |
| 28 | Clinical global impression of cognition in schizophrenia (CGI-CogS): Reliability and validity of a co-primary measure of cognition. <i>Schizophrenia Research</i> , 2008, 106, 59-69.                | 1.1 | 75        |
| 29 | Enhancing Cognitive Training Through Aerobic Exercise After a First Schizophrenia Episode: Theoretical Conception and Pilot Study. <i>Schizophrenia Bulletin</i> , 2016, 42, S44-S52.                | 2.3 | 72        |
| 30 | Stress and coping responses to a natural disaster in people with schizophrenia. <i>Psychiatry Research</i> , 2007, 151, 77-86.   | 1.7 | 70        |
| 31 | Impact on intracortical myelination trajectory of long acting injection versus oral risperidone in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2012, 140, 122-128.                  | 1.1 | 70        |
| 32 | Self-efficacy and neurocognition may be related to coping responses in recent-onset schizophrenia. <i>Schizophrenia Research</i> , 2004, 69, 343-352.  | 1.1 | 67        |
| 33 | The Brief Psychiatric Rating Scale (version 4.0) factorial structure and its sensitivity in the treatment of outpatients with unipolar depression. <i>Psychiatry Research</i> , 2013, 210, 626-633.  | 1.7 | 60        |
| 34 | The Relationship of Attitudinal Beliefs to Negative Symptoms, Neurocognition, and Daily Functioning in Recent-Onset Schizophrenia. <i>Schizophrenia Bulletin</i> , 2014, 40, 1308-1318.              | 2.3 | 60        |
| 35 | Neurocognitive and social cognitive correlates of formal thought disorder in schizophrenia patients. <i>Schizophrenia Research</i> , 2006, 85, 84-95.  | 1.1 | 58        |
| 36 | Life Events and Schizophrenic Relapse after Withdrawal of Medication. <i>British Journal of Psychiatry</i> , 1992, 161, 615-620.   | 1.7 | 56        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Electrodermal predictors of functional outcome and negative symptoms in schizophrenia. <i>Psychophysiology</i> , 2005, 42, 483-492.   | 1.2 | 56        |
| 38 | Clinical and Cognitive Significance of Auditory Sensory Processing Deficits in Schizophrenia. <i>American Journal of Psychiatry</i> , 2018, 175, 275-283.   | 4.0 | 56        |
| 39 | Apathy, poor verbal memory and male gender predict lower psychosocial functioning one year after the first treatment of psychosis. <i>Psychiatry Research</i> , 2013, 210, 55-61.   | 1.7 | 52        |
| 40 | The Cognitive Assessment Interview (CAI): Reliability and Validity of a Brief Interview-Based Measure of Cognition. <i>Schizophrenia Bulletin</i> , 2013, 39, 583-591.  | 2.3 | 50        |
| 41 | Longitudinal stability of social cognition in schizophrenia: A 5-year follow-up of social perception and emotion processing. <i>Schizophrenia Research</i> , 2016, 176, 467-472.  | 1.1 | 48        |
| 42 | Life events can trigger depressive exacerbation in the early course of schizophrenia.. <i>Journal of Abnormal Psychology</i> , 2000, 109, 139-144.  | 2.0 | 47        |
| 43 | Developing a Cognitive Training Strategy for First-Episode Schizophrenia: Integrating Bottom-Up and Top-Down Approaches. <i>American Journal of Psychiatric Rehabilitation</i> , 2014, 17, 225-253.                                   | 0.7 | 46        |
| 44 | Classifying episodes in schizophrenia and bipolar disorder: Criteria for relapse and remission applied to recent-onset samples. <i>Psychiatry Research</i> , 2006, 144, 153-166.  | 1.7 | 45        |
| 45 | Bifactor and item response theory analyses of interviewer report scales of cognitive impairment in schizophrenia.. <i>Psychological Assessment</i> , 2011, 23, 245-261.   | 1.2 | 45        |
| 46 | Cognitive remediation can improve negative symptoms and social functioning in first-episode schizophrenia: A randomized controlled trial. <i>Schizophrenia Research</i> , 2019, 203, 24-31.   | 1.1 | 45        |
| 47 | Enhancing return to work or school after a first episode of schizophrenia: the UCLA RCT of Individual Placement and Support and Workplace Fundamentals Module training. <i>Psychological Medicine</i> , 2020, 50, 20-28.              | 2.7 | 42        |
| 48 | The validity of using patient self-report to assess psychotic symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2007, 90, 245-250.   | 1.1 | 40        |
| 49 | Neural activation during response inhibition in adult attention-deficit/hyperactivity disorder: Preliminary findings on the effects of medication and symptom severity. <i>Psychiatry Research - Neuroimaging</i> , 2014, 222, 17-28. | 0.9 | 39        |
| 50 | Factor structure of the Brief Psychiatric Rating Scale "Expanded" (BPRS-E) in a large hospitalized sample. <i>Journal of Psychiatric Research</i> , 2017, 93, 79-86.  | 1.5 | 37        |
| 51 | Prefrontal Structural and Functional Deficits in Schizotypal Personality Disorder. <i>Schizophrenia Bulletin</i> , 2002, 28, 501-513.   | 2.3 | 36        |
| 52 | The temporal stability of electrodermal variables over a one-year period in patients with recent-onset schizophrenia and in normal subjects. <i>Psychophysiology</i> , 2002, 39, 124-132.   | 1.2 | 35        |
| 53 | The puzzle of schizophrenia: Tracking the core role of cognitive deficits. <i>Development and Psychopathology</i> , 2012, 24, 529-536.  | 1.4 | 35        |
| 54 | A social path to functioning in schizophrenia: From social self-efficacy through negative symptoms to social functional capacity. <i>Psychiatry Research</i> , 2015, 228, 803-807.  | 1.7 | 34        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Integrity of emotional and motivational states during the prodromal, first-episode, and chronic phases of schizophrenia.. Journal of Abnormal Psychology, 2010, 119, 71-82.   | 2.0 | 33        |
| 56 | Patient-Environment Relationships in Schizophrenia. British Journal of Psychiatry, 1989, 155, 84-89.  | 1.7 | 33        |
| 57 | Online Social Cognition Training in Schizophrenia: A Double-Blind, Randomized, Controlled Multi-Site Clinical Trial. Schizophrenia Bulletin, 2021, 47, 108-117.   | 2.3 | 31        |
| 58 | Prediction of the deficit syndrome from initial deficit symptoms in the early course of schizophrenia. Psychiatry Research, 1998, 80, 53-59.  | 1.7 | 29        |
| 59 | Prefrontal and Hippocampal Brain Volume Deficits: Role of Low Physical Activity on Brain Plasticity in First-Episode Schizophrenia Patients. Journal of the International Neuropsychological Society, 2015, 21, 868-879.  | 1.2 | 27        |
| 60 | Randomized controlled trial of computer-based treatment of social cognition in schizophrenia: the TRuSST trial protocol. BMC Psychiatry, 2015, 15, 142.   | 1.1 | 26        |
| 61 | The timing of negative symptom exacerbations in relationship to positive symptom exacerbations in the early course of schizophrenia. Schizophrenia Research, 2004, 69, 333-342.   | 1.1 | 25        |
| 62 | Evaluation of a plasticity-based cognitive training program in schizophrenia: Results from the eCaesar trial. Schizophrenia Research, 2019, 208, 182-189.   | 1.1 | 22        |
| 63 | Contributions of Feature Binding During Encoding and Functional Connectivity of the Medial Temporal Lobe Structures to Episodic Memory Deficits Across the Prodromal and First-Episode Phases of Schizophrenia. Clinical Psychological Science, 2015, 3, 159-174. | 2.4 | 21        |
| 64 | Relationship of poor insight to neurocognition, social cognition, and psychiatric symptoms in schizophrenia: A meta-analysis. Schizophrenia Research, 2020, 220, 164-171.   | 1.1 | 21        |
| 65 | Cognitive training at home in schizophrenia is feasible. Schizophrenia Research, 2013, 143, 397-398.  | 1.1 | 19        |
| 66 | A randomized controlled trial of cognitive remediation and long-acting injectable risperidone after a first episode of schizophrenia: improving cognition and work/school functioning. Psychological Medicine, 2022, 52, 1517-1526.                               | 2.7 | 19        |
| 67 | Abnormal Trajectory of Intracortical Myelination in Schizophrenia Implicates White Matter in Disease Pathophysiology and the Therapeutic Mechanism of Action of Antipsychotics. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2018, 3, 454-462. | 1.1 | 18        |
| 68 | A 10-minute measure of global cognition: Validation of the Brief Cognitive Assessment Tool for Schizophrenia (B-CATS). Schizophrenia Research, 2018, 195, 327-333.  | 1.1 | 17        |
| 69 | Virtual reality assessment of functional capacity in the early course of schizophrenia: Associations with cognitive performance and daily functioning. Microbial Biotechnology, 2020, 14, 106-114.  | 0.9 | 17        |
| 70 | Disruption of gamma-δ relationship related to working memory deficits in first-episode psychosis. Journal of Neural Transmission, 2020, 127, 103-115.   | 1.4 | 15        |
| 71 | Symptomatic and functional correlates of regional brain physiology during working memory processing in patients with recent onset schizophrenia. Psychiatry Research - Neuroimaging, 2009, 173, 177-182.  | 0.9 | 14        |
| 72 | Memory functioning and negative symptoms as differential predictors of social problem solving skills in schizophrenia. Schizophrenia Research, 2013, 143, 307-311.  | 1.1 | 14        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | The impact of second-generation antipsychotic adherence on positive and negative symptoms in recent-onset schizophrenia. <i>Schizophrenia Research</i> , 2014, 159, 95-100.   | 1.1 | 13        |
| 74 | Using the cognitive assessment interview to screen cognitive impairment in psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 629-637.  | 1.8 | 13        |
| 75 | Early Visual Processing Is Associated With Social Cognitive Performance in Recent-Onset Schizophrenia. <i>Frontiers in Psychiatry</i> , 2020, 11, 823.  | 1.3 | 13        |
| 76 | Cognitive Assessment Interview (CAI): Validity as a co-primary measure of cognition across phases of schizophrenia. <i>Schizophrenia Research</i> , 2016, 172, 137-142.   | 1.1 | 12        |
| 77 | Factors affecting reliability and confidence of DSM-III-R psychosis-related diagnosis. <i>Psychiatry Research</i> , 2001, 101, 269-275.   | 1.7 | 11        |
| 78 | Cardiorespiratory endurance, muscular flexibility and strength in first-episode schizophrenia patients: use of a standardized fitness assessment. <i>Microbial Biotechnology</i> , 2012, 6, 185-190.                          | 0.9 | 11        |
| 79 | Affective prosody and facial emotion recognition in first-episode schizophrenia: Associations with functioning & symptoms. <i>Schizophrenia Research: Cognition</i> , 2019, 18, 100153.                                       | 0.7 | 11        |
| 80 | Changes in inflammation are related to depression and amount of aerobic exercise in first episode schizophrenia. <i>Microbial Biotechnology</i> , 2021, 15, 213-216.  | 0.9 | 11        |
| 81 | Association between cortical volume and gray-white matter contrast with second generation antipsychotic medication exposure in first episode male schizophrenia patients. <i>Schizophrenia Research</i> , 2020, 222, 397-410. | 1.1 | 10        |
| 82 | Social cognition and functional outcome in schizophrenia: The moderating role of cardiac vagal tone.. <i>Journal of Abnormal Psychology</i> , 2014, 123, 764-770.   | 2.0 | 9         |
| 83 | White matter of perinatally HIV infected older youths shows low frequency fluctuations that may reflect glial cycling. <i>Scientific Reports</i> , 2021, 11, 3086.  | 1.6 | 9         |
| 84 | Memory systems in schizophrenia: Modularity is preserved but deficits are generalized. <i>Schizophrenia Research</i> , 2015, 168, 223-230.  | 1.1 | 7         |
| 85 | Episodic Memory for Dynamic Social Interaction Across Phase of Illness in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 620-630.   | 2.3 | 6         |
| 86 | Social vs. non-social measures of learning potential for predicting community functioning across phase of illness in schizophrenia. <i>Schizophrenia Research</i> , 2019, 204, 104-110.                                       | 1.1 | 6         |
| 87 | Cortical morphometric correlational networks associated with cognitive deficits in first episode schizophrenia. <i>Schizophrenia Research</i> , 2021, 231, 179-188.   | 1.1 | 6         |
| 88 | Examining speed of processing of facial emotion recognition in individuals at ultra-high risk for psychosis: Associations with symptoms and cognition. <i>Schizophrenia Research</i> , 2018, 195, 562-563.                    | 1.1 | 5         |
| 89 | Family burden predicts functional outcome in the early course of schizophrenia beyond psychiatric symptoms and baseline functioning. <i>Schizophrenia Research</i> , 2018, 202, 328-332.                                      | 1.1 | 5         |
| 90 | False memory production in schizophrenia: A neurophysiological investigation. <i>Schizophrenia Research: Cognition</i> , 2020, 20, 100174.  | 0.7 | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Associations between physiological responses to social-evaluative stress and daily functioning in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2020, 218, 233-239.   | 1.1 | 5         |
| 92  | Personnel time required for supported employment and education services for individuals in a recent onset psychosis treatment program. <i>Microbial Biotechnology</i> , 2021, 15, 402-405.                                   | 0.9 | 5         |
| 93  | Cognitive heterogeneity in first-episode psychosis and its relationship with premorbid developmental adjustment. <i>Psychological Medicine</i> , 2022, 52, 3885-3894.  | 2.7 | 5         |
| 94  | The Cognitive Assessment Interview (CAI): Association with neuropsychological scores and real-life functioning in a large sample of Italian subjects with schizophrenia. <i>Schizophrenia Research</i> , 2022, 241, 161-170. | 1.1 | 5         |
| 95  | Sexual dysfunction in couples with learning handicaps. <i>Sexuality and Disability</i> , 1987, 8, 25-35.   | 0.4 | 4         |
| 96  | Establishing a clinical high-risk program in Tunisia, North Africa: A pilot study in early detection and identification. <i>Microbial Biotechnology</i> , 2021, 15, 1777-1783.   | 0.9 | 4         |
| 97  | Confident memory errors and disrupted reality testing in early psychosis. <i>Schizophrenia Research</i> , 2021, 238, 170-177.  | 1.1 | 4         |
| 98  | Differences of temporal dynamics and signal complexity of gamma band oscillations in first-episode psychosis during a working memory task. <i>Journal of Neural Transmission</i> , 2017, 124, 853-862.                       | 1.4 | 3         |
| 99  | Expressed emotion and the escalation of depressive symptoms in individuals with recent-onset schizophrenia. <i>Microbial Biotechnology</i> , 2017, 11, 351-353.  | 0.9 | 2         |
| 100 | An Interview-Based Assessment of the Experience of Cognitive Impairment in Multiple Sclerosis: The Cognitive Assessment Interview (CAI). <i>Frontiers in Neurology</i> , 2021, 12, 637895.                                   | 1.1 | 2         |
| 101 | F39. LEPTIN-BINDING PROTEIN LEVELS ARE ASSOCIATED WITH COGNITIVE FUNCTIONING EARLY IN THE COURSE OF SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2019, 45, S270-S270.  | 2.3 | 1         |
| 102 | Awareness of illness is associated with better social and nonsocial cognition in recent-onset schizophrenia. <i>Schizophrenia Research</i> , 2021, 231, 51-53.   | 1.1 | 1         |
| 103 | Imaging the effects of exercise on the brain. <i>Schizophrenia Research</i> , 2020, 223, 71-72.  | 1.1 | 0         |
| 104 | Coping with Interpersonal Stressors in Schizophrenia. , 2002, , 28-37.   |     | 0         |