## Ramesh Raina

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6819717/ramesh-raina-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,160
papers

2,160
h-index

42
g-index

42
ext. papers

2,441
ext. papers

2,441
ext. citations

37
h-index

4.34
L-index

#	Paper	IF	Citations
37	Arabidopsis Modulates Pathogen Defense and Tolerance to Oxidative Stress. <i>Frontiers in Plant Science</i> , <b>2020</b> , 11, 703	6.2	3
36	The Regulates Dark-Induced Senescence and Plays Contrasting Roles in Defense Against Bacterial and Fungal Pathogens. <i>Molecular Plant-Microbe Interactions</i> , <b>2020</b> , 33, 754-766	3.6	11
35	An Arabidopsis DISEASE RELATED NONSPECIFIC LIPID TRANSFER PROTEIN 1 is required for resistance against various phytopathogens and tolerance to salt stress. <i>Gene</i> , <b>2020</b> , 753, 144802	3.8	8
34	JMJ14 encoded H3K4 demethylase modulates immune responses by regulating defence gene expression and pipecolic acid levels. <i>New Phytologist</i> , <b>2020</b> , 225, 2108-2121	9.8	14
33	Overexpression of induces salicylic acid-dependent defense against through the regulation of its targets. <i>Plant Direct</i> , <b>2020</b> , 4, e00270	3.3	6
32	Loss of Color Pigmentation Is Maintained at High Frequency in a Monkey Flower Population. <i>American Naturalist</i> , <b>2018</b> , 191, 135-145	3.7	8
31	JMJ27, an Arabidopsis H3K9 histone demethylase, modulates defense against Pseudomonas syringae and flowering time. <i>Plant Journal</i> , <b>2017</b> , 91, 1015-1028	6.9	39
30	Effects of herbivores on nitrogen fixation by grass endophytes, legume symbionts and free-living soil surface bacteria in the Serengeti. <i>Pedobiologia</i> , <b>2016</b> , 59, 233-241	1.7	12
29	Hypersensitive response-like lesions 1 codes for AtPPT1 and regulates accumulation of ROS and defense against bacterial pathogen Pseudomonas syringae in Arabidopsis thaliana. <i>Antioxidants and Redox Signaling</i> , <b>2015</b> , 22, 785-96	8.4	10
28	Defining the Metabolic Functions and Roles in Virulence of the rpoN1 and rpoN2 Genes in Ralstonia solanacearum GMI1000. <i>PLoS ONE</i> , <b>2015</b> , 10, e0144852	3.7	7
27	Transcriptional and metabolic signatures of Arabidopsis responses to chewing damage by an insect herbivore and bacterial infection and the consequences of their interaction. <i>Frontiers in Plant Science</i> , <b>2014</b> , 5, 441	6.2	9
26	Grassland root communities: species distributions and how they are linked to aboveground abundance. <i>Ecology</i> , <b>2010</b> , 91, 3201-9	4.6	59
25	Extracellular fibrils of pathogenic yeast Cryptococcus gattii are important for ecological niche, murine virulence and human neutrophil interactions. <i>PLoS ONE</i> , <b>2010</b> , 5, e10978	3.7	44
24	A motif extraction algorithm based on hashing and modulo-4 arithmetic. <i>International Journal of Computational Biology and Drug Design</i> , <b>2008</b> , 1, 185-99	0.4	
23	Overexpression of CRK13, an Arabidopsis cysteine-rich receptor-like kinase, results in enhanced resistance to Pseudomonas syringae. <i>Plant Journal</i> , <b>2007</b> , 50, 488-99	6.9	101
22	Arabidopsis GH3-LIKE DEFENSE GENE 1 is required for accumulation of salicylic acid, activation of defense responses and resistance to Pseudomonas syringae. <i>Plant Journal</i> , <b>2007</b> , 51, 234-46	6.9	96
21	Light-dependent hypersensitive response and resistance signaling against Turnip Crinkle Virus in Arabidopsis. <i>Plant Journal</i> , <b>2006</b> , 45, 320-34	6.9	135

## (1993-2005)

20	Major signaling pathways modulate Arabidopsis glucosinolate accumulation and response to both phloem-feeding and chewing insects. <i>Plant Physiology</i> , <b>2005</b> , 138, 1149-62	6.6	339
19	Differential volatile emissions and salicylic acid levels from tobacco plants in response to different strains of Pseudomonas syringae. <i>Planta</i> , <b>2003</b> , 217, 767-75	4.7	106
18	Characterizing the stress/defense transcriptome of Arabidopsis. <i>Genome Biology</i> , <b>2003</b> , 4, R20	18.3	157
17	The Arabidopsis gain-of-function mutant dll1 spontaneously develops lesions mimicking cell death associated with disease. <i>Plant Journal</i> , <b>2002</b> , 30, 61-70	6.9	47
16	The Arabidopsis hrl1 mutation reveals novel overlapping roles for salicylic acid, jasmonic acid and ethylene signalling in cell death and defence against pathogens. <i>Plant Journal</i> , <b>2002</b> , 30, 467-80	6.9	131
15	Preexisting systemic acquired resistance suppresses hypersensitive response-associated cell death in Arabidopsis hrl1 mutant. <i>Plant Physiology</i> , <b>2002</b> , 128, 1234-44	6.6	48
14	Agrobacterium-Mediated Transformation of Fusarium oxysporum: An Efficient Tool for Insertional Mutagenesis and Gene Transfer. <i>Phytopathology</i> , <b>2001</b> , 91, 173-80	3.8	485
13	Negative effect of the 5Zuntranslated leader sequence on Ac transposon promoter expression. <i>Plant Molecular Biology</i> , <b>1999</b> , 40, 935-44	4.6	9
12	Characterization of a spontaneous mutant of Azotobacter vinelandii in which vanadium-dependent nitrogen fixation is not inhibited by molybdenum. <i>FEMS Microbiology Letters</i> , <b>1998</b> , 162, 161-7	2.9	3
11	Analysis of upstream activation of thevnfHpromoter ofAzotobacter vinelandii. <i>Canadian Journal of Microbiology</i> , <b>1998</b> , 44, 405-415	3.2	6
10	Epigenetic mechanisms in the regulation of the maize Suppressor-mutator transposon. <i>Novartis Foundation Symposium</i> , <b>1998</b> , 214, 133-40; discussion 140-3, 163-7		3
9	A highly sensitive plant hybrid protein assay system based on the Spm promoter and TnpA protein for detection and analysis of transcription activation domains. <i>Plant Molecular Biology</i> , <b>1996</b> , 32, 717-25	; 4.6	9
8	Epigenetic regulation of the maize Spm transposon. <i>BioEssays</i> , <b>1995</b> , 17, 291-7	4.1	59
7	Isolation and characterization of a locus from Azospirillum brasilense Sp7 that complements the tumorigenic defect of Agrobacterium tumefaciens chvB mutant. <i>Molecular Plant-Microbe Interactions</i> , <b>1995</b> , 8, 322-6	3.6	10
6	Epigenetic regulation of the maize Spm transposable element: novel activation of a methylated promoter by TnpA. <i>Cell</i> , <b>1994</b> , 77, 427-37	56.2	78
5	Maize Spm transposable element has an enhancer-insensitive promoter. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1993</b> , 90, 6355-9	11.5	32
4	The ORF encoding a putative ferredoxin-like protein downstream of the vnfH gene in Azotobacter vinelandii is involved in the vanadium-dependent alternative pathway of nitrogen fixation. <i>Molecular Genetics and Genomics</i> , <b>1993</b> , 236, 459-62		10
3	The Azotobacter vinelandii nifL-like gene: nucleotide sequence analysis and regulation of expression. <i>Molecular Genetics and Genomics</i> , <b>1993</b> , 237, 400-6		19

Construction of a vnfH::lacZ fusion and study of expression from the vnfH promoter of the vanadium-dependent nitrogen fixation pathway inAzotobacter vinelandii. *FEMS Microbiology Letters*, **1992**, 98, 169-173

2.9 7

Characterization of the gene for the Fe-protein of the vanadium dependent alternative nitrogenase of Azotobacter vinelandii and construction of a Tn5 mutant. *Molecular Genetics and Genomics*, **1988**, 214, 121-7

39