

Nhan T Nguyen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/68214/publications.pdf>

Version: 2024-02-01

70
papers

1,476
citations

279798

23
h-index

345221

36
g-index

72
all docs

72
docs citations

72
times ranked

1731
citing authors

#	ARTICLE	IF	CITATIONS
1	A new flavanone derivative from the rhizomes of <i>Boesenbergia pandurata</i> . Natural Product Research, 2022, 36, 1959-1965.	1.8	5
2	A new diphenylheptanoid from the rhizomes of <i>Curcuma zedoaria</i> . Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2022, 77, 219-223.	1.4	0
3	α -Tocopherol derivatives from the leaves of <i>Muntingia calabura</i> L.. Natural Product Research, 2022, 36, 5524-5529.	1.8	2
4	A new phenylheptanoid from the leaves of <i>Gnetum gnemon</i> L.. Natural Product Research, 2021, 35, 3999-4004.	1.8	4
5	β -Conidendrin inhibits the expression of intercellular adhesion molecule-1 induced by tumor necrosis factor- α in human lung adenocarcinoma A549 cells. European Journal of Pharmacology, 2021, 890, 173651.	3.5	6
6	A new lignan from the stems of <i>Buchanania lucida</i> Blume (Anacardiaceae). Natural Product Research, 2021, , 1-4.	1.8	2
7	Panduratin Q, dimeric metabolites from <i>Boesenbergia rotunda</i> and their antiausterity activities against the PANC-1 human pancreatic cancer cell line. Phytochemistry, 2021, 183, 112646.	2.9	7
8	A new 7,9-epoxylignan from the stems of <i>Salacia chinensis</i> . Natural Product Research, 2021, , 1-8.	1.8	2
9	Deep learning for detection and segmentation of artefact and disease instances in gastrointestinal endoscopy. Medical Image Analysis, 2021, 70, 102002.	11.6	67
10	Two new derivatives of 8-prenyl-5,7-dihydroxycoumarin from the stems of <i>Streblus ilicifolius</i> (S.Vidal) Corn. Natural Product Research, 2021, , 1-6.	1.8	3
11	A new 8-neolignan from <i>Solanum procumbens</i> Lour. Natural Product Research, 2021, , 1-8.	1.8	4
12	Tyrosinase Inhibitors from the Stems of <i>Streblus ilicifolius</i> . Evidence-based Complementary and Alternative Medicine, 2021, 2021, 1-7.	1.2	2
13	Biological Evaluation of Alkyl Triphenylphosphonium Ostruthin Derivatives as Potential Anti-Inflammatory Agents Targeting the Nuclear Factor κ B Signaling Pathway in Human Lung Adenocarcinoma A549 Cells. Biochem, 2021, 1, 107-121.	1.2	2
14	Diarylalkanoids as Potent Tyrosinase Inhibitors from the Stems of <i>Semecarpus caudata</i> . Evidence-based Complementary and Alternative Medicine, 2021, 2021, 1-8.	1.2	3
15	Isopanduratin A Inhibits Tumor Necrosis Factor (TNF)- α -Induced Nuclear Factor κ B Signaling Pathway by Promoting Extracellular Signal-Regulated Kinase-Dependent Ectodomain Shedding of TNF Receptor 1 in Human Lung Adenocarcinoma A549 Cells. Biochem, 2021, 1, 174-189.	1.2	2
16	Decumbic anhydride from the stem barks of <i>Swintonia floribunda</i> (Anacardiaceae). Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2021, 76, 49-53.	1.4	0
17	Synthesis of Alkyl Triphenylphosphonium Ostruthin Derivatives as Potential Cytotoxic Candidates. ChemistrySelect, 2020, 5, 12636-12640.	1.5	2
18	A new cytotoxic cardenolide from the roots of <i>Calotropis gigantea</i> . Natural Product Research, 2020, 35, 1-6.	1.8	4

#	ARTICLE	IF	CITATIONS
19	Paratrimerin I, cytotoxic acridone alkaloid from the roots of <i>Paramignya trimera</i> . <i>Natural Product Research</i> , 2020, 35, 1-6.	1.8	3
20	Calosides A-F, Cardenolides from <i>Calotropis gigantea</i> and Their Cytotoxic Activity. <i>Journal of Natural Products</i> , 2020, 83, 385-391.	3.0	19
21	A new phenolic acid from the wood of <i>Mangifera gedeba</i> . <i>Natural Product Research</i> , 2019, 35, 1-4.	1.8	6
22	4-Hydroxy panduratin A and Isopanduratin A Inhibit Tumor Necrosis Factor α -Stimulated Gene Expression and the Nuclear Factor κ B-Dependent Signaling Pathway in Human Lung Adenocarcinoma A549 Cells. <i>Biological and Pharmaceutical Bulletin</i> , 2019, 42, 26-33.	1.4	10
23	A new dimeric alkylresorcinol from the stem barks of <i>Swintonia floribunda</i> (Anacardiaceae). <i>Natural Product Research</i> , 2019, 33, 2883-2889.	1.8	10
24	A New 20-Deoxypseudojubilogenin Glycoside from <i>Bacopa monniera</i> . <i>Chemistry of Natural Compounds</i> , 2018, 54, 124-126.	0.8	4
25	<i>Willughbeia cochinchinensis</i> prevents scopolamine-induced deficits in memory, spatial learning, and object recognition in rodents. <i>Journal of Ethnopharmacology</i> , 2018, 214, 99-105.	4.1	7
26	Paratrimerins G and H, two prenylated phenolic compounds from the stems of <i>Paramignya trimera</i> . <i>Phytochemistry Letters</i> , 2018, 23, 78-82.	1.2	15
27	A new bischromanone from the stems of <i>Semecarpus caudata</i> . <i>Natural Product Research</i> , 2018, 32, 1745-1750.	1.8	8
28	A New Compound from the Rhizomes of <i>Boesenbergia pandurata</i> . <i>Natural Product Communications</i> , 2018, 13, 1934578X1801300.	0.5	0
29	A New Alkenylphenol from the Propolis of Stingless Bee <i>Trigona minor</i> . <i>Natural Product Communications</i> , 2018, 13, 1934578X1801300.	0.5	6
30	Constituents of the Rhizomes of <i>Boesenbergia pandurata</i> and Their Antiausterity Activities against the PANC-1 Human Pancreatic Cancer Line. <i>Journal of Natural Products</i> , 2017, 80, 141-148.	3.0	44
31	α -Glucosidase Inhibitory and Cytotoxic Taxane Diterpenoids from the Stem Bark of <i>Taxus wallichiana</i> . <i>Journal of Natural Products</i> , 2017, 80, 1087-1095.	3.0	37
32	Two acridones and two coumarins from the roots of <i>Paramignya trimera</i> . <i>Tetrahedron Letters</i> , 2017, 58, 1553-1557.	1.4	30
33	Phytochemical and cytotoxic studies on the leaves of <i>Calotropis gigantea</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 2902-2906.	2.2	24
34	α -Glucosidase inhibitors from the stem of <i>Mangifera reba</i> . <i>Tetrahedron Letters</i> , 2017, 58, 2280-2283.	1.4	7
35	Lignans from the Roots of <i>Taxus wallichiana</i> and Their α -Glucosidase Inhibitory Activities. <i>Journal of Natural Products</i> , 2017, 80, 1876-1882.	3.0	38
36	Two ring opened oxetane taxoids containing a C-20 benzoyloxy group from the roots of <i>Taxus wallichiana</i> Zucc.. <i>Tetrahedron Letters</i> , 2017, 58, 3897-3900.	1.4	11

#	ARTICLE	IF	CITATIONS
37	Quinoliniumolate and 2 <i>H</i> -1,2,3-Triazole Derivatives from the Stems of <i>Paramignya trimeria</i> and Their $\hat{\pm}$ -Glucosidase Inhibitory Activities: In Vitro and in Silico Studies. <i>Journal of Natural Products</i> , 2017, 80, 2151-2155.	3.0	26
38	Chemical Constituents of Propolis from Vietnamese <i>Trigona minor</i> and Their Antiausterity Activity against the PANC-1 Human Pancreatic Cancer Cell Line. <i>Journal of Natural Products</i> , 2017, 80, 2345-2352.	3.0	44
39	Artocarmins G ^M , Prenylated 4-Chromenones from the Stems of <i>Artocarpus rigida</i> and Their Tyrosinase Inhibitory Activities. <i>Journal of Natural Products</i> , 2017, 80, 3172-3178.	3.0	23
40	Moracin VN, A New Tyrosinase and Xanthine Oxidase Inhibitor from the Woods of <i>Artocarpus heterophyllus</i> . <i>Natural Product Communications</i> , 2017, 12, 1934578X1701200.	0.5	3
41	A New Cassane-type Diterpene from the Seed of <i>Caesalpinia Sappan</i> . <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100.	0.5	1
42	Anti-cholinesterases and memory improving effects of Vietnamese <i>Xylia xylocarpa</i> . <i>Chemistry Central Journal</i> , 2016, 10, 48.	2.6	13
43	Chemical Constituents of <i>Mangifera indica</i> and Their Antiausterity Activity against the PANC-1 Human Pancreatic Cancer Cell Line. <i>Journal of Natural Products</i> , 2016, 79, 2053-2059.	3.0	40
44	$\hat{\pm}$ -Glucosidase inhibitors from the bark of <i>Mangifera mekongensis</i> . <i>Chemistry Central Journal</i> , 2016, 10, 45.	2.6	20
45	Design and synthesis of chalcone derivatives as potential non-purine xanthine oxidase inhibitors. <i>SpringerPlus</i> , 2016, 5, 1789.	1.2	24
46	Tyrosinase inhibitory activity of flavonoids from <i>Artocarpus heterophyllous</i> . <i>Chemistry Central Journal</i> , 2016, 10, 2.	2.6	45
47	Cassane diterpenes from the seed kernels of <i>Caesalpinia sappan</i> . <i>Phytochemistry</i> , 2016, 122, 286-293.	2.9	36
48	A New Cassane-type Diterpene from the Seed of <i>Caesalpinia sappan</i> . <i>Natural Product Communications</i> , 2016, 11, 723-4.	0.5	5
49	Three new cassane-type furanoditerpenes from the seed of Vietnamese <i>Caesalpinia bonducella</i> . <i>Phytochemistry Letters</i> , 2015, 13, 99-102.	1.2	5
50	Prenylated Dihydrochalcones from <i>Artocarpus altilis</i> as Antiausterity Agents. <i>The Enzymes</i> , 2015, 37, 95-110.	1.7	4
51	$\hat{\pm}$ -Glucosidase inhibitors from the leaves of <i>Embelia ribes</i> . <i>F$\hat{\pm}$-totera$\hat{\pm}$</i> , 2015, 100, 201-207.	2.2	30
52	The dark side of ZNF217, a key regulator of tumorigenesis with powerful biomarker value. <i>Oncotarget</i> , 2015, 6, 41566-41581.	1.8	50
53	Geranyl Dihydrochalcones from <i>Artocarpus altilis</i> and Their Antiausteric Activity. <i>Planta Medica</i> , 2014, 80, 193-200.	1.3	23
54	$\hat{\pm}$ -Glucosidase Inhibitors from the Stems of <i>Embelia ribes</i> . <i>Phytotherapy Research</i> , 2014, 28, 1632-1636.	5.8	37

#	ARTICLE	IF	CITATIONS
55	A functional interplay between ZNF217 and Estrogen Receptor alpha exists in luminal breast cancers. <i>Molecular Oncology</i> , 2014, 8, 1441-1457.	4.6	32
56	Cleistanthane diterpenes from the seed of <i>Caesalpinia sappan</i> and their antiausterity activity against PANC-1 human pancreatic cancer cell line. <i>F-toterap-Aç</i> , 2013, 91, 148-153.	2.2	36
57	A new lupane triterpene from <i>Tetracera scandens</i> L., xanthine oxidase inhibitor. <i>Natural Product Research</i> , 2013, 27, 61-67.	1.8	25
58	ZNF217 Is a Marker of Poor Prognosis in Breast Cancer That Drives Epithelial-Mesenchymal Transition and Invasion. <i>Cancer Research</i> , 2012, 72, 3593-3606.	0.9	107
59	Tyrosinase Inhibitors from the Wood of <i>Artocarpus heterophyllus</i> . <i>Journal of Natural Products</i> , 2012, 75, 1951-1955.	3.0	60
60	Phenolic Constituents from the Heartwood of <i>Artocapus Altilis</i> and their Tyrosinase Inhibitory Activity. <i>Natural Product Communications</i> , 2012, 7, 1934578X1200700.	0.5	6
61	Xanthine Oxidase Inhibitors from Vietnamese <i>Blumea balsamifera</i> L.. <i>Phytotherapy Research</i> , 2012, 26, 1178-1181.	5.8	15
62	Phenolic constituents from the heartwood of <i>Artocapus altilis</i> and their tyrosinase inhibitory activity. <i>Natural Product Communications</i> , 2012, 7, 185-6.	0.5	5
63	Hypoglycemic effects of the wood of <i>Taxus yunnanensis</i> on streptozotocin-induced diabetic rats and its active components. <i>Phytomedicine</i> , 2006, 13, 109-114.	5.3	24
64	Hepatoprotective Effect of Taxiresinol and (7R)-7-Hydroxylariciresinol on D-Galactosamine and Lipopolysaccharide-Induced Liver Injury in Mice. <i>Planta Medica</i> , 2004, 70, 29-33.	1.3	10
65	Secoisolariciresinol and isotaxiresinol inhibit tumor necrosis factor--dependent hepatic apoptosis in mice. <i>Life Sciences</i> , 2004, 74, 2781-2792.	4.3	12
66	Green tea catechins inhibit VEGF-induced angiogenesis in vitro through suppression of VE-cadherin phosphorylation and inactivation of Akt molecule. <i>International Journal of Cancer</i> , 2003, 106, 871-878.	5.1	114
67	Diterpenes and sesquiterpenes from the bark of <i>Taxus yunnanensis</i> . <i>Phytochemistry</i> , 2003, 64, 1141-1147.	2.9	27
68	In vitro antiplasmodial activity of antimalarial medicinal plants used in Vietnamese traditional medicine. <i>Journal of Ethnopharmacology</i> , 2003, 86, 249-252.	4.1	99
69	DPPH Radical Scavenging and Nitric Oxide Inhibitory Activities of the Constituents from the Wood of <i>Taxus yunnanensis</i> . <i>Planta Medica</i> , 2003, 69, 500-505.	1.3	57
70	Three New C-14 Oxygenated Taxanes from the Wood of <i>Taxus yunnanensis</i> . <i>Journal of Natural Products</i> , 2002, 65, 1700-1702.	3.0	21