

Ian G Mckeith

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6821652/ian-g-mckeith-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

342
papers

27,455
citations

84
h-index

157
g-index

356
ext. papers

31,436
ext. citations

6.4
avg, IF

6.68
L-index

#	Paper	IF	Citations
342	βSynuclein phosphorylation at serine 129 occurs after initial protein deposition and inhibits seeded fibril formation and toxicity.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2109617119	11.5	3
341	Reactivity of posterior cortical electroencephalographic alpha rhythms during eyes opening in cognitively intact older adults and patients with dementia due to Alzheimer's and Lewy body diseases.. <i>Neurobiology of Aging</i> , 2022 , 115, 88-108	5.6	0
340	Inflammation in dementia with Lewy bodies.. <i>Neurobiology of Disease</i> , 2022 , 105698	7.5	2
339	Clinical outcome measures in dementia with Lewy bodies trials: critique and recommendations.. <i>Translational Neurodegeneration</i> , 2022 , 11, 24	10.3	0
338	Prospective predictors of decline stability in mild cognitive impairment with Lewy bodies or Alzheimer's disease. <i>Psychological Medicine</i> , 2021 , 51, 2590-2598	6.9	2
337	Dementia in the older population is associated with neocortex content of serum amyloid P component. <i>Brain Communications</i> , 2021 , 3, fcab225	4.5	2
336	Progression to Dementia in Mild Cognitive Impairment With Lewy Bodies or Alzheimer Disease. <i>Neurology</i> , 2021 ,	6.5	2
335	Gene Expression Imputation Across Multiple Tissue Types Provides Insight Into the Genetic Architecture of Frontotemporal Dementia and Its Clinical Subtypes. <i>Biological Psychiatry</i> , 2021 , 89, 825-833	7.9	3
334	Improving the diagnosis and management of Lewy body dementia: the DIAMOND-Lewy research programme including pilot cluster RCT. <i>Programme Grants for Applied Research</i> , 2021 , 9, 1-120	1.5	1
333	Cognitive Decline in Mild Cognitive Impairment With Lewy Bodies or Alzheimer Disease: A Prospective Cohort Study. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, 272-284	6.5	6
332	Introduction of a Management Toolkit for Lewy Body Dementia: A Pilot Cluster-Randomized Trial. <i>Movement Disorders</i> , 2021 , 36, 143-151	7	4
331	Lipids, lysosomes and mitochondria: insights into Lewy body formation from rare monogenic disorders. <i>Acta Neuropathologica</i> , 2021 , 141, 511-526	14.3	13
330	Genome sequencing analysis identifies new loci associated with Lewy body dementia and provides insights into its genetic architecture. <i>Nature Genetics</i> , 2021 , 53, 294-303	36.3	31
329	Progression of Clinical Features in Lewy Body Dementia Can Be Detected Over 6 Months. <i>Neurology</i> , 2021 , 97, e1031-e1040	6.5	2
328	Altered ceramide metabolism is a feature in the extracellular vesicle-mediated spread of alpha-synuclein in Lewy body disorders. <i>Acta Neuropathologica</i> , 2021 , 142, 961-984	14.3	7
327	Neuropathological consensus criteria for the evaluation of Lewy pathology in post-mortem brains: a multi-centre study. <i>Acta Neuropathologica</i> , 2021 , 141, 159-172	14.3	28
326	Different abnormalities of electroencephalographic (EEG) markers in quiet wakefulness are related to motor visual hallucinations in patients with Parkinson's and Lewy body diseases. <i>Alzheimer's and Dementia</i> , 2020 , 16, e045811	1.2	

325	Different abnormalities of electroencephalographic (EEG) markers in quiet wakefulness are related to visual hallucinations in patients with Parkinson and Lewy body diseases. <i>Alzheimer's and Dementia</i> , 2020 , 16, e045886	1.2	1
324	Clinical diagnosis of Lewy body dementia. <i>BJPsych Open</i> , 2020 , 6, e61	5	14
323	Abnormal cortical neural synchronization mechanisms in quiet wakefulness are related to motor deficits, cognitive symptoms, and visual hallucinations in Parkinson's disease patients: an electroencephalographic study. <i>Neurobiology of Aging</i> , 2020 , 91, 88-111	5.6	13
322	Visual hallucinations in neurological and ophthalmological disease: pathophysiology and management. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 512-519	5.5	38
321	Bilateral nucleus basalis of Meynert deep brain stimulation for dementia with Lewy bodies: A randomised clinical trial. <i>Brain Stimulation</i> , 2020 , 13, 1031-1039	5.1	15
320	Cholinergic muscarinic M/M receptor networks in dementia with Lewy bodies. <i>Brain Communications</i> , 2020 , 2, fcaa098	4.5	4
319	Abnormalities of resting-state EEG in patients with prodromal and overt dementia with Lewy bodies: Relation to clinical symptoms. <i>Clinical Neurophysiology</i> , 2020 , 131, 2716-2731	4.3	3
318	Mendelian randomization implies no direct causal association between leukocyte telomere length and amyotrophic lateral sclerosis. <i>Scientific Reports</i> , 2020 , 10, 12184	4.9	1
317	The challenges of COVID-19 for people with dementia with Lewy bodies and family caregivers. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 1431-1436	3.9	12
316	What electrophysiology tells us about Alzheimer's disease: a window into the synchronization and connectivity of brain neurons. <i>Neurobiology of Aging</i> , 2020 , 85, 58-73	5.6	59
315	New evidence on the management of Lewy body dementia. <i>Lancet Neurology, The</i> , 2020 , 19, 157-169	24.1	70
314	Research criteria for the diagnosis of prodromal dementia with Lewy bodies. <i>Neurology</i> , 2020 , 94, 743-755	55	151
313	Dementia with Lewy bodies: an update and outlook. <i>Molecular Neurodegeneration</i> , 2019 , 14, 5	19	100
312	Consecutive sessions of transcranial direct current stimulation do not remediate visual hallucinations in Lewy body dementia: a randomised controlled trial. <i>Alzheimer's Research and Therapy</i> , 2019 , 11, 9	9	16
311	Abnormalities of functional cortical source connectivity of resting-state electroencephalographic alpha rhythms are similar in patients with mild cognitive impairment due to Alzheimer's and Lewy body diseases. <i>Neurobiology of Aging</i> , 2019 , 77, 112-127	5.6	12
310	Prevalence and severity of symptoms suggestive of gastroparesis in prodromal dementia with Lewy bodies. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 990-998	3.9	1
309	Lewy Body Dementia Association's Research Centers of Excellence Program: Inaugural Meeting Proceedings. <i>Alzheimer's Research and Therapy</i> , 2019 , 11, 23	9	2
308	Pathological Changes to the Subcortical Visual System and its Relationship to Visual Hallucinations in Dementia with Lewy Bodies. <i>Neuroscience Bulletin</i> , 2019 , 35, 295-300	4.3	9

307	Levodopa may affect cortical excitability in Parkinson's disease patients with cognitive deficits as revealed by reduced activity of cortical sources of resting state electroencephalographic rhythms. <i>Neurobiology of Aging</i> , 2019 , 73, 9-20	5.6	19
306	Extravascular fibrinogen in the white matter of Alzheimer's disease and normal aged brains: implications for fibrinogen as a biomarker for Alzheimer's disease. <i>Brain Pathology</i> , 2019 , 29, 414-424	6	19
305	Diagnostic accuracy of dopaminergic imaging in prodromal dementia with Lewy bodies. <i>Psychological Medicine</i> , 2019 , 49, 396-402	6.9	32
304	Evolution of diagnostic criteria and assessments for Parkinson's disease mild cognitive impairment. <i>Movement Disorders</i> , 2018 , 33, 503-510	7	33
303	Molecular changes in the absence of severe pathology in the pulvinar in dementia with Lewy bodies. <i>Movement Disorders</i> , 2018 , 33, 982-991	7	14
302	Author response: Diagnosis and management of dementia with Lewy bodies: Fourth consensus report of the DLB Consortium. <i>Neurology</i> , 2018 , 90, 300-301	6.5	3
301	Neuropsychiatric symptoms and cognitive profile in mild cognitive impairment with Lewy bodies. <i>Psychological Medicine</i> , 2018 , 48, 2384-2390	6.9	46
300	Clinical prevalence of Lewy body dementia. <i>Alzheimer's Research and Therapy</i> , 2018 , 10, 19	9	82
299	The human brainome: network analysis identifies HSPA2 as a novel Alzheimer's disease target. <i>Brain</i> , 2018 , 141, 2721-2739	11.2	19
298	Donald Eccleston, FRCPsych, PhD, DSc. <i>BJPsych Bulletin</i> , 2018 , 42, 268-269	1.2	78
297	Non-pharmacological interventions for Lewy body dementia: a systematic review. <i>Psychological Medicine</i> , 2018 , 48, 1749-1758	6.9	26
296	Regional levels of physiological β synuclein are directly associated with Lewy body pathology. <i>Acta Neuropathologica</i> , 2018 , 135, 153-154	14.3	21
295	O5-03-04: THE LEWY BODY DEMENTIA ASSOCIATION RESEARCH CENTERS OF EXCELLENCE PROGRAM: TOWARD OPTIMIZING CLINICAL CARE AND CLINICAL TRIAL INFRASTRUCTURE 2018 , 14, P1646-P1647		
294	A C6orf10/LOC101929163 locus is associated with age of onset in C9orf72 carriers. <i>Brain</i> , 2018 , 141, 2895-2907	11.2	25
293	Specific patterns of neuronal loss in the pulvinar nucleus in dementia with lewy bodies. <i>Movement Disorders</i> , 2017 , 32, 414-422	7	19
292	Clinical practice with anti-dementia drugs: A revised (third) consensus statement from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2017 , 31, 147-168	4.6	108
291	Neuronal Loss and β synuclein Pathology in the Superior Colliculus and Its Relationship to Visual Hallucinations in Dementia with Lewy Bodies. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 595-604	6.5	21
290	Diagnosis and management of dementia with Lewy bodies: Fourth consensus report of the DLB Consortium. <i>Neurology</i> , 2017 , 89, 88-100	6.5	1691

289	Symptoms associated with Lewy body disease in mild cognitive impairment. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 1163-1171	3.9	21
288	Long-Term Cognitive Decline in Dementia with Lewy Bodies in a Large Multicenter, International Cohort. <i>Journal of Alzheimer's Disease</i> , 2017 , 57, 787-795	4.3	54
287	Quantitative neuropathology: an update on automated methodologies and implications for large scale cohorts. <i>Journal of Neural Transmission</i> , 2017 , 124, 671-683	4.3	16
286	Autopsy validation of 123I-FP-CIT dopaminergic neuroimaging for the diagnosis of DLB. <i>Neurology</i> , 2017 , 88, 276-283	6.5	93
285	Development of assessment toolkits for improving the diagnosis of the Lewy body dementias: feasibility study within the DIAMOND Lewy study. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 1280-1304	3.9	32
284	Effect Size Analyses of Souvenaid in Patients with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2017 , 55, 1131-1139	4.3	27
283	Author response: Autopsy validation of I-FP-CIT dopaminergic neuroimaging for the diagnosis of DLB. <i>Neurology</i> , 2017 , 89, 751	6.5	4
282	Transcranial direct current stimulation in Parkinson's disease dementia: A randomised double-blind crossover trial. <i>Brain Stimulation</i> , 2017 , 10, 1150-1151	5.1	8
281	Is late-life dependency increasing or not? A comparison of the Cognitive Function and Ageing Studies (CFAS). <i>Lancet, The</i> , 2017 , 390, 1676-1684	4.0	79
280	Parietal white matter lesions in Alzheimer's disease are associated with cortical neurodegenerative pathology, but not with small vessel disease. <i>Acta Neuropathologica</i> , 2017 , 134, 459-473	14.3	120
279	Cost-effectiveness of donepezil and memantine in moderate to severe Alzheimer's disease (the DOMINO-AD trial). <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 1205-1216	3.9	32
278	TDP-43 pathology in Alzheimer's disease, dementia with Lewy bodies and ageing. <i>Brain Pathology</i> , 2017 , 27, 472-479	6	107
277	Clinical Diagnostic Criteria for Dementia with Lewy Bodies 2017 , 59-71		1
276	Revisiting DLB Diagnosis: A Consideration of Prodromal DLB and of the Diagnostic Overlap With Alzheimer Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2016 , 29, 249-53	3.8	75
275	Grey matter atrophy in prodromal stage of dementia with Lewy bodies and Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2016 , 8, 31	9	47
274	Visual Hallucinations in Eye Disease and Lewy Body Disease. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 350-8	6.5	12
273	Exome sequencing in dementia with Lewy bodies. <i>Translational Psychiatry</i> , 2016 , 6, e728	8.6	30
272	Unexplained Delirium, Atypical Dementia, and Prodromal DLB 2016 , 3-6		

271	Cholinergic and perfusion brain networks in Parkinson disease dementia. <i>Neurology</i> , 2016 , 87, 178-85	6.5	32
270	Changes to the lateral geniculate nucleus in Alzheimer's disease but not dementia with Lewy bodies. <i>Neuropathology and Applied Neurobiology</i> , 2016 , 42, 366-76	5.2	17
269	Support and information needs following a diagnosis of dementia with Lewy bodies. <i>International Psychogeriatrics</i> , 2016 , 28, 495-501	3.4	24
268	Analysis of primary visual cortex in dementia with Lewy bodies indicates GABAergic involvement associated with recurrent complex visual hallucinations. <i>Acta Neuropathologica Communications</i> , 2016 , 4, 66	7.3	42
267	Arguing against the proposed definition changes of PD. <i>Movement Disorders</i> , 2016 , 31, 1619-1622	7	43
266	Depressive symptoms are associated with daytime sleepiness and subjective sleep quality in dementia with Lewy bodies. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 765-70	3.9	8
265	Pharmacological Management of Lewy Body Dementia: A Systematic Review and Meta-Analysis. <i>American Journal of Psychiatry</i> , 2015 , 172, 731-42	11.9	146
264	Clinicians' ability to diagnose dementia with Lewy bodies is not affected by β -amyloid load. <i>Neurology</i> , 2015 , 84, 496-9	6.5	38
263	Nursing home placement in the Donepezil and Memantine in Moderate to Severe Alzheimer's Disease (DOMINO-AD) trial: secondary and post-hoc analyses. <i>Lancet Neurology</i> , 2015 , 14, 1171-81	24.1	101
262	Regional covariance of muscarinic acetylcholine receptors in Alzheimer's disease using (R, R) [(123)I]-QNB SPECT. <i>Journal of Neurology</i> , 2015 , 262, 2144-53	5.5	9
261	Accumulation of dipeptide repeat proteins predates that of TDP-43 in frontotemporal lobar degeneration associated with hexanucleotide repeat expansions in C9ORF72 gene. <i>Neuropathology and Applied Neurobiology</i> , 2015 , 41, 601-12	5.2	53
260	Cortical Thickness in Dementia with Lewy Bodies and Alzheimer's Disease: A Comparison of Prodromal and Dementia Stages. <i>PLoS ONE</i> , 2015 , 10, e0127396	3.7	55
259	Resting state in Parkinson's disease dementia and dementia with Lewy bodies: commonalities and differences. <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 1135-46	3.9	35
258	Patient and Informant Views on Visual Hallucinations in Parkinson Disease. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 970-6	6.5	5
257	The dementia cognitive fluctuation scale, a new psychometric test for clinicians to identify cognitive fluctuations in people with dementia. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 926-35	6.5	37
256	Visual complaints and visual hallucinations in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2014 , 20, 318-22	3.6	54
255	Individual-reader diagnostic performance and between-reader agreement in assessment of subjects with Parkinsonian syndrome or dementia using 123I-ioflupane injection (DaTscan) imaging. <i>Journal of Nuclear Medicine</i> , 2014 , 55, 1288-96	8.9	14
254	Frontotemporal dementia and its subtypes: a genome-wide association study. <i>Lancet Neurology</i> , 2014 , 13, 686-99	24.1	207

253	How dementia and neurodegenerative disease clinical research networks have enhanced research delivery in England. <i>Clinical Investigation</i> , 2014 , 4, 687-691		1
252	Is ioflupane I123 injection diagnostically effective in patients with movement disorders and dementia? Pooled analysis of four clinical trials. <i>BMJ Open</i> , 2014 , 4, e005122	3	24
251	The clinical characteristics of dementia with Lewy bodies and a consideration of prodromal diagnosis. <i>Alzheimer's Research and Therapy</i> , 2014 , 6, 46	9	135
250	Decreased immunoreactivities of neocortical AMPA receptor subunits correlate with motor disability in Lewy body dementias. <i>Journal of Neural Transmission</i> , 2014 , 121, 71-8	4.3	3
249	Examining carer stress in dementia: the role of subtype diagnosis and neuropsychiatric symptoms. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 135-41	3.9	71
248	Distinct cognitive phenotypes in Alzheimer's disease in older people. <i>International Psychogeriatrics</i> , 2013 , 25, 1659-66	3.4	6
247	Elderly individuals with FTL. <i>JAMA Neurology</i> , 2013 , 70, 412-3	17.2	4
246	Cognitive decline and dementia risk in older adults with psychotic symptoms: a prospective cohort study. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 119-28	6.5	32
245	Synaptic proteins and choline acetyltransferase loss in visual cortex in dementia with Lewy bodies. <i>Journal of Neuropathology and Experimental Neurology</i> , 2013 , 72, 53-60	3.1	39
244	Diagnosing Mild Cognitive Impairment (MCI) in clinical trials: a systematic review. <i>BMJ Open</i> , 2013 , 3,	3	91
243	Covariant perfusion patterns provide clues to the origin of cognitive fluctuations and attentional dysfunction in dementia with Lewy bodies. <i>International Psychogeriatrics</i> , 2013 , 25, 1917-28	3.4	15
242	Multivariate spatial covariance analysis of 99mTc-exametazime SPECT images in dementia with Lewy bodies and Alzheimer's disease: utility in differential diagnosis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013 , 33, 612-8	7.3	15
241	The assessment of cognition in visually impaired older adults. <i>Age and Ageing</i> , 2013 , 42, 98-102	3	25
240	A multicenter study of glucocerebrosidase mutations in dementia with Lewy bodies. <i>JAMA Neurology</i> , 2013 , 70, 727-35	17.2	285
239	Glucocerebrosidase mutations alter the endoplasmic reticulum and lysosomes in Lewy body disease. <i>Journal of Neurochemistry</i> , 2012 , 123, 298-309	6	47
238	Supporting clinical research in the NHS in England: the National Institute for Health Research Dementias and Neurodegenerative Diseases Research Network. <i>Alzheimer's Research and Therapy</i> , 2012 , 4, 23	9	7
237	Impact of less common and "disregarded" neurodegenerative pathologies on dementia burden in a population-based cohort. <i>Journal of Alzheimer's Disease</i> , 2012 , 28, 485-93	4.3	27
236	Frontotemporal dementia in elderly individuals. <i>Archives of Neurology</i> , 2012 , 69, 1052-60		41

235	Donepezil and memantine for moderate-to-severe Alzheimer's disease. <i>New England Journal of Medicine</i> , 2012 , 366, 893-903	59.2	483
234	Neuropathological profile of mild cognitive impairment from a population perspective. <i>Alzheimer Disease and Associated Disorders</i> , 2012 , 26, 205-12	2.5	15
233	Comparison of cognitive decline between dementia with Lewy bodies and Alzheimer's disease: a cohort study. <i>BMJ Open</i> , 2012 , 2, e000380	3	26
232	Relationship between mitochondria and β -synuclein: a study of single substantia nigra neurons. <i>Archives of Neurology</i> , 2012 , 69, 385-93		38
231	Alzheimer and vascular neuropathological changes associated with different cognitive States in a non-demented sample. <i>Journal of Alzheimer's Disease</i> , 2012 , 29, 309-18	4.3	25
230	Visual cortex in dementia with Lewy bodies: magnetic resonance imaging study. <i>British Journal of Psychiatry</i> , 2012 , 200, 491-8	5.4	61
229	Alterations in nicotinic $\alpha 7$ receptor binding in vascular dementia using ^{123}I -5IA-85380 SPECT: comparison with regional cerebral blood flow. <i>Neurobiology of Aging</i> , 2011 , 32, 293-301	5.6	11
228	Plasma homocysteine and cognitive decline in older hypertensive subjects. <i>International Psychogeriatrics</i> , 2011 , 23, 1607-15	3.4	17
227	Visual hallucinations in dementia with Lewy bodies: transcranial magnetic stimulation study. <i>British Journal of Psychiatry</i> , 2011 , 199, 492-500	5.4	50
226	Pathological correlates of frontotemporal lobar degeneration in the elderly. <i>Acta Neuropathologica</i> , 2011 , 121, 365-71	14.3	64
225	Determining the minimum clinically important differences for outcomes in the DOMINO trial. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 812-7	3.9	96
224	APOE and ACE polymorphisms and dementia risk in the older population over prolonged follow-up: 10 years of incidence in the MRC CFA Study. <i>Age and Ageing</i> , 2010 , 39, 104-11	3	8
223	Covariance ^{99m}Tc -exametazime SPECT patterns in Alzheimer's disease and dementia with Lewy bodies: utility in differential diagnosis. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2010 , 23, 54-62	3.8	16
222	Education, the brain and dementia: neuroprotection or compensation?. <i>Brain</i> , 2010 , 133, 2210-6	11.2	251
221	Nicotinic ^{123}I -5IA-85380 single photon emission computed tomography as a predictor of cognitive progression in Alzheimer's disease and dementia with Lewy bodies. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 86-90	6.5	23
220	Optimizing mild cognitive impairment for discriminating dementia risk in the general older population. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 662-73	6.5	29
219	Who will be eligible? An investigation of the dementia population eligible for cholinesterase treatment following the change in NICE guidance. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 719-24	3.9	1
218	Adjunct treatment with levodopa in a patient with dementia with Lewy bodies, delusions and severe neuroleptic hypersensitivity syndrome: some comments. <i>International Psychogeriatrics</i> , 2010 , 22, 680	3.4	1

217	Savings from sub-groups?: Policy guidance and Alzheimer's disease treatments. <i>Journal of Nutrition, Health and Aging</i> , 2010 , 14, 664-8	5.2	0
216	Diagnostic accuracy of 123I-FP-CIT SPECT in possible dementia with Lewy bodies. <i>British Journal of Psychiatry</i> , 2009 , 194, 34-9	5.4	110
215	Epidemiological pathology of dementia: attributable-risks at death in the Medical Research Council Cognitive Function and Ageing Study. <i>PLoS Medicine</i> , 2009 , 6, e1000180	11.6	188
214	Single-cell expression profiling of dopaminergic neurons combined with association analysis identifies pyridoxal kinase as Parkinson's disease gene. <i>Annals of Neurology</i> , 2009 , 66, 792-8	9.4	40
213	Levodopa use and sleep in patients with dementia with Lewy bodies. <i>Movement Disorders</i> , 2009 , 24, 609-12	9	
212	DOMINO-AD protocol: donepezil and memantine in moderate to severe Alzheimer's disease - a multicentre RCT. <i>Trials</i> , 2009 , 10, 57	2.8	36
211	Prevalence, correlates and course of behavioural and psychological symptoms of dementia in the population. <i>British Journal of Psychiatry</i> , 2009 , 194, 212-9	5.4	237
210	Top cited papers in International Psychogeriatrics: 1. Long-term use of rivastigmine in patients with dementia with Lewy bodies: an open-label trial. <i>International Psychogeriatrics</i> , 2009 , 21, 5; discussion 5-6	3.4	2
209	Commentary: DLB and PDD: the same or different? Is there a debate?. <i>International Psychogeriatrics</i> , 2009 , 21, 220-4	3.4	21
208	Two-year progression from mild cognitive impairment to dementia: to what extent do different definitions agree?. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1424-33	5.6	174
207	Dementia with Lewy bodies. <i>Psychiatry (Abingdon, England)</i> , 2008 , 7, 20-23		
206	Nicotinic alpha4beta2 receptor binding in dementia with Lewy bodies using 123I-5IA-85380 SPECT demonstrates a link between occipital changes and visual hallucinations. <i>NeuroImage</i> , 2008 , 40, 1056-63	7.9	47
205	Clinical aspects of dementia with Lewy bodies. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2008 , 89, 307-11	3	4
204	Alpha- and gamma-synuclein proteins are present in cerebrospinal fluid and are increased in aged subjects with neurodegenerative and vascular changes. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008 , 26, 32-42	2.6	31
203	What explains variations in the clinical use of mild cognitive impairment (MCI) as a diagnostic category?. <i>International Psychogeriatrics</i> , 2008 , 20, 697-709	3.4	16
202	A comparison of 99mTc-exametazime and 123I-FP-CIT SPECT imaging in the differential diagnosis of Alzheimer's disease and dementia with Lewy bodies. <i>International Psychogeriatrics</i> , 2008 , 20, 1124-40	3.4	55
201	Cortical Lewy body disease: dementia with Lewy bodies and Parkinson's disease with dementia 2008 , 293-320		
200	Dementia with Lewy bodies. <i>British Journal of Psychiatry</i> , 2008 , 192, 117-117	5.4	1

199	Mild cognitive impairment in the older population: Who is missed and does it matter?. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 863-71	3.9	36
198	Dementia with Lewy bodies. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2007 , 84, 531-48	3	14
197	Subjectively reported sleep quality and excessive daytime somnolence in Parkinson's disease with and without dementia, dementia with Lewy bodies and Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2007 , 22, 529-35	3.9	90
196	Reaching the population with dementia drugs: what are the challenges?. <i>International Journal of Geriatric Psychiatry</i> , 2007 , 22, 627-31	3.9	24
195	Cholinesterase inhibitors in dementia with Lewy bodies: a comparative analysis. <i>International Journal of Geriatric Psychiatry</i> , 2007 , 22, 890-5	3.9	36
194	Clinical diagnostic criteria for dementia associated with Parkinson's disease. <i>Movement Disorders</i> , 2007 , 22, 1689-707; quiz 1837	7	1968
193	Diagnostic procedures for Parkinson's disease dementia: recommendations from the movement disorder society task force. <i>Movement Disorders</i> , 2007 , 22, 2314-24	7	708
192	Selective loss of dopamine D2 receptors in temporal cortex in dementia with Lewy bodies, association with cognitive decline. <i>Synapse</i> , 2007 , 61, 903-11	2.4	11
191	Loss of Musashi1 in Lewy body dementia associated with cholinergic deficit. <i>Neuropathology and Applied Neurobiology</i> , 2007 , 33, 586-90	5.2	10
190	A comparison of computerized and pencil-and-paper tasks in assessing cognitive function in community-dwelling older people in the Newcastle 85+ Pilot Study. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 1630-5	5.6	57
189	Early cognitive change in the general population: how do different definitions work?. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 1534-40	5.6	93
188	The MAPT H1c risk haplotype is associated with increased expression of tau and especially of 4 repeat containing transcripts. <i>Neurobiology of Disease</i> , 2007 , 25, 561-70	7.5	206
187	Sensitivity and specificity of dopamine transporter imaging with 123I-FP-CIT SPECT in dementia with Lewy bodies: a phase III, multicentre study. <i>Lancet Neurology</i> , 2007 , 6, 305-13	24.1	488
186	Muscarinic acetylcholine receptor status in Alzheimer's disease assessed using (R, R) 123I-QNB SPECT. <i>Journal of Neurology</i> , 2007 , 254, 907-13	5.5	27
185	Operationalization of mild cognitive impairment: a graphical approach. <i>PLoS Medicine</i> , 2007 , 4, 1615-9	11.6	51
184	Dementia with Lewy bodies. <i>Seminars in Neurology</i> , 2007 , 27, 42-7	3.2	62
183	Dementia with Lewy bodies: a comparison of clinical diagnosis, FP-CIT single photon emission computed tomography imaging and autopsy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007 , 78, 1176-81	5.5	201
182	Cholinesterase inhibitor use does not significantly influence the ability of 123I-FP-CIT imaging to distinguish Alzheimer's disease from dementia with Lewy bodies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007 , 78, 1069-71	5.5	8

181	Dementia with Lewy bodies and Parkinson's disease with dementia: where two worlds collide. <i>Practical Neurology</i> , 2007 , 7, 374-82	2.4	61
180	Effects of donepezil on central processing speed and attentional measures in Parkinson's disease with dementia and dementia with Lewy bodies. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007 , 23, 161-7	2.6	44
179	Chapter 9 Dementia with Lewy Bodies and Parkinson's Disease Dementia. <i>Blue Books of Neurology</i> , 2007 , 216-238		1
178	Thalamic D2 receptors in dementia with Lewy bodies, Parkinson's disease, and Parkinson's disease dementia. <i>International Journal of Neuropsychopharmacology</i> , 2007 , 10, 231-44	5.8	22
177	Pathophysiology of synuclein aggregation in Lewy body disease. <i>Mechanisms of Ageing and Development</i> , 2006 , 127, 188-202	5.6	61
176	Thalamic nicotinic receptors implicated in disturbed consciousness in dementia with Lewy bodies. <i>Neurobiology of Disease</i> , 2006 , 21, 50-6	7.5	52
175	Selective nicotinic acetylcholine receptor subunit deficits identified in Alzheimer's disease, Parkinson's disease and dementia with Lewy bodies by immunoprecipitation. <i>Neurobiology of Disease</i> , 2006 , 23, 481-9	7.5	99
174	Cholinesterase inhibitors in advanced Dementia with Lewy bodies: increase or stop?. <i>International Journal of Geriatric Psychiatry</i> , 2006 , 21, 719-21	3.9	9
173	Effects of rivastigmine in patients with and without visual hallucinations in dementia associated with Parkinson's disease. <i>Movement Disorders</i> , 2006 , 21, 1899-907	7	236
172	Clinical practice with anti-dementia drugs: a consensus statement from British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2006 , 20, 732-55	4.6	124
171	The prevalence of autonomic symptoms in dementia and their association with physical activity, activities of daily living and quality of life. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006 , 22, 230-7	2.6	49
170	Has the management of Alzheimer's disease changed over the past 100 years?. <i>Lancet, The</i> , 2006 , 368, 1619-21	4.0	7
169	In vivo SPECT imaging of muscarinic acetylcholine receptors using (R,R) 123I-QNB in dementia with Lewy bodies and Parkinson's disease dementia. <i>NeuroImage</i> , 2006 , 33, 423-9	7.9	48
168	Characteristics of visual hallucinations in Parkinson disease dementia and dementia with lewy bodies. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 153-60	6.5	118
167	More severe functional impairment in dementia with lewy bodies than Alzheimer disease is related to extrapyramidal motor dysfunction. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 582-8	6.5	51
166	Progression of white matter hyperintensities in Alzheimer disease, dementia with lewy bodies, and Parkinson disease dementia: a comparison with normal aging. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 842-9	6.5	85
165	Lewy body disease: thalamic cholinergic activity related to dementia and parkinsonism. <i>Neurobiology of Aging</i> , 2006 , 27, 433-8	5.6	56
164	Driving, dementia and the Driver and Vehicle Licensing Agency: a survey of old age psychiatrists. <i>Psychiatric Bulletin</i> , 2006 , 30, 265-268		24

163	Longitudinal study of cerebral blood flow SPECT in Parkinson's disease with dementia, and dementia with Lewy bodies. <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 776-82	3.9	33
162	Saccadic eye movement changes in Parkinson's disease dementia and dementia with Lewy bodies. <i>Brain</i> , 2005 , 128, 1267-76	11.2	164
161	Muscarinic M2 and M4 receptors in anterior cingulate cortex: relation to neuropsychiatric symptoms in dementia with Lewy bodies. <i>Behavioural Brain Research</i> , 2005 , 161, 299-305	3.4	56
160	Why people see things that are not there: a novel Perception and Attention Deficit model for recurrent complex visual hallucinations. <i>Behavioral and Brain Sciences</i> , 2005 , 28, 737-57; discussion 757-949	0.9	362
159	Attenuation of Abeta deposition in the entorhinal cortex of normal elderly individuals associated with tobacco smoking. <i>Neuropathology and Applied Neurobiology</i> , 2005 , 31, 522-35	5.2	27
158	Behavioural changes and psychological symptoms in dementia disorders. <i>Lancet Neurology</i> , 2005 , 4, 735-42	24.1	164
157	Change in perfusion, hallucinations and fluctuations in consciousness in dementia with Lewy bodies. <i>Psychiatry Research - Neuroimaging</i> , 2005 , 139, 79-88	2.9	48
156	Dementia with Lewy bodies. <i>Psychiatry (Abingdon, England)</i> , 2005 , 4, 52-55		
155	A comparison of the efficacy of donepezil in Parkinson's disease with dementia and dementia with Lewy bodies. <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 938-44	3.9	82
154	Association studies between risk for late-onset Alzheimer's disease and variants in insulin degrading enzyme. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 136B, 62-8	3.5	30
153	APOA1 polymorphism influences risk for early-onset nonfamilial AD. <i>Annals of Neurology</i> , 2005 , 58, 436-41	4.1	61
152	How to diagnose dementia with Lewy bodies: state of the art. <i>Movement Disorders</i> , 2005 , 20 Suppl 12, S11-20	7	255
151	Brain atrophy rates in Parkinson's disease with and without dementia using serial magnetic resonance imaging. <i>Movement Disorders</i> , 2005 , 20, 1571-6	7	90
150	Progression of dopaminergic degeneration in dementia with Lewy bodies and Parkinson's disease with and without dementia assessed using 123I-FP-CIT SPECT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005 , 32, 1176-85	8.8	77
149	Still PADing along: Perception and attention remain key factors in understanding complex visual hallucinations. <i>Behavioral and Brain Sciences</i> , 2005 , 28, 776-794	0.9	1
148	Clinical Diagnosis of Dementia With Lewy Bodies 2005 , 361-373		1
147	The k variant of the butyrylcholinesterase gene is associated with reduced phosphorylation of tau in dementia patients. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005 , 19, 357-60	2.6	22
146	Neuroleptic Sensitivity in Parkinson's Disease and Parkinsonian Dementias. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 504-514	4.6	128

145	Dementia with Lewy bodies 2005 , 603-614		2
144	Neuroleptic sensitivity in Parkinson's disease and parkinsonian dementias. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 633-7	4.6	57
143	Cerebral atrophy in Parkinson's disease with and without dementia: a comparison with Alzheimer's disease, dementia with Lewy bodies and controls. <i>Brain</i> , 2004 , 127, 791-800	11.2	459
142	Role of cholinesterase inhibitors in Parkinson's disease and dementia with Lewy bodies. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2004 , 17, 164-71	3.8	117
141	Hallucinations predict attentional improvements with rivastigmine in dementia with lewy bodies. <i>Dementia and Geriatric Cognitive Disorders</i> , 2004 , 18, 94-100	2.6	68
140	Advances in the diagnosis and treatment of dementia with Lewy bodies. Introduction. <i>Dementia and Geriatric Cognitive Disorders</i> , 2004 , 17 Suppl 1, 1-2	2.6	1
139	Dopamine transporter loss visualized with FP-CIT SPECT in the differential diagnosis of dementia with Lewy bodies. <i>Archives of Neurology</i> , 2004 , 61, 919-25		274
138	A longitudinal study of hippocampal volume, cortisol levels, and cognition in older depressed subjects. <i>American Journal of Psychiatry</i> , 2004 , 161, 2081-90	11.9	309
137	Dementia with Lewy bodies. <i>Lancet Neurology, The</i> , 2004 , 3, 19-28	24.1	560
136	Dementia in Parkinson's disease: common and treatable. <i>Lancet Neurology, The</i> , 2004 , 3, 456	24.1	6
135	What's new in Psychiatry: dementia with Lewy bodies. <i>Medicine</i> , 2004 , 32, 1-4	0.6	
134	Dementia with Lewy bodies: no association of polymorphisms in the human synphilin gene. <i>Neurogenetics</i> , 2004 , 5, 251-2	3	2
133	Donepezil and cardiac syncope: case report. <i>International Journal of Geriatric Psychiatry</i> , 2004 , 19, 1110-2	3.9	10
132	Involvement of alpha6/alpha3 neuronal nicotinic acetylcholine receptors in neuropsychiatric features of Dementia with Lewy bodies: [(125)I]-alpha-conotoxin MII binding in the thalamus and striatum. <i>Neuroscience Letters</i> , 2004 , 372, 220-5	3.3	49
131	Comparing gray matter loss profiles between dementia with Lewy bodies and Alzheimer's disease using cortical pattern matching: diagnosis and gender effects. <i>NeuroImage</i> , 2004 , 23, 325-35	7.9	90
130	The application of statistical parametric mapping to 123I-FP-CIT SPECT in dementia with Lewy bodies, Alzheimer's disease and Parkinson's disease. <i>NeuroImage</i> , 2004 , 23, 956-66	7.9	51
129	Neuropathological substrates of psychiatric symptoms in prospectively studied patients with autopsy-confirmed dementia with lewy bodies. <i>American Journal of Psychiatry</i> , 2004 , 161, 843-9	11.9	109
128	Dementia with Lewy bodies and other difficult diagnoses. <i>International Psychogeriatrics</i> , 2004 , 16, 123-7	3.4	5

127	Dementia with Lewy bodies. <i>Dialogues in Clinical Neuroscience</i> , 2004 , 6, 333-41	5.7	41
126	Effects of hypertension on attention, memory, and executive function in older adults. <i>Health Psychology</i> , 2003 , 22, 587-91	5	78
125	Systematic review and meta-analysis show that dementia with Lewy bodies is a visual-perceptual and attentional-executive dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2003 , 16, 229-37	2.6	171
124	Depression with late onset is associated with right frontal lobe atrophy. <i>Psychological Medicine</i> , 2003 , 33, 675-81	6.9	65
123	Regulation of attention and response to therapy in dementia by butyrylcholinesterase. <i>Pharmacogenetics and Genomics</i> , 2003 , 13, 231-9		78
122	Butyrylcholinesterase and progression of cognitive deficits in dementia with Lewy bodies. <i>Neurology</i> , 2003 , 60, 1852-3	6.5	56
121	Clinical predictors of response to Acetyl Cholinesterase Inhibitors: experience from routine clinical use in Newcastle. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 879-86	3.9	33
120	What happens when donepezil is suddenly withdrawn? An open label trial in dementia with Lewy bodies and Parkinson's disease with dementia. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 988-93	3.9	110
119	Extrapyramidal features in Parkinson's disease with and without dementia and dementia with Lewy bodies: A cross-sectional comparative study. <i>Movement Disorders</i> , 2003 , 18, 884-9	7	135
118	Current treatment of dementia with Lewy bodies and dementia associated with Parkinson's disease. <i>Movement Disorders</i> , 2003 , 18 Suppl 6, S72-9	7	59
117	MRI study of caudate nucleus volume in Parkinson's disease with and without dementia with Lewy bodies and Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2003 , 16, 57-63	2.6	74
116	A comprehensive study of gray matter loss in patients with Alzheimer's disease using optimized voxel-based morphometry. <i>NeuroImage</i> , 2003 , 18, 895-907	7.9	347
115	Regional cerebral blood flow in Parkinson's disease with and without dementia. <i>NeuroImage</i> , 2003 , 20, 1309-19	7.9	125
114	Patients with a novel neurofilamentopathy: dementia with neurofilament inclusions. <i>Neuroscience Letters</i> , 2003 , 341, 177-80	3.3	76
113	Dementia with Lewy bodies. <i>Seminars in Clinical Neuropsychiatry</i> , 2003 , 8, 46-57		92
112	Galantamine for vascular dementia. <i>Lancet Neurology</i> , 2002 , 1, 210	24.1	4
111	A comparison of (99m)Tc-HMPAO SPET changes in dementia with Lewy bodies and Alzheimer's disease using statistical parametric mapping. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2002 , 29, 615-22	8.8	151
110	Disturbances of consciousness in dementia with Lewy bodies associated with alteration in nicotinic receptor binding in the temporal cortex. <i>Consciousness and Cognition</i> , 2002 , 11, 461-74	2.6	55

109	Effects of rivastigmine on cognitive function in dementia with lewy bodies: a randomised placebo-controlled international study using the cognitive drug research computerised assessment system. <i>Dementia and Geriatric Cognitive Disorders</i> , 2002 , 13, 183-92	2.6	141
108	Clinical and neuropathological correlates of apolipoprotein E genotype in dementia with Lewy bodies. <i>Dementia and Geriatric Cognitive Disorders</i> , 2002 , 14, 167-75	2.6	46
107	Dementia with Lewy bodies. <i>British Journal of Psychiatry</i> , 2002 , 180, 144-7	5.4	147
106	Dementia with Lewy bodies. <i>Medical Clinics of North America</i> , 2002 , 86, 519-35	7	15
105	Cholinergic and Monoaminergic Correlates of Clinical Symptoms in Dementia with Lewy Bodies. <i>Advances in Behavioral Biology</i> , 2002 , 491-496		
104	Comparison of extrapyramidal signs in dementia with Lewy bodies and Parkinson's disease. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2001 , 13, 374-9	2.7	51
103	Rivastigmine in the treatment of parkinsonian psychosis and cognitive impairment: preliminary findings from an open trial. <i>Movement Disorders</i> , 2001 , 16, 1171-4	7	245
102	Depression in late life, cognitive decline and white matter pathology in two clinico-pathologically investigated cases. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 281-7	3.9	15
101	The characterisation and impact of 'fluctuating' cognition in dementia with Lewy bodies and Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 494-8	3.9	41
100	The progression of cognitive impairment in dementia with Lewy bodies, vascular dementia and Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 499-503	3.9	86
99	A comparative study of psychiatric symptoms in dementia with Lewy bodies and Parkinson's disease with and without dementia. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 528-36	3.9	266
98	How do memory clinics compare with traditional old age psychiatry services?. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 837-45	3.9	44
97	A comparison of medial and lateral temporal lobe atrophy in dementia with Lewy bodies and Alzheimer's disease: magnetic resonance imaging volumetric study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2001 , 12, 198-205	2.6	85
96	Nitric oxide synthase gene polymorphisms in Alzheimer's disease and dementia with Lewy bodies. <i>Neuroscience Letters</i> , 2001 , 303, 33-6	3.3	33
95	Long-Term use of rivastigmine in patients with dementia with Lewy bodies: an open-label trial. <i>International Psychogeriatrics</i> , 2001 , 13, 199-205	3.4	134
94	Attention and fluctuating attention in patients with dementia with Lewy bodies and Alzheimer disease. <i>Archives of Neurology</i> , 2001 , 58, 977-82		139
93	The natural history of psychosis and depression in dementia with Lewy bodies and Alzheimer's disease: persistence and new cases over 1 year of follow-up. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 46-9	4.6	103
92	Dementia with Lewy Bodies: Clinical Management 2001 , 175-179		

91	Dementia with Lewy Bodies 2001 , 180-186		1
90	Neuropathological substrates of dementia and depression in vascular dementia, with a particular focus on cases with small infarct volumes. <i>Dementia and Geriatric Cognitive Disorders</i> , 2000 , 11, 59-65	2.6	62
89	Quantification and characterization of fluctuating cognition in dementia with Lewy bodies and Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2000 , 11, 327-35	2.6	65
88	Medial temporal lobe width on CT scanning in Alzheimer's disease: comparison with vascular dementia, depression and dementia with Lewy bodies. <i>Dementia and Geriatric Cognitive Disorders</i> , 2000 , 11, 114-8	2.6	28
87	The CCTTT polymorphism in the NOS2A gene is associated with dementia with Lewy bodies. <i>NeuroReport</i> , 2000 , 11, 297-9	1.7	23
86	One year follow-up of parkinsonism in dementia with Lewy bodies. <i>Dementia and Geriatric Cognitive Disorders</i> , 2000 , 11, 219-22	2.6	32
85	Behavioral and Psychological Symptoms of Dementia and Dementia With Lewy Bodies. <i>International Psychogeriatrics</i> , 2000 , 12, 189-193	3.4	3
84	The impact of metrifonate therapy on caregivers of patients with Alzheimer's disease: results from the MALT clinical trial. Metrifonate in Alzheimer's Disease Trial. <i>Journal of the American Geriatrics Society</i> , 2000 , 48, 268-74	5.6	15
83	Regulatory Issues Concerning Behavioral and Psychological Symptoms of Dementia in Europe. <i>International Psychogeriatrics</i> , 2000 , 12, 321-326	3.4	1
82	Rivastigmine in the treatment of dementia with Lewy bodies: preliminary findings from an open trial. <i>International Journal of Geriatric Psychiatry</i> , 2000 , 15, 387-92	3.9	101
81	Delusions associated with elevated muscarinic binding in dementia with Lewy bodies. <i>Annals of Neurology</i> , 2000 , 48, 868-876	9.4	147
80	MRI volumetric correlates of white matter lesions in dementia with Lewy bodies and Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2000 , 15, 911-6	3.9	73
79	Dementia with lewy bodies: findings from an international multicentre study. <i>International Journal of Geriatric Psychiatry</i> , 2000 , 15, 1034-45	3.9	92
78	Neurocardiovascular instability, hypotensive episodes, and MRI lesions in neurodegenerative dementia. <i>Annals of the New York Academy of Sciences</i> , 2000 , 903, 442-5	6.5	61
77	Anxiety, depression and psychosis in vascular dementia: prevalence and associations. <i>Journal of Affective Disorders</i> , 2000 , 59, 97-106	6.6	176
76	Nicotinic receptor subtypes in human brain ageing, Alzheimer and Lewy body diseases. <i>European Journal of Pharmacology</i> , 2000 , 393, 215-22	5.3	147
75	Cognitive performance in hypertensive and normotensive older subjects. <i>Hypertension</i> , 2000 , 36, 1079-88.5		148
74	Nicotine binding in human striatum: elevation in schizophrenia and reductions in dementia with Lewy bodies, Parkinson's disease and Alzheimer's disease and in relation to neuroleptic medication. <i>Neuroscience</i> , 2000 , 98, 79-87	3.9	136

73	Efficacy of rivastigmine in dementia with Lewy bodies: a randomised, double-blind, placebo-controlled international study. <i>Lancet, The</i> , 2000 , 356, 2031-6	4.0	952
72	Spectrum of Parkinson's disease, Parkinson's dementia, and Lewy body dementia. <i>Neurologic Clinics</i> , 2000 , 18, 865-902	4.5	96
71	The Clinician Assessment of Fluctuation and the One Day Fluctuation Assessment Scale. Two methods to assess fluctuating confusion in dementia. <i>British Journal of Psychiatry</i> , 2000 , 177, 252-6	5.4	284
70	Neuronal nicotinic receptors in dementia with Lewy bodies and schizophrenia: alpha-bungarotoxin and nicotine binding in the thalamus. <i>Journal of Neurochemistry</i> , 1999 , 73, 1590-7	6	195
69	Simple standardised neuropsychological assessments aid in the differential diagnosis of dementia with Lewy bodies from Alzheimer's disease and vascular dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 1999 , 10, 104-8	2.6	57
68	Profiling conversation in Parkinson's disease with cognitive impairment. <i>Aphasiology</i> , 1999 , 13, 407-425	1.6	12
67	The prevalence, assessment and associations of falls in dementia with Lewy bodies and Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 1999 , 10, 97-103	2.6	75
66	Dementia with Lewy bodies. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999 , 33, 800-8	2.6	25
65	Olanzapine in dementia with Lewy bodies: a clinical study. <i>International Journal of Geriatric Psychiatry</i> , 1999 , 14, 459-466	3.9	100
64	A multicentre, randomized, double-blind, placebo-controlled study to evaluate the efficacy, tolerability and safety of two doses of metrifonate in patients with mild-to-moderate Alzheimer's disease: the MALT study. <i>International Journal of Geriatric Psychiatry</i> , 1999 , 14, 973-982	3.9	37
63	Frequency of HLA-A and B alleles in early and late-onset Alzheimer's disease. <i>Neuroscience Letters</i> , 1999 , 262, 140-2	3.3	17
62	Risk for Alzheimer's disease in older late-onset cases is associated with HLA-DRB1*03. <i>Neuroscience Letters</i> , 1999 , 275, 137-40	3.3	23
61	Diagnosing dementia with Lewy bodies. <i>Lancet, The</i> , 1999 , 354, 1227-8	4.0	57
60	Apolipoprotein E epsilon4 allele, temporal lobe atrophy, and white matter lesions in late-life dementias. <i>Archives of Neurology</i> , 1999 , 56, 961-5		74
59	Magnetic resonance imaging differences between dementia with Lewy bodies and Alzheimer's disease: a pilot study. <i>Psychological Medicine</i> , 1999 , 29, 181-7	6.9	44
58	Alpha2-macroglobulin polymorphisms in Alzheimer's disease and dementia with Lewy bodies. <i>NeuroReport</i> , 1999 , 10, 1507-10	1.7	25
57	CYP2D6 is associated with Parkinson's disease but not with dementia with Lewy Bodies or Alzheimer's disease. <i>Pharmacogenetics and Genomics</i> , 1999 , 9, 31-5		43
56	Do experienced diagnosticians agree about the diagnosis of dementia from survey data? The effects of informants' reports and interviewers' vignettes. <i>International Journal of Geriatric Psychiatry</i> , 1998 , 13, 852-62	3.9	13

55	Clinical neurochemistry: developments in dementia research based on brain bank material. <i>Journal of Neural Transmission</i> , 1998 , 105, 915-33	4.3	91
54	Butyrylcholinesterase K: an association with dementia with Lewy bodies. <i>Lancet, The</i> , 1998 , 351, 1818	4.0	13
53	Nigrostriatal dopaminergic activities in dementia with Lewy bodies in relation to neuroleptic sensitivity: comparisons with Parkinson's disease. <i>Biological Psychiatry</i> , 1998 , 44, 765-74	7.9	53
52	Propofol and electroconvulsive therapy in a patient at risk from acute intermittent porphyria. <i>British Journal of Anaesthesia</i> , 1998 , 80, 260-2	5.4	5
51	A prospective study of dementia with Lewy bodies. <i>Age and Ageing</i> , 1998 , 27, 631-6	3	21
50	The clinical trial protocol of the Metrifonate in Alzheimer's Trial (MALT). <i>Dementia and Geriatric Cognitive Disorders</i> , 1998 , 9 Suppl 2, 2-7	2.6	37
49	A detailed phenomenological comparison of complex visual hallucinations in dementia with Lewy bodies and Alzheimer's disease. <i>International Psychogeriatrics</i> , 1997 , 9, 381-8	3.4	54
48	Management of parkinsonism and psychotic depression in a case of acute intermittent porphyria. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1997 , 62, 542	5.5	2
47	Dementia with Lewy bodies. <i>Reviews in Clinical Gerontology</i> , 1997 , 7, 163-170		3
46	HLA-DR antigens associated with major genetic risk for late-onset Alzheimer's disease. <i>NeuroReport</i> , 1997 , 8, 1467-9	1.7	49
45	No association between a polymorphism in the presenilin 1 gene and dementia with Lewy bodies. <i>NeuroReport</i> , 1997 , 8, 3637-9	1.7	9
44	No association between an intronic polymorphism in the presenilin-1 gene and Alzheimer's disease. <i>Neuroscience Letters</i> , 1997 , 234, 19-22	3.3	15
43	Neuropsychological aspects of Lewy body dementia 1996 , 99-113		19
42	The neuroanatomical basis of cognitive deficits in Lewy body dementia 1996 , 114-131		
41	Pathological significance of Lewy bodies in dementia 1996 , 195-203		6
40	What is the neuropathological basis of dementia associated with Lewy bodies? 1996 , 212-223		9
39	Dementia with Lewy bodies: relationships to Parkinson's and Alzheimer's diseases 1996 , 268-286		10
38	Management of the noncognitive symptoms of Lewy body dementia 1996 , 381-396		2

37	Altered consciousness and transmitter signalling in Lewy body dementia 1996 , 397-413		8
36	Cholinergic therapy and Lewy body dementia 1996 , 414-424		1
35	Clinical heterogeneity in dementia: responders to cholinergic therapy 1996 , 425-438		
34	Tacrine and symptomatic treatment in Lewy body dementia 1996 , 439-448		4
33	Neurotrophins and the cholinergic system in dementia 1996 , 468-476		0
32	KEY PAPERS IN GERIATRIC PSYCHIATRY. SERIES EDITOR: ALISTAIR BURNS Correlation of Cholinergic Abnormalities with Senile Plaques and Mental Test Scores in Senile Dementia. E. Perry, B. Tomlinson, G. Blessed, K. Bergmann, P. Gibson and R. Perry, <i>British Medical Journal</i> (1978)2, 1457-59. <i>International Journal of Geriatric Psychiatry</i> , 1996 , 11, 765-771	3.9	2
31	Lewy body disease. <i>Current Opinion in Psychiatry</i> , 1995 , 8, 252-257	4.9	0
30	Effects of apolipoprotein E genotype on cortical neuropathology in senile dementia of the Lewy body and Alzheimer's disease. <i>Experimental Neurology</i> , 1995 , 4, 443-8		26
29	Do differences in visuospatial ability between senile dementias of the Alzheimer and Lewy body types reflect differences solely in mnemonic function?. <i>Journal of Clinical and Experimental Neuropsychology</i> , 1995 , 17, 35-43	2.1	17
28	Neuroleptic sensitivity to risperidone in Lewy body dementia. <i>Lancet, The</i> , 1995 , 346, 699	4.0	78
27	Alteration in nicotine binding sites in Parkinson's disease, Lewy body dementia and Alzheimer's disease: possible index of early neuropathology. <i>Neuroscience</i> , 1995 , 64, 385-95	3.9	366
26	Discharge patterns from a psychogeriatric inpatient unit. <i>International Journal of Geriatric Psychiatry</i> , 1995 , 10, 41-46	3.9	3
25	Senile dementia of lewy body type—review of clinical and pathological features: Implications for treatment. <i>International Journal of Geriatric Psychiatry</i> , 1995 , 10, 919-926	3.9	15
24	Clinical, Pathological and Neurochemical Characteristics of Lewy Body Dementia. <i>Advances in Behavioral Biology</i> , 1995 , 77-86		
23	Senile dementia of Lewy body type and Alzheimer type are biochemically distinct in terms of paired helical filaments and hyperphosphorylated tau protein. <i>Dementia and Geriatric Cognitive Disorders</i> , 1994 , 5, 215-28	2.6	14
22	Neocortical cholinergic activities differentiate Lewy body dementia from classical Alzheimer's disease. <i>NeuroReport</i> , 1994 , 5, 747-9	1.7	233
21	Cholinergic transmitter and neurotrophic activities in Lewy body dementia: similarity to Parkinson's and distinction from Alzheimer disease. <i>Alzheimer Disease and Associated Disorders</i> , 1993 , 7, 69-79	2.5	176
20	Single photon emission computerised tomography in elderly patients with Alzheimer's disease and multi-infarct dementia. Regional uptake of technetium-labelled HMPAO related to clinical measurements. <i>British Journal of Psychiatry</i> , 1993 , 163, 597-603	5.4	36

19	Lewy bodies and Alzheimer's disease. <i>British Journal of Psychiatry</i> , 1993 , 163, 262-3	5.4	4
18	Matching-to-sample deficits in patients with senile dementias of the Alzheimer and Lewy body types. <i>Archives of Neurology</i> , 1992 , 49, 1043-6		58
17	A Comparative Study of Attentional Deficits in Senile Dementias of Alzheimer and Lewy Body Types. <i>Dementia and Geriatric Cognitive Disorders</i> , 1992 , 3, 350-354	2.6	4
16	Operational criteria for senile dementia of Lewy body type (SDLT). <i>Psychological Medicine</i> , 1992 , 22, 911-923	2.3	389
15	Gastrointestinal absorption of aluminium in Alzheimer's disease: response to aluminium citrate. <i>Age and Ageing</i> , 1992 , 21, 81-90	3	64
14	Psychotic symptoms in Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 341-345	3.9	9
13	Does visuospatial memory in senile dementia of the Alzheimer type depend on the severity of the disorder?. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 427-436	3.9	36
12	Detection of Visual Memory and Learning Deficits in Alzheimer's Disease Using the Cambridge Neuropsychological Test Automated Battery. <i>Dementia and Geriatric Cognitive Disorders</i> , 1991 , 2, 150-158	2.6	4
11	Topography, extent, and clinical relevance of neurochemical deficits in dementia of Lewy body type, Parkinson's disease, and Alzheimer's disease. <i>Annals of the New York Academy of Sciences</i> , 1991 , 640, 197-202	6.5	90
10	A follow-up study of elderly depressives and Alzheimer-type dementia: relationship with DST status. <i>International Journal of Geriatric Psychiatry</i> , 1991 , 6, 279-286	3.9	12
9	Studies on the serotonin uptake binding site in major depressive disorder and control post-mortem brain: neurochemical and clinical correlates. <i>Psychiatry Research</i> , 1991 , 39, 155-65	9.9	89
8	Cortical serotonin-5 ₂ receptor binding in Lewy body dementia, Alzheimer's and Parkinson's diseases. <i>Journal of the Neurological Sciences</i> , 1991 , 106, 50-5	3.2	81
7	Neocortical concentrations of neuropeptides in senile dementia of the Alzheimer and Lewy body type: comparison with Parkinson's disease and severity correlations. <i>Biological Psychiatry</i> , 1991 , 29, 357-64	7.9	30
6	Reduced gastrointestinal absorption of calcium in dementia. <i>Age and Ageing</i> , 1990 , 19, 368-75	3	33
5	5HT ₂ receptor changes in major depression. <i>Biological Psychiatry</i> , 1990 , 27, 489-96	7.9	239
4	5-HT receptor binding in post-mortem brain from patients with affective disorder. <i>Journal of Affective Disorders</i> , 1987 , 13, 67-74	6.6	109
3	Postmortem neurochemical studies in depression. <i>Annals of the New York Academy of Sciences</i> , 1986 , 487, 128-42	6.5	61
2	Clinical use of the DST in a psychogeriatric population. <i>British Journal of Psychiatry</i> , 1984 , 145, 389-93	5.4	59

- 1 Psychiatric TutorBumour or Reality?. *Bulletin of the Royal College of Psychiatrists*, **1984**, 8, 202-203