

# Sam Eldabe Mb, Chb, Frca

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6821721/sam-eldabe-mb-chb-frca-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84  
papers

3,128  
citations

21  
h-index

55  
g-index

93  
ext. papers

4,066  
ext. citations

3.5  
avg, IF

4.85  
L-index

| #  | Paper                                                                                                                                                                                                                                                                        | IF  | Citations |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 84 | Spinal cord stimulation versus conventional medical management for neuropathic pain: a multicentre randomised controlled trial in patients with failed back surgery syndrome. <i>Pain</i> , <b>2007</b> , 132, 179-88                                                        | 8   | 718       |
| 83 | The effects of spinal cord stimulation in neuropathic pain are sustained: a 24-month follow-up of the prospective randomized controlled multicenter trial of the effectiveness of spinal cord stimulation. <i>Neurosurgery</i> , <b>2008</b> , 63, 762-70; discussion 770    | 3.2 | 452       |
| 82 | The appropriate use of neurostimulation of the spinal cord and peripheral nervous system for the treatment of chronic pain and ischemic diseases: the Neuromodulation Appropriateness Consensus Committee. <i>Neuromodulation</i> , <b>2014</b> , 17, 515-50; discussion 550 | 3.1 | 318       |
| 81 | The Polyanalgesic Consensus Conference (PACC): Recommendations on Intrathecal Drug Infusion Systems Best Practices and Guidelines. <i>Neuromodulation</i> , <b>2017</b> , 20, 96-132                                                                                         | 3.1 | 158       |
| 80 | Quality of life, resource consumption and costs of spinal cord stimulation versus conventional medical management in neuropathic pain patients with failed back surgery syndrome (PROCESS trial). <i>European Journal of Pain</i> , <b>2008</b> , 12, 1047-58                | 3.7 | 157       |
| 79 | Analgesic efficacy of high-frequency spinal cord stimulation: a randomized double-blind placebo-controlled study. <i>Neuromodulation</i> , <b>2013</b> , 16, 363-9; discussion 369                                                                                           | 3.1 | 130       |
| 78 | Parameters of Spinal Cord Stimulation and Their Role in Electrical Charge Delivery: A Review. <i>Neuromodulation</i> , <b>2016</b> , 19, 373-84                                                                                                                              | 3.1 | 124       |
| 77 | The cost-effectiveness of spinal cord stimulation in the treatment of failed back surgery syndrome. <i>Clinical Journal of Pain</i> , <b>2010</b> , 26, 463-9                                                                                                                | 3.5 | 123       |
| 76 | Spinal cord stimulation of the dorsal root ganglion for groin pain-a retrospective review. <i>Pain Practice</i> , <b>2015</b> , 15, 293-9                                                                                                                                    | 3   | 80        |
| 75 | Dorsal Root Ganglion (DRG) Stimulation in the Treatment of Phantom Limb Pain (PLP). <i>Neuromodulation</i> , <b>2015</b> , 18, 610-6; discussion 616-7                                                                                                                       | 3.1 | 78        |
| 74 | The Neurostimulation Appropriateness Consensus Committee (NACC) Safety Guidelines for the Reduction of Severe Neurological Injury. <i>Neuromodulation</i> , <b>2017</b> , 20, 15-30                                                                                          | 3.1 | 59        |
| 73 | Muscle Control and Non-specific Chronic Low Back Pain. <i>Neuromodulation</i> , <b>2018</b> , 21, 1-9                                                                                                                                                                        | 3.1 | 55        |
| 72 | An analysis of the components of pain, function, and health-related quality of life in patients with failed back surgery syndrome treated with spinal cord stimulation or conventional medical management. <i>Neuromodulation</i> , <b>2010</b> , 13, 201-9                  | 3.1 | 51        |
| 71 | The incidence and healthcare costs of persistent postoperative pain following lumbar spine surgery in the UK: a cohort study using the Clinical Practice Research Datalink (CPRD) and Hospital Episode Statistics (HES). <i>BMJ Open</i> , <b>2017</b> , 7, e017585          | 3   | 38        |
| 70 | New Therapy for Refractory Chronic Mechanical Low Back Pain-Restorative Neurostimulation to Activate the Lumbar Multifidus: One Year Results of a Prospective Multicenter Clinical Trial. <i>Neuromodulation</i> , <b>2018</b> , 21, 48-55                                   | 3.1 | 34        |
| 69 | Ziconotide Monotherapy: A Systematic Review of Randomised Controlled Trials. <i>Current Neuropharmacology</i> , <b>2017</b> , 15, 217-231                                                                                                                                    | 7.6 | 31        |
| 68 | Systematic review and meta-analysis of placebo/sham controlled randomised trials of spinal cord stimulation for neuropathic pain. <i>Pain</i> , <b>2020</b> , 161, 24-35                                                                                                     | 8   | 31        |

|    |                                                                                                                                                                                                                                                                  |     |    |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 67 | Retrospective Case Series on the Treatment of Painful Diabetic Peripheral Neuropathy With Dorsal Root Ganglion Stimulation. <i>Neuromodulation</i> , <b>2018</b> , 21, 787-792                                                                                   | 3.1 | 30 |
| 66 | The Effectiveness and Cost-Effectiveness of Spinal Cord Stimulation for Refractory Angina (RASCAL Study): A Pilot Randomized Controlled Trial. <i>Neuromodulation</i> , <b>2016</b> , 19, 60-70                                                                  | 3.1 | 25 |
| 65 | Bolus intrathecal injection of ziconotide (Prialt®) to evaluate the option of continuous administration via an implanted intrathecal drug delivery (ITDD) system: a pilot study. <i>Neuromodulation</i> , <b>2013</b> , 16, 576-81; discussion 582               | 3.1 | 22 |
| 64 | Persistent Spinal Pain Syndrome: A Proposal for Failed Back Surgery Syndrome and ICD-11. <i>Pain Medicine</i> , <b>2021</b> , 22, 807-818                                                                                                                        | 2.8 | 22 |
| 63 | Prospective analysis of the trial period for spinal cord stimulation treatment for chronic pain. <i>Neuromodulation</i> , <b>2011</b> , 14, 523-8; discussion 528-9                                                                                              | 3.1 | 21 |
| 62 | Randomized Placebo-/Sham-Controlled Trials of Spinal Cord Stimulation: A Systematic Review and Methodological Appraisal. <i>Neuromodulation</i> , <b>2020</b> , 23, 10-18                                                                                        | 3.1 | 18 |
| 61 | Chronic Low Back Pain: Restoration of Dynamic Stability. <i>Neuromodulation</i> , <b>2015</b> , 18, 478-86; discussion 486                                                                                                                                       | 3.1 | 17 |
| 60 | Pregabalin and gabapentin for pain. <i>BMJ, The</i> , <b>2020</b> , 369, m1315                                                                                                                                                                                   | 5.9 | 16 |
| 59 | Brain and spinal stimulation therapies for phantom limb pain: a systematic review. <i>Health Technology Assessment</i> , <b>2018</b> , 22, 1-94                                                                                                                  | 4.4 | 15 |
| 58 | Does a screening trial for spinal cord stimulation in patients with chronic pain of neuropathic origin have clinical utility and cost-effectiveness (TRIAL-STIM)? A randomised controlled trial. <i>Pain</i> , <b>2020</b> , 161, 2820-2829                      | 8   | 15 |
| 57 | A Randomized Controlled Trial of Subcutaneous Nerve Stimulation for Back Pain Due to Failed Back Surgery Syndrome: The SubQStim Study. <i>Neuromodulation</i> , <b>2019</b> , 22, 519-528                                                                        | 3.1 | 15 |
| 56 | A Systematic Review of Economic Evaluations Reporting the Cost-Effectiveness of Spinal Cord Stimulation. <i>Value in Health</i> , <b>2020</b> , 23, 656-665                                                                                                      | 3.3 | 14 |
| 55 | Appropriate referral and selection of patients with chronic pain for spinal cord stimulation: European consensus recommendations and e-health tool. <i>European Journal of Pain</i> , <b>2020</b> , 24, 1169-1181                                                | 3.7 | 13 |
| 54 | Intrathecal drug delivery for the management of pain and spasticity in adults: an executive summary of the British Pain Society's recommendations for best clinical practice. <i>British Journal of Pain</i> , <b>2016</b> , 10, 67-9                            | 2.1 | 13 |
| 53 | Diagnosis and treatment of failed back surgery syndrome in the UK: mapping of practice using a cross-sectional survey. <i>British Journal of Pain</i> , <b>2012</b> , 6, 142-52                                                                                  | 2.1 | 13 |
| 52 | High-dose spinal cord stimulation for patients with failed back surgery syndrome: a multicenter effectiveness and prediction study. <i>Pain</i> , <b>2021</b> , 162, 582-590                                                                                     | 8   | 13 |
| 51 | Does a Screening Trial for Spinal Cord Stimulation in Patients with Chronic Pain of Neuropathic Origin have Clinical Utility and Cost-Effectiveness? (TRIAL-STIM Study): study protocol for a randomised controlled trial. <i>Trials</i> , <b>2018</b> , 19, 633 | 2.8 | 12 |
| 50 | Optimizing the Management and Outcomes of Failed Back Surgery Syndrome: A Consensus Statement on Definition and Outlines for Patient Assessment. <i>Pain Research and Management</i> , <b>2019</b> , 2019, 3126464                                               | 2.6 | 11 |

|    |                                                                                                                                                                                                                                                                                                                |     |    |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 49 | Experiences of people taking opioid medication for chronic non-malignant pain: a qualitative evidence synthesis using meta-ethnography. <i>BMJ Open</i> , <b>2020</b> , 10, e032988                                                                                                                            | 3   | 10 |
| 48 | Intrathecal Baclofen for Severe Spasticity: Longitudinal Data From the Product Surveillance Registry. <i>Neuromodulation</i> , <b>2020</b> , 23, 996-1002                                                                                                                                                      | 3.1 | 10 |
| 47 | Impact of the National Institute for Health and Care Excellence (NICE) guidance on medical technology uptake: analysis of the uptake of spinal cord stimulation in England 2008-2012. <i>BMJ Open</i> , <b>2014</b> , 4, e004182                                                                               | 3   | 10 |
| 46 | Phantom limb pain: a review of pharmacological management. <i>British Journal of Pain</i> , <b>2018</b> , 12, 202-207                                                                                                                                                                                          | 2.1 | 9  |
| 45 | Intrathecal Drug Delivery Systems for the Management of Chronic Noncancer Pain: A Systematic Review of Economic Evaluations. <i>Pain Practice</i> , <b>2018</b> , 18, 666-686                                                                                                                                  | 3   | 9  |
| 44 | Research design considerations for randomized controlled trials of spinal cord stimulation for pain: Initiative on Methods, Measurement, and Pain Assessment in Clinical Trials/Institute of Neuromodulation/International Neuromodulation Society recommendations. <i>Pain</i> , <b>2021</b> , 162, 1935-1956 | 8   | 9  |
| 43 | The need for and provision of intrathecal baclofen therapy for the management of spasticity in England: an assessment of the Hospital Episode Statistics database. <i>BMJ Open</i> , <b>2015</b> , 5, e007517                                                                                                  | 3   | 8  |
| 42 | The effectiveness and cost-effectiveness of spinal cord stimulation for refractory angina (RASCAL study): study protocol for a pilot randomized controlled trial. <i>Trials</i> , <b>2013</b> , 14, 57                                                                                                         | 2.8 | 8  |
| 41 | An Exploration of the Experiences and Educational Needs of Patients With Failed Back Surgery Syndrome Receiving Spinal Cord Stimulation. <i>Neuromodulation</i> , <b>2019</b> , 22, 295-301                                                                                                                    | 3.1 | 8  |
| 40 | Optimizing the Management and Outcomes of Failed Back Surgery Syndrome: A Proposal of a Standardized Multidisciplinary Team Care Pathway. <i>Pain Research and Management</i> , <b>2019</b> , 2019, 8184592                                                                                                    | 2.6 | 7  |
| 39 | Assessing the effectiveness and cost effectiveness of subcutaneous nerve stimulation in patients with predominant back pain due to failed back surgery syndrome (SubQStim study): study protocol for a multicenter randomized controlled trial. <i>Trials</i> , <b>2013</b> , 14, 189                          | 2.8 | 7  |
| 38 | An implantable restorative-neurostimulator for refractory mechanical chronic low back pain: a randomized sham-controlled clinical trial. <i>Pain</i> , <b>2021</b> , 162, 2486-2498                                                                                                                            | 8   | 6  |
| 37 | Intrathecal drug delivery systems for the management of chronic non-cancer pain: protocol for a systematic review of economic evaluations. <i>BMJ Open</i> , <b>2016</b> , 6, e012285                                                                                                                          | 3   | 6  |
| 36 | The Long-Term Response to High-Dose Spinal Cord Stimulation in Patients With Failed Back Surgery Syndrome After Conversion From Standard Spinal Cord Stimulation: An Effectiveness and Prediction Study. <i>Neuromodulation</i> , <b>2021</b> , 24, 546-555                                                    | 3.1 | 6  |
| 35 | Testing a support programme for opioid reduction for people with chronic non-malignant pain: the I-WOTCH randomised controlled trial protocol. <i>BMJ Open</i> , <b>2019</b> , 9, e028937                                                                                                                      | 3   | 5  |
| 34 | Peripherally Induced Reconditioning of the Central Nervous System: A Proposed Mechanistic Theory for Sustained Relief of Chronic Pain with Percutaneous Peripheral Nerve Stimulation. <i>Journal of Pain Research</i> , <b>2021</b> , 14, 721-736                                                              | 2.9 | 5  |
| 33 | Reoperation following lumbar spinal surgery: costs and outcomes in a UK population cohort study using the Clinical Practice Research Datalink (CPRD) and Hospital Episode Statistics (HES). <i>European Spine Journal</i> , <b>2019</b> , 28, 863-871                                                          | 2.7 | 4  |
| 32 | The impact of the COVID-19 pandemic on patients awaiting spinal cord stimulation surgery in the United Kingdom: a multi-centre patient survey. <i>British Journal of Pain</i> , <b>2021</b> , 15, 282-290                                                                                                      | 2.1 | 4  |

|    |                                                                                                                                                                                                                                                                                                  |     |   |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 31 | Spinal cord stimulation for the management of painful diabetic neuropathy: a systematic review and meta-analysis of individual patient and aggregate data. <i>Pain</i> , <b>2021</b> , 162, 2635-2643                                                                                            | 8   | 4 |
| 30 | The association between pain intensity and disability in patients with failed back surgery syndrome, treated with spinal cord stimulation. <i>Disability and Rehabilitation</i> , <b>2021</b> , 43, 2157-2163                                                                                    | 2.4 | 4 |
| 29 | Analgesic Efficacy of "Burst" and Tonic (500 Hz) Spinal Cord Stimulation Patterns: A Randomized Placebo-Controlled Crossover Study. <i>Neuromodulation</i> , <b>2021</b> , 24, 471-478                                                                                                           | 3.1 | 4 |
| 28 | High-Dose Spinal Cord Stimulation Reduces Long-Term Pain Medication Use in Patients With Failed Back Surgery Syndrome Who Obtained at Least 50% Pain Intensity and Medication Reduction During a Trial Period: A Registry-Based Cohort Study. <i>Neuromodulation</i> , <b>2021</b> , 24, 520-531 | 3.1 | 4 |
| 27 | Persistent postoperative pain and healthcare costs associated with instrumented and non-instrumented spinal surgery: a case-control study. <i>Journal of Orthopaedic Surgery and Research</i> , <b>2020</b> , 15, 127                                                                            | 2.8 | 3 |
| 26 | Comparison of the Effects of Intermittent Boluses to Simple Continuous Infusion on Patients' Global Perceived Effect in Intrathecal Therapy for Pain: A Randomized Double-Blind Crossover Study. <i>Pain Medicine</i> , <b>2017</b> , 18, 924-931                                                | 2.8 | 3 |
| 25 | The appropriate management of persisting pain after spine surgery: a European panel study with recommendations based on the RAND/UCLA method. <i>European Spine Journal</i> , <b>2019</b> , 28, 31-45                                                                                            | 2.7 | 3 |
| 24 | Identifying goals in patients with chronic pain: A European survey. <i>European Journal of Pain</i> , <b>2021</b> , 25, 1959-1970                                                                                                                                                                | 3.7 | 3 |
| 23 | Systematic Review of Research Methods and Reporting Quality of Randomized Clinical Trials of Spinal Cord Stimulation for Pain. <i>Journal of Pain</i> , <b>2021</b> , 22, 127-142                                                                                                                | 5.2 | 3 |
| 22 | To Trial or Not to Trial Before Spinal Cord Stimulation for Chronic Neuropathic Pain: The Patients' View From the TRIAL-STIM Randomized Controlled Trial. <i>Neuromodulation</i> , <b>2021</b> , 24, 459-470                                                                                     | 3.1 | 3 |
| 21 | Neuromodulation Device Comparison Studies Come of Age. <i>Pain Medicine</i> , <b>2017</b> , 18, 2261-2262                                                                                                                                                                                        | 2.8 | 2 |
| 20 | The Unmet Need for Intrathecal Drug Delivery Pumps for the Treatment of Cancer Pain in England: An Assessment of the Hospital Episode Statistics Database. <i>Neuromodulation</i> , <b>2020</b> , 23, 1029-1033                                                                                  | 3.1 | 2 |
| 19 | Exploration of the Supraspinal Hypotheses about Spinal Cord Stimulation and Dorsal Root Ganglion Stimulation: A Systematic Review. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,                                                                                                       | 5.1 | 2 |
| 18 | Durability of the Therapeutic Effect of Restorative Neurostimulation for Refractory Chronic Low Back Pain. <i>Neuromodulation</i> , <b>2021</b> , 24, 1024-1032                                                                                                                                  | 3.1 | 2 |
| 17 | Process evaluation protocol for the I-WOTCH study: an opioid tapering support programme for people with chronic non-malignant pain. <i>BMJ Open</i> , <b>2019</b> , 9, e028998                                                                                                                   | 3   | 2 |
| 16 | Best practice in radiofrequency denervation of the lumbar facet joints: a consensus technique. <i>British Journal of Pain</i> , <b>2020</b> , 14, 47-56                                                                                                                                          | 2.1 | 2 |
| 15 | Restorative Neurostimulation for Chronic Mechanical Low Back Pain: Results from a Prospective Multi-centre Longitudinal Cohort. <i>Pain and Therapy</i> , <b>2021</b> , 10, 1451-1465                                                                                                            | 3.6 | 2 |
| 14 | Neuromodulation Device Comparison Studies: Coming of Age Revisited. <i>Pain Medicine</i> , <b>2018</b> , 19, 2096-2097                                                                                                                                                                           |     | 1 |

|    |                                                                                                                                                                                                                                            |     |   |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 13 | Ziconotide: a new option for intrathecal analgesia. <i>Future Neurology</i> , <b>2007</b> , 2, 11-19                                                                                                                                       | 1.5 | 1 |
| 12 | Long-Term Outcomes of Restorative Neurostimulation in Patients With Refractory Chronic Low Back Pain Secondary to Multifidus Dysfunction: Two-Year Results of the ReActiv8-B Pivotal Trial.. <i>Neuromodulation</i> , <b>2021</b> ,        | 3.1 | 1 |
| 11 | A prospective long-term follow-up of dorsal root ganglion stimulation for the management of chronic intractable pain.. <i>Pain</i> , <b>2022</b> , 163, 702-710                                                                            | 8   | 1 |
| 10 | Cross-Country Differences in Pain Medication Before and After Spinal Cord Stimulation: A Pooled Analysis of Individual Patient Data From Two Prospective Studies in the United Kingdom and Belgium. <i>Neuromodulation</i> , <b>2021</b> , | 3.1 | 1 |
| 9  | Peripheral Nerve Field Stimulation for Chronic Back Pain: Therapy Outcome Predictive Factors. <i>Pain Practice</i> , <b>2020</b> , 20, 522-533                                                                                             | 3   | 0 |
| 8  | Protocol for an economic analysis of the randomised controlled trial of Improving the Well-being of people with Opioid Treated CHronic pain: I-WOTCH Study. <i>BMJ Open</i> , <b>2020</b> , 10, e037243                                    | 3   | 0 |
| 7  | Protocol for an economic analysis of the randomised controlled trial of Improving the Well-being of people with Opioid Treated CHronic pain: I-WOTCH Study. <i>BMJ Open</i> , <b>2020</b> , 10, e037243                                    | 3   | 0 |
| 6  | Cauda Equina Syndrome after Unilateral Medial Branch Block of the Lower Right Lumbar Zygapophyseal Joints.. <i>Pain Practice</i> , <b>2022</b> ,                                                                                           | 3   | 0 |
| 5  | Patient Selection for Spinal Cord Stimulation in Treatment of Pain: Sequential Decision-Making Model - A Narrative Review.. <i>Journal of Pain Research</i> , <b>2022</b> , 15, 1163-1171                                                  | 2.9 | 0 |
| 4  | 91 The Effectiveness and Cost-Effectiveness of Spinal Cord Stimulation for Refractory Angina (Rascal Study): A Pilot Randomized Controlled Trial. <i>Heart</i> , <b>2016</b> , 102, A65-A66                                                | 5.1 |   |
| 3  | Reply to Sharma et al. <i>Pain</i> , <b>2020</b> , 161, 2429-2430                                                                                                                                                                          | 8   |   |
| 2  | Resource Use and Cost of Subcutaneous Nerve Stimulation Versus Optimized Medical Management in Patients With Failed Back Surgery Syndrome: An Analysis of the SubQStim Study. <i>Neuromodulation</i> , <b>2021</b> , 24, 1033-1041         | 3.1 |   |
| 1  | Development and testing of an opioid tapering self-management intervention for chronic pain: I-WOTCH.. <i>BMJ Open</i> , <b>2022</b> , 12, e053725                                                                                         | 3   |   |