

Christer Ersås

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6822316/publications.pdf>

Version: 2024-02-01

168
papers

5,612
citations

126907

33
h-index

98798

67
g-index

170
all docs

170
docs citations

170
times ranked

4832
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Cryptic Clitellata: Molecular Species Delimitation of Clitellate Worms (Annelida): An Overview. Diversity, 2021, 13, 36. | 1.7 | 11 |
| 2 | Annelids in Extreme Aquatic Environments: Diversity, Adaptations and Evolution. Diversity, 2021, 13, 98. | 1.7 | 23 |
| 3 | Case 3826 "Propappus Michaelsen, 1905 and Propappidae Coates, 1986 (Annelida, Clitellata): proposed conservation by suppression of Propappus Seeley, 1888 (Vertebrata, Reptilia). Bulletin of Zoological Nomenclature, 2021, 78, . | 0.1 | 0 |
| 4 | A proposed order-level classification in Oligochaeta (Annelida, Clitellata). Zootaxa, 2021, 5040, 589-591. | 0.5 | 7 |
| 5 | Genetic and morphological analyses uncover a new record and a cryptic species in Allonais (Clitellata: Naididae). Biologia (Poland), 2021, 76, 1705. | 1.5 | 1 |
| 6 | Molecular taxonomy and description of a new species of Limnodrilus (Naididae, Clitellata, Annelida) in China. Zootaxa, 2021, 5082, 301-321. | 0.5 | 0 |
| 7 | Testing species hypotheses for Fridericia magna, an enchytraeid worm (Annelida: Clitellata) with great mitochondrial variation. BMC Evolutionary Biology, 2020, 20, 116. | 3.2 | 6 |
| 8 | Phylogenomic analyses reveal a Palaeozoic radiation and support a freshwater origin for clitellate annelids. Zoologica Scripta, 2020, 49, 614-640. | 1.7 | 34 |
| 9 | Phylogenomic Analysis of a Putative Missing Link Sparks Reinterpretation of Leech Evolution. Genome Biology and Evolution, 2019, 11, 3082-3093. | 2.5 | 22 |
| 10 | The popular model annelid Enchytraeus albidus is only one species in a complex of seashore white worms (Clitellata, Enchytraeidae). Organisms Diversity and Evolution, 2019, 19, 105-133. | 1.6 | 13 |
| 11 | Na ⁺ /K ⁺ -ATPase gene duplications in clitellate annelids are associated with freshwater colonization. Journal of Evolutionary Biology, 2019, 32, 580-591. | 1.7 | 6 |
| 12 | Editor's Note: Phylogenomic Analysis of a Putative Missing Link Sparks Reinterpretation of Leech Evolution. Genome Biology and Evolution, 2019, 11, 3275-3275. | 2.5 | 2 |
| 13 | Clitellate worms (Annelida) in lateglacial and Holocene sedimentary DNA records from the Polar Urals and northern Norway. Boreas, 2019, 48, 317-329. | 2.4 | 18 |
| 14 | New data and hypotheses on the invasiveness, habitat selection, and ecological role of the limicolous earthworm Sparganophilus tamesis Benham, 1892. Fundamental and Applied Limnology, 2018, 192, 129-136. | 0.7 | 1 |
| 15 | A new Scandinavian Chamaedrilus species (Clitellata: Enchytraeidae), with additional notes on others. Zootaxa, 2018, 4521, 417. | 0.5 | 1 |
| 16 | Green light to an integrative view of Microcolex phosphoreus (Dugès, 1837) (Annelida: Clitellata: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 0.5 | 9 |
| 17 | Integrative species delimitation and phylogeny of the branchiate worm Branchiodrilus (Clitellata, Naididae). Zoologica Scripta, 2018, 47, 727-742. | 1.7 | 10 |
| 18 | Two new bioluminescent Henlea from Siberia and lack of molecular support for Hepatogaster (Annelida, Clitellata, Enchytraeidae). Organisms Diversity and Evolution, 2018, 18, 291-312. | 1.6 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Genetic diversity of marine oligochaetous clitellates in selected areas of the South Atlantic as revealed by DNA barcoding. <i>Invertebrate Systematics</i> , 2018, 32, 524. | 1.3 | 8 |
| 20 | Two new European species of the marine genus <i>Tubificoides</i> (Annelida: Clitellata: Naididae) with notes on the morphology of <i>T. pseudogaster</i> (Dahl, 1960). <i>Zootaxa</i> , 2018, 4433, 561. | 0.5 | 1 |
| 21 | Hybridisation and species delimitation of Scandinavian <i>Eisenia</i> spp. (Clitellata: Lumbricidae). <i>European Journal of Soil Biology</i> , 2018, 88, 41-47. | 3.2 | 10 |
| 22 | Cryptic diversity in supposedly species-poor genera of Enchytraeidae (Annelida: Clitellata). <i>Zoological Journal of the Linnean Society</i> , 2018, 183, 749-762. | 2.3 | 18 |
| 23 | Barcoding gap, but no support for cryptic speciation in the earthworm <i>Aporrectodea longa</i> (Clitellata: Lumbricidae). <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2017, 28, 147-155. | 0.7 | 26 |
| 24 | Phylogeny and species delimitation of <i>N. ortho-europaeum</i> (<i>Lumbricillus</i>) (<i>Clitellata</i> , <i>Enchytraeidae</i>). <i>Zoologica Scripta</i> , 2017, 46, 96-110. | 1.7 | 12 |
| 25 | Multi-locus phylogenetic analysis of the genus <i>Limnodrilus</i> (Annelida: Clitellata: Naididae). <i>Molecular Phylogenetics and Evolution</i> , 2017, 112, 244-257. | 2.7 | 11 |
| 26 | Placing the forgotten: on the positions of <i>Euenchytraeus</i> and <i>Chamaedrilus</i> in an updated enchytraeid phylogeny (Clitellata : Enchytraeidae). <i>Invertebrate Systematics</i> , 2017, 31, 85. | 1.3 | 9 |
| 27 | Molecular data reveal a tropical freshwater origin of Naidinae (Annelida, Clitellata, Naididae). <i>Molecular Phylogenetics and Evolution</i> , 2017, 115, 115-127. | 2.7 | 19 |
| 28 | Extensive cryptic diversity in the cosmopolitan sludge worm <i>Limnodrilus hoffmeisteri</i> (Clitellata). <i>Trends in Ecology and Evolution</i> , 2017, 32, 1075-1080. | 1.6 | 28 |
| 29 | Phylogenomic analyses of Crassiclitellata support major Northern and Southern Hemisphere clades and a Pangaeian origin for earthworms. <i>BMC Evolutionary Biology</i> , 2017, 17, 123. | 3.2 | 27 |
| 30 | Cryptic speciation and limited hybridization within <i>Lumbricus</i> earthworms (Clitellata: Lumbricidae). <i>Molecular Phylogenetics and Evolution</i> , 2017, 106, 18-27. | 2.7 | 42 |
| 31 | New specific primers for amplification of the Internal Transcribed Spacer region in Clitellata (Annelida). <i>Ecology and Evolution</i> , 2017, 7, 10421-10439. | 1.9 | 9 |
| 32 | Taxonomy of North European <i>Lumbricillus</i> (Clitellata, Enchytraeidae). <i>ZooKeys</i> , 2017, 703, 15-96. | 1.1 | 7 |
| 33 | Mitochondrial evidence supports a Nearctic origin for the spreading limicolous earthworm <i>Sparganophilus tamesis</i> Benham, 1892 (Clitellata, Sparganophilidae). <i>Contributions To Zoology</i> , 2016, 85, 113-119. | 0.5 | 1 |
| 34 | Closely coupled evolutionary history of ecto- and endosymbionts from two distantly related animal phyla. <i>Molecular Ecology</i> , 2016, 25, 3203-3223. | 3.9 | 35 |
| 35 | <i>Limnodrilus sulphurens</i> , n. sp., from a sulfur cave in Colorado, USA, with notes on the morphologically similar <i>L. profundicola</i> ; (Clitellata). <i>Trends in Ecology and Evolution</i> , 2016, 31, 1075-1080. | 1.4 | 11 |
| 36 | First reports of <i>Grania</i> (Clitellata: Enchytraeidae) from Africa and South America: molecular phylogeny and descriptions of nine new species. <i>Zoological Journal of the Linnean Society</i> , 2016, 176, 485-510. | 2.3 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Morphological and Genetic Characterization of the First Species of <i>Thalassodrilus</i> (Annelida: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 | 0.4 | 8 |
| 38 | DNA-based phylogeny of the marine genus <i>Heterodrilus</i> (Annelida, Clitellata, Naididae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2015, 53, 194-199. | 1.4 | 4 |
| 39 | DNA-barcoding of invasive European earthworms (Clitellata: Lumbricidae) in south-western Australia. <i>Biological Invasions</i> , 2015, 17, 2527-2532. | 2.4 | 8 |
| 40 | Revision of <i>Cognettia</i> (Clitellata, Enchytraeidae): re-establishment of <i>Chamaedrillus</i> and description of cryptic species in the sphagnetorum complex. <i>Systematics and Biodiversity</i> , 2015, 13, 257-277. | 1.2 | 26 |
| 41 | Cryptic diversity in the well-studied terrestrial worm <i>Cognettia sphagnetorum</i> (Clitellata: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 | 1.2 | 31 |
| 42 | Integrative taxonomy of the freshwater worm <i>Rhyacodrilus falciformis</i> s.l. (Clitellata: Naididae), with the description of a new species. <i>Zoologica Scripta</i> , 2013, 42, 612-622. | 1.7 | 23 |
| 43 | DNA barcoding and species delimitation: the <i>Stylo-drilus heringianus</i> case (Annelida : Clitellata : Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 | 1.3 | 24 |
| 44 | Introduction of invertebrates into the High Arctic via imported soils: the case of Barentsburg in the Svalbard. <i>Biological Invasions</i> , 2013, 15, 1-5. | 2.4 | 29 |
| 45 | Biological invasions in soil: DNA barcoding as a monitoring tool in a multiple taxa survey targeting European earthworms and springtails in North America. <i>Biological Invasions</i> , 2013, 15, 899-910. | 2.4 | 89 |
| 46 | The invertebrate fauna of anthropogenic soils in the High-Arctic settlement of Barentsburg, Svalbard. <i>Polar Research</i> , 2013, 32, 19273. | 1.6 | 17 |
| 47 | <i>Oligochaeta</i> (Annelida) of the profundal of Lake Hazar (Turkey), with description of <i>Potamo-thrix alatus hazaricus</i> n. ssp. <i>Zootaxa</i> , 2013, 3716, 144. | 0.5 | 11 |
| 48 | The Magnitude of Global Marine Species Diversity. <i>Current Biology</i> , 2012, 22, 2189-2202. | 3.9 | 797 |
| 49 | Cryptic diversity among the achaetous <i>Marionina</i> (Annelida, Clitellata, Enchytraeidae). <i>Systematics and Biodiversity</i> , 2012, 10, 509-525. | 1.2 | 19 |
| 50 | Genetic and chaetal variation in <i>Nais</i> worms (Annelida, Clitellata, Naididae). <i>Zoological Journal of the Linnean Society</i> , 2012, 165, 495-520. | 2.3 | 21 |
| 51 | New environmental metabarcodes for analysing soil DNA: potential for studying past and present ecosystems. <i>Molecular Ecology</i> , 2012, 21, 1821-1833. | 3.9 | 259 |
| 52 | Ultrastructure of the body wall of three species of <i>Grania</i> (Annelida: Clitellata: Enchytraeidae). <i>Acta Zoologica</i> , 2011, 92, 1-11. | 0.8 | 3 |
| 53 | Phylogeny and character evolution in <i>Grania</i> (Annelida, Clitellata). <i>Zoologica Scripta</i> , 2011, 40, 509-519. | 1.7 | 5 |
| 54 | The systematic position of <i>Opistocystidae</i> (Annelida, Clitellata) revealed by DNA data. <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 309-313. | 2.7 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Molecular phylogeny of Enchytraeidae (Annelida, Clitellata). <i>Molecular Phylogenetics and Evolution</i> , 2010, 57, 849-858. | 2.7 | 71 |
| 56 | Genetic variation and phylogeny of the cosmopolitan marine genus <i>Tubificoides</i> (Annelida: Clitellata: Tubificidae). <i>Journal of Molecular Evolution</i> , 2010, 70, 627-632. | 2.7 | 32 |
| 57 | Molecular phylogeny of Nearctic species of <i>Rhynchelmis</i> (Annelida). <i>Zoologica Scripta</i> , 2010, 39, 378-393. | 1.7 | 20 |
| 58 | Genetic variation and phylogeny of Scandinavian species of <i>Grania</i> (Annelida: Clitellata: Tubificidae). <i>Evolutionary Research</i> , 2010, 48, 285-293. | 1.4 | 19 |
| 59 | Barcoding, types and the <i>Hirudo</i> files: Using information content to critically evaluate the identity of DNA barcodes. <i>Mitochondrial DNA</i> , 2010, 21, 198-205. | 0.6 | 28 |
| 60 | DNA Barcoding Reveals Cryptic Diversity in <i>Lumbricus terrestris</i> L., 1758 (Clitellata): Resurrection of <i>L. herculeus</i> (Savigny, 1826). <i>PLoS ONE</i> , 2010, 5, e15629. | 2.5 | 136 |
| 61 | <i>Grania</i> (Annelida: Clitellata: Enchytraeidae) of the Great Barrier Reef, Australia, including four new species and a re-description of <i>Grania trichaeta</i> Jamieson, 1977. <i>Zootaxa</i> , 2009, 2165, 16-38. | 0.5 | 8 |
| 62 | Genetic variation in the popular lab worm <i>Lumbriculus variegatus</i> (Annelida: Clitellata: Tubificidae). <i>Journal of Molecular Evolution</i> , 2009, 69, 462-467. | 2.7 | 57 |
| 63 | On the role of character loss in orbiniid phylogeny (Annelida): Molecules vs. morphology. <i>Molecular Phylogenetics and Evolution</i> , 2009, 52, 57-69. | 2.7 | 27 |
| 64 | Barcoding Bamboozled by Bacteria: Convergence to Metazoan Mitochondrial Primer Targets by Marine Microbes. <i>Systematic Biology</i> , 2009, 58, 445-451. | 5.6 | 60 |
| 65 | Ultrastructural investigation of coelomocytes in representatives of Naidinae and Rhyacodrilinae (Annelida, Clitellata, Tubificidae). <i>Journal of Morphology</i> , 2008, 269, 1157-1167. | 1.2 | 5 |
| 66 | Combined-data phylogenetics and character evolution of Clitellata (Annelida) using 18S rDNA and morphology. <i>Zoological Journal of the Linnean Society</i> , 2008, 154, 1-26. | 2.3 | 49 |
| 67 | Multiple bacterial symbionts in two species of co-occurring gutless oligochaete worms from Mediterranean sea grass sediments. <i>Environmental Microbiology</i> , 2008, 10, 3404-3416. | 3.8 | 55 |
| 68 | Two new species of <i>Tubificoides</i> (Annelida: Clitellata: Naididae) from the Blake Ridge methane seep in the northwest Atlantic Ocean. <i>Proceedings of the Biological Society of Washington</i> , 2008, 121, 531-540. | 0.3 | 3 |
| 69 | ICZN rules – a farewell to Tubificidae (Annelida, Clitellata). <i>Zootaxa</i> , 2008, 1744, . | 0.5 | 107 |
| 70 | A new species within the genus <i>Marionina</i> (Enchytraeidae: Annelida: Clitellata) from the southern Black Sea. <i>Marine Biology Research</i> , 2007, 3, 397-402. | 0.7 | 5 |
| 71 | COI variation in Scandinavian marine species of <i>Tubificoides</i> (Annelida: Clitellata: Tubificidae). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 87, 1121-1126. | 0.8 | 17 |
| 72 | Seven new species of <i>Grania</i> (Annelida: Clitellata: Enchytraeidae) from New Caledonia, South Pacific Ocean. <i>Zootaxa</i> , 2007, 1426, 27-50. | 0.5 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | A molecular phylogeny of annelids. <i>Cladistics</i> , 2007, 23, 41-63. | 3.3 | 230 |
| 74 | Aquatic Oligochaeta (Annelida) of Balıkdam wetland (Turkey), with description of two new species of Phalloporinae. <i>Biologia (Poland)</i> , 2007, 62, 323-334. | 1.5 | 16 |
| 75 | The diverse <i>Grania</i> fauna (Clitellata: Enchytraeidae) of the Esperance area, Western Australia, with descriptions of two new species. <i>Journal of Natural History</i> , 2007, 41, 999-1023. | 0.5 | 5 |
| 76 | Six new species of the gutless genus <i>Olavius</i> (Annelida: Clitellata: Tubificidae) from New Caledonia. <i>Zootaxa</i> , 2007, 1400, 45. | 0.5 | 0 |
| 77 | Molecular evidence for the non-monophyletic status of Naidinae (Annelida, Clitellata, Tubificidae). <i>Molecular Phylogenetics and Evolution</i> , 2006, 40, 570-584. | 2.7 | 48 |
| 78 | Phylogeny of 16S rRNA, Ribulose 1,5-Bisphosphate Carboxylase/Oxygenase, and Adenosine 5'-Phosphosulfate Reductase Genes from Gamma- and Alphaproteobacterial Symbionts in Gutless Marine Worms (Oligochaeta) from Bermuda and the Bahamas. <i>Applied and Environmental Microbiology</i> , 2006, 72, 5527-5536. | 3.1 | 57 |
| 79 | Myxozoan parasites disseminated via oligochaete worms as live food for aquarium fishes: descriptions of aurantiactinomyxon and raabeia actinospore types. <i>Diseases of Aquatic Organisms</i> , 2006, 69, 213-225. | 1.0 | 18 |
| 80 | Dissemination of triactinomyxons (Myxozoa) via oligochaetes used as live food for aquarium fishes. <i>Diseases of Aquatic Organisms</i> , 2005, 65, 137-152. | 1.0 | 24 |
| 81 | Phylogeny of Tubificidae (Annelida, Clitellata) based on mitochondrial and nuclear sequence data. <i>Molecular Phylogenetics and Evolution</i> , 2005, 35, 431-441. | 2.7 | 102 |
| 82 | Evaluation of ITS rDNA as a complement to mitochondrial gene sequences for phylogenetic studies in freshwater mussels: an example using Unionidae from north-western Europe. <i>Zoologica Scripta</i> , 2005, 34, 415-424. | 1.7 | 60 |
| 83 | Phylogeny of oligochaetous Clitellata. <i>Hydrobiologia</i> , 2005, 535-536, 357-372. | 2.0 | 60 |
| 84 | A new marine species of Tubificoides (Annelida: Oligochaeta: Tubificidae) from Hawaii, U.S.A. <i>Proceedings of the Biological Society of Washington</i> , 2005, 118, 264-269. | 0.3 | 2 |
| 85 | Coexistence of Bacterial Sulfide Oxidizers, Sulfate Reducers, and Spirochetes in a Gutless Worm (Oligochaeta) from the Peru Margin. <i>Applied and Environmental Microbiology</i> , 2005, 71, 1553-1561. | 3.1 | 106 |
| 86 | Life cycle studies of <i>Myxobolus parviformis</i> sp. n. (Myxozoa: Myxobolidae) from bream. <i>Diseases of Aquatic Organisms</i> , 2005, 66, 233-243. | 1.0 | 26 |
| 87 | 18S rDNA phylogeny of Clitellata (Annelida). <i>Zoologica Scripta</i> , 2004, 33, 187-196. | 1.7 | 114 |
| 88 | Molecular methods clarify morphometric variation in triactinomyxon spores (Myxozoa) released from different oligochaete hosts. <i>Systematic Parasitology</i> , 2004, 57, 1-14. | 1.1 | 31 |
| 89 | New species of <i>Doliodrilus</i> and other Limnodriloidinae (Oligochaeta, Tubificidae) from Hainan and other parts of the north-west Pacific Ocean. <i>Journal of Natural History</i> , 2004, 38, 269-299. | 0.5 | 5 |
| 90 | A phylogenetic analysis of Tubificinae and Limnodriloidinae (Annelida, Clitellata, Tubificidae) using sperm and somatic characters. <i>Zoologica Scripta</i> , 2003, 32, 255-278. | 1.7 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 91 | Marine species of <i>Ainudrilus</i> and <i>Heterodrilus</i> (Oligochaeta: Tubificidae: Rhyacodrilinae) from Hainan Island in southern China. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2003, 37, 205-217. | 2.0 | 6 |
| 92 | 18S rDNA Phylogeny of the Tubificidae (Clitellata) and Its Constituent Taxa: Dismissal of the Naididae. <i>Molecular Phylogenetics and Evolution</i> , 2002, 22, 414-422. | 2.7 | 48 |
| 93 | Mangroves and marine oligochaete diversity. <i>Wetlands Ecology and Management</i> , 2002, 10, 197-202. | 1.5 | 15 |
| 94 | New species of <i>Heterodrilus</i> (Oligochaeta, Tubificidae) and records of <i>H. maiusculus</i> from the Mediterranean Sea. <i>Italian Journal of Zoology</i> , 2001, 68, 223-228. | 0.6 | 4 |
| 95 | Soil-dwelling polychaetes: enigmatic as ever? Some hints on their phylogenetic relationships as suggested by a maximum parsimony analysis of 18S rRNA gene sequences. <i>Contributions To Zoology</i> , 2001, 70, 127-138. | 0.5 | 57 |
| 96 | The Function of Marine Critical Transition Zones and the Importance of Sediment Biodiversity. <i>Ecosystems</i> , 2001, 4, 430-451. | 3.4 | 413 |
| 97 | Validating Livanow: Molecular Data Agree That Leeches, Branchiobdellidans, and <i>Acanthobdella peledina</i> Form a Monophyletic Group of Oligochaetes. <i>Molecular Phylogenetics and Evolution</i> , 2001, 21, 346-351. | 2.7 | 154 |
| 98 | Endosymbiotic sulphate-reducing and sulphide-oxidizing bacteria in an oligochaete worm. <i>Nature</i> , 2001, 411, 298-302. | 27.8 | 196 |
| 99 | Phylogenetic Analysis of Tubificidae (Annelida, Clitellata) Based on 18S rDNA Sequences. <i>Molecular Phylogenetics and Evolution</i> , 2000, 15, 381-389. | 2.7 | 58 |
| 100 | Two new and peculiar species of <i>Grania</i> (Annelida: Clitellata: Enchytraeidae) inhabiting Tasmanian estuaries. <i>New Zealand Journal of Zoology</i> , 2000, 27, 245-254. | 1.1 | 9 |
| 101 | Morphology and phylogenetic implications of oesophageal modifications in the <i>Limnodriloidinae</i> (Oligochaeta, Tubificidae). <i>Journal of Zoology</i> , 1999, 248, 467-482. | 1.7 | 12 |
| 102 | Title is missing!. <i>Hydrobiologia</i> , 1999, 406, 213-222. | 2.0 | 22 |
| 103 | Development of the genital ducts and spermathecae in the Rhyacodrilines <i>Rhyacodrilus coccineus</i> and <i>Monopylephorus rubroniveus</i> (Oligochaeta, Tubificidae). <i>Journal of Morphology</i> , 1999, 242, 141-156. | 1.2 | 15 |
| 104 | Marine Tubificidae (Oligochaeta) from a mangrove habitat in Kenya. <i>Tropical Zoology</i> , 1999, 12, 137-143. | 0.6 | 6 |
| 105 | Sperm types and their use for a phylogenetic analysis of aquatic clitellates. , 1999, , 225-237. | | 9 |
| 106 | A systematic account of the Questidae (Annelida, Polychaeta), with description of new taxa. <i>Zoologica Scripta</i> , 1998, 27, 345-360. | 1.7 | 27 |
| 107 | Morphogenesis of the Genital Ducts and Spermathecae in <i>Clitellio arenarius</i> , <i>Heterochaeta costata</i> , <i>Tubificoides benedii</i> (Tubificidae) and <i>Stylaria lacustris</i> (Naididae) (Annelida,) Tj ETQq1 1 0.784314 rgBT / Overlock | 1.4 | 26 |
| 108 | Records of Estuarine Tubificidae (Oligochaeta) from Taiwan. <i>Species Diversity</i> , 1997, 2, 97-104. | 0.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Six new species of <i>Grania</i> (Oligochaeta, Enchytraeidae) from the Ross Sea, Antarctica. <i>Antarctic Science</i> , 1996, 8, 169-183. | 0.9 | 19 |
| 110 | Tubificidae (Oligochaeta) from the Ross Sea (Antarctica), with descriptions of one new genus and two new species. <i>Polar Biology</i> , 1996, 16, 491-496. | 1.2 | 0 |
| 111 | A Comparative Structural Study on Bacterial Symbioses of Caribbean Gutless Tubificidae (Annelida). <i>Tj ETQq1 1 0.784314 rgBT /Overl</i> 0.8 18 | 0.8 | 18 |
| 112 | Marine Tubificidae (Oligochaeta) of Antarctica, with descriptions of three new species of Phallodrilinae. <i>Zoologica Scripta</i> , 1994, 23, 217-224. | 1.7 | 13 |
| 113 | Groundwater and marine intertidal Tubificidae (Oligochaeta) from the Canary and Cabo Verde Islands, with descriptions of two new species. <i>Bijdragen Tot De Dierkunde</i> , 1992, 62, 63-70. | 0.2 | 6 |
| 114 | A generic revision of the Phallodrilinae (Oligochaeta, Tubificidae). <i>Zoologica Scripta</i> , 1992, 21, 5-48. | 1.7 | 54 |
| 115 | Two new species and a phylogenetic analysis of the genus <i>Tectidrilus</i> (Oligochaeta, Tubificidae). <i>Zoologica Scripta</i> , 1991, 20, 333-338. | 1.7 | 9 |
| 116 | <i>Phallodrilus aquaedulcis</i> HrabĀ, 1960, a meiobenthic freshwater oligochaete (Tubificidae) previously known only from Europe, recorded from the Niagara River, North America. <i>Canadian Journal of Zoology</i> , 1991, 69, 291-294. | 1.0 | 12 |
| 117 | Cladistic analysis of the subfamilies within the Tubificidae (Oligochaeta). <i>Zoologica Scripta</i> , 1990, 19, 57-63. | 1.7 | 65 |
| 118 | The marine Tubificidae (Oligochaeta) of the barrier reef ecosystems at Carrie Bow Cay, Belize, and other parts of the Caribbean Sea, with descriptions of twenty-seven new species and revision of <i>Heterodrilus</i> , <i>Thalassodrilides</i> and <i>Smithsonidrilus</i> . <i>Zoologica Scripta</i> , 1990, 19, 243-303. | 1.7 | 55 |
| 119 | Two new species of the marine genus <i>Limnodriloides</i> and a record of <i>Tubificoides fraseri</i> Brinkhurst (Oligochaeta: Tubificidae) from New Zealand. <i>New Zealand Journal of Marine and Freshwater Research</i> , 1989, 23, 557-561. | 2.0 | 6 |
| 120 | Three new species of <i>Tubificoides</i> (Oligochaeta, Tubificidae) from the North-West Atlantic and notes on geographic variation in the circumpolar <i>T. kozloffii</i> . <i>Sarsia</i> , 1987, 72, 159-169. | 0.5 | 11 |
| 121 | A new species of <i>Tubificoides</i> (Oligochaeta, Tubificidae) from the Adriatic Sea. <i>Bollettino Di Zoologia</i> , 1987, 54, 165-168. | 0.3 | 7 |
| 122 | Seven new marine species of <i>Phallodrilus</i> (Oligochaeta: Tubificidae) from various parts of Europe, and a re-examination of the type species <i>P. parthenopaeus</i> Pierantoni. <i>Journal of Natural History</i> , 1987, 21, 915-931. | 0.5 | 13 |
| 123 | Marine <i>Limnodriloidinae</i> (Oligochaeta, Tubificidae) from Italy, with description of two new species. <i>Bollettino Di Zoologia</i> , 1987, 54, 159-164. | 0.3 | 10 |
| 124 | Phylogenetic analysis of the aquatic Oligochaeta under the principle of parsimony. <i>Hydrobiologia</i> , 1987, 155, 75-89. | 2.0 | 54 |
| 125 | Distribution and ecology of Middle Atlantic Bight Oligochaeta. <i>Hydrobiologia</i> , 1987, 155, 215-225. | 2.0 | 11 |
| 126 | PARSIMONY ANALYSIS OF THE PHYLOGENY OF SOME OLIGOCHAETA (ANNELIDA) USING SPERMATOOZAL ULTRASTRUCTURE. <i>Cladistics</i> , 1987, 3, 145-155. | 3.3 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 127 | An Italian record of the aquatic oligochaete <i>monopylephorus limosus</i> (Tubificidae), previously known only from Japan and China. <i>Bollettino Di Zoologia</i> , 1986, 53, 115-118. | 0.3 | 12 |
| 128 | RESEARCHES ON THE COAST OF SOMALIA. THE SHORE AND THE DUNE OF SAR UANLE. <i>Monitore Zoologico Italiano Supplemento</i> , 1986, 21, 105-108. | 0.1 | 2 |
| 129 | A new species of <i>Phalodrilus</i> (Oligochaeta, Tubificidae) from a limestone cave on Bermuda. <i>Sarsia</i> , 1986, 71, 7-9. | 0.5 | 11 |
| 130 | Four new interstitial species of marine Oligochaeta representing a new family. <i>Zoologica Scripta</i> , 1986, 15, 53-60. | 1.7 | 16 |
| 131 | Marine Enchytraeids (Oligochaeta) of the Coastal Northwest Atlantic (Northern and Mid U.S.A.). <i>Zoologica Scripta</i> , 1985, 14, 103-116. | 1.7 | 18 |
| 132 | New and Little-Known Species of Deep-sea Tubificidae (Oligochaeta) from the North-West Atlantic. <i>Zoologica Scripta</i> , 1984, 13, 101-106. | 1.7 | 4 |
| 133 | Taxonomy and Phylogeny of the Gutless Phalodrilinae (Oligochaeta, Tubificidae), with Descriptions of One New Genus and Twenty-Two New Species*. <i>Zoologica Scripta</i> , 1984, 13, 239-272. | 1.7 | 43 |
| 134 | A new record of <i>Bacescuella parvithecata</i> (Oligochaeta, Tubificidae) from Golfo de California. <i>Sarsia</i> , 1984, 69, 181-183. | 0.5 | 3 |
| 135 | Taxonomic Studies of the Marine Genus <i>Marcusaedrilus</i> Righi & Kanner (Oligochaeta, Tubificidae), with Descriptions of Seven New Species from the Caribbean Area and Australia*. <i>Zoologica Scripta</i> , 1983, 12, 25-36. | 1.7 | 12 |
| 136 | Redescription of <i>Phalodrilus minutus</i> (Oligochaeta, Tubificidae) based on new material from the North Sea coast of Germany. <i>Sarsia</i> , 1983, 68, 229-231. | 0.5 | 8 |
| 137 | <i>Duridrilus tardus</i> gen. et sp.n., a marine tubificid (oligochaeta) from Bermuda and Barbados. <i>Sarsia</i> , 1983, 68, 29-32. | 0.5 | 6 |
| 138 | New species of the gutless marine genus <i>Inanidrilus</i> (Oligochaeta, Tubificidae) from the Gulf of Mexico and Barbados. <i>Canadian Journal of Zoology</i> , 1982, 60, 3063-3067. | 1.0 | 13 |
| 139 | Three new species of the marine genus <i>Coralliodrilus</i> (Oligochaeta, Tubificidae) from Italy. <i>Bollettino Di Zoologia</i> , 1982, 49, 241-247. | 0.3 | 8 |
| 140 | Revision of the marine genus <i>Smithsonidrilus</i> Brinkhurst (Oligochaeta, Tubificidae). <i>Sarsia</i> , 1982, 67, 47-54. | 0.5 | 8 |
| 141 | <i>Atlantidrilus</i> , a new genus of deep-sea Tubificidae (Oligochaeta). <i>Sarsia</i> , 1982, 67, 43-46. | 0.5 | 3 |
| 142 | <i>Parakakettio longiprostatus</i> gen. et sp.n., a Marine Tubificid (Oligochaeta) from Florida, U.S.A.. <i>Zoologica Scripta</i> , 1982, 11, 195-197. | 1.7 | 6 |
| 143 | Marine biological investigations in the Bahamas 20. A new species of <i>Jamiesoniella</i> (Oligochaeta, Tubificidae). <i>Tj ETQq1 1 0.784314 rgBT / Overlock</i> | 0.5 | 6 |
| 144 | Taxonomic Studies of Phalodrilinae (Oligochaeta, Tubificidae) from the Great Barrier Reef and the Comoro Islands with Descriptions of Ten New Species and One New Genus. <i>Zoologica Scripta</i> , 1981, 10, 15-31. | 1.7 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 145 | Two New Genera of Marine Tubificidae (Oligochaeta) from Australia's Great Barrier Reef. <i>Zoologica Scripta</i> , 1981, 10, 105-110. | 1.7 | 19 |
| 146 | Taxonomic Revision of the Marine Genus <i>Heterodrilus</i> Pierantoni (Oligochaeta, Tubificidae) 1. <i>Zoologica Scripta</i> , 1981, 10, 111-132. | 1.7 | 28 |
| 147 | Morphology and distribution of <i>Aethozoon pellucida</i> (Bryozoa, Ctenostomata). <i>Sarsia</i> , 1980, 65, 243-248. | 0.5 | 4 |
| 148 | A new species of <i>Grania</i> (Oligochaeta, Enchytraeidae) from Ascension Island, South Atlantic. <i>Sarsia</i> , 1980, 65, 27-28. | 0.5 | 6 |
| 149 | Taxonomic Studies on the Marine Genera <i>Akteredrilus</i> Knällner and <i>Bacescuella</i> Hrabě (Oligochaeta, Tubificidae). <i>Zoologica Scripta</i> , 1979, 8, 139-151. | 1.7 | 27 |
| 150 | Two species of <i>Grania</i> (Oligochaeta, Enchytraeidae) from the Pacific Coast of North America. <i>Canadian Journal of Zoology</i> , 1980, 58, 1037-1041. | 1.0 | 11 |
| 151 | New species of <i>Phalodrilus</i> (Oligochaeta, Tubificidae) from the Arctic deep sea and Norwegian fjords. <i>Sarsia</i> , 1980, 65, 57-60. | 0.5 | 11 |
| 152 | Taxonomic Revision of the Marine Genera <i>Bathodrilus</i> Cook and <i>Macroseta</i> Ersäus (Oligochaeta, Tubificidae), with Descriptions of Six New Species and Subspecies. <i>Zoologica Scripta</i> , 1979, 8, 139-151. | 1.7 | 27 |
| 153 | Taxonomic Revision of the Marine Genus <i>Phalodrilus</i> Pierantoni (Oligochaeta, Tubificidae), with Descriptions of Thirteen New Species. <i>Zoologica Scripta</i> , 1979, 8, 187-208. | 1.7 | 52 |
| 154 | <i>Inanidrilus bulbosus</i> gen. et sp.n., a Marine Tubificid (Oligochaeta) from Florida, USA. <i>Zoologica Scripta</i> , 1979, 8, 209-210. | 1.7 | 19 |
| 155 | Re-examination of the marine genus <i>Spiridion</i> Knällner (Oligochaeta, Tubificidae). <i>Sarsia</i> , 1979, 64, 183-187. | 0.5 | 8 |
| 156 | <i>Corallodrilus leviatriatus</i> gen. et sp.n., a marine tubificid (Oligochaeta) from Bermuda. <i>Sarsia</i> , 1979, 64, 179-182. | 0.5 | 11 |
| 157 | Two New Species of the Little-known Genus <i>Bacescuella</i> Hrabě (Oligochaeta, Tubificidae) from the North Atlantic. <i>Zoologica Scripta</i> , 1978, 7, 263-267. | 1.7 | 19 |
| 158 | Marine Oligochaeta from the Koster Area, West Coast of Sweden, with Descriptions of Two New Enchytraeid Species. <i>Zoologica Scripta</i> , 1978, 6, 293-298. | 1.7 | 17 |
| 159 | Redescription of <i>Grania monochaeta</i> (Michaelsen), a Marine Enchytraeid (Oligochaeta) from South Georgia (SW Atlantic). <i>Zoologica Scripta</i> , 1978, 6, 299-300. | 1.7 | 10 |
| 160 | New species of <i>Adelodrilus</i> and a revision of the genera <i>Adelodrilus</i> and <i>Adelodriloides</i> (Oligochaeta, Tubificidae). <i>Zoologica Scripta</i> , 1978, 6, 299-300. | 0.5 | 15 |
| 161 | Marine subtidal Tubificidae and Enchytraeidae (Oligochaeta) of the Bergen area, western Norway. <i>Sarsia</i> , 1976, 62, 25-48. | 0.5 | 17 |
| 162 | Littoral Oligochaeta (Annelida) from Eyjafjörður, North Coast of Iceland. <i>Zoologica Scripta</i> , 1976, 5, 5-11. | 1.7 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 163 | <i>Pelosclex amplivasatus</i> sp.n. and <i>Macroseta rarisetis</i> gen. et sp.n. (Oligochaeta, Tubificidae) from the west coast of Norway. <i>Sarsia</i> , 1975, 58, 1-8. | 0.5 | 18 |
| 164 | On the Systematic Position of <i>Rhyacodrilus prostatus</i> Knäqllner (Oligochaeta, Tubificidae). <i>Zoologica Scripta</i> , 1975, 4, 33-35. | 1.7 | 13 |
| 165 | <i>Grania fusilla</i> sp.n. (Oligochaeta, Enchytraeidae) from the west coasts of Norway and Sweden with some taxonomic notes on the genus <i>Grania</i> . <i>Sarsia</i> , 1974, 56, 87-94. | 0.5 | 15 |
| 166 | Evolution of habitat preference in Clitellata (Annelida). <i>Biological Journal of the Linnean Society</i> , 0, 95, 447-464. | 1.6 | 27 |
| 167 | New insights into the systematics of <i>Lumbricillus</i> and <i>Marionina</i> (Clitellata: Enchytraeidae) inferred from Southern Hemisphere samples, including three new species. <i>Zoological Journal of the Linnean Society</i> , 0, , . | 2.3 | 0 |
| 168 | Investigating the Clitellata (Annelida) of Icelandic springs with alternative barcodes. <i>Fauna Norvegica</i> , 0, 39, 119-132. | 0.3 | 4 |