

# GrÃ©goire Le Gal

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6823144/publications.pdf>

Version: 2024-02-01

432  
papers

24,648  
citations

9756

73  
h-index

8835

145  
g-index

482  
all docs

482  
docs citations

482  
times ranked

17134  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | 2019 ESC Guidelines for the diagnosis and management of acute pulmonary embolism developed in collaboration with the European Respiratory Society (ERS). <i>European Heart Journal</i> , 2020, 41, 543-603.  | 1.0  | 2,426     |
| 2  | Influence of Omeprazole on the Antiplatelet Action of Clopidogrel Associated With Aspirin. <i>Journal of the American College of Cardiology</i> , 2008, 51, 256-260.   | 1.2  | 890       |
| 3  | Prediction of Pulmonary Embolism in the Emergency Department: The Revised Geneva Score. <i>Annals of Internal Medicine</i> , 2006, 144, 165.   | 2.0  | 851       |
| 4  | Therapeutic Anticoagulation with Heparin in Noncritically Ill Patients with Covid-19. <i>New England Journal of Medicine</i> , 2021, 385, 790-802.   | 13.9 | 778       |
| 5  | Therapeutic Anticoagulation with Heparin in Critically Ill Patients with Covid-19. <i>New England Journal of Medicine</i> , 2021, 385, 777-789.  | 13.9 | 712       |
| 6  | Age-Adjusted D-Dimer Cutoff Levels to Rule Out Pulmonary Embolism. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 1117.  | 3.8  | 680       |
| 7  | Apixaban to Prevent Venous Thromboembolism in Patients with Cancer. <i>New England Journal of Medicine</i> , 2019, 380, 711-719.   | 13.9 | 614       |
| 8  | Multidetector-Row Computed Tomography in Suspected Pulmonary Embolism. <i>New England Journal of Medicine</i> , 2005, 352, 1760-1768.  | 13.9 | 593       |
| 9  | Prevention, Diagnosis, and Treatment of VTE in Patients With Coronavirus Disease 2019. <i>Chest</i> , 2020, 158, 1143-1163.  | 0.4  | 531       |
| 10 | Identifying unprovoked thromboembolism patients at low risk for recurrence who can discontinue anticoagulant therapy. <i>Cmaj</i> , 2008, 179, 417-426.  | 0.9  | 484       |
| 11 | Systematic Review: Case-Fatality Rates of Recurrent Venous Thromboembolism and Major Bleeding Events Among Patients Treated for Venous Thromboembolism. <i>Annals of Internal Medicine</i> , 2010, 152, 578.                                       | 2.0  | 401       |
| 12 | Diagnosis of pulmonary embolism by multidetector CT alone or combined with venous ultrasonography of the leg: a randomised non-inferiority trial. <i>Lancet, The</i> , 2008, 371, 1343-1352.   | 6.3  | 375       |
| 13 | Subsegmental pulmonary embolism diagnosed by computed tomography: incidence and clinical implications. A systematic review and meta-analysis of the management outcome studies. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 1716-1722. | 1.9  | 323       |
| 14 | Prospective validation of the Pulmonary Embolism Severity Index. <i>Thrombosis and Haemostasis</i> , 2008, 100, 943-948.   | 1.8  | 289       |
| 15 | Perioperative Management of Patients With Atrial Fibrillation Receiving a Direct Oral Anticoagulant. <i>JAMA Internal Medicine</i> , 2019, 179, 1469.  | 2.6  | 283       |
| 16 | American Society of Hematology 2018 guidelines for management of venous thromboembolism: diagnosis of venous thromboembolism. <i>Blood Advances</i> , 2018, 2, 3226-3256.  | 2.5  | 271       |
| 17 | Systematic Review: The Trousseau Syndrome Revisited: Should We Screen Extensively for Cancer in Patients with Venous Thromboembolism?. <i>Annals of Internal Medicine</i> , 2008, 149, 323.  | 2.0  | 261       |
| 18 | Clinical prediction rules for pulmonary embolism: a systematic review and meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 957-970.  | 1.9  | 258       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Potential of an age adjusted D-dimer cut-off value to improve the exclusion of pulmonary embolism in older patients: a retrospective analysis of three large cohorts. <i>BMJ: British Medical Journal</i> , 2010, 340, c1475-c1475.        | 2.4  | 258       |
| 20 | Simplification of the Revised Geneva Score for Assessing Clinical Probability of Pulmonary Embolism. <i>Archives of Internal Medicine</i> , 2008, 168, 2131.   | 4.3  | 255       |
| 21 | Screening for Occult Cancer in Unprovoked Venous Thromboembolism. <i>New England Journal of Medicine</i> , 2015, 373, 697-704.   | 13.9 | 239       |
| 22 | Venous Thromboembolism. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 1583.   | 3.8  | 224       |
| 23 | Meta-analysis of 65,734 Individuals Identifies TSPAN15 and SLC44A2 as Two Susceptibility Loci for Venous Thromboembolism. <i>American Journal of Human Genetics</i> , 2015, 96, 532-542.   | 2.6  | 222       |
| 24 | Influence of omeprazol on the antiplatelet action of clopidogrel associated to aspirin. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 2508-2509.   | 1.9  | 217       |
| 25 | Antepartum dalteparin versus no antepartum dalteparin for the prevention of pregnancy complications in pregnant women with thrombophilia (TIPPS): a multinational open-label randomised trial. <i>Lancet, The</i> , 2014, 384, 1673-1683.  | 6.3  | 210       |
| 26 | Pulmonary embolism. <i>Nature Reviews Disease Primers</i> , 2018, 4, 18028.  | 18.1 | 208       |
| 27 | Prevention of venous thrombosis in patients with acute intracerebral hemorrhage. <i>Neurology</i> , 2005, 65, 865-869.   | 1.5  | 207       |
| 28 | Diagnosis of Pulmonary Embolism with <sc>d</sc>-Dimer Adjusted to Clinical Probability. <i>New England Journal of Medicine</i> , 2019, 381, 2125-2134.   | 13.9 | 207       |
| 29 | A positive compression ultrasonography of the lower limb veins is highly predictive of pulmonary embolism on computed tomography in suspected patients. <i>Thrombosis and Haemostasis</i> , 2006, 95, 963-966.                             | 1.8  | 203       |
| 30 | Dose escalation of low molecular weight heparin to manage recurrent venous thromboembolic events despite systemic anticoagulation in cancer patients. <i>Journal of Thrombosis and Haemostasis</i> , 2009, 7, 760-765.                     | 1.9  | 200       |
| 31 | Validating the HERDOO2 rule to guide treatment duration for women with unprovoked venous thrombosis: multinational prospective cohort management study. <i>BMJ: British Medical Journal</i> , 2017, 356, j1065.                            | 2.4  | 174       |
| 32 | Clinical relevance of distal deep vein thrombosis. <i>Thrombosis and Haemostasis</i> , 2006, 95, 56-64.  | 1.8  | 166       |
| 33 | Rates of venous thromboembolism in multiple myeloma patients undergoing immunomodulatory therapy with thalidomide or lenalidomide: a systematic review and meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2011, 9, 653-663. | 1.9  | 164       |
| 34 | Efficacy and safety outcomes of oral anticoagulants and antiplatelet drugs in the secondary prevention of venous thromboembolism: systematic review and network meta-analysis. <i>BMJ, The</i> , 2013, 347, f5133-f5133.                   | 3.0  | 158       |
| 35 | VIDAS D-dimer in combination with clinical pre-test probability to rule out pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2009, 101, 886-892.  | 1.8  | 156       |
| 36 | Diagnosis and management of subsegmental pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 724-731.  | 1.9  | 152       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Accuracy of Multislice Computed Tomography in the Preoperative Assessment of Coronary Disease in Patients With Aortic Valve Stenosis. <i>Journal of the American College of Cardiology</i> , 2006, 47, 2020-2024.                  | 1.2 | 140       |
| 38 | Anticoagulant therapy for symptomatic calf deep vein thrombosis (CACTUS): a randomised, double-blind, placebo-controlled trial. <i>Lancet Haematology</i> , 2016, 3, e556-e562.  | 2.2 | 135       |
| 39 | Lack of Evidence to Support Thromboprophylaxis in Hospitalized Medical Patients with Cancer. <i>American Journal of Medicine</i> , 2014, 127, 82-86.e1.  | 0.6 | 132       |
| 40 | Outpatient treatment of symptomatic pulmonary embolism: A systematic review and meta-analysis. <i>Thrombosis Research</i> , 2013, 132, 515-519.  | 0.8 | 131       |
| 41 | Meta-analysis of low-molecular-weight heparin to prevent recurrent placenta-mediated pregnancy complications. <i>Blood</i> , 2014, 123, 822-828.   | 0.6 | 130       |
| 42 | Diagnosis of Pulmonary Embolism During Pregnancy. <i>Annals of Internal Medicine</i> , 2018, 169, 766.   | 2.0 | 128       |
| 43 | Clinical and Safety Outcomes Associated With Treatment of Acute Venous Thromboembolism. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 1122.   | 3.8 | 126       |
| 44 | The Simplified Pulmonary Embolism Severity Index (PESI): validation of a clinical prognostic model for pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2011, 9, 2115-2117.                                      | 1.9 | 125       |
| 45 | Diagnosing pulmonary embolism: running after the decreasing prevalence of cases among suspected patients. <i>Journal of Thrombosis and Haemostasis</i> , 2004, 2, 1244-1246.   | 1.9 | 124       |
| 46 | Comparison of the revised Geneva score with the Wells rule for assessing clinical probability of pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2008, 6, 40-44.  | 1.9 | 124       |
| 47 | Residual vein obstruction to predict the risk of recurrent venous thromboembolism in patients with deep vein thrombosis: a systematic review and meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2011, 9, 1119-1125. | 1.9 | 124       |
| 48 | 2008 SOR guidelines for the prevention and treatment of thrombosis associated with central venous catheters in patients with cancer: report from the working group. <i>Annals of Oncology</i> , 2009, 20, 1459-1471.               | 0.6 | 116       |
| 49 | Assessment of coronary artery stents by 16 slice computed tomography. <i>Heart</i> , 2006, 92, 58-61.  | 1.2 | 112       |
| 50 | Risk of post-thrombotic syndrome after subtherapeutic warfarin anticoagulation for a first unprovoked deep vein thrombosis: results from the REVERSE study. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 2039-2044.    | 1.9 | 110       |
| 51 | Clinical usefulness of D-dimer testing in cancer patients with suspected pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2006, 95, 715-719.  | 1.8 | 108       |
| 52 | Enoxaparin for prevention of unexplained recurrent miscarriage: a multicenter randomized double-blind placebo-controlled trial. <i>Blood</i> , 2015, 125, 2200-2205.   | 0.6 | 103       |
| 53 | Cardiac biomarkers for risk stratification in non-massive pulmonary embolism: a multicenter prospective study. <i>Journal of Thrombosis and Haemostasis</i> , 2009, 7, 391-398.  | 1.9 | 101       |
| 54 | Influence of age on the effectiveness of diagnostic strategies for suspected pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2007, 5, 1869-1877.  | 1.9 | 100       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Anticoagulant interventions in hospitalized patients with COVID-19: A scoping review of randomized controlled trials and call for international collaboration. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 2958-2967. | 1.9 | 98        |
| 56 | Midterm Prognosis of Patients With Suspected Coronary Artery Disease and Normal Multislice Computed Tomographic Findings. <i>Archives of Internal Medicine</i> , 2007, 167, 1686.  | 4.3 | 97        |
| 57 | Prognostic significance of residual venous obstruction in patients with treated unprovoked deep vein thrombosis. <i>Thrombosis and Haemostasis</i> , 2014, 111, 172-179.   | 1.8 | 97        |
| 58 | Current incidence of venous thromboembolism and comparison with 1998: a community-based study in Western France. <i>Thrombosis and Haemostasis</i> , 2016, 116, 967-974.   | 1.8 | 96        |
| 59 | Screening for Occult Cancer in Patients With Unprovoked Venous Thromboembolism. <i>Annals of Internal Medicine</i> , 2017, 167, 410.   | 2.0 | 96        |
| 60 | Using an age-dependent D-dimer cut-off value increases the number of older patients in whom deep vein thrombosis can be safely excluded. <i>Haematologica</i> , 2012, 97, 1507-1513.   | 1.7 | 93        |
| 61 | Recommendations on Testing for Thrombophilia in Venous Thromboembolic Disease: a French Consensus Guideline. <i>Journal Des Maladies Vasculaires</i> , 2009, 34, 156-203.  | 0.6 | 89        |
| 62 | Effect of P2Y12 Inhibitors on Survival Free of Organ Support Among Non-Critically Ill Hospitalized Patients With COVID-19. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 227.                             | 3.8 | 89        |
| 63 | The Challenge of Diagnosing Pulmonary Embolism in Elderly Patients: Influence of Age on Commonly Used Diagnostic Tests and Strategies. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 1039-1045.                    | 1.3 | 88        |
| 64 | Safety of outpatient treatment in acute pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 2412-2417.   | 1.9 | 87        |
| 65 | Predictors of post-thrombotic syndrome in a population with a first deep vein thrombosis and no primary venous insufficiency. <i>Journal of Thrombosis and Haemostasis</i> , 2013, 11, 474-480.                                    | 1.9 | 86        |
| 66 | Use of anticoagulants in elderly patients: practical recommendations. <i>Clinical Interventions in Aging</i> , 2009, 4, 165.   | 1.3 | 83        |
| 67 | Limited screening with versus without 18F-fluorodeoxyglucose PET/CT for occult malignancy in unprovoked venous thromboembolism: an open-label randomised controlled trial. <i>Lancet Oncology</i> , The, 2016, 17, 193-199.        | 5.1 | 83        |
| 68 | Towards a tailored diagnostic standard for future diagnostic studies in pulmonary embolism: communication from the SSC of the ISTH. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 1040-1043.                            | 1.9 | 80        |
| 69 | Self-reported adherence to anticoagulation and its determinants using the Morisky medication adherence scale. <i>Thrombosis Research</i> , 2015, 136, 727-731.   | 0.8 | 78        |
| 70 | Benfluorex and Unexplained Valvular Heart Disease: A Case-Control Study. <i>PLoS ONE</i> , 2010, 5, e10128.  | 1.1 | 77        |
| 71 | Symptomatic subsegmental pulmonary embolism: what is the next step?. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 1486-1490.   | 1.9 | 77        |
| 72 | Recurrent venous thromboembolism in anticoagulated patients with cancer: management and short-term prognosis. <i>Journal of Thrombosis and Haemostasis</i> , 2015, 13, 1010-1018.  | 1.9 | 77        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | The impact of oral anticoagulation on time to surgery in patients hospitalized with hip fracture. <i>Thrombosis Research</i> , 2015, 136, 962-965.   | 0.8 | 77        |
| 74 | Value of D-Dimer Testing for the Exclusion of Pulmonary Embolism in Patients With Previous Venous Thromboembolism. <i>Archives of Internal Medicine</i> , 2006, 166, 176.  | 4.3 | 75        |
| 75 | Association between antipsychotic drugs, antidepressant drugs and venous thromboembolism: results from the EDITH case-control study. <i>Fundamental and Clinical Pharmacology</i> , 2007, 21, 643-650.   | 1.0 | 72        |
| 76 | Validity and clinical utility of the simplified Wells rule for assessing clinical probability for the exclusion of pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2009, 101, 197-200.   | 1.8 | 71        |
| 77 | Validation of a diagnostic approach to exclude recurrent venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2009, 7, 752-759.  | 1.9 | 68        |
| 78 | Diagnosis of acute pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 1251-1261.   | 1.9 | 67        |
| 79 | Pulmonary embolism rule-out criteria (PERC) rule in European patients with low implicit clinical probability (PERCEPIC): a multicentre, prospective, observational study. <i>Lancet Haematology</i> , 2017, 4, e615-e621.                                | 2.2 | 67        |
| 80 | Hyperhomocysteinemia and low B vitamin levels are independently associated with venous thromboembolism: results from the EDITH study: a hospital-based case-control study. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 793-799.              | 1.9 | 66        |
| 81 | Difference in interpretation of computed tomography pulmonary angiography diagnosis of subsegmental thrombosis in patients with suspected pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 496-498.                          | 1.9 | 66        |
| 82 | Efficacy and safety of weight-adjusted heparin prophylaxis for the prevention of acute venous thromboembolism among obese patients undergoing bariatric surgery: A systematic review and meta-analysis. <i>Thrombosis Research</i> , 2014, 133, 682-687. | 0.8 | 66        |
| 83 | Differential value of risk factors and clinical signs for diagnosing pulmonary embolism according to age. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 2457-2464.   | 1.9 | 64        |
| 84 | The pulmonary embolism rule-out criteria (PERC) rule does not safely exclude pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2011, 9, 300-304.  | 1.9 | 64        |
| 85 | The Perioperative Anticoagulant Use for Surgery Evaluation (PAUSE) Study for Patients on a Direct Oral Anticoagulant Who Need an Elective Surgery or Procedure: Design and Rationale. <i>Thrombosis and Haemostasis</i> , 2017, 117, 2415-2424.          | 1.8 | 62        |
| 86 | Treatment Algorithm in Cancer-Associated Thrombosis: Canadian Expert Consensus. <i>Current Oncology</i> , 2018, 25, 329-337.   | 0.9 | 62        |
| 87 | Long-Term Risk for Major Bleeding During Extended Oral Anticoagulant Therapy for First Unprovoked Venous Thromboembolism. <i>Annals of Internal Medicine</i> , 2021, 174, 1420-1429.   | 2.0 | 60        |
| 88 | Statins but not fibrates are associated with a reduced risk of venous thromboembolism: a hospital-based case-control study. <i>Fundamental and Clinical Pharmacology</i> , 2004, 18, 477-482.  | 1.0 | 59        |
| 89 | Complete venous ultrasound in outpatients with suspected pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2009, 7, 406-412.  | 1.9 | 59        |
| 90 | Risk of recurrent venous thromboembolism after a first oestrogen-associated episode. <i>Thrombosis and Haemostasis</i> , 2010, 104, 498-503.   | 1.8 | 59        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Noninvasive Diagnosis of Pulmonary Embolism. <i>Chest</i> , 2011, 139, 1294-1298.   | 0.4 | 59        |
| 92  | Performance of age-adjusted D-dimer cut-off to rule out pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 1291-1296.   | 1.9 | 59        |
| 93  | Impact of a nurses' protocol-directed weaning procedure on outcomes in patients undergoing mechanical ventilation for longer than 48 hours: a prospective cohort study with a matched historical control group. <i>Critical Care</i> , 2005, 9, R83.              | 2.5 | 57        |
| 94  | Family history as a risk factor for venous thromboembolism. <i>Thrombosis Research</i> , 2008, 122, 624-629.  | 0.8 | 56        |
| 95  | Diagnostic Accuracy of Single-Photon Emission Tomography Ventilation/Perfusion Lung Scan in the Diagnosis of Pulmonary Embolism. <i>Chest</i> , 2012, 141, 381-387.   | 0.4 | 55        |
| 96  | Investigations for bone metastasis from an unknown primary. <i>Joint Bone Spine</i> , 2007, 74, 85-89.  | 0.8 | 54        |
| 97  | Impact of High-Dose Prophylactic Anticoagulation in Critically Ill Patients With COVID-19 Pneumonia. <i>Chest</i> , 2021, 159, 2417-2427.   | 0.4 | 54        |
| 98  | Does the Pulmonary Embolism Severity Index accurately identify low risk patients eligible for outpatient treatment?. <i>Thrombosis Research</i> , 2012, 129, 710-714.   | 0.8 | 53        |
| 99  | Diagnostic value of single complete compression ultrasonography in pregnant and postpartum women with suspected deep vein thrombosis: prospective study. <i>BMJ, The</i> , 2012, 344, e2635-e2635.  | 3.0 | 50        |
| 100 | Dose escalation of low molecular weight heparin in patients with recurrent cancer-associated thrombosis. <i>Thrombosis Research</i> , 2014, 134, 93-95.   | 0.8 | 50        |
| 101 | Outcome of central venous catheter associated upper extremity deep vein thrombosis in cancer patients. <i>Thrombosis Research</i> , 2015, 135, 298-302.   | 0.8 | 49        |
| 102 | Oxybutynin as a treatment for generalized hyperhidrosis: a randomized, placebo-controlled trial. <i>British Journal of Dermatology</i> , 2015, 173, 1163-1168.  | 1.4 | 48        |
| 103 | Risk factors predictive of occult cancer detection in patients with unprovoked venous thromboembolism. <i>Blood</i> , 2016, 127, 2035-2037.   | 0.6 | 47        |
| 104 | Guidance for the diagnosis of pulmonary embolism during pregnancy: Consensus and controversies. <i>Thrombosis Research</i> , 2017, 157, 23-28.  | 0.8 | 47        |
| 105 | Hormone replacement therapy use is associated with a lower occurrence of carotid atherosclerotic plaques but not with intima-media thickness progression among postmenopausal women. The vascular aging (EVA) study. <i>Atherosclerosis</i> , 2003, 166, 163-170. | 0.4 | 46        |
| 106 | Inter-observer reliability of measures to assess the post-thrombotic syndrome. <i>Thrombosis and Haemostasis</i> , 2008, 100, 164-166.  | 1.8 | 46        |
| 107 | Differential effects of oral and transdermal postmenopausal estrogen replacement therapies on C-reactive protein. <i>Thrombosis and Haemostasis</i> , 2003, 90, 124-31.   | 1.8 | 46        |
| 108 | Baseline imaging after therapy for unprovoked venous thromboembolism: a randomized controlled comparison of baseline imaging for diagnosis of suspected recurrence. <i>Journal of Thrombosis and Haemostasis</i> , 2011, 9, 2406-2410.                            | 1.9 | 45        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Biological determinants of bleeding in patients with heterozygous factor XI deficiency. <i>British Journal of Haematology</i> , 2012, 156, 245-251.   | 1.2 | 45        |
| 110 | Patent Foramen Ovale and Ischemic Stroke in Patients With Pulmonary Embolism. <i>Annals of Internal Medicine</i> , 2019, 170, 756.  | 2.0 | 45        |
| 111 | Diagnosis and management of heparin-induced thrombocytopenia. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2020, 39, 291-310.  | 0.6 | 45        |
| 112 | Comparison of the Villalta post-thrombotic syndrome score in the ipsilateral vs. contralateral leg after a first unprovoked deep vein thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 1036-1042. | 1.9 | 44        |
| 113 | Non-OO blood type influences the risk of recurrent venous thromboembolism. <i>Thrombosis and Haemostasis</i> , 2013, 110, 1172-1179.  | 1.8 | 44        |
| 114 | Incidence and risk factors of symptomatic venous thromboembolism related to implanted ports in cancer patients. <i>Thrombosis Research</i> , 2014, 133, 30-33.  | 0.8 | 44        |
| 115 | Diagnosis of deep vein thrombosis of the lower extremity: a systematic review and meta-analysis of test accuracy. <i>Blood Advances</i> , 2020, 4, 1250-1264.   | 2.5 | 44        |
| 116 | Pulmonary embolism in the elderly: a review on clinical, instrumental and laboratory presentation. <i>Vascular Health and Risk Management</i> , 2008, Volume 4, 629-636.  | 1.0 | 43        |
| 117 | Cardiac Tamponade in Medical Patients: A 10-Year Follow-Up Survey. <i>Cardiology</i> , 2008, 111, 197-201.  | 0.6 | 42        |
| 118 | Clinical relevance of distal deep vein thrombosis. Review of literature data. <i>Thrombosis and Haemostasis</i> , 2006, 95, 56-64.  | 1.8 | 42        |
| 119 | VIDAS D-dimer in combination with clinical pre-test probability to rule out pulmonary embolism. A systematic review of management outcome studies. <i>Thrombosis and Haemostasis</i> , 2009, 101, 886-92.             | 1.8 | 42        |
| 120 | Incidence of venous thromboembolism in first-degree relatives of patients with venous thromboembolism who have factor V Leiden. <i>Thrombosis and Haemostasis</i> , 2006, 96, 744-749.                                | 1.8 | 41        |
| 121 | Predicting deep venous thrombosis in pregnancy: external validation of the LEFT clinical prediction rule. <i>Haematologica</i> , 2013, 98, 545-548.   | 1.7 | 41        |
| 122 | V/Q SPECT Interpretation for Pulmonary Embolism Diagnosis: Which Criteria to Use?. <i>Journal of Nuclear Medicine</i> , 2013, 54, 1077-1081.  | 2.8 | 41        |
| 123 | Net clinical benefit of hospitalization versus outpatient management of patients with acute pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 685-694.                                     | 1.9 | 41        |
| 124 | Correlation between cardiac biomarkers and right ventricular enlargement on chest CT in non massive pulmonary embolism. <i>Thrombosis Research</i> , 2008, 121, 617-624.  | 0.8 | 39        |
| 125 | Residual vein obstruction as a predictor for recurrent thromboembolic events after a first unprovoked episode: data from the REVERSE cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2011, 9, 1126-1132. | 1.9 | 39        |
| 126 | Systematic review and meta-analysis of test accuracy for the diagnosis of suspected pulmonary embolism. <i>Blood Advances</i> , 2020, 4, 4296-4311.   | 2.5 | 39        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Venous thromboembolism in cancer clinical trials: recommendation for standardized reporting and analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 2599-2601.   | 1.9 | 38        |
| 128 | Reproduction of chest pain by palpation: diagnostic accuracy in suspected pulmonary embolism. <i>BMJ: British Medical Journal</i> , 2005, 330, 452-453.   | 2.4 | 36        |
| 129 | Differences in clinical presentation of pulmonary embolism in women and men. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 693-698.   | 1.9 | 36        |
| 130 | Pulmonary Scintigraphy for the Diagnosis of Acute Pulmonary Embolism: A Survey of Current Practices in Australia, Canada, and France. <i>Journal of Nuclear Medicine</i> , 2015, 56, 1212-1217.   | 2.8 | 36        |
| 131 | Cancer, atrial fibrillation, and stroke. <i>Thrombosis Research</i> , 2017, 155, 101-105.   | 0.8 | 36        |
| 132 | Accuracy of 16-detector Multislice Spiral Computed Tomography in the initial evaluation of dilated cardiomyopathy. <i>European Journal of Radiology</i> , 2007, 61, 84-90.  | 1.2 | 35        |
| 133 | Patients with a first symptomatic unprovoked deep vein thrombosis are at higher risk of recurrent venous thromboembolism than patients with a first unprovoked pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 1926-1932. | 1.9 | 35        |
| 134 | The management of a subsegmental pulmonary embolism: a cross-sectional survey of Canadian thrombosis physicians. <i>Journal of Thrombosis and Haemostasis</i> , 2011, 9, 1412-1415.   | 1.9 | 35        |
| 135 | Lipid lowering drugs and the risk of recurrent venous thromboembolism. <i>Thrombosis Research</i> , 2012, 130, 859-863.   | 0.8 | 35        |
| 136 | Is atrial fibrillation associated with pulmonary embolism?. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 347-351.   | 1.9 | 35        |
| 137 | Long-term risk of venous thrombosis after stopping anticoagulants for a first unprovoked event: A multi-national cohort. <i>Thrombosis Research</i> , 2016, 143, 152-158.   | 0.8 | 35        |
| 138 | Diagnostic characteristics of lower limb venous compression ultrasonography in suspected pulmonary embolism: a meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2016, 14, 1765-1772.   | 1.9 | 35        |
| 139 | More on: clinical criteria to prevent unnecessary diagnostic testing in emergency department patients with suspected pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 188-189.   | 1.9 | 34        |
| 140 | Unprovoked Venous Thromboembolism: Short term or Indefinite Anticoagulation? Balancing Long-Term Risk and Benefit. <i>Blood Reviews</i> , 2010, 24, 171-178.  | 2.8 | 34        |
| 141 | Safety of ventilation/perfusion single photon emission computed tomography for pulmonary embolism diagnosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 1957-1964.   | 3.3 | 34        |
| 142 | Additional value of combining low-dose computed tomography to V/Q SPECT on a hybrid SPECT-CT camera for pulmonary embolism diagnosis. <i>Nuclear Medicine Communications</i> , 2015, 36, 922-930.   | 0.5 | 34        |
| 143 | Controversies in the diagnosis of venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2015, 13, S259-S265.   | 1.9 | 34        |
| 144 | Definition of pulmonary embolism-related death and classification of the cause of death in venous thromboembolism studies: Communication from the SSC of the ISTH. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 1495-1500.                | 1.9 | 33        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Risk for Recurrent Venous Thromboembolism in Patients With Subsegmental Pulmonary Embolism Managed Without Anticoagulation. <i>Annals of Internal Medicine</i> , 2022, 175, 29-35.                                | 2.0 | 33        |
| 146 | D-dimer for the diagnosis of pulmonary embolism: a call for sticking to evidence. <i>Intensive Care Medicine</i> , 2005, 31, 1-2.   | 3.9 | 31        |
| 147 | Differential associations between lipid-lowering drugs, statins and fibrates, and venous thromboembolism: Role of drug induced homocysteinemia?. <i>Thrombosis Research</i> , 2008, 122, 314-319.                 | 0.8 | 31        |
| 148 | Risk of recurrent venous thromboembolism among young women after a first event while exposed to combined oral contraception versus not exposed to: A cohort study. <i>Thrombosis Research</i> , 2013, 132, 51-55. | 0.8 | 31        |
| 149 | Effect of age on the assessment of clinical probability of pulmonary embolism by prediction rules. <i>Journal of Thrombosis and Haemostasis</i> , 2004, 2, 1206-1208.   | 1.9 | 30        |
| 150 | Antiplatelet drug use preceding the onset of intracerebral hemorrhage is associated with increased mortality. <i>Fundamental and Clinical Pharmacology</i> , 2007, 21, 327-333.                                   | 1.0 | 30        |
| 151 | Risk of recurrent venous thromboembolism on progestin-only contraception: a cohort study. <i>Haematologica</i> , 2016, 101, e12-e14.  | 1.7 | 30        |
| 152 | Anticoagulation therapy patterns for acute treatment of venous thromboembolism in GARFIELD-VTE patients. <i>Journal of Thrombosis and Haemostasis</i> , 2019, 17, 1694-1706.                                      | 1.9 | 30        |
| 153 | Could the YEARS algorithm be used to exclude pulmonary embolism during pregnancy? Data from the CT-PE pregnancy study. <i>Journal of Thrombosis and Haemostasis</i> , 2019, 17, 1329-1334.                        | 1.9 | 29        |
| 154 | Prevalence of confirmed antiphospholipid syndrome in 18-50 years unselected patients with first unprovoked venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 926-930.              | 1.9 | 29        |
| 155 | Derivation and Validation of a 4-Level Clinical Pretest Probability Score for Suspected Pulmonary Embolism to Safely Decrease Imaging Testing. <i>JAMA Cardiology</i> , 2021, 6, 669.                             | 3.0 | 29        |
| 156 | Prevalence of the JAK2 V617F mutation is low among unselected patients with a first episode of unprovoked venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2007, 6, 203-205.                | 1.9 | 28        |
| 157 | D-dimer testing is useful to exclude deep vein thrombosis in elderly outpatients. <i>Journal of Thrombosis and Haemostasis</i> , 2008, 6, 1072-1076.  | 1.9 | 28        |
| 158 | Lipid parameters, lipid lowering drugs and the risk of venous thromboembolism. <i>Atherosclerosis</i> , 2012, 220, 184-188.   | 0.4 | 28        |
| 159 | Impact of Rotavirus Vaccine on Premature Infants. <i>Vaccine Journal</i> , 2014, 21, 1404-1409.   | 3.2 | 28        |
| 160 | Venous thromboembolism diagnosis: unresolved issues. <i>Thrombosis and Haemostasis</i> , 2015, 113, 1184-1192.  | 1.8 | 28        |
| 161 | Management of venous thromboembolism in patients with glioma. <i>Thrombosis Research</i> , 2017, 156, 105-108.  | 0.8 | 28        |
| 162 | Gut dysfunction and endoscopic lesions after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2005, 66, 331-334.  | 1.3 | 27        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Diagnostic value of a negative single complete compression ultrasound of the lower limbs to exclude the diagnosis of deep venous thrombosis in pregnant or postpartum women: A retrospective hospital-based study. <i>Thrombosis Research</i> , 2006, 118, 691-697. | 0.8 | 27        |
| 164 | Evaluation of quantitative PCR for early diagnosis of <i>Pseudomonas aeruginosa</i> infection in cystic fibrosis: a prospective cohort study. <i>Clinical Microbiology and Infection</i> , 2017, 23, 203-207.   | 2.8 | 27        |
| 165 | Residual pulmonary embolism as a predictor for recurrence after a first unprovoked episode: Results from the REVERSE cohort study. <i>Thrombosis Research</i> , 2018, 162, 104-109.   | 0.8 | 27        |
| 166 | Development and implementation of common data elements for venous thromboembolism research: on behalf of SSC Subcommittee on official Communication from the SSC of the ISTH. <i>Journal of Thrombosis and Haemostasis</i> , 2021, 19, 297-303.                     | 1.9 | 27        |
| 167 | Safety and Efficiency of Diagnostic Strategies for Ruling Out Pulmonary Embolism in Clinically Relevant Patient Subgroups. <i>Annals of Internal Medicine</i> , 2022, 175, 244-255.   | 2.0 | 27        |
| 168 | Fibrinogen A1±-Thr312Ala and factor XIII-A Val34Leu polymorphisms in idiopathic venous thromboembolism. <i>Thrombosis Research</i> , 2007, 121, 333-338.  | 0.8 | 26        |
| 169 | Vitamin K epoxide reductase genetic polymorphism is associated with venous thromboembolism: results from the EDITH Study. <i>Journal of Thrombosis and Haemostasis</i> , 2007, 5, 2020-2024.  | 1.9 | 26        |
| 170 | â€œHERDOO2â€•clinical decision rule to guide duration of anticoagulation in women with unprovoked venous thromboembolism. Can I use any d-Dimer?. <i>Thrombosis Research</i> , 2018, 169, 82-86.  | 0.8 | 26        |
| 171 | Definitions, adjudication, and reporting of pulmonary embolismâ€•related death in clinical studies: A systematic review. <i>Journal of Thrombosis and Haemostasis</i> , 2019, 17, 1590-1607.  | 1.9 | 26        |
| 172 | Treatment Algorithm in Cancer-Associated Thrombosis: Updated Canadian Expert Consensus. <i>Current Oncology</i> , 2021, 28, 5434-5451.  | 0.9 | 26        |
| 173 | Clinical Decision Rules and D-dimer in Venous Thromboembolism: Current controversies and future research priorities. <i>Thrombosis Research</i> , 2014, 134, 763-768.   | 0.8 | 25        |
| 174 | Validation of risk assessment models predicting venous thromboembolism in acutely ill medical inpatients: A cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 1398-1407.   | 1.9 | 25        |
| 175 | Direct oral anticoagulants in treatment of cerebral venous thrombosis: a systematic review. <i>BMJ Open</i> , 2021, 11, e040212.  | 0.8 | 25        |
| 176 | Underweight is associated with a reduced risk of venous thromboembolism. Results from the EDITH case-control study. <i>Journal of Thrombosis and Haemostasis</i> , 2009, 7, 728-729.  | 1.9 | 24        |
| 177 | Dâ€•dimer to rule out venous thromboembolism during pregnancy: A systematic review and metaâ€•analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2021, 19, 2454-2467.   | 1.9 | 24        |
| 178 | Clinical usefulness of D-dimer testing in cancer patients with suspected pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2006, 95, 715-9.   | 1.8 | 24        |
| 179 | Validity and clinical utility of the simplified Wells rule for assessing clinical probability for the exclusion of pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2009, 101, 197-200.  | 1.8 | 24        |
| 180 | Effects of impaired renal function on levels and performance of D-dimer in patients with suspected pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2014, 112, 614-620.  | 1.8 | 23        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Major bleeding during secondary prevention of venous thromboembolism in patients who have completed anticoagulation: a systematic review and meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2014, 12, 344-348.  | 1.9 | 23        |
| 182 | Thrombotic and bleeding outcomes following perioperative interruption of direct oral anticoagulants in patients with venous thromboembolic disease. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 925-930.  | 1.9 | 23        |
| 183 | External validation of a D-dimer age-adjusted cut-off for the exclusion of pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2012, 107, 1005-1007.   | 1.8 | 22        |
| 184 | Predicting the risk of cancer after unprovoked venous thromboembolism: external validation of the RIETE score. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 2184-2187.   | 1.9 | 22        |
| 185 | Management of antiplatelet therapy in patients undergoing elective invasive procedures: Proposals from the French Working Group on perioperative hemostasis (GHHP) and the French Study Group on thrombosis and hemostasis (GFHT). In collaboration with the French Society for Anesthesia and Intensive Care (SFAR). <i>Archives of Cardiovascular Diseases</i> , 2018, 111, 210-223. | 0.7 | 22        |
| 186 | Periprocedural interruption of anticoagulation in patients with cancer-associated venous thromboembolism: An analysis of thrombotic and bleeding outcomes. <i>Journal of Thrombosis and Haemostasis</i> , 2019, 17, 1171-1178.   | 1.9 | 22        |
| 187 | Relationship Between Subtherapeutic Warfarin Anticoagulation and the Development of Post Thrombotic Syndrome After a First Unprovoked Deep Vein Thrombosis: Results From the REVERSE Cohort Study. <i>Blood</i> , 2011, 118, 712-712.  | 0.6 | 22        |
| 188 | Family history of venous thromboembolism (VTE) as a predictor for recurrent VTE in unprovoked VTE patients. <i>Journal of Thrombosis and Haemostasis</i> , 2013, 11, 200-203.  | 1.9 | 21        |
| 189 | D-Dimer for Pulmonary Embolism. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 1668.   | 3.8 | 21        |
| 190 | Multifaceted Intervention to Prevent Venous Thromboembolism in Patients Hospitalized for Acute Medical Illness: A Multicenter Cluster-Randomized Trial. <i>PLoS ONE</i> , 2016, 11, e0154832.  | 1.1 | 21        |
| 191 | Prediction of the warfarin maintenance dose after completion of the 10-mg initiation nomogram: do we really need genotyping?. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 90-94.   | 1.9 | 20        |
| 192 | Usefulness of Preemptive Anticoagulation in Patients With Suspected Pulmonary Embolism. <i>Chest</i> , 2012, 142, 697-703.   | 0.4 | 20        |
| 193 | Effect of occult cancer screening on mortality in patients with unprovoked venous thromboembolism. <i>Thrombosis Research</i> , 2018, 171, 92-96.  | 0.8 | 20        |
| 194 | Diagnostic accuracy of three ultrasonography strategies for deep vein thrombosis of the lower extremity: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2020, 15, e0228788.  | 1.1 | 20        |
| 195 | Antiplatelet drugs and risk of venous thromboembolism: results from the EDITH case-control study. <i>Haematologica</i> , 2008, 93, 1117-1118.  | 1.7 | 19        |
| 196 | Is it useful to also image the asymptomatic leg in patients with suspected deep vein thrombosis?. <i>Journal of Thrombosis and Haemostasis</i> , 2015, 13, 563-566.  | 1.9 | 19        |
| 197 | Long-term risk of recurrent venous thromboembolism among patients receiving extended oral anticoagulant therapy for first unprovoked venous thromboembolism: A systematic review and meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2021, 19, 2801-2813.  | 1.9 | 19        |
| 198 | Ruling out pulmonary embolism across different healthcare settings: A systematic review and individual patient data meta-analysis. <i>PLoS Medicine</i> , 2022, 19, e1003905.  | 3.9 | 19        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Primary prevention of venous thromboembolism in elderly medical patients. <i>Clinical Interventions in Aging</i> , 2008, Volume 3, 399-411.   | 1.3 | 18        |
| 200 | Validation of the LEFt score, a newly proposed diagnostic tool for deep vein thrombosis in pregnant women. <i>Thrombosis Research</i> , 2014, 134, 664-667.   | 0.8 | 18        |
| 201 | Performance of 18F fluoro-2-deoxy-D-glucose positron emission tomography/computed tomography for the diagnosis of venous thromboembolism. <i>Thrombosis Research</i> , 2015, 135, 31-35.                              | 0.8 | 18        |
| 202 | Assessing clinical probability of pulmonary embolism: prospective validation of the simplified Geneva score. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 1764-1769.                                      | 1.9 | 18        |
| 203 | Establishing diagnostic criteria and treatment of subsegmental pulmonary embolism: A Delphi analysis of experts. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2020, 4, 1251-1261.                     | 1.0 | 18        |
| 204 | Age-adjusted D-dimer cutoff for the diagnosis of pulmonary embolism: A cost-effectiveness analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 865-875.   | 1.9 | 18        |
| 205 | Impact of the Age-Adjusted D-Dimer Cutoff to Exclude Pulmonary Embolism. <i>Circulation</i> , 2021, 143, 1828-1830.   | 1.6 | 18        |
| 206 | Management of Cancer-Associated Thrombosis: Unmet Needs and Future Perspectives. <i>TH Open</i> , 2021, 05, e376-e386.  | 0.7 | 18        |
| 207 | Volumetric or time-based capnography for excluding pulmonary embolism in outpatients?. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 60-67.   | 1.9 | 17        |
| 208 | Venous thromboembolism in patients with pancreatic cancer: implications of circulating tissue factor. <i>Blood Coagulation and Fibrinolysis</i> , 2011, 22, 295-300.  | 0.5 | 17        |
| 209 | Oral contraceptives and hormone replacement therapy: How strong a risk factor for venous thromboembolism?. <i>Thrombosis Research</i> , 2021, 202, 134-138.   | 0.8 | 17        |
| 210 | Venous thromboembolism risk stratification for patients with lower limb trauma and cast or brace immobilization. <i>PLoS ONE</i> , 2019, 14, e0217748.  | 1.1 | 16        |
| 211 | Recurrent venous thromboembolism under anticoagulant therapy: A high risk in adenocarcinoma?. <i>Thrombosis and Haemostasis</i> , 2006, 95, 912-913.  | 1.8 | 16        |
| 212 | Heparin-Induced Thrombocytopenia: An Estimate of the Average Cost in the Hospital Setting in France. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2009, 15, 428-434.   | 0.7 | 15        |
| 213 | Prognostic value of the Geneva prediction rule in patients with pulmonary embolism. <i>Thrombosis Research</i> , 2013, 132, 32-36.  | 0.8 | 15        |
| 214 | Prothrombin G20210A Mutation and Lower Extremity Peripheral Arterial Disease: A Systematic Review and Meta-analysis. <i>European Journal of Vascular and Endovascular Surgery</i> , 2015, 50, 232-240.                | 0.8 | 15        |
| 215 | Risk factors of occult malignancy in patients with unprovoked venous thromboembolism. <i>Thrombosis Research</i> , 2017, 159, 48-51.  | 0.8 | 15        |
| 216 | Subsegmental Pulmonary Embolism Diagnosed by Computed Tomography: Incidence and Clinical Implications. A Systematic Review and Meta-Analysis of the Management Outcome Studies.. <i>Blood</i> , 2009, 114, 4002-4002. | 0.6 | 15        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | High frequency of factor V Leiden in surgical patients with symptomatic venous thromboembolism despite prophylaxis. <i>Thrombosis and Haemostasis</i> , 2007, 97, 171-175.  | 1.8 | 14        |
| 218 | Effects of sangre de drago in an <i>in vitro</i> model of cutaneous neurogenic inflammation. <i>Experimental Dermatology</i> , 2010, 19, 796-799.   | 1.4 | 14        |
| 219 | Association of common genetic variations and idiopathic venous thromboembolism. <i>Thrombosis and Haemostasis</i> , 2010, 103, 1161-1169.   | 1.8 | 14        |
| 220 | Impact of genetic factors ( <i>VKORC1</i> , <i>CYP2C9</i> , <i>CYP4F2</i> and <i>EPHX1</i> ) on the anticoagulation response to fluindione. <i>British Journal of Clinical Pharmacology</i> , 2012, 73, 428-436.                                      | 1.1 | 14        |
| 221 | The risk of venous thromboembolism in renal cell carcinoma patients with residual tumor thrombus. <i>Journal of Thrombosis and Haemostasis</i> , 2014, 12, 855-859.   | 1.9 | 14        |
| 222 | Screening for cancer in patients with unprovoked venous thromboembolism: protocol for a systematic review and individual patient data meta-analysis. <i>BMJ Open</i> , 2017, 7, e015562.  | 0.8 | 14        |
| 223 | Who should get long-term anticoagulant therapy for venous thromboembolism and with what?. <i>Blood Advances</i> , 2018, 2, 3081-3087.   | 2.5 | 14        |
| 224 | Lung scintigraphy for pulmonary embolism diagnosis during the COVID-19 pandemic: does the benefit-risk ratio really justify omitting the ventilation study?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2499-2500. | 3.3 | 14        |
| 225 | External validation of the YEARS diagnostic algorithm for suspected pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 3289-3295.   | 1.9 | 14        |
| 226 | Heparin-induced thrombocytopenia: Construction of a pretest diagnostic score derived from the analysis of a prospective multinational database, with internal validation. <i>Journal of Thrombosis and Haemostasis</i> , 2021, 19, 1959-1972.         | 1.9 | 14        |
| 227 | Incidence of venous thromboembolism in first-degree relatives of patients with venous thromboembolism who have factor V Leiden. <i>Thrombosis and Haemostasis</i> , 2006, 96, 744-9.  | 1.8 | 14        |
| 228 | Estrogen receptor alpha polymorphism and venous thromboembolism in male and female: Data from the EDITH study. <i>Thrombosis Research</i> , 2007, 119, 433-439.   | 0.8 | 13        |
| 229 | Serum Lipoprotein (a) Levels in Patients with First Unprovoked Venous Thromboembolism is not Associated with Subsequent Risk of Recurrent VTE. <i>Thrombosis Research</i> , 2010, 126, 222-226.   | 0.8 | 13        |
| 230 | Increased risk of preoperative venous thromboembolism in patients with renal cell carcinoma and tumor thrombus. <i>Journal of Thrombosis and Haemostasis</i> , 2014, 12, 169-171.   | 1.9 | 13        |
| 231 | Safety of multidetector computed tomography pulmonary angiography to exclude pulmonary embolism in patients with a likely pretest clinical probability. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 1584-1590.                           | 1.9 | 13        |
| 232 | Pulmonary cement embolism after vertebroplasty. <i>Thrombosis and Haemostasis</i> , 2006, 95, 388-9.  | 1.8 | 13        |
| 233 | d-Dimer testing to predict recurrence risk in venous thromboembolism: looking for a useful threshold: a rebuttal. <i>Journal of Thrombosis and Haemostasis</i> , 2004, 2, 1670-1672.  | 1.9 | 12        |
| 234 | Performance of the age-adjusted cut-off for D-dimer in patients with cancer and suspected pulmonary embolism. <i>Thrombosis Research</i> , 2017, 152, 49-51.  | 0.8 | 12        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Long-term risk of recurrent venous thromboembolism after a first contraceptive-related event: Data from REVERSE cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2021, 19, 1526-1532.   | 1.9 | 12        |
| 236 | Prevention of venous thromboembolism and haemostasis monitoring in patients with COVID-19: Updated proposals (April 2021). <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2021, 40, 100919.  | 0.6 | 12        |
| 237 | Assessing the clinical probability of pulmonary embolism during pregnancy: The Pregnancy-Adapted Geneva (PAG) score. <i>Journal of Thrombosis and Haemostasis</i> , 2021, 19, 3044-3050.  | 1.9 | 12        |
| 238 | Heterogeneous geographic distribution of patients with aortic valve stenosis: arguments for new aetiological hypothesis. <i>Heart</i> , 2005, 91, 247-249.  | 1.2 | 11        |
| 239 | Multi-slice computer tomography of left ventricular function with automated analysis software in comparison with conventional ventriculography. <i>European Journal of Radiology</i> , 2006, 59, 270-275.   | 1.2 | 11        |
| 240 | Interrelation of hyperhomocysteinemia and inherited risk factors for venous thromboembolism. Results from the E.D.I.TH. study: A hospital-based case-control study. <i>Thrombosis Research</i> , 2007, 120, 207-214.  | 0.8 | 11        |
| 241 | Practical application of the 10-mg warfarin initiation nomogram. <i>Blood Coagulation and Fibrinolysis</i> , 2009, 20, 403-408.   | 0.5 | 11        |
| 242 | Development of a clinical prediction score for congestive heart failure diagnosis in the emergency care setting: The Brest score. <i>American Journal of Emergency Medicine</i> , 2016, 34, 2277-2283.  | 0.7 | 11        |
| 243 | Additional testing following screening strategies for occult malignancy diagnosis in patients with unprovoked venous thromboembolism. <i>Thrombosis Research</i> , 2017, 155, 6-9.  | 0.8 | 11        |
| 244 | Illustrated State-of-the-Art Capsules of the ISTH 2019 Congress in Melbourne, Australia. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2019, 3, 431-497.   | 1.0 | 11        |
| 245 | Ventilation/perfusion SPECT for the diagnosis of pulmonary embolism: A systematic review. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 2910-2920.   | 1.9 | 11        |
| 246 | Effect of age on the performance of a diagnostic strategy based on clinical probability, spiral computed tomography and venous compression ultrasonography. <i>Thrombosis and Haemostasis</i> , 2005, 93, 605-609.  | 1.8 | 10        |
| 247 | Cardiac multislice spiral computed tomography as an alternative to coronary angiography in the preoperative assessment of coronary artery disease before aortic valve surgery: A management outcome study. <i>Archives of Cardiovascular Diseases</i> , 2010, 103, 170-175. | 0.7 | 10        |
| 248 | Assessment of carotid artery stenosis before coronary artery bypass surgery. Is it always necessary?. <i>Archives of Cardiovascular Diseases</i> , 2011, 104, 77-83.  | 0.7 | 10        |
| 249 | Site of venous thromboembolism and prothrombotic mutations according to body mass index. Results from the EDITH study. <i>British Journal of Haematology</i> , 2011, 154, 486-491.  | 1.2 | 10        |
| 250 | Adapting the D-dimer cutoff for thrombosis detection in elderly outpatients. <i>Expert Review of Cardiovascular Therapy</i> , 2013, 11, 751-759.  | 0.6 | 10        |
| 251 | SPECT V/Q for the diagnosis of pulmonary embolism: protocol for a systematic review and meta-analysis of diagnostic accuracy and clinical outcome. <i>BMJ Open</i> , 2018, 8, e022024.  | 0.8 | 10        |
| 252 | Fibrinogen and the prediction of residual obstruction manifested after pulmonary embolism treatment. <i>European Respiratory Journal</i> , 2018, 52, 1801467.   | 3.1 | 10        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Risk scores for occult cancer in patients with unprovoked venous thromboembolism: Results from an individual patient data meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 2622-2628.   | 1.9 | 10        |
| 254 | Diagnosis of deep vein thrombosis of the upper extremity: a systematic review and meta-analysis of test accuracy. <i>Blood Advances</i> , 2020, 4, 2516-2522.  | 2.5 | 10        |
| 255 | Oral Anticoagulant Use in Patients with Morbid Obesity: A Systematic Review and Meta-Analysis. <i>Thrombosis and Haemostasis</i> , 2022, 122, 830-841.   | 1.8 | 10        |
| 256 | Diagnosis of deep vein thrombosis with D-dimer adjusted to clinical probability: prospective diagnostic management study. <i>BMJ</i> , The, 0, , e067378.  | 3.0 | 10        |
| 257 | Evaluation of patients'™ experience and related qualitative outcomes in venous thromboembolism: A scoping review. <i>Journal of Thrombosis and Haemostasis</i> , 0, , .  | 1.9 | 10        |
| 258 | Is APC Resistance a Risk Factor for Venous Thromboembolism in Patients over 70 Years?. <i>Thrombosis and Haemostasis</i> , 2002, 88, 587-591.  | 1.8 | 9         |
| 259 | Medium-Term Survival of Diffuse Coronary Artery Disease Patients following Coronary Artery Reconstruction with the Internal Thoracic Artery. <i>Cardiology</i> , 2011, 120, 192-199.   | 0.6 | 9         |
| 260 | Clinical decision rules in venous thromboembolism. <i>Best Practice and Research in Clinical Haematology</i> , 2012, 25, 303-317.  | 0.7 | 9         |
| 261 | Interpretation of idarucizumab clinical trial data based on spontaneous reports of dabigatran adverse effects in the French pharmacovigilance database. <i>Thrombosis Research</i> , 2016, 146, 43-45.   | 0.8 | 9         |
| 262 | Who should get long-term anticoagulant therapy for venous thromboembolism and with what?. <i>Hematology American Society of Hematology Education Program</i> , 2018, 2018, 426-431.  | 0.9 | 9         |
| 263 | Systematic review and meta-analysis of outcomes in patients with suspected deep vein thrombosis. <i>Blood Advances</i> , 2020, 4, 2779-2788.   | 2.5 | 9         |
| 264 | Clinical probability assessment of pulmonary embolism by the Wells' score: is the easiest the best?. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 702-704.  | 1.9 | 8         |
| 265 | Use of arterial patch to improve re-endothelialization in a sheep model of open carotid endarterectomy. An incentive to use internal thoracic artery as an on-lay patch following coronary endarterectomy?. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2009, 8, 543-547. | 0.5 | 8         |
| 266 | Should we screen patients with unprovoked venous thromboembolism for occult cancers? A pilot study. <i>Blood Coagulation and Fibrinolysis</i> , 2010, 21, 709-710.   | 0.5 | 8         |
| 267 | Body mass index, a major confounder to insulin resistance association with unprovoked venous thromboembolism. <i>Thrombosis and Haemostasis</i> , 2013, 110, 593-597.  | 1.8 | 8         |
| 268 | Diagnosis of pulmonary embolism. <i>Presse Medicale</i> , 2015, 44, e385-e391.   | 0.8 | 8         |
| 269 | Controversies in venous thromboembolism " 2015. <i>Blood Reviews</i> , 2016, 30, 27-33.  | 2.8 | 8         |
| 270 | A new prognostic strategy for adult patients with acute pulmonary embolism eligible for outpatient therapy. <i>Journal of Thrombosis and Thrombolysis</i> , 2017, 43, 326-332.   | 1.0 | 8         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | How to Assess Quality of Primary Research Studies in the Medical Literature?. <i>Seminars in Nuclear Medicine</i> , 2019, 49, 115-120.   | 2.5 | 8         |
| 272 | Relationship between type of unprovoked venous thromboembolism and cancer location: An individual patient data meta-analysis. <i>Thrombosis Research</i> , 2019, 176, 79-84.   | 0.8 | 8         |
| 273 | Timing of Perioperative Pharmacologic Thromboprophylaxis Initiation and its Effect on Venous Thromboembolism and Bleeding Outcomes: A Systematic Review and Meta-Analysis. <i>Journal of the American College of Surgeons</i> , 2021, 233, 619-631.        | 0.2 | 8         |
| 274 | High frequency of factor V Leiden in surgical patients with symptomatic venous thromboembolism despite prophylaxis. <i>Thrombosis and Haemostasis</i> , 2007, 97, 171-5.   | 1.8 | 8         |
| 275 | POINT: Should Therapeutic Heparin Be Administered to Acutely Ill Hospitalized Patients With COVID-19? Yes. <i>Chest</i> , 2022, 161, 1446-1448.  | 0.4 | 8         |
| 276 | Timing of pharmacologic venous thromboembolism prophylaxis initiation for trauma patients with nonoperatively managed blunt abdominal solid organ injury: a systematic review and meta-analysis. <i>World Journal of Emergency Surgery</i> , 2022, 17, 19. | 2.1 | 8         |
| 277 | Is N-terminal pro-brain natriuretic peptide superior to clinical scores for risk stratification in non-massive pulmonary embolism?. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 1433-1435.   | 1.9 | 7         |
| 278 | Atrial flutter after non-congenital cardiac surgery: Incidence, predictors and outcome. <i>International Journal of Cardiology</i> , 2011, 153, 196-201.   | 0.8 | 7         |
| 279 | The Use of Epicardial Electrogram as a Simple Guide to Select the Optimal Site of Left Ventricular Pacing in Cardiac Resynchronization Therapy. <i>Cardiology Research and Practice</i> , 2011, 2011, 1-8.   | 0.5 | 7         |
| 280 | Diagnosis of pulmonary embolism. <i>Nuclear Medicine Communications</i> , 2012, 33, 695-700.   | 0.5 | 7         |
| 281 | Computed Tomographic Pulmonary Angiography for Pulmonary Embolism. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 74.  | 3.8 | 7         |
| 282 | Ruling out pulmonary embolism across different subgroups of patients and healthcare settings: protocol for a systematic review and individual patient data meta-analysis (IPDMA). <i>Diagnostic and Prognostic Research</i> , 2018, 2, 10.                 | 0.8 | 7         |
| 283 | Treatment of Venous Thromboembolism in Cancer. Historical Perspective and Evolving Role of the Direct Oral Anticoagulants. <i>Cancer Treatment and Research</i> , 2019, 179, 103-115.  | 0.2 | 7         |
| 284 | Effect of anticoagulant treatment on pain in distal deep vein thrombosis: an ancillary analysis from the cactus trial. <i>Journal of Thrombosis and Haemostasis</i> , 2019, 17, 507-510.   | 1.9 | 7         |
| 285 | Diagnostic Accuracy and Financial Implications of Age-Adjusted D-Dimer Strategies for the Diagnosis of Deep Venous Thrombosis in the Emergency Department. <i>Journal of Emergency Medicine</i> , 2019, 56, 469-477.                                       | 0.3 | 7         |
| 286 | Development of a standardized definition of pulmonary embolism-related death: A cross-sectional survey of international thrombosis experts. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 1415-1420.  | 1.9 | 7         |
| 287 | A toolkit for the collection of thrombosis-related data elements in COVID-19 clinical studies. <i>Blood Advances</i> , 2020, 4, 6259-6273.   | 2.5 | 7         |
| 288 | Identification of outcomes in clinical studies of interventions for venous thromboembolism in non-pregnant adults: A scoping review. <i>Journal of Thrombosis and Haemostasis</i> , 2022, 20, 2313-2322.   | 1.9 | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 289 | Predicting major bleeding during extended anticoagulation for unprovoked or weakly provoked venous thromboembolism. <i>Blood Advances</i> , 2022, 6, 4605-4616.  | 2.5 | 7         |
| 290 | Contemporary approach to the diagnosis of non-massive pulmonary embolism. <i>Current Opinion in Pulmonary Medicine</i> , 2006, 12, 291-298.  | 1.2 | 6         |
| 291 | A simple method to identify patients on long-term warfarin who may derive the most benefit from new oral anticoagulants. <i>Blood Coagulation and Fibrinolysis</i> , 2014, 25, 812-815.  | 0.5 | 6         |
| 292 | A survey of thrombosis experts evaluating practices and opinions regarding venous thromboprophylaxis in patients post major abdominal surgery. <i>Thrombosis Journal</i> , 2017, 15, 2.  | 0.9 | 6         |
| 293 | Association between hospitalization for acute medical illness and VTE risk: A lower efficacy of thromboprophylaxis in elderly patients? Results from the EDITH case-control study. <i>European Journal of Internal Medicine</i> , 2017, 44, 39-43.                     | 1.0 | 6         |
| 294 | In patients with unprovoked VTE, does the addition of FDG PET/CT to a limited occult cancer screening strategy offer good value for money? A cost-effectiveness analysis from the publicly funded health care systems. <i>Thrombosis Research</i> , 2018, 171, 97-102. | 0.8 | 6         |
| 295 | Risk of major bleeding during extended oral anticoagulation in patients with first unprovoked venous thromboembolism: a systematic review and meta-analysis protocol. <i>Systematic Reviews</i> , 2019, 8, 245.  | 2.5 | 6         |
| 296 | Comparison of the Wells score and the revised Geneva score as a tool to predict pulmonary embolism in outpatients over age 65. <i>Thrombosis Research</i> , 2020, 196, 120-126.  | 0.8 | 6         |
| 297 | Perioperative interruption of direct oral anticoagulants and vitamin K antagonists in patients with atrial fibrillation: A comparative analysis. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2020, 4, 131-140.  | 1.0 | 6         |
| 298 | Systematic review and meta-analysis of outcomes in patients with suspected pulmonary embolism. <i>Blood Advances</i> , 2021, 5, 2237-2244.   | 2.5 | 6         |
| 299 | A Health eLearning Ontology and Procedural Reasoning Approach for Developing Personalized Courses to Teach Patients about Their Medical Condition and Treatment. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7355.            | 1.2 | 6         |
| 300 | Management of severe ischemia of the hand following intra-arterial injection. <i>Thrombosis and Haemostasis</i> , 2005, 94, 219-21.  | 1.8 | 6         |
| 301 | More on: diagnosing pulmonary embolism in pregnancy: rationalizing fetal radiation exposure in radiological procedures. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 813-814.   | 1.9 | 5         |
| 302 | Influence of specific alternative diagnoses on the probability of pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2006, 95, 958-962.   | 1.8 | 5         |
| 303 | Prescribing attitude of general practitioners in front of patients with deep vein thrombosis suspicion. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 1629-1631.   | 1.9 | 5         |
| 304 | Evolving imaging techniques in diagnostic strategies of pulmonary embolism. <i>Expert Review of Cardiovascular Therapy</i> , 2016, 14, 495-503.  | 0.6 | 5         |
| 305 | Effectiveness and safety of early intramuscular botulinum toxin injections to prevent shoulder deformity in babies with brachial plexus birth injury (POPB-TOX), a randomised controlled trial: study protocol. <i>BMJ Open</i> , 2019, 9, e032901.                    | 0.8 | 5         |
| 306 | Diagnosis and management of congenital thrombophilia in the era of direct oral anticoagulants. <i>Thrombosis Research</i> , 2020, 185, 72-77.  | 0.8 | 5         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 307 | Long-Term Risk for Major Bleeding During Extended Oral Anticoagulant Therapy for First Unprovoked Venous Thromboembolism. <i>Annals of Internal Medicine</i> , 2022, 175, W14.  | 2.0  | 5         |
| 308 | Association of postmenopausal hormone replacement therapy with carotid atherosclerosis and soluble thrombomodulin. <i>Thrombosis Research</i> , 2002, 105, 291-297.   | 0.8  | 4         |
| 309 | Venous Thrombosis in Children. <i>New England Journal of Medicine</i> , 2004, 351, 2451-2452.   | 13.9 | 4         |
| 310 | Extensive thromboembolic event as initial presentation of monoclonal gammopathy of undetermined significance. <i>Thrombosis and Haemostasis</i> , 2006, 96, 93-94.  | 1.8  | 4         |
| 311 | Cardiac biomarkers levels predict pulmonary embolism extent on chest computed tomography and prognosis in non-massive pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2009, 101, 1176-1178.                               | 1.8  | 4         |
| 312 | Low prevalence of <i>JAK2</i> V617F mutation in patients with first unprovoked venous thromboembolism. <i>British Journal of Haematology</i> , 2011, 155, 511-513.  | 1.2  | 4         |
| 313 | Prognostic value of the Geneva prediction rule in patients in whom pulmonary embolism is ruled out. <i>Journal of Internal Medicine</i> , 2011, 269, 433-440.   | 2.7  | 4         |
| 314 | Benfluorex withdrawal in France: Still be hiding somewhere in the world?. <i>Journal of Pharmacology and Pharmacotherapeutics</i> , 2011, 2, 307-308.   | 0.2  | 4         |
| 315 | Age-Adjusted D-Dimer Cutoff Levels and Pulmonary Embolismâ€™Reply. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 557.  | 3.8  | 4         |
| 316 | Serum levels of 25(OH)D are not associated with venous thromboembolism in the elderly population. <i>Thrombosis and Haemostasis</i> , 2016, 115, 169-175.   | 1.8  | 4         |
| 317 | Stopping anticoagulation in a woman with unprovoked venous thromboembolism. <i>Cmaj</i> , 2017, 189, E1112-E1114.   | 0.9  | 4         |
| 318 | Residual pulmonary vascular obstruction and recurrence after acute pulmonary embolism: protocol for a systematic review and meta-analysis of individual participant data. <i>BMJ Open</i> , 2018, 8, e023939.                     | 0.8  | 4         |
| 319 | Real-Life Incidence of Cancer Following a First Unprovoked Venous Thrombosis: Results from the Epigetbo Study. <i>Blood</i> , 2016, 128, 415-415.   | 0.6  | 4         |
| 320 | Treatment of venous thromboembolism in elderly patients in the era of direct oral anticoagulants. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 529-538.   | 0.3  | 4         |
| 321 | Phenotypic but not allelic ABO blood group association with risk of venous thrombosis. <i>Thrombosis and Haemostasis</i> , 2005, 93, 388-9.   | 1.8  | 4         |
| 322 | Lung Ventilation/Perfusion Scintigraphy for the Screening of Chronic Thromboembolic Pulmonary Hypertension (CTEPH): Which Criteria to Use?. <i>Frontiers in Medicine</i> , 2022, 9, 851935.                                       | 1.2  | 4         |
| 323 | Defining time in therapeutic range for busy clinicians: Frequency of dose changes is a good surrogate marker to identify patients with suboptimal anticoagulation with warfarin. <i>Thrombosis Research</i> , 2014, 134, 584-586. | 0.8  | 3         |
| 324 | Is it useful to also image the asymptomatic leg in patients with suspected deep vein thrombosis?: reply. <i>Journal of Thrombosis and Haemostasis</i> , 2015, 13, 1534-1534.  | 1.9  | 3         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | Scoring Systems for Diagnosis of Acute Venous Thromboembolism. <i>Seminars in Thrombosis and Hemostasis</i> , 2017, 43, 479-485.   | 1.5 | 3         |
| 326 | The importance of post thrombotic syndrome as an outcome after deep venous thrombosis: A survey of Canadian thrombosis clinicians. <i>Thrombosis Research</i> , 2017, 159, 13-15.  | 0.8 | 3         |
| 327 | Pilot trials in thrombosis: Purpose and pitfalls. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2018, 2, 572-579.   | 1.0 | 3         |
| 328 | Extended anticoagulation for unprovoked venous thromboembolism. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2018, 2, 529-534.   | 1.0 | 3         |
| 329 | Performance of 18F-fluorodesoxyglucose positron-emission tomography/computed tomography for cancer screening in patients with unprovoked venous thromboembolism: Results from an individual patient data meta-analysis. <i>Thrombosis Research</i> , 2020, 194, 153-157. | 0.8 | 3         |
| 330 | Safety of using direct oral anticoagulants in the diagnostic workup of outpatients with suspicion of acute venous thromboembolism. <i>Haematologica</i> , 2020, 105, e307-e309.  | 1.7 | 3         |
| 331 | Are the correct outcomes being measured in studies of oral anticoagulants? A systematic survey. <i>Thrombosis Research</i> , 2021, 201, 30-49.   | 0.8 | 3         |
| 332 | ISTH definition of pulmonary embolism-related death and classification of the cause of death in venous thromboembolism studies: Validation in an autopsy cohort. <i>Journal of Thrombosis and Haemostasis</i> , 2021, 19, 2514-2521.                                     | 1.9 | 3         |
| 333 | MUFFIN-PTS trial, Micronized Purified Flavonoid Fraction for the Treatment of Post-Thrombotic Syndrome: protocol of a randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e049557.  | 0.8 | 3         |
| 334 | Performance of 18F-fluorodesoxyglucose positron-emission tomography combined with low-dose computed tomography for cancer screening in patients with unprovoked venous thromboembolism. <i>PLoS ONE</i> , 2017, 12, e0178849.  | 1.1 | 3         |
| 335 | Long-term risk of major bleeding after discontinuing anticoagulation for unprovoked venous thromboembolism: a systematic review and meta-analysis. <i>Thrombosis and Haemostasis</i> , 2021, 0, .  | 1.8 | 3         |
| 336 | Management of suspected venous thromboembolism: the impact of a multifaceted intervention. <i>International Journal for Quality in Health Care</i> , 2005, 17, 433-438.  | 0.9 | 2         |
| 337 | Management of suspected pulmonary embolism patients with low clinical and low V/Q probability. <i>Thrombosis Research</i> , 2008, 122, 450-454.  | 0.8 | 2         |
| 338 | New Anticoagulants in the Treatment of VTE. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2012, 33, 191-198.   | 0.8 | 2         |
| 339 | A model predicting fluidione dose requirement in elderly inpatients including genotypes, body weight, and amiodarone. <i>Thrombosis and Haemostasis</i> , 2014, 111, 705-712.  | 1.8 | 2         |
| 340 | A survey of thrombosis experts evaluating practices and opinions regarding venous thromboprophylaxis in patients with active cancer hospitalized with an acute medical illness. <i>Thrombosis Journal</i> , 2015, 13, 10.  | 0.9 | 2         |
| 341 | Inter-observer reliability of the HERDOO2 clinical decision rule. <i>Thrombosis Research</i> , 2016, 141, 136-138.   | 0.8 | 2         |
| 342 | Approach to Suspected Acute Pulmonary Embolism: Should We Use Scoring Systems?. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2017, 38, 003-010.   | 0.8 | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 343 | Association between remote major venous thromboembolism risk factors and the risk of recurrence after a first unprovoked episode. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 1977-1980.  | 1.9 | 2         |
| 344 | Referral Patterns and Diagnostic Yield of Lung Scintigraphy in the Diagnosis of Acute Pulmonary Embolism. <i>Thrombosis</i> , 2017, 2017, 1-6.   | 1.4 | 2         |
| 345 | The authors respond to "Thrombophilia testing in venous thromboembolism". <i>Cmaj</i> , 2018, 190, E172-E172.  | 0.9 | 2         |
| 346 | Guiding curriculum development of a national research training program in thrombosis medicine: A needs assessment involving faculty and trainees. <i>Thrombosis Research</i> , 2018, 162, 79-86.   | 0.8 | 2         |
| 347 | Time trend analysis of pulmonary embolism diagnosis with single-photon emission computed tomography ventilation/perfusion imaging. <i>Nuclear Medicine Communications</i> , 2019, 40, 576-582.   | 0.5 | 2         |
| 348 | Interobserver agreement of 18F-Fluorodeoxyglucose Positron-Emission Tomography combined with low-dose Computed Tomography for occult cancer screening in patients with unprovoked venous thromboembolism. <i>Thrombosis Research</i> , 2020, 188, 25-27. | 0.8 | 2         |
| 349 | Opinion and practice survey about the use of prognostic models in acute pulmonary embolism. <i>Thrombosis Research</i> , 2021, 198, 40-48.   | 0.8 | 2         |
| 350 | Proteinuria and venous thromboembolism in pregnancy: a population-based cohort study. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 2101-2107.   | 1.4 | 2         |
| 351 | Thromboprophylaxis In Multiple Myeloma Patients Undergoing Immunomodulatory Therapy with Thalidomide and Lenalidomide: A Systematic Review and Meta-Analysis.. <i>Blood</i> , 2010, 116, 1090-1090.  | 0.6 | 2         |
| 352 | FEIBA for Patients on Direct Oral Anticoagulants Requiring Urgent Surgery. <i>Blood</i> , 2014, 124, 4259-4259.  | 0.6 | 2         |
| 353 | D-Dimer and Venous Thromboembolism. <i>Annals of Internal Medicine</i> , 2004, 141, 481.   | 2.0 | 2         |
| 354 | Single Complete Compression Ultrasonography for Suspected Deep Venous Thrombosis: Ideal in Routine Clinical Practice?. <i>Annals of Internal Medicine</i> , 2004, 141, 888.  | 2.0 | 2         |
| 355 | Recurrent venous thromboembolism under anticoagulant therapy: a high risk in adenocarcinoma?. <i>Thrombosis and Haemostasis</i> , 2006, 95, 912-3.   | 1.8 | 2         |
| 356 | Diagnostic Management of Pregnant Women With Suspected Pulmonary Embolism. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 851985.  | 1.1 | 2         |
| 357 | Intérêt des différents moyens diagnostiques pour la recherche du cancer primitif devant une tumeur osseuse. <i>Revue Du Rhumatisme (Edition Française)</i> , 2007, 74, 92-97.  | 0.0 | 1         |
| 358 | Antihypertensive drugs and risk of venous thromboembolism: results from the EDITH case-control study. <i>Fundamental and Clinical Pharmacology</i> , 2010, 24, 255-259.  | 1.0 | 1         |
| 359 | Validité de la somme angulaire comme technique d'extraction d'images planaires à partir de données tomoscintigraphiques pulmonaires de ventilation-perfusion. <i>Medecine Nucleaire</i> , 2009, 33, 533-538.   | 0.2 | 1         |
| 360 | Incidence and clinical outcomes of occult cancers detected by computed tomographic pulmonary angiography in patients with acute pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 1128-1129.                                   | 1.9 | 1         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 361 | Antithrombotic Medications and Recurrent Miscarriage. <i>New England Journal of Medicine</i> , 2010, 363, 887-888.  | 13.9 | 1         |
| 362 | MRI in Acute Pulmonary Embolism: Response. <i>Chest</i> , 2011, 140, 1391-1392.   | 0.4  | 1         |
| 363 | Interest of chest X-ray in tailoring the diagnostic strategy in patients with suspected pulmonary embolism. <i>Blood Coagulation and Fibrinolysis</i> , 2015, 26, 643-648.  | 0.5  | 1         |
| 364 | P5019 Derivation and validation of a new probability score in pulmonary embolism suspicion allowing safely reduction of imaging testing: PEPS (Pulmonary Embolism Probability Score). <i>European Heart Journal</i> , 2019, 40, . | 1.0  | 1         |
| 365 | The risk of cesarean delivery after labor induction among women with prior pregnancy complications: a subgroup analysis of the AFFIRM study. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 455.                                 | 0.9  | 1         |
| 366 | Yield of ultrasonography in patients with or without post-thrombotic syndrome for diagnosis of suspected recurrent ipsilateral deep vein thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 2654-2657.          | 1.9  | 1         |
| 367 | Toward a tailored diagnostic standard for future diagnostic studies in pulmonary embolism: Communication from the SSC of the ISTH. <i>Journal of Thrombosis and Haemostasis</i> , 2021, 19, 1834-1835.                            | 1.9  | 1         |
| 368 | 2008 Guidelines for the Treatment of Venous Thromboembolism in Cancer Patients: Report from the French Working Group. <i>Blood</i> , 2008, 112, 1284-1284.  | 0.6  | 1         |
| 369 | Trousseau's Syndrome Revisited: Should We Screen Extensively for Malignancy in Patients with Venous Thromboembolism? a Systematic Review and Meta-Analysis. <i>Blood</i> , 2008, 112, 403-403.                                    | 0.6  | 1         |
| 370 | Clinical Predictors of Confirmed Venous Thromboembolism in Patients with a Suspected Recurrent Venous Thromboembolism: A Retrospective Study of the Reverse I Cohort. <i>Blood</i> , 2012, 120, 1153-1153.                        | 0.6  | 1         |
| 371 | Delayed Major Bleeding in Critically Ill Trauma Patients. <i>Blood</i> , 2015, 126, 1098-1098.  | 0.6  | 1         |
| 372 | Pulmonary CTA Reporting: AJR Expert Panel Narrative Review. <i>American Journal of Roentgenology</i> , 2021, .  | 1.0  | 1         |
| 373 | Thromboses veineuses distales: encore une source de discordance Les raisons de l'absence de CACTUS. <i>Sang Thrombose Vaisseaux</i> , 2009, 21, 315-321.  | 0.1  | 1         |
| 374 | Incidental Venous Thromboembolism in Kidney Cancer Patients: A Retrospective Case-Control Study. <i>Blood</i> , 2012, 120, 5134-5134.   | 0.6  | 1         |
| 375 | FEIBA for Reversal of Direct Oral Anticoagulant Associated Major Bleeding. <i>Blood</i> , 2014, 124, 1540-1540.   | 0.6  | 1         |
| 376 | Bleeding and Thrombotic Outcomes Following Perioperative Interruption of Direct Oral Anticoagulants in Patients with Prior Venous Thromboembolic Disease. <i>Blood</i> , 2016, 128, 2614-2614.                                    | 0.6  | 1         |
| 377 | Protocol for a scoping review of outcomes in clinical studies of interventions for venous thromboembolism in adults. <i>BMJ Open</i> , 2020, 10, e040122.   | 0.8  | 1         |
| 378 | Rivaroxaban for Improvement in Thromboembolism Outcomes in Patients with Multiple Myeloma on Lenalidomide-Based Therapy: The Rithmm Feasibility Pilot Trial. <i>Blood</i> , 2021, 138, 3232-3232.                                 | 0.6  | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 379 | Thrombocytopenia with and without Thrombosis Following COVID-19 Vaccination. <i>Blood</i> , 2021, 138, 1062-1062.   | 0.6 | 1         |
| 380 | Annals On Call - The Risk for Subsegmental Pulmonary Embolism. <i>Annals of Internal Medicine</i> , 2022, , OC1.  | 2.0 | 1         |
| 381 | Is APC resistance a risk factor for venous thromboembolism in patients over 70 years?. <i>Thrombosis and Haemostasis</i> , 2002, 88, 587-91.  | 1.8 | 1         |
| 382 | Cardiac biomarkers levels predict pulmonary embolism extent on chest computed tomography and prognosis in non-massive pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2009, 101, 1176-8.  | 1.8 | 1         |
| 383 | Risk for Recurrent Venous Thromboembolism in Patients With Subsegmental Pulmonary Embolism Managed Without Anticoagulation. <i>Annals of Internal Medicine</i> , 2022, 175, W43-W44.  | 2.0 | 1         |
| 384 | Une drÃle de queue de chevalâ€. <i>Revue De Medecine Interne</i> , 2000, 21, 405s-407s.   | 0.6 | 0         |
| 385 | Preventing Venous Thromboembolism, Especially in Elderly People. <i>Archives of Internal Medicine</i> , 2005, 165, 2687.  | 4.3 | 0         |
| 386 | 15 PNDV Comparaison de deux stratÃgies diagnostiques face Ã une suspicion dâ™embolie pulmonaire chez les malades admis aux urgences : scanner multi-barrettes seul ou en association avec une Ãchographie de compression veineuse des membres infÃrieurs essai clinique randomise de non inferiorite [CTEP 4]. <i>Revue Des Maladies Respiratoires</i> , 2005, 22, 357-358. | 1.7 | 0         |
| 387 | P4-103. <i>Heart Rhythm</i> , 2006, 3, S253.  | 0.3 | 0         |
| 388 | P3-101. <i>Heart Rhythm</i> , 2006, 3, S211.  | 0.3 | 0         |
| 389 | Les scores de prÃdiction de lâ™embolie pulmonaire. <i>Archives Des Maladies Du Coeur Et Des Vaisseaux - Pratique</i> , 2007, 2007, 11-16.   | 0.0 | 0         |
| 390 | Clinical Prediction Rules for Diagnosis of Venous Thromboembolism. , 0, , 71-84.  |     | 0         |
| 391 | Les D-dimÃres. RÃfÃrences En MÃdecine D'urgence, 2012, , 147-152.   | 0.0 | 0         |
| 392 | Anticoagulation for Venous Thromboembolism in the Modern Management Era. <i>Progress in Respiratory Research</i> , 2012, , 218-225.   | 0.1 | 0         |
| 393 | Increased risk of preoperative venous thromboembolism in patients with renal cell carcinoma and tumor thrombus: reply. <i>Journal of Thrombosis and Haemostasis</i> , 2014, 12, 579-580.  | 1.9 | 0         |
| 394 | Efficacy and Safety of Fondaparinux for the Management of Patients With Heparin-Induced Thrombocytopenia: A Systematic Review. <i>Chest</i> , 2014, 145, 521A.  | 0.4 | 0         |
| 395 | Value of ventilation/perfusion SPECT for diagnosis of pulmonary embolism: response to comments by Sinzinger et al.. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 979-980.  | 3.3 | 0         |
| 396 | Antepartum Dalteparin Versus No Antepartum Dalteparin for the Prevention of Pregnancy Complications in Pregnant Women With Thrombophilia (TIPPS). <i>Obstetrical and Gynecological Survey</i> , 2015, 70, 76-78.  | 0.2 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 397 | Editorial comment: D-dimer to guide long-term anticoagulant treatment duration - Have we gotten anywhere?. <i>Thrombosis Research</i> , 2016, 146, 108-109.  | 0.8 | 0         |
| 398 | Scintigraphie pulmonaire pour suspicion d'embolie pulmonaire aiguë: État des lieux des pratiques en France en 2014. <i>Medecine Nucleaire</i> , 2017, 41, 55-63.   | 0.2 | 0         |
| 399 | LO06: Role of the age adjusted D-dimer in suspected deep venous thrombosis. <i>Canadian Journal of Emergency Medicine</i> , 2017, 19, S29.   | 0.5 | 0         |
| 400 | Preface to Diagnosis of venous thromboembolism. <i>Thrombosis Research</i> , 2018, 163, 200.   | 0.8 | 0         |
| 401 | Position du GHF sur les tests viscoélastiques: quelle place pour quelle indication en situation hémorragique?. <i>Anesthésie &amp; Réanimation</i> , 2018, 4, 452-464.   | 0.1 | 0         |
| 402 | A197 A PREDICTION MODEL OF RISK OF HARBOURING ADVANCED COLORECTAL NEOPLASMS IN LOW TO MODERATE RISK PERSONS OVER AGE 50. <i>Journal of the Canadian Association of Gastroenterology</i> , 2018, 1, 290-291.                                | 0.1 | 0         |
| 403 | 6. Abstract Title: Thrombotic and Bleeding Outcomes Following Perioperative Interruption of DOACs and VKAs in Patients with Non-Valvular Atrial Fibrillation - A Comparative Analysis. <i>Thrombosis Research</i> , 2018, 170, 6.          | 0.8 | 0         |
| 404 | P254 HERDOO2 clinical decision rule to guide duration of anticoagulation in women with unprovoked venous thromboembolism: D-Dimer inter-assay concordance. <i>European Heart Journal</i> , 2018, 39, .                                     | 1.0 | 0         |
| 405 | INFLUENCE OF SEX ON LONG-TERM RISK OF MAJOR BLEEDING DURING EXTENDED ORAL ANTICOAGULANT THERAPY FOR UNPROVOKED VENOUS THROMBOEMBOLISM: A SYSTEMATIC REVIEW AND META-ANALYSIS. <i>Canadian Journal of Cardiology</i> , 2020, 36, S111-S112. | 0.8 | 0         |
| 406 | Gallium-68 Ventilation/Perfusion PET-CT and CT Pulmonary Angiography for Pulmonary Embolism Diagnosis: An Interobserver Agreement Study. <i>Frontiers in Medicine</i> , 2020, 7, 599901.   | 1.2 | 0         |
| 407 | Association between Neuroleptics and Venous Thromboembolism: A Case-Control Study.. <i>Blood</i> , 2004, 104, 2601-2601.   | 0.6 | 0         |
| 408 | Age May Modify the Relationship between Factor V Leiden Mutation - but Not G20210A Prothrombin Gene Variation - and Idiopathic Venous Thromboembolism: An Hospital-Based Case-Control Study.. <i>Blood</i> , 2004, 104, 4052-4052.         | 0.6 | 0         |
| 409 | Association between Statin and Fibrate Use and Venous Thromboembolism: A Case-Control Study.. <i>Blood</i> , 2004, 104, 2594-2594.   | 0.6 | 0         |
| 410 | Case Fatality Rates of Recurrent Venous Thromboembolism during and Following Anticoagulation Therapy. <i>Blood</i> , 2008, 112, 3032-3032.   | 0.6 | 0         |
| 411 | Practical Application of the 10 Mg Warfarin Initiation Nomogram. <i>Blood</i> , 2008, 112, 4054-4054.  | 0.6 | 0         |
| 412 | VIDAS D-Dimer in Combination with Clinical Pre-Test Probability to Rule out Pulmonary Embolism. A Systematic Review of the Management Outcome Studies.. <i>Blood</i> , 2008, 112, 1811-1811.   | 0.6 | 0         |
| 413 | Dose Escalation of Low Molecular Weight Heparin to Manage VTE Treatment Failure in Cancer Patients. <i>Blood</i> , 2008, 112, 4050-4050.   | 0.6 | 0         |
| 414 | Dose escalation of low molecular weight heparin to manage recurrent venous thromboembolic events despite systemic anticoagulation in cancer patients. <i>Journal of Clinical Oncology</i> , 2009, 27, e20580-e20580.                       | 0.8 | 0         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 415 | Comparison of the Villalta Post Thrombotic Syndrome (PTS) Score in the Ipsilateral Versus Contralateral Leg After a First Unprovoked Deep Vein Thrombosis (DVT): Results From the REVERSE Study. <i>Blood</i> , 2011, 118, 1236-1236.          | 0.6 | 0         |
| 416 | Risk of Recurrence of Venous Thromboembolism After Major Surgery for Cancer. <i>Blood</i> , 2011, 118, 3342-3342.  | 0.6 | 0         |
| 417 | Frequency and Predictors of Post-Thrombotic Syndrome in Patients with a First, Unprovoked Deep Vein Thrombosis and No Prior Primary Venous Insufficiency: Results From the REVERSE Cohort Study. <i>Blood</i> , 2011, 118, 3332-3332.          | 0.6 | 0         |
| 418 | Family History of Venous Thromboembolism (VTE) and the Risk of VTE Recurrence in Patients with a First Unprovoked VTE: A Multicenter Prospective Cohort Study. <i>Blood</i> , 2011, 118, 2299-2299.  | 0.6 | 0         |
| 419 | Outpatient Treatment of Symptomatic Pulmonary Embolism: A Systematic Review and Meta-Analysis. <i>Blood</i> , 2012, 120, 361-361.  | 0.6 | 0         |
| 420 | Postpartum Venous Thromboembolic Events Among Carriers of Factor V Leiden and/or Prothrombin Gene Variant: A Cohort Study and Updated Systematic Review. Is Prophylaxis Really Required?. <i>Blood</i> , 2012, 120, 1142-1142.                 | 0.6 | 0         |
| 421 | Nouveaux anticoagulants. Mise au point et enjeux en chirurgie orale. <i>Medecine Buccale Chirurgie Buccale</i> , 2013, 19, 11-19.  | 0.1 | 0         |
| 422 | Outcomes of Central Venous Catheter Associated Upper Extremity Deep Vein Thrombosis in Cancer Patients. <i>Blood</i> , 2014, 124, 4260-4260.   | 0.6 | 0         |
| 423 | Association Between Hospitalization for Acute Medical Illness and VTE Risk: A Lower Efficacy of Thromboprophylaxis in Elderly Patients? Results from the Edith Case-Control Study. <i>Blood</i> , 2015, 126, 2326-2326.                        | 0.6 | 0         |
| 424 | Thrombotic and Bleeding Outcomes Following Perioperative Interruption of Direct Oral Anticoagulants and Vitamin K Antagonists in Patients with Non-Valvular Atrial Fibrillation - a Comparative Analysis. <i>Blood</i> , 2018, 132, 1234-1234. | 0.6 | 0         |
| 425 | Periprocedural Interruption of Anticoagulation in Patients with Cancer-Associated VTE: An Analysis of Thrombotic and Bleeding Outcomes. <i>Blood</i> , 2018, 132, 1235-1235.   | 0.6 | 0         |
| 426 | Multivariable models for advanced colorectal neoplasms in screen-eligible individuals at low-to-moderate risk of colorectal cancer: towards improving colonoscopy prioritization. <i>BMC Gastroenterology</i> , 2021, 21, 383.                 | 0.8 | 0         |
| 427 | Evaluation of the PADIS score stratifying risk for venous thromboembolism recurrence after a first unprovoked pulmonary embolism: results from the REVERSE study. <i>European Respiratory Journal</i> , 2022, 59, 2101801.                     | 3.1 | 0         |
| 428 | Risk of Recurrence after Stopping Anticoagulants in Women with Combined Oral Contraceptive-Associated Venous Thromboembolism: A Systematic Review and Meta-Analysis. <i>Blood</i> , 2021, 138, 776-776.  | 0.6 | 0         |
| 429 | Deep Vein Thrombosis Diagnosis with D-Dimer Adjusted to Clinical Probability. <i>Blood</i> , 2020, 136, 20-20.   | 0.6 | 0         |
| 430 | Diagnostic de l'embolie pulmonaire dans le contexte de la grossesse. <i>Annales Francaises De Medecine D'Urgence</i> , 2022, 12, 12-20.  | 0.0 | 0         |
| 431 | Use of D-dimer for the exclusion of new pulmonary embolism in anticoagulated patients: A multicenter retrospective study. <i>Thrombosis Research</i> , 2022, 212, 19-21.   | 0.8 | 0         |
| 432 | Rebuttal From Dr Tritschler et al. <i>Chest</i> , 2022, , .  | 0.4 | 0         |