

Marta Lopez-Alonso

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/682397/marta-lopez-alonso-publications-by-year.pdf>

Version: 2024-04-22

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

576
papers

3,829
citations

27
h-index

53
g-index

579
ext. papers

4,451
ext. citations

2.5
avg, IF

5.27
L-index

#	Paper	IF	Citations
576	Safety and efficacy of a feed additive consisting of an essential oil from (<i>L.</i>) <i>J. Presl</i> (camphor white oil) for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e06985	2.3	0
575	Assessment of the feed additive consisting of NCIMB 30160 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG).. <i>EFSA Journal</i> , 2022 , 20, e06975	2.3	
574	Safety and efficacy of two solvent extracts of rosemary (<i>L.</i>) when used as feed additive for cats and dogs (Kemin Nutrisurance Europe SRL).. <i>EFSA Journal</i> , 2022 , 20, e06978	2.3	
573	Safety and efficacy of a feed additive consisting of DSM 15544 (Calsporin) for dairy cows and other dairy ruminants (Asahi Biocycle Co. Ltd.).. <i>EFSA Journal</i> , 2022 , 20, e06984	2.3	
572	Safety of the fermentation product of NRRL 458 (Amaferm) as a feed additive for dairy cows (Biozyme Inc.).. <i>EFSA Journal</i> , 2022 , 20, e06983	2.3	
571	Efficacy of a feed additive consisting of nicarbazin (Coxar) for use in turkeys for fattening (Huvepharma N.V.).. <i>EFSA Journal</i> , 2022 , 20, e07162	2.3	
570	Safety and efficacy of a feed additive consisting of an essential oil from the flowers of (<i>Lam.</i>) <i>Hook.f. & Thomson</i> (ylang ylang oil) for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07159	2.3	0
569	Safety and efficacy of a feed additive consisting of ferric citrate chelate (CI-FER) for poultry species for fattening or reared up to the point of lay (Akeso Biomedical, Inc.).. <i>EFSA Journal</i> , 2022 , 20, e07155	2.3	
568	Safety and efficacy of a feed additive consisting of zearalenone hydrolase produced by DSM 32731 for all terrestrial animal species (Biomim GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07157	2.3	0
567	Safety and efficacy of a feed additive consisting of DSM 33189 and (formerly) DSM 12856 for all animal species (Lactosan GmbH & Co.KG.).. <i>EFSA Journal</i> , 2022 , 20, e07151	2.3	
566	Assessment of the feed additive consisting of (formerly) DSM 12856 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG.).. <i>EFSA Journal</i> , 2022 , 20, e07148	2.3	
565	Safety and efficacy of a feed additive consisting of lanthanum carbonate octahydrate (Lanthan One) for cats (Porus GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07168	2.3	
564	Safety and efficacy of a feed additive consisting of l-valine produced by CCTCC M2020321 for all animal species (Kempex Holland BV).. <i>EFSA Journal</i> , 2022 , 20, e07163	2.3	
563	Safety and efficacy of a feed additive consisting of NITE BP-01844 (BA-KING) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding and all avian species for fattening, or rearing to slaughter or point of lay including non-food producing species (Toa Biopharma Co., Ltd.).. <i>EFSA Journal</i> , 2022 , 20, e07152	2.3	
562	Safety and efficacy of a feed additive consisting of astaxanthin-rich for salmon and trout (Igene Biotechnology, Inc.).. <i>EFSA Journal</i> , 2022 , 20, e07161	2.3	
561	Safety and efficacy of the feed additive consisting of CECT 4529 (D2/CSL) for all poultry species and categories and all ornamental birds (Centro Sperimentale del Latte S.r.l.).. <i>EFSA Journal</i> , 2022 , 20, e07150	2.3	
560	Assessment of the feed additive consisting of potassium diformate for all animal species for the renewal of its authorisation (Addcon GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07167	2.3	

559	Safety and efficacy of a feed additive consisting of sodium alginate for all animal species (ALGAIA).. <i>EFSA Journal</i> , 2022 , 20, e07164	2.3	
558	Safety and efficacy of a feed additive consisting of ethoxyquin (6-ethoxy-1,2-dihydro-2,2,4-trimethylquinoline) for all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07166	2.3	0
557	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of (P.J. Bergius) Pillans (buchu leaf oil) for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07160	2.3	0
556	Efficacy of a feed additive consisting of endo-1,4-beta-xylanase produced by (IMI SD 135) (HOSTAZYM X) for sows in order to have benefits in piglets (Huvepharma NV).. <i>EFSA Journal</i> , 2022 , 20, e07154	2.3	
555	Safety and efficacy of a feed additive consisting of manganous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07165	2.3	
554	Safety and efficacy of the feed additives consisting of l-glutamic acid and monosodium l-glutamate monohydrate produced by NITE BP-01681 for all animal species (METEX NOOVISTAGO).. <i>EFSA Journal</i> , 2022 , 20, e07156	2.3	
553	Safety and efficacy of a feed additive consisting of an extract of olibanum from Roxb. ex Colebr. for use in dogs and horses (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07158	2.3	0
552	Safety and efficacy of a feed additive consisting of disodium 5Pinosinate (IMP) produced by KCCM 80235 for all animal species (CJ Europe GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07153	2.3	0
551	Assessment of the feed additive consisting of (formerly) NCIMB 30236 for all animal species for the renewal of its authorisation (BioCC OJl). <i>EFSA Journal</i> , 2022 , 20, e07149	2.3	
550	Safety and efficacy of a feed additive consisting of sepiolite for all animal species (Sepiol S.A and Tolsa, S.A).. <i>EFSA Journal</i> , 2022 , 20, e07250	2.3	0
549	Assessment of the feed additive consisting of DSM 11037 for all animal species for the renewal of its authorisation (Chr. Hansen A/S).. <i>EFSA Journal</i> , 2022 , 20, e07241	2.3	
548	Safety and efficacy of a feed additive consisting of ATCC PTA-6737 (PB6) for turkeys for fattening, turkeys reared for breeding, laying hens, minor poultry species for laying, piglets (weaned), weaned minor porcine species and sows (Kemin Europe N.V.).. <i>EFSA Journal</i> , 2022 , 20, e07244	2.3	1
547	Safety of feed additives consisting of Edamascone [07.083] and (E)-Edamascone [07.224] belonging to chemical group 8 for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07248 ^{2,3}	2.3	
546	Safety and efficacy of a feed additive consisting of l-methionine produced by the combined activities of KCCM 80245 and KCCM 80246 for all animal species (CJ Europe GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07247	2.3	
545	Safety and efficacy of a feed additive consisting of l-lysine sulfate produced by CGMCC 7.398 for all animal species (Kempex Holland B.V.).. <i>EFSA Journal</i> , 2022 , 20, e07246	2.3	
544	Assessment of the feed additive consisting of NCIMB 30117 for all animal species for the renewal of its authorisation (Chr. Hansen A/S).. <i>EFSA Journal</i> , 2022 , 20, e07243	2.3	
543	Safety of 37 feed additives consisting of flavouring compounds belonging to different chemical groups for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07249	2.3	
542	Safety and efficacy of a feed additive consisting of agar for pets and non-food-producing animals (Hispanagar).. <i>EFSA Journal</i> , 2022 , 20, e07284	2.3	

541	Safety and efficacy of a feed additive consisting of carrageenan for pets and other non-food-producing animals (Marinalg International).. <i>EFSA Journal</i> , 2022 , 20, e07285	2.3	
540	Safety and efficacy of a feed additive consisting of NBIMCC 8270, NBIMCC 8242, NBIMCC 8269, ssp. NBIMCC 8250, NBIMCC 8244 and NBIMCC 8253 (Probiotic Lactina) for chickens for fattening and suckling and weaned rabbits (Lactina Ltd.).. <i>EFSA Journal</i> , 2022 , 20, e07245	2.3	
539	Safety and efficacy of the feed additive consisting of ammonium chloride (Ammonium Chloride AF) for all ruminants, dogs and cats for the renewal of its authorisation (BASF SE).. <i>EFSA Journal</i> , 2022 , 20, e07255	2.3	
538	Safety and efficacy of a feed additive consisting of lactic acid produced by (synonym) DSM 32789 for all animal species except for fish (Jungbunzlauer SA).. <i>EFSA Journal</i> , 2022 , 20, e07268	2.3	0
537	Safety and efficacy of a feed additive consisting of acacia gum (gum Arabic) for all animal species (A.I.P.G. Association for International Promotion of Gums).. <i>EFSA Journal</i> , 2022 , 20, e07252	2.3	
536	Safety and efficacy of a feed additive consisting of guar gum for all animal species (A.I.P.G. Association for International Promotion of Gums).. <i>EFSA Journal</i> , 2022 , 20, e07253	2.3	
535	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Lanxess Deutschland GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07286	2.3	1
534	Safety and efficacy of a feed additive consisting of 6-phytase (produced by DSM 23036) (OptiPhos) for poultry for fattening, chickens reared for laying, laying hens, turkeys reared for breeding, weaned piglets, pigs for fattening and sows for the renewal of their authorisation and for the new use in breeding hens and turkeys, ornamental birds, suckling piglets and minor pig species for	2.3	
533	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Katyon Technologies Limited).. <i>EFSA Journal</i> , 2022 , 20, e07287	2.3	
532	Safety and efficacy of a feed additive consisting of Sunset Yellow FCF for cats and dogs, ornamental fish, grain-eating ornamental birds and small rodents (Sensient Colours Europe GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07266	2.3	
531	Safety and efficacy of a feed additive consisting of guanidinoacetic acid for all animal species (Alzchem Trostberg GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07269	2.3	0
530	Safety and efficacy of a feed additive consisting of endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase produced with IMI 378536 and DSM 26702 (ROVABIO ADVANCE) for weaned piglets and pigs for fattening (ADISSEO France S.A.S).. <i>EFSA Journal</i> , 2022 , 20, e07251	2.3	
529	Safety and efficacy of a feed additive consisting of endo-1,4-xylanase produced by LMG S-27588 (Beltherm MP/ML) for laying hens, minor poultry species and all avian species (Puratos NV). <i>EFSA Journal</i> , 2021 , 19, e06906	2.3	
528	Safety and efficacy of a feed additive consisting of DSM 15544 (Calsporin) for piglets (suckling and weaned), pigs for fattening, sows in order to have benefit in piglets, ornamental fish, dogs and all avian species (Asahi Biocycle Co.). <i>EFSA Journal</i> , 2021 , 19, e06903	2.3	1
527	Assessment of the feed additive consisting of sodium benzoate (Protural) for weaned piglets for the renewal of its authorisation and the extension of use to other growing Suidae (Taminco Finland Oy). <i>EFSA Journal</i> , 2021 , 19, e06899	2.3	
526	Assessment of the feed additive consisting of (formerly) DSM 12835 EU for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06900	2.3	0
525	Safety and efficacy of a feed additive consisting of (formerly) NCIMB 30121 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co. KG). <i>EFSA Journal</i> , 2021 , 19, e06901	2.3	1
524	Safety and efficacy of a feed additive consisting of iron (II) chelate of amino acids hydrate for all animal species. <i>EFSA Journal</i> , 2021 , 19, e06894	2.3	

523	Safety and efficacy of a feed additive consisting of an aqueous extract of (L.) Osbeck (lemon extract) for use in all animal species (Nor-Feed SAS). <i>EFSA Journal</i> , 2021 , 19, e06893	2.3	1
522	Assessment of the feed additive consisting of (formerly DSM 16245 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06902	2.3	
521	Safety and efficacy of a feed additive consisting of strains CNCM I-4606, CNCM I-5043 and CNCM I-4607 and CNCM I-4609 for all animal species (Nolivade). <i>EFSA Journal</i> , 2021 , 19, e06907	2.3	0
520	Safety and efficacy of feed additives consisting of expressed sweet orange peel oil and its fractions from (L.) Osbeck for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06891	2.3	0
519	Safety and efficacy of a feed additive consisting of 3-nitrooxypropanol (Bovaer 10) for ruminants for milk production and reproduction (DSM Nutritional Products Ltd). <i>EFSA Journal</i> , 2021 , 19, e06905	2.3	2
518	Assessment of a feed additive consisting of all-rac-alpha-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Jilin Beisha Pharmaceutical Co., Ltd).. <i>EFSA Journal</i> , 2021 , 19, e06974	2.3	2
517	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 8:. <i>EFSA Journal</i> , 2021 , 19, e06860	2.3	8
516	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed.?Part 10:. <i>EFSA Journal</i> , 2021 , 19, e06862	2.3	8
515	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 1:. <i>EFSA Journal</i> , 2021 , 19, e06852	2.3	10
514	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 13:. <i>EFSA Journal</i> , 2021 , 19, e06865	2.3	12
513	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed.?Part 9:. <i>EFSA Journal</i> , 2021 , 19, e06861	2.3	10
512	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 7:. <i>EFSA Journal</i> , 2021 , 19, e06859	2.3	4
511	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 11:. <i>EFSA Journal</i> , 2021 , 19, e06863	2.3	12
510	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed.?Part 3:. <i>EFSA Journal</i> , 2021 , 19, e06854	2.3	12
509	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 12:. <i>EFSA Journal</i> , 2021 , 19, e06864	2.3	4
508	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed.?Part 6:. <i>EFSA Journal</i> , 2021 , 19, e06858	2.3	8
507	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed.?Part 2:. <i>EFSA Journal</i> , 2021 , 19, e06853	2.3	8
506	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed.?Part 4:. <i>EFSA Journal</i> , 2021 , 19, e06855	2.3	3

505	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 5: <i>EFSA Journal</i> , 2021 , 19, e06856	2.3	13
504	Safety of a feed additive consisting of a dried aqueous ethanol extract from the leaves of <i>L.</i> for all animal species (Nor-Feed SAS). <i>EFSA Journal</i> , 2021 , 19, e06904	2.3	
503	Safety and efficacy of a feed additive consisting of (formerly) DSM 26571 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06898	2.3	
502	Safety and efficacy of a feed additive consisting of copper (II) chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). <i>EFSA Journal</i> , 2021 , 19, e06896	2.3	
501	Safety and efficacy of a feed additive consisting of zinc chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). <i>EFSA Journal</i> , 2021 , 19, e06897	2.3	
500	Safety and efficacy of a feed additive consisting of cashew nutshell liquid for all animal species (Oligobasic Europe). <i>EFSA Journal</i> , 2021 , 19, e06892	2.3	
499	Safety and efficacy of a feed additive consisting of manganese chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). <i>EFSA Journal</i> , 2021 , 19, e06895	2.3	
498	Safety and efficacy of the feed additive consisting of Vitamin B/Riboflavin produced by CCTCCM 2019833 for all animal species (Hubei Guangji Pharmaceutical Co., Ltd). <i>EFSA Journal</i> , 2021 , 19, e06462	2.3	2
497	Safety and efficacy of the feed additive consisting of DSM 28710 (B-Act) for laying hens, minor poultry species for laying, poultry species for breeding purposes and ornamental birds (HuvePharma N.V.). <i>EFSA Journal</i> , 2021 , 19, e06449	2.3	1
496	Safety and efficacy of a feed additive consisting of serine protease produced by DSM 19670 (Ronozyme ProAct) for chickens for fattening (DSM Nutritional Products Ltd.). <i>EFSA Journal</i> , 2021 , 19, e06448	2.3	1
495	Safety and efficacy of a feed additive consisting of manganese chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021 , 19, e06468	2.3	1
494	Statement on the safety and efficacy of the feed additive consisting on tragacanth gum for all animal species (Association for International Promotion of Gums). <i>EFSA Journal</i> , 2021 , 19, e06447	2.3	5
493	Safety and efficacy of a feed additive consisting of endo-1,4- α -xylanase produced by LMG S-15136 (Belfeed B MP/ML) for sows in order to have benefits in piglets and for all porcine species (Beldem, a division of Puratos NV). <i>EFSA Journal</i> , 2021 , 19, e06456	2.3	1
492	Safety of the feed additive consisting of manganese chelates of lysine and glutamic acid for all animal species (Zinpro Animal Nutrition). <i>EFSA Journal</i> , 2021 , 19, e06454	2.3	2
491	Safety and efficacy of a feed additive consisting of lasalocid A sodium and nicarbazin (Nilablend [®] 200G) for chickens for fattening (Zoetis Belgium SA). <i>EFSA Journal</i> , 2021 , 19, e06466	2.3	1
490	Safety and efficacy of the additive consisting of muramidase produced by DSM 32338 (Balancius [®]) for use in weaned piglets (DSM Nutritional products Ltd). <i>EFSA Journal</i> , 2021 , 19, e06452	2.3	
489	Safety and efficacy of a feed additive consisting of zinc chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021 , 19, e06467	2.3	5
488	Safety and efficacy of a feed additive consisting on 'ATCC PTA-6750 (formerly) for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06469	2.3	

487	Safety and efficacy of a feed additive consisting of a dried extract from (<i>L.</i>) Roxb. for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06444	2.3	2
486	Efficacy of the feed additive consisting of decoquinatate (Deccox) for use in chickens for fattening (Zoetis Belgium SA). <i>EFSA Journal</i> , 2021 , 19, e06453	2.3	1
485	Safety and efficacy of a feed additive consisting of the seed husk of Forssk. for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06445	2.3	
484	Safety and efficacy of the feed additive consisting of FERM BP-2789 (Miya-Gold S) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, minor avian species (excluding laying birds), piglets (suckling and weaned) and minor porcine species (Miyarisan Pharmaceutical Co. Ltd.). <i>EFSA Journal</i> , 2021 , 19, e06450	2.3	
483	Efficacy of the feed additive consisting of amprolium hydrochloride (COXAM) for use in chickens for fattening and chickens reared for laying (Huvepharma N.V.). <i>EFSA Journal</i> , 2021 , 19, e06457	2.3	1
482	Safety and efficacy of feed additives consisting of dried extracts from DC. or (<i>L.</i>) Moench for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06446	2.3	
481	Safety and efficacy of the feed additive consisting of l-tryptophan produced by KCCM 80210 for all animal species (Daesang Europe BV). <i>EFSA Journal</i> , 2021 , 19, e06425	2.3	1
480	Safety and efficacy of an additive consisting of DSM 32324 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06523	2.3	
479	Safety and efficacy of a feed additive consisting of l-valine produced by CGMCC 7.366 for all animal species (Ningxia Eppen Biotech Co., Ltd.). <i>EFSA Journal</i> , 2021 , 19, e06521	2.3	1
478	Safety and efficacy of an additive consisting of DSM 32325 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06524	2.3	
477	Safety and efficacy of a feed additive consisting of a preparation of benzoic acid, calcium formate and fumaric acid (AviMatrix Z) for all avian species other than laying birds (Novus Europe S.A. / N.V.). <i>EFSA Journal</i> , 2021 , 19, e06528	2.3	1
476	Safety and efficacy of a feed additive consisting of a dried extract from the roots of <i>L.</i> (dry extract) for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06527	2.3	1
475	Safety and efficacy of a feed additive consisting of PTA-6507, NRRL B-50013 and NRRL B-50104 (Enviva PRO 202 GT) for turkeys for fattening (Danisco Animal Nutrition). <i>EFSA Journal</i> , 2021 , 19, e06535	2.3	0
474	Safety and efficacy of a feed additive consisting of copper chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021 , 19, e06541	2.3	1
473	Safety and efficacy of a feed additive consisting of endo-1,4- β -xylanase (ECONASEXT) produced by CBS 140027 as a feed additive for piglets (weaned), pigs for fattening, chickens for fattening, chickens reared for laying, laying hens, turkeys for fattening, turkeys reared for breeding and minor poultry species (Roal Oy). <i>EFSA Journal</i> , 2021 , 19, e06536	2.3	1
472	Assessment of a feed additive consisting of all-rac-alpha-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (NHU Europe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06533	2.3	6
471	Assessment of a feed additive consisting of all-rac-alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (DSM). <i>EFSA Journal</i> , 2021 , 19, e06529	2.3	1
470	Safety and efficacy of feed additives consisting of expressed lemon oil and its fractions from (<i>L.</i>) Osbeck and of lime oil from (Christm.) Swingle for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06548	2.3	9

469	Safety and efficacy of a feed additive consisting of a tincture derived from roots of L. (gentian tincture) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06547	2.3	6
468	Safety and efficacy of an additive consisting of synthetic vitamin K (phytomenadione) for horses (JARAZ Enterprises GmbH & Co. KG). <i>EFSA Journal</i> , 2021 , 19, e06538	2.3	
467	Assessment of a feed additive consisting of all-rac-alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (BASF SE). <i>EFSA Journal</i> , 2021 , 19, e06531	2.3	1
466	Assessment of a feed additive consisting of all-rac-alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (EUROPE-ASIA Import Export GmbH). <i>EFSA Journal</i> , 2021 , 19, e06530	2.3	1
465	Safety and efficacy of a feed additive consisting of ferrous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06545	2.3	
464	Safety and efficacy of the feed additive consisting of endo-1,4-beta-xylanase produced by CBS 143953 (Danisco Xylanase 40000 G/L) for poultry and porcine species (Danisco Animal Nutrition). <i>EFSA Journal</i> , 2021 , 19, e06539	2.3	
463	Safety and efficacy of a feed additive consisting of a dried extract from the roots of C.A. Meyer (dry extract) for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06526	2.3	
462	Safety and efficacy of a feed additive consisting of a dried extract from the leaves of L. (dry extract) for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06525	2.3	0
461	Safety and efficacy of a feed additive consisting of chromium propionate (KemTRACE[Chromium) for all growing poultry species (Kemin Europa NV). <i>EFSA Journal</i> , 2021 , 19, e06546	2.3	
460	Safety and efficacy of a feed additive consisting of iron chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021 , 19, e06540	2.3	1
459	Safety of the feed additives consisting of l-lysine monohydrochloride and l-lysine sulfate produced by CCTCC M 2015595 for all animal species (Kempex Holland B. V.). <i>EFSA Journal</i> , 2021 , 19, e06520	2.3	2
458	Assessment of a feed additive consisting of RRR-alpha-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Specialty Ingredients (Europe) B.V. and Vitae Caps S.A.). <i>EFSA Journal</i> , 2021 , 19, e06532	2.3	1
457	Safety and efficacy of an additive consisting of DSM 25840 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06522	2.3	
456	Safety and efficacy of the feed additives concentrated liquid l-lysine (base) and l-lysine monohydrochloride produced by KCCM 80183 for all animal species (CJ Europe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06537	2.3	2
455	Seasonal Variation of the Proximate Composition, Mineral Content, Fatty Acid Profiles and Other Phytochemical Constituents of Selected Brown Macroalgae. <i>Marine Drugs</i> , 2021 , 19,	6	10
454	Assessment of the feed additive consisting of dimethylglycine sodium salt (Taminizer D) for chickens for fattening for the renewal of its authorisation (Taminco N.V.). <i>EFSA Journal</i> , 2021 , 19, e0662† ^{2,3}		
453	Safety and efficacy of a feed additive consisting on the bacteriophages PCM F/00069, PCM F/00070, PCM F/00071 and PCM F/00097 infecting Gallinarum B/00111 (Bafasal) for all avian species (Proteon Pharmaceuticals S.A.). <i>EFSA Journal</i> , 2021 , 19, e06534	2.3	1
452	Assessment of the feed additive consisting of copper chelate of hydroxy analogue of methionine for all animal species for the renewal of its authorisation (Novus Europe S.A./N.V.). <i>EFSA Journal</i> , 2021 , 19, e06618	2.3	

451	Efficacy of the feed additive containing (formerly) CNCM I-3740 (Biacton) for chickens for fattening, turkeys for fattening and laying hens (ChemVet dk A/S). <i>EFSA Journal</i> , 2021 , 19, e06627	2.3	
450	Assessment of the feed additive consisting of (formerly) DSM 21762 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06613	2.3	3
449	Safety and efficacy of a feed additive consisting of l-histidine monohydrochloride monohydrate produced using 'NITE SD 00268 for all animal species (Kyowa Hakko Europe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06622	2.3	1
448	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of <i>Q.</i> (petitgrain bigarade oil) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06624	2.3	1
447	Assessment of the feed additive consisting of (formerly) DSM 12836 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06626	2.3	
446	Safety and efficacy of a feed additive consisting of titanium dioxide for all animal species (Titanium Dioxide Manufacturers Association). <i>EFSA Journal</i> , 2021 , 19, e06630	2.3	2
445	Safety and efficacy of an additive consisting of phyllite, natural mixture of minerals of metamorphic origin, as a feed additive for all animal species (Marmorkalkwerk Troesch GmbH & Co. KG). <i>EFSA Journal</i> , 2021 , 19, e06616	2.3	
444	Safety and efficacy of an additive consisting of potassium diformate (Formi L HS) for piglets (weaned) and pigs for fattening (Addcon GmbH). <i>EFSA Journal</i> , 2021 , 19, e06617	2.3	1
443	Safety and efficacy of a feed additive consisting of acetic acid for all animal species. <i>EFSA Journal</i> , 2021 , 19, e06615	2.3	1
442	Safety and efficacy of a feed additive consisting of an essential oil from the fruits of (Lour.) Pers. (litsea berry oil) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06623	2.3	1
441	Safety and efficacy of a feed additive consisting of disodium 5Pguanylate produced with KCCM 10530 and K-12 KFCC 11067 for all animal species (CJ Europe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06619	2.3	1
440	Assessment of the feed additive consisting of (formerly) DSM 12837 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06614	2.3	
439	Safety and efficacy of a feed additive consisting on (formerly) CECT 8350 and (formerly) CECT 8700 (AQ02) for suckling piglets (AQUILON CYL S.L.). <i>EFSA Journal</i> , 2021 , 19, e06631	2.3	0
438	Safety and efficacy of a feed additive consisting of expressed mandarin oil from the fruit peels of Blanco for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06625	2.3	1
437	Safety and efficacy of a feed additive consisting of ferric (III) ammonium hexacyanoferrate (II) for ruminants (domestic and wild), calves prior the start of rumination, lambs prior the start of rumination, kids prior the start of rumination and pigs (domestic and wild) (Honeywell Specialty Chemicals Seelze GmbH). <i>EFSA Journal</i> , 2021 , 19, e06628	2.3	
436	Safety and efficacy of the feed additive consisting of 'CECT 5940 (Ecobiol) for turkeys for fattening, turkeys reared for breeding, minor poultry species for fattening and reared for laying and ornamental birds (Evonik Operations GmbH). <i>EFSA Journal</i> , 2021 , 19, e06620	2.3	
435	Safety and efficacy of feed additives consisting of Vitamin B (98%) and Vitamin B (80%) as riboflavin produced by KCCM 10445 for all animal species (Hubei Guangji Pharmaceutical Co. Ltd.). <i>EFSA Journal</i> , 2021 , 19, e06629	2.3	
434	Assessment of a feed additive consisting of vitamin B (pyridoxine hydrochloride) for all animal species for the renewal of its authorisation (Kaesler Nutrition GmbH). <i>EFSA Journal</i> , 2021 , 19, e06612	2.3	

433	Safety of a feed additive consisting of a tincture derived from L. (great mullein tincture) for use in all animal species (MANGHEBATI SAS). <i>EFSA Journal</i> , 2021 , 19, e06711	2.3	
432	Safety and efficacy of a feed additive consisting of l-lysine sulfate produced by KCCM 80227 for all animal species (Daesang Europe BV). <i>EFSA Journal</i> , 2021 , 19, e06706	2.3	3
431	Assessment of the feed additive consisting of DSM 12834 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06713	2.3	0
430	Safety and efficacy of a feed additive consisting of (formerly) IMI 507027 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06704	2.3	0
429	Safety and efficacy of a feed additive consisting of (formerly) IMI 507026 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06703	2.3	1
428	Assessment of the feed additive consisting of (formerly) DSM 16774 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG). <i>EFSA Journal</i> , 2021 , 19, e06696	2.3	19
427	Safety and efficacy of a feed additive consisting of (formerly) IMI 507023 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06700	2.3	0
426	Assessment of the feed additive consisting of DSM 16243 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG). <i>EFSA Journal</i> , 2021 , 19, e06697	2.3	0
425	Safety and efficacy of a feed additive consisting of IMI 507024 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06701	2.3	0
424	Toxic and essential trace element concentrations in different tissues of extensively reared sheep in northern Spain. <i>Journal of Food Composition and Analysis</i> , 2021 , 96, 103709	4.1	5
423	Alternatives to antibiotics and trace elements (copper and zinc) to improve gut health and zootechnical parameters in piglets: A review. <i>Animal Feed Science and Technology</i> , 2021 , 271, 114727	3	6
422	Assessment of the feed additive consisting of endo-1,4- α -xylanase produced by CBS 114044 (ECONASEXT) for piglets (weaned), chickens reared for laying, chickens for fattening, turkeys for fattening and turkeys reared for breeding for the renewal of its authorisation (Roal Oy). <i>EFSA Journal</i> , 2021 , 19, e06702	2.3	4
421	Safety and efficacy of a feed additive consisting on ssp. ATCC PTA-6752 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06470	2.3	3
420	Safety for the user of the feed additive consisting of ferric citrate chelate (CI-FER) for suckling and weaned piglets and minor porcine species (Akeso Biomedical, Inc.). <i>EFSA Journal</i> , 2021 , 19, e06455	2.3	1
419	Assessment of the feed additive consisting of DSM 7134 (Bonvital) for chickens for fattening for the renewal of its authorisation (Lactosan GmbH & Co. KG). <i>EFSA Journal</i> , 2021 , 19, e06451	2.3	3
418	Safety and efficacy of a feed additive consisting of a flavonoid-rich dried extract of β -L. fruit (bitter orange extract) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06709	2.3	1
417	Safety and efficacy of a feed additive consisting of MUCL 39885 (Biosprint) for all pigs (other than sows and weaned piglets) and other minor porcine species (Prosol S.p.A.). <i>EFSA Journal</i> , 2021 , 19, e06698	2.3	3
416	Safety and efficacy of a feed additive consisting of butylated hydroxyanisole (BHA) for use in cats (FEDIAF). <i>EFSA Journal</i> , 2021 , 19, e06714	2.3	

415	Safety and efficacy of an additive consisting of xanthan gum produced by strains ?????, ????? for all animal species (Biopolymer International). <i>EFSA Journal</i> , 2021 , 19, e06710	2.3	1
414	Safety and efficacy of a feed additive consisting of MUCL 39885 (Biosprint) for cats and dogs (Prosol S.p.A.). <i>EFSA Journal</i> , 2021 , 19, e06699	2.3	
413	Safety for the environment of a feed additive consisting of nicarbazin (Coxar) for use in turkeys for fattening (Huvepharma N.V.). <i>EFSA Journal</i> , 2021 , 19, e06715	2.3	1
412	Safety and efficacy of a feed additive consisting of (formerly) IMI 507028 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06705	2.3	0
411	Safety and efficacy of a feed additive consisting of IMI 507025 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06702	2.3	0
410	Fish tissues for biomonitoring toxic and essential trace elements in the Lower Amazon. <i>Environmental Pollution</i> , 2021 , 283, 117024	9.3	7
409	Guidance on the renewal of the authorisation of feed additives. <i>EFSA Journal</i> , 2021 , 19, e06340	2.3	27
408	Safety and efficacy of a feed additive consisting of Allura Red AC for small non-food-producing mammals and ornamental birds (Versele-Laga).. <i>EFSA Journal</i> , 2021 , 19, e06987	2.3	
407	Safety and efficacy of a feed additive consisting of Galactosidase (produced by ATCC SD6740) and endo-1,4- α -xylanase (produced by CBS 139997) (Capsozyme SB Plus) for chickens for fattening, chickens reared for laying and minor poultry species (for fattening and reared for laying) (Industrial Técnica Pecuaria S.A.).. <i>EFSA Journal</i> , 2021 , 19, e06981	2.3	
406	Safety and efficacy of a feed additive consisting of l-isoleucine produced by KCCM 80185 for all animal species (CJ Europe GmbH).. <i>EFSA Journal</i> , 2021 , 19, e06977	2.3	
405	Safety and efficacy of a feed additive consisting of l-lysine monohydrochloride and l-lysine sulfate produced by CGMCC 14498 for all animal species (Kempex Holland BV).. <i>EFSA Journal</i> , 2021 , 19, e06980	2.3	
404	Safety and efficacy of the feed additive consisting of selenium-enriched yeast (CNCM I-3060) for all animal species (Alltech Ireland).. <i>EFSA Journal</i> , 2021 , 19, e06979	2.3	
403	Safety and efficacy of a feed additive consisting of monosodium l-glutamate produced by fermentation with KCCM 80187 for all animal species (CJ Europe GmbH).. <i>EFSA Journal</i> , 2021 , 19, e06982	2.3	
402	Safety and efficacy of a feed additive consisting of sodium aluminosilicate, synthetic, for all animal species (European Zeolites Producers Association (EUZEPA) & Association of Synthetic Amorphous Silica Producers (ASASP)).. <i>EFSA Journal</i> , 2021 , 19, e06976	2.3	0
401	Safety and efficacy of a feed additive consisting of a tincture from the bark of J. Presl (cinnamon tincture) for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2021 , 19, e06986	2.3	1
400	Safety and efficacy of Bonvital (DSM 7134) as a feed additive for laying hens. <i>EFSA Journal</i> , 2020 , 18, e06277	2.3	1
399	Safety and efficacy of concentrated liquid l-lysine (base) and l-lysine monohydrochloride produced by fermentation with KCCM 80190 as feed additives for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06285	2.3	6
398	Safety of methanethiol [12.003] when used as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06288	2.3	

397	Safety and efficacy of Correlink ABS1781 (NRRL B-67259) as a feed additive for all growing poultry species. <i>EFSA Journal</i> , 2020 , 18, e06279	2.3	
396	Safety and Efficacy of l-histidine monohydrochloride monohydrate produced by fermentation using KCCM 80212 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06287	2.3	1
395	Copper Supplementation, A Challenge in Cattle. <i>Animals</i> , 2020 , 10,	3.1	7
394	Safety and efficacy of Nimicoat (carvacrol) as a zootechnical additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06070	2.3	1
393	Safety and efficacy of GalliPro Fit (DSM 32324, DSM 32325 and DSM 25840) for all poultry species for fattening or reared for laying/breeding. <i>EFSA Journal</i> , 2020 , 18, e06094	2.3	3
392	Safety and efficacy of CNCM I-3698 and CNCM I-3699 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06082	2.3	3
391	Safety and efficacy of Biacton (CNCM I-3740) as a feed additive for chickens for fattening, turkeys for fattening and laying hens. <i>EFSA Journal</i> , 2020 , 18, e06083	2.3	2
390	Safety and efficacy of propyl gallate for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06069	2.3	3
389	Safety and efficacy of l-valine produced by fermentation using KCCM 80159 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06074	2.3	3
388	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06137	2.3	
387	Safety and efficacy of OptiPhos PLUS for poultry species for fattening, minor poultry species reared for breeding and ornamental birds. <i>EFSA Journal</i> , 2020 , 18, e06141	2.3	2
386	Safety and efficacy of Dry grape extract 60-20P when used as feed flavouring for dogs. <i>EFSA Journal</i> , 2020 , 18, e06067	2.3	
385	Safety and efficacy of Capsozyme SB Plus (β-galactosidase and endo-1,4-xylanase) as a feed additive for poultry species for fattening or reared for laying and ornamental birds. <i>EFSA Journal</i> , 2020 , 18, e06086	2.3	1
384	Safety and efficacy of Biacton (Lactobacillus farciminis CNCM I-3740) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06084	2.3	
383	Safety and efficacy of a dried aqueous ethanol extract of L. leaves when used as a sensory additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06016	2.3	2
382	Safety and efficacy of l-lysine monohydrochloride and l-lysine sulfate produced using CGMCC 7.266 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06019	2.3	8
381	Safety and efficacy of l-isoleucine produced by fermentation with KCCM 80189 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06021	2.3	3
380	Safety and efficacy of Manganese chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06001	2.3	1

379	Safety and efficacy of 4-phenylbut-3-en-2-one and benzophenone belonging to chemical group 21 when used as flavouring compounds for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06017	2.3	2
378	Safety of lignosulphonate for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06000	2.3	
377	Safety and efficacy of l-tryptophan produced by fermentation using CGMCC 7.267 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06013	2.3	1
376	Safety and efficacy of l-cystine produced using strain NITE BP-02525 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06020	2.3	
375	Assessment of the application for renewal of authorisation of l-isoleucine produced by FERM ABP-10641 as a nutritional additive, its extension of use in water for drinking and a new use as flavouring additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06022	2.3	
374	Safety and efficacy of saponified paprika extract, containing capsanthin as main carotenoid source, for poultry for fattening and laying (except turkeys). <i>EFSA Journal</i> , 2020 , 18, e06023	2.3	0
373	Safety and efficacy of ProEquo [®] (Lactobacillus plantarum DSM 11520) as a feed additive for horses. <i>EFSA Journal</i> , 2020 , 18, e06143	2.3	
372	Safety and efficacy of STABILFLOR as a zootechnical feed additive for pigs for fattening. <i>EFSA Journal</i> , 2020 , 18, e06145	2.3	
371	Safety and efficacy of turmeric extract, turmeric oil, turmeric oleoresin and turmeric tincture from L. rhizome when used as sensory additives in feed for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06146	2.3	1
370	Safety and efficacy of TechnoSpore (DSM 32016) for piglets, other growing Suidae, chickens for fattening, other poultry for fattening and ornamental birds. <i>EFSA Journal</i> , 2020 , 18, e06158	2.3	1
369	Serum Concentrations of Essential Trace and Toxic Elements in Healthy and Disease-Affected Dogs. <i>Animals</i> , 2020 , 10,	3.1	2
368	Safety and efficacy of OptiPhosPLUS (6 phytase) for laying hens, turkeys for breeding, chickens for breeding, minor poultry species for egg production purposes and breeding. <i>EFSA Journal</i> , 2020 , 18, e06163	2.3	1
367	Safety of l-tryptophan produced using CGMCC 11674 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06168	2.3	1
366	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06077	2.3	0
365	Safety and efficacy of APSA PHYTAFEED [®] (6-phytase) as a feed additive for laying hens and other laying birds. <i>EFSA Journal</i> , 2020 , 18, e06142	2.3	
364	Efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06164	2.3	0
363	Safety and efficacy of FSF10000 and FLF1000 (3-phytase) as a feed additive for turkeys for fattening or reared for breeding, pigs for fattening and minor porcine species. <i>EFSA Journal</i> , 2020 , 18, e06015	2.3	1
362	Efficacy of sodium formate as a technological feed additive (preservative) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06139	2.3	

361	Safety and efficacy of IMP (disodium 5?-inosinate) produced by fermentation with <i>Corynebacterium stationis</i> KCCM 80161 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06140	2.3	2
360	Safety and efficacy of essential oil, oleoresin and tincture from Roscoe when used as sensory additives in feed for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06147	2.3	0
359	Assessment of the application for renewal of authorisation of selenium-enriched yeast produced by <i>Saccharomyces cerevisiae</i> CNCM I-3399 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06144	2.3	
358	Safety and efficacy of DSP (NaEDTA, tannin-rich extract of , thyme oil and origanum oil) for pigs for fattening. <i>EFSA Journal</i> , 2020 , 18, e06163	2.3	
357	Assessment of the application for renewal of the authorisation of DSM 16244 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06166	2.3	5
356	Safety and efficacy of a dried aqueous ethanol extract of leaves from L. when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06018	2.3	
355	Safety and efficacy of AvailaCr (chromium chelate of DL-methionine) as a feed additive for dairy cows. <i>EFSA Journal</i> , 2020 , 18, e06026	2.3	2
354	Safety of hexamethylene tetramine for pigs, poultry, bovines, sheep, goats, rabbits and horses. <i>EFSA Journal</i> , 2020 , 18, e06012	2.3	
353	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2020 , 18, e05979	2.3	2
352	Statement on the safety and efficacy of Shellac for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06065	2.3	
351	Safety and efficacy of l-glutamine produced using NITE BP-02524 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06075	2.3	2
350	Toxic and essential trace element concentrations in fish species in the Lower Amazon, Brazil. <i>Science of the Total Environment</i> , 2020 , 732, 138983	10.2	8
349	Safety and efficacy of l-cysteine hydrochloride monohydrate produced by fermentation using KCCM 80180 and KCCM 80181 as a flavouring additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06003	2.3	1
348	Assessment of the application for renewal of the authorisation of Amaferm (fermentation product of NRRL 458) as a feed additive for dairy cows. <i>EFSA Journal</i> , 2020 , 18, e06011	2.3	3
347	Assessment of the application for renewal of authorisation of Ecobiol (CECT 5940) as a feed additive for chickens for fattening and its extension of use for chickens reared for laying. <i>EFSA Journal</i> , 2020 , 18, e06014	2.3	3
346	Efficacy of Cygro 10G (maduramicin ammonium- H^+) for turkeys. <i>EFSA Journal</i> , 2020 , 18, e06079	2.3	1
345	Safety and efficacy of l-cysteine monohydrochloride monohydrate produced by fermentation using KCCM 80109 and KCCM 80197 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06101	2.3	1
344	Statement on the safety and efficacy of lignosulphonate of magnesium (Caimabond) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06066	2.3	

343	Assessment of the application for renewal of authorisation of AviPlus as a feed additive for all porcine species (weaned), chickens for fattening, chickens reared for laying, minor poultry species for fattening, minor poultry species reared for laying. <i>EFSA Journal</i> , 2020 , 18, e06063	2.3	0
342	Safety and efficacy of Panavital feed (d-glyceric acid) for chickens for fattening. <i>EFSA Journal</i> , 2020 , 18, e06068	2.3	
341	Assessment of the application for renewal of authorisation of manganese chelate of hydroxy analogue of methionine for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06281	2.3	1
340	Safety and efficacy of Nutrase P (6-phytase) for chickens for fattening, other poultry for fattening, reared for laying and ornamental birds. <i>EFSA Journal</i> , 2020 , 18, e06282	2.3	0
339	Safety and efficacy of l-lysine monohydrochloride produced by fermentation with DSM 32932 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06078	2.3	8
338	Assessment of the application for renewal of the authorisation of Calsporin (DSM 15544) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06283	2.3	3
337	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation with KCTC 12307BP as feed additives for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06333	2.3	2
336	Safety of potassium diformate (FormilLHS) as a feed additive for sows, from ADDCON EUROPE GmbH. <i>EFSA Journal</i> , 2020 , 18, e06339	2.3	2
335	Assessment of the application for renewal of authorisation of AveMixXG 10 (endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase) for chickens for fattening. <i>EFSA Journal</i> , 2020 , 18, e06062	2.3	
334	Assessment of the application for renewal of the authorisation of Actisaf Sc 47 (CNCM I-4407) as a feed additive for calves for rearing. <i>EFSA Journal</i> , 2020 , 18, e06167	2.3	1
333	Safety and efficacy of DSM 29026 as a silage additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06159		
332	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation with KCCM 80216 as feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06334	2.3	1
331	Safety of vitamin B (in the form of cyanocobalamin) produced by CNCM-I 5541 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06335	2.3	
330	Safety and efficacy of l-threonine produced using CGMCC 13325 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06332	2.3	
329	Assessment of the application for renewal of authorisation of zinc chelate of hydroxy analogue of methionine for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06337	2.3	
328	Safety of 31 flavouring compounds belonging to different chemical groups when used as feed additives for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06338	2.3	1
327	Assessment of the application for renewal of authorisation of endo-1,4-xylanase produced by CBS 109.713 and endo-1,4-glucanase produced by DSM 18404 for poultry species, ornamental birds and weaned piglets, from BASF SE. <i>EFSA Journal</i> , 2020 , 18, e06331	2.3	
326	Assessment of the application for renewal of authorisation of 6-phytase produced by CBS 122001 as a feed additive for pigs and poultry, from Roal Oy. <i>EFSA Journal</i> , 2020 , 18, e06336	2.3	

325	Toxic and essential trace element concentrations in the freshwater shrimp <i>Macrobrachium amazonicum</i> in the Lower Amazon, Brazil. <i>Journal of Food Composition and Analysis</i> , 2020 , 86, 103361	4.1	7
324	Breed performance in organic dairy farming in Northern Spain. <i>Reproduction in Domestic Animals</i> , 2020 , 55, 93-104	1.6	1
323	Consumers' perception of and attitudes towards organic food in Galicia (Northern Spain). <i>International Journal of Consumer Studies</i> , 2020 , 44, 206-219	5.7	28
322	Safety and efficacy of monosodium l-glutamate monohydrate produced by KCCM 80188 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06085	2.3	4
321	Safety and efficacy of STENOROL (halofuginone hydrobromide) as a feed additive for chickens for fattening and turkeys. <i>EFSA Journal</i> , 2020 , 18, e06169	2.3	0
320	Safety and efficacy of Sorbiflore [®] ADVANCE (Lactobacillus rhamnosus CNCM I-3698 and Lactobacillus farciminis CNCM I-3699) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2020 , 18, e06080	2.3	2
319	Safety and efficacy of Correlink [®] ABS747 (NRRL B-67257) as a feed additive for all growing poultry species. <i>EFSA Journal</i> , 2020 , 18, e06278	2.3	1
318	Safety and efficacy of PB6 (ATCC PTA-6737) as a feed additive for chickens for fattening, chickens reared for laying, minor poultry species (except for laying purposes), ornamental, sporting and game birds. <i>EFSA Journal</i> , 2020 , 18, e06280	2.3	2
317	Assessment of the application for renewal of authorisation of Biosprint (MUCL 39885) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06284	2.3	2
316	Statement on the safety and efficacy of phosphoric acid 60% on silica carrier (UD60) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06064	2.3	2
315	Assessment of the application for renewal of authorisation of pyridoxine hydrochloride (vitamin B) as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06289	2.3	1
314	Safety and efficacy of vermiculite as a feed additive for pigs, poultry, bovines, sheep, goats, rabbits and horses. <i>EFSA Journal</i> , 2020 , 18, e06160	2.3	1
313	Safety of a tincture derived from L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06206	2.3	
312	Safety and efficacy of AxtraXAP 104 TPT (endo-1,4-xylanase, protease and alpha-amylase) as a feed additive for chickens for fattening, laying hens and minor poultry species. <i>EFSA Journal</i> , 2020 , 18, e06165	2.3	3
311	Safety and efficacy of l-lysine sulfate produced by fermentation using KFCC 11043 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06203	2.3	9
310	Safety and efficacy of DSM 32962 as a silage additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06203	2.3	12
309	Safety and efficacy of BioWorma (NCIMB 30336) as a feed additive for all grazing animals. <i>EFSA Journal</i> , 2020 , 18, e06208	2.3	2
308	Safety and efficacy of sodium carboxymethyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06211	2.3	5

307	Safety and efficacy of hydroxypropyl methyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06214		1
306	Safety and efficacy of ethyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06210	2.3	1
305	Safety and efficacy of montmorillonite-illite (FIMIX 1g557) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06095	2.3	
304	Safety and efficacy of Avatec 150G (lasalocid A sodium) as a feed additive for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2020 , 18, e06202	2.3	2
303	Safety of 3-phytase FLF1000 and FSF10000 as a feed additive for pigs for fattening and minor growing porcine species. <i>EFSA Journal</i> , 2020 , 18, e06205	2.3	2
302	Safety and efficacy of hydroxypropyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06213	2.3	1
301	Safety and efficacy of OptiPhosPLUS for suckling and weaned piglets, pigs for fattening, sows, other minor pig species for fattening and other minor reproductive pig species. <i>EFSA Journal</i> , 2020 , 18, e06204	2.3	3
300	Safety and efficacy of microcrystalline cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06209	2.3	2
299	Safety and efficacy of methyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06212	2.3	2
298	Safety of ammonium formate (E 295) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06076	2.3	
297	Safety and efficacy of l-tryptophan produced by fermentation with KCCM 10534 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06071	2.3	1
296	Assessment of the application for renewal of authorisation of l-histidine monohydrochloride monohydrate produced with NITE SD 00268 for salmonids and its extension of use to other fin fish. <i>EFSA Journal</i> , 2020 , 18, e06072	2.3	2
295	Safety for the environment of sorbitan monolaurate as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06162	2.3	
294	Safety and efficacy of fumonisin esterase from DSM 32159 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06207	2.3	3
293	Safety and efficacy of Sorbiflore [®] ADVANCE (Lactobacillus rhamnosus CNCM I-3698 and Lactobacillus farciminis CNCM I-3699) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06081	2.3	2
292	Trace Element Levels in Serum Are Potentially Valuable Diagnostic Markers in Dogs. <i>Animals</i> , 2020 , 10,	3.1	1
291	Safety and efficacy of l-valine produced by fermentation using CGMCC 7.358 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06286	2.3	2
290	Safety and efficacy of oct-1-en-3-ol, pent-1-en-3-ol, oct-1-en-3-one, oct-1-en-3-yl acetate, isopulegol and 5-methylhept-2-en-4-one, belonging to chemical group 5 and of isopulegone and Damascone belonging to chemical group 8 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06002	2.3	3

289	Assessment of the application for renewal of authorisation of FormiLHS (potassium diformate) for sows. <i>EFSA Journal</i> , 2020 , 18, e06024	2.3	2
288	Safety and efficacy of NatugrainTS/TS L (endo-1,4-beta-xylanase and endo-1,4-beta-glucanase) as a feed additive for sows. <i>EFSA Journal</i> , 2020 , 18, e06025	2.3	1
287	Safety and efficacy of Avizyme 1505 (endo-1,4-beta-xylanase, subtilisin and alpha-amylase) for all poultry species. <i>EFSA Journal</i> , 2020 , 18, e06027	2.3	
286	Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. <i>EFSA Journal</i> , 2019 , 17, e05609	2.3	2
285	Safety and efficacy of Robenz 66G (robenidine hydrochloride) for chickens for fattening and turkeys for fattening. <i>EFSA Journal</i> , 2019 , 17, e05613	2.3	2
284	Safety and efficacy of l-tryptophan produced by fermentation with KCCM 80135 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05694	2.3	5
283	Safety and efficacy of l-tryptophan produced by fermentation with KCCM 80152 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05695	2.3	5
282	Assessment of the application for renewal of authorisation of Lantharenol (lanthanum carbonate octahydrate) for cats. <i>EFSA Journal</i> , 2019 , 17, e05542	2.3	1
281	Safety and efficacy of Hemicell-L (endo-1,4-βmannanase) as a feed additive for chickens for fattening or reared for laying, turkeys for fattening or reared for breeding and minor poultry species. <i>EFSA Journal</i> , 2019 , 17, e05641	2.3	
280	Safety and efficacy of muramidase from DSM 32338 as a feed additive for turkeys for fattening, turkeys reared for breeding, chickens reared for breeding and other poultry species reared for breeding. <i>EFSA Journal</i> , 2019 , 17, e05686	2.3	2
279	Assessment of the application for renewal of authorisation of Bactocell (CNM I-4622) as a feed additive for weaned piglets, pigs for fattening, minor porcine species (weaned and for fattening), chickens for fattening, laying hens and minor avian species for fattening and for laying and its extension of use to all growing pigs and all avian species. <i>EFSA Journal</i> , 2019 , 17, e05690	2.3	2
278	Safety and efficacy of APSA PHYTA FEED 20,000 GR/L (6-phytase) as a feed additive for chickens for fattening, chickens reared for laying and minor growing poultry species. <i>EFSA Journal</i> , 2019 , 17, e05692	2.3	4
277	Safety and efficacy of LevucellSB (CNM I-1079) as a feed additive for turkeys for fattening. <i>EFSA Journal</i> , 2019 , 17, e05693	2.3	
276	Assessment of the application for renewal of authorisation of PHYZYMEXP 5000 G/L (6-phytase) for chickens for fattening, laying hens, turkeys for fattening, ducks for fattening, weaned piglets, pigs for fattening and sows for reproduction. <i>EFSA Journal</i> , 2019 , 17, e05701	2.3	1
275	Assessment of the application for renewal of the authorisation of PHYZYMEXP 10000 TPT/L (6-phytase) as a feed additive for all avian species and all swine species. <i>EFSA Journal</i> , 2019 , 17, e05702	2.3	1
274	Assessment of the application for renewal of authorisation of Biosprint (MUCL 39885) for sows. <i>EFSA Journal</i> , 2019 , 17, e05719	2.3	3
273	Safety and efficacy of an essential oil from (L.) Maton when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05721	2.3	3
272	Safety and efficacy of Levucell SC (CNM I-1077) as a feed additive for calves and minor ruminant species and camelids at the same developmental stage. <i>EFSA Journal</i> , 2019 , 17, e05723	2.3	

271	Safety and efficacy of VevoVital (benzoic acid) as feed additive for pigs for fattening. <i>EFSA Journal</i> , 2019 , 17, e05727	2.3	
270	Safety and efficacy of 'DSM 28343 for pigs for fattening. <i>EFSA Journal</i> , 2019 , 17, e05725	2.3	
269	Safety and efficacy of lutein and lutein/zeaxanthin extracts from for poultry for fattening and laying (except turkeys). <i>EFSA Journal</i> , 2019 , 17, e05698	2.3	2
268	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation using strain NRRL B-50775 for all animal species based on a dossier submitted by ADM. <i>EFSA Journal</i> , 2019 , 17, e05537	2.3	12
267	Safety and efficacy of Probiom forte ('KCCM 10941P and 'KCCM 11093P) for chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05644	2.3	
266	Safety and efficacy of NBF-2 (DSM 32264) as a feed additive for cats. <i>EFSA Journal</i> , 2019 , 17, e05526	2.3	
265	Safety and efficacy of benzoic acid as a technological feed additive for weaned piglets and pigs for fattening. <i>EFSA Journal</i> , 2019 , 17, e05527	2.3	1
264	Safety and efficacy of LevucellSB (CNCM I-1079) as a feed additive for all pigs. <i>EFSA Journal</i> , 2019 , 17, e05535	2.3	
263	Efficacy of a preparation of algae interspaced bentonite as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05604	2.3	1
262	Safety and efficacy of l-valine produced using CGMCC 11675 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05611	2.3	4
261	Guidance on the assessment of the safety of feed additives for the environment. <i>EFSA Journal</i> , 2019 , 17, e05648	2.3	127
260	Assessment of the application for renewal of authorisation of Natugrain Wheat TS and TS L (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, ducks, turkeys for fattening, turkeys reared for breeding, minor avian species (except ducks and laying birds) and ornamental fish. <i>EFSA Journal</i> , 2019 , 17, e05650	2.3	2
259	Safety and efficacy of an essential oil of ssp. (Link) leetsw. for all poultry species. <i>EFSA Journal</i> , 2019 , 17, e05653	2.3	4
258	Safety and efficacy of BiominDC-C as a zootechnical feed additive for weaned piglets. <i>EFSA Journal</i> , 2019 , 17, e05688	2.3	3
257	Safety and efficacy of l-leucine produced by fermentation with NITE BP-02351 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05689	2.3	1
256	Safety and efficacy of l-arginine produced by fermentation with KCCM 80182 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05696	2.3	
255	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation using strain KCCM 10227 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05697	2.3	12
254	Safety of erythrosine for ornamental fish. <i>EFSA Journal</i> , 2019 , 17, e05699	2.3	

253	Efficacy of NBRC 0203, NBRC 3070 and NBRC 3425 as a technological additive (silage additive) for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05700	2.3	1
252	Safety and efficacy of sorbitan monolaurate as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05651	2.3	3
251	Organic or conventional dairy farming in northern Spain: Impacts on cow reproductive performance. <i>Reproduction in Domestic Animals</i> , 2019 , 54, 902-911	1.6	3
250	Safety and efficacy of l-tryptophan produced by fermentation with CGMCC 7.248 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05601	2.3	5
249	Safety and efficacy of l-threonine produced by fermentation with ????? for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05602	2.3	1
248	Safety and efficacy of l-lysine monohydrochloride and l-lysine sulfate produced using CCTCC M 2015595 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05643	2.3	12
247	Efficacy of sodium formate as a technological feed additive (hygiene condition enhancer) for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05645	2.3	3
246	Assessment of the application for renewal of authorisation of Bonvital (DSM 7134) as a feed additive for weaned piglets and pigs for fattening. <i>EFSA Journal</i> , 2019 , 17, e05650	2.3	3
245	Safety and efficacy of 26 compounds belonging to chemical group 3 (unsaturated straight-chain and branched-chain aliphatic primary alcohols, aldehydes, acids and esters) when used as flavourings for all animal species and categories. <i>EFSA Journal</i> , 2019 , 17, e05654	2.3	14
244	Safety and efficacy of TYFER (ferric tyrosine chelate) as a zootechnical feed additive for chickens, turkeys and minor poultry species for fattening or reared for laying/breeding. <i>EFSA Journal</i> , 2019 , 17, e05608	2.3	0
243	Assessment of the application for renewal of authorisation of GalliPro (DSM 17299) for chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05687	2.3	
242	Safety and efficacy of 3-phytase FSF10000 as a feed additive for chickens for fattening or reared for laying, laying hens and minor poultry species. <i>EFSA Journal</i> , 2019 , 17, e05543	2.3	2
241	Safety and efficacy of a molybdenum compound (E7) sodium molybdate dihydrate as feed additive for sheep based on a dossier submitted by Trouw Nutrition International B.V. <i>EFSA Journal</i> , 2019 , 17, e05606	2.3	2
240	Breeding for organic dairy farming: what types of cows are needed?. <i>Journal of Dairy Research</i> , 2019 , 86, 3-12	1.6	11
239	Assessment of the application for renewal of the authorisation of Natuphos (3-phytase) as a feed additive for poultry and pigs. <i>EFSA Journal</i> , 2019 , 17, e05640	2.3	1
238	Safety and efficacy of HOSTAZYM X (endo-1,4-beta-xylanase) as a feed additive for rabbits for fattening. <i>EFSA Journal</i> , 2019 , 17, e05529	2.3	
237	Safety and efficacy of l-valine produced by fermentation using 'KCCM'11201P for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05538	2.3	5
236	Safety and efficacy of Deccox (decoquinat) for chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05541	2.3	2

235	Safety and efficacy of Calsporin (™ DSM 15544) for all poultry species. <i>EFSA Journal</i> , 2019 , 17, e05605	2.3	3
234	Efficacy of methyl ester of conjugated linoleic acid (t10,c12 isomer) for sows and cows for reproduction. <i>EFSA Journal</i> , 2019 , 17, e05614	2.3	
233	Assessment of the application for renewal of authorisation of Levucell SC (CNCM I-1077) as a feed additive for lambs and horses. <i>EFSA Journal</i> , 2019 , 17, e05639	2.3	
232	Safety and efficacy of l-tryptophan produced with CGMCC 11674 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05642	2.3	7
231	Safety of cassia gum as a feed additive for cats and dogs based on a dossier submitted by Glycomer GmbH. <i>EFSA Journal</i> , 2019 , 17, e05528	2.3	
230	Safety and efficacy of 8-mercapto--menthan-3-one and -menth-1-ene-8-thiol belonging to chemical group 20 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05530	2.3	2
229	Safety of concentrated l-lysine (base), l-lysine monohydrochloride and l-lysine sulfate produced using different strains of for all animal species based on a dossier submitted by FEFANA asbl. <i>EFSA Journal</i> , 2019 , 17, e05532	2.3	14
228	Safety and efficacy of B-Act (DSM 28710) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species for fattening or raised for laying. <i>EFSA Journal</i> , 2019 , 17, e05536	2.3	3
227	Safety for the environment of vitamin D for salmonids. <i>EFSA Journal</i> , 2019 , 17, e05540	2.3	
226	Safety and efficacy of Actisaf Sc47 (CNCM I-4407) as a feed additive for cattle for fattening, dairy cows, weaned piglets and sows. <i>EFSA Journal</i> , 2019 , 17, e05600	2.3	2
225	Safety and efficacy of l-threonine produced by fermentation with ????? for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05603	2.3	2
224	Modification of the terms of the authorisation of Natuphos E as a feed additive for chickens for fattening or reared for laying/breeding. <i>EFSA Journal</i> , 2019 , 17, e05607	2.3	1
223	Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for piglets, pigs for fattening and other porcine species. <i>EFSA Journal</i> , 2019 , 17, e05610	2.3	1
222	Safety and efficacy of Bonvital (, DSM 7134) as an additive in water for drinking for sows. <i>EFSA Journal</i> , 2019 , 17, e05612	2.3	2
221	Safety and efficacy of Probiotic Lactina (NBIMCC 8270 NBIMCC 8242 NBIMCC 8269 ssp. NBIMCC 8250 ssp. NBIMCC 8244 and NBIMCC 8253) as a feed additive for chickens for fattening and suckling and weaned rabbits. <i>EFSA Journal</i> , 2019 , 17, e05646	2.3	3
220	Safety and efficacy of Cinergy Life B3 HiCon (NRRL B-50508, , NRRL B-50509 and B-50510) as a feed additive for pigs for fattening and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05647	2.3	1
219	Safety and efficacy of eight compounds belonging to different chemical groups when used as flavourings for cats and dogs. <i>EFSA Journal</i> , 2019 , 17, e05649	2.3	0
218	Validation of a simple sample preparation method for multielement analysis of bovine serum. <i>PLoS ONE</i> , 2019 , 14, e0211859	3.7	12

217	Assessment of the application for renewal of authorisation of selenomethionine produced by NCYC R397 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05539	2.3	3
216	Safety and efficacy of sodium selenate as feed additive for ruminants. <i>EFSA Journal</i> , 2019 , 17, e05788	2.3	0
215	Safety and efficacy of Bergazym P100 (endo-1,4- α -xylanase) as a feed additive for other birds for fattening, ornamental birds and other growing Suidae. <i>EFSA Journal</i> , 2019 , 17, e05781	2.3	
214	Safety and efficacy of zinc chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05782	2.3	1
213	Safety and efficacy of l-histidine monohydrochloride monohydrate produced using KCCM 80172 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05783	2.3	4
212	Safety and efficacy of l-histidine monohydrochloride monohydrate produced using KCCM 80179 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05784	2.3	2
211	Safety and efficacy of Natuphos E (6-phytase) as a feed additive for laying hens, minor poultry and other avian species for laying. <i>EFSA Journal</i> , 2019 , 17, e05789	2.3	1
210	Efficacy of DSM 28343 as a zootechnical additive (gut flora stabiliser) for calves for rearing. <i>EFSA Journal</i> , 2019 , 17, e05793	2.3	
209	Safety of an essential oil from subsp. (Link) letsw. var. Vulkan when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05794	2.3	2
208	Safety and efficacy of AviPlus as a feed additive for turkeys for fattening, turkeys reared for breeding and suckling piglets. <i>EFSA Journal</i> , 2019 , 17, e05795	2.3	1
207	Assessment of the application for renewal of authorisation of l-arginine produced by fermentation using NITE SD 00285 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05720	2.3	1
206	Safety and efficacy of aluminosilicate of sodium, potassium, calcium and magnesium as a feed additive for pigs. <i>EFSA Journal</i> , 2019 , 17, e05722	2.3	
205	Modification of the conditions of the authorisation of BioPlus 2B (‘DSM 5749 and ‘DSM 5750) for turkeys for fattening. <i>EFSA Journal</i> , 2019 , 17, e05726	2.3	
204	Safety and efficacy of copper chelates of lysine and glutamic acid as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05728	2.3	2
203	Safety and efficacy of l-tryptophan produced by fermentation with KCCM 80176 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05729	2.3	6
202	Safety and efficacy of FRA Octazyme C Dry (endo-1,4- α -xylanase, mannan-endo-1,4- β -mannosidase, α -amylase, endo-1,3(4)- β -glucanase, pectinase, endo-1,4- β -glucanase, protease, β -galactosidase) as a feed additive for weaned piglets and chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05730	2.3	1
201	Determination of Essential and Toxic Elements in Cattle Blood: Serum vs Plasma. <i>Animals</i> , 2019 , 9,	3.1	6
200	Safety and efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05792	2.3	1

199	Safety and efficacy of Biomin DC-P as a zootechnical feed additive for chickens for fattening, chickens reared for laying and minor avian species to the point of lay. <i>EFSA Journal</i> , 2019 , 17, e05724	2.3	3
198	Safety and efficacy of l-histidine monohydrochloride monohydrate produced by fermentation with (NITE BP-02526) for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05785	2.3	2
197	Safety and efficacy of DSM 32457 as a silage additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05787	2.3	0
196	Safety and efficacy of 3-phytase FLF1000 as a feed additive for pigs for fattening and minor porcine species for growing. <i>EFSA Journal</i> , 2019 , 17, e05791	2.3	2
195	Safety and efficacy of a tincture derived from L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05879	2.3	2
194	Modification of the terms of authorisation regarding the maximum inclusion level of Maxiban G160 (narasin and nicarbazin) for chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05786	2.3	4
193	Safety and efficacy of RONOZYMEWX CT/L (endo-1,4- α -xylanase) as a feed additive for sows for reproduction. <i>EFSA Journal</i> , 2019 , 17, e05790	2.3	
192	Safety of Lancer (lanthanide citrate) as a zootechnical additive for weaned piglets. <i>EFSA Journal</i> , 2019 , 17, e05912	2.3	1
191	Assessment of the application for renewal of authorisation of Yea-Sacc () for horses. <i>EFSA Journal</i> , 2019 , 17, e05918	2.3	
190	Safety and efficacy of ZM16 10 (DSM 25840) as a feed additive for sows in order to have benefits in piglets, sows for reproduction, piglets (suckling and weaned), pigs for fattening and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05883	2.3	
189	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for piglets (suckling and weaned) and growing minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05894	2.3	3
188	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species. <i>EFSA Journal</i> , 2019 , 17, e05893	2.3	2
187	Safety and efficacy of a tincture derived from L. when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05910	2.3	1
186	Safety and efficacy of l-methionine produced by fermentation with KCCM 80184 and KCCM 80096 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05917	2.3	3
185	Safety and efficacy of Belfeed B MP/ML (endo-1,4- α -xylanase) as a feed additive for sows, in order to have benefits in piglets, and for all porcine species. <i>EFSA Journal</i> , 2019 , 17, e05892	2.3	1
184	Safety of ethyl ester of β -apo-8Pcarotenoic acid as a feed additive for poultry for fattening and poultry for laying. <i>EFSA Journal</i> , 2019 , 17, e05911	2.3	1
183	Safety of NCIMB 30160 as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05890	2.3	
182	Safety and efficacy of Elancoban G200 (monensin sodium) for chickens for fattening, chickens reared for laying and turkeys. <i>EFSA Journal</i> , 2019 , 17, e05891	2.3	

181	Assessment of the application for renewal of authorisation of ECONASEXT (endo-1,4- α -xylanase) as a feed additive for piglets (weaned), chickens for fattening, chickens reared for laying, turkeys for fattening and turkeys reared for breeding. <i>EFSA Journal</i> , 2019 , 17, e05880	2.3	2
180	Safety and efficacy of astaxanthin-dimethyldisuccinate (Carophyll Stay-Pink 10%-CWS) for salmonids, crustaceans and other fish. <i>EFSA Journal</i> , 2019 , 17, e05920	2.3	5
179	Efficacy of ZM16 10 (DSM 25840) as a feed additive for weaned piglets and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05881	2.3	1
178	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation using strains NRRL-B-67439 or NRRL B-67535 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05886	2.3	10
177	Safety and efficacy of an essential oil from ssp. (Link) letsw. for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05909	2.3	5
176	Safety and efficacy of EB15 10 (DSM 25841) as a feed additive for piglets (suckling and weaned), pigs for fattening, sows in order to have benefits in piglets, sows for reproduction and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05884	2.3	
175	Assessment of the application for renewal of authorisation of Biosprint (MUCL 39885) for dairy cows and horses. <i>EFSA Journal</i> , 2019 , 17, e05915	2.3	3
174	Safety of butylated hydroxy anisole (BHA) for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05913	2.3	1
173	Efficacy of EB15 10 (DSM 25841) as a feed additive for weaned piglets and weaned minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05882	2.3	
172	Safety of l-threonine produced by fermentation with CGMCC 11473 as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05885	2.3	1
171	Safety for the environment of Monimax (monensin sodium and nicarbazin) for chickens for fattening, chickens reared for laying and for turkeys for fattening. <i>EFSA Journal</i> , 2019 , 17, e05888	2.3	2
170	Efficacy of RONOZYMEWX (endo-1,4- α -xylanase) as a feed additive for laying hens. <i>EFSA Journal</i> , 2019 , 17, e05919	2.3	
169	Iron loading and secondary multi-trace element deficiency in a dairy herd fed silage grass grown on land fertilized with sewage sludge. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 36978-36984	5.1	2
168	Safety and efficacy of CI-FER (ferric citrate chelate) as a zootechnical feed additive for suckling and weaned piglets and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05916	2.3	3
167	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05914	2.3	1
166	Chemometric characterization of the trace element profile of raw meat from Rubia Gallega x Holstein Friesian calves from an intensive system. <i>Meat Science</i> , 2019 , 149, 63-69	6.4	5
165	Variation in trace element content between liver lobes in cattle. How important is the sampling site?. <i>Journal of Trace Elements in Medicine and Biology</i> , 2019 , 52, 53-57	4.1	1
164	Safety and efficacy of 'NBF-1 (DSM 32203) as a feed additive for dogs. <i>EFSA Journal</i> , 2019 , 17, e05524	2.3	0

163	Dairy cow nutrition in organic farming systems. Comparison with the conventional system. <i>Animal</i> , 2019 , 13, 1084-1093	3.1	3
162	Trace Element Concentrations in Beef Cattle Related to the Breed Aptitude. <i>Biological Trace Element Research</i> , 2018 , 186, 135-142	4.5	12
161	Safety and efficacy of Alterion NE (´ DSM 29784) as a feed additive for minor poultry species for fattening and reared for laying. <i>EFSA Journal</i> , 2018 , 16, e05204	2.3	0
160	Safety and efficacy of benzoic acid for pigs and poultry. <i>EFSA Journal</i> , 2018 , 16, e05210	2.3	1
159	Safety and efficacy of DSM 32291 as a silage additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05202		1
158	Safety and efficacy of sodium saccharin when used as a feed flavour for piglets, pigs for fattening, calves for rearing and calves for fattening. <i>EFSA Journal</i> , 2018 , 16, e05208	2.3	3
157	Safety of vitamin B (80%) as riboflavin produced by KCCM-10445 for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05223	2.3	6
156	Safety and efficacy of vitamin B (riboflavin) produced by ????? for all animal species based on a dossier submitted by BASF SE. <i>EFSA Journal</i> , 2018 , 16, e05337	2.3	7
155	Safety and efficacy of KCCM 10673P and KCTC 10258BP when used as a technological feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05275	2.3	2
154	Safety and efficacy of hydroxy analogue of methionine and its calcium salt (ADRY+) for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05198	2.3	4
153	Safety and efficacy of muramidase from DSM 32338 as a feed additive for chickens for fattening and minor poultry species. <i>EFSA Journal</i> , 2018 , 16, e05342	2.3	5
152	Organic cattle products: Authenticating production origin by analysis of serum mineral content. <i>Food Chemistry</i> , 2018 , 264, 210-217	8.5	7
151	Safety and efficacy of Sacox microGranulate (salinomycin sodium) for rabbits for fattening. <i>EFSA Journal</i> , 2018 , 16, e05209	2.3	
150	Assessment of the application for renewal of authorisation of LevucellSC (CNCM I-1077) as a feed additive for dairy ewes and dairy goats. <i>EFSA Journal</i> , 2018 , 16, e05385	2.3	
149	Short communication: The main factors affecting somatic cell count in organic dairy farming. <i>Spanish Journal of Agricultural Research</i> , 2018 , 15, e06SC02	1.1	
148	Evaluation of trace element status of organic dairy cattle. <i>Animal</i> , 2018 , 12, 1296-1305	3.1	15
147	Chemometric authentication of the organic status of milk on the basis of trace element content. <i>Food Chemistry</i> , 2018 , 240, 686-693	8.5	28
146	Safety and efficacy of Monteban G100 (narasin) for ducks for fattening. <i>EFSA Journal</i> , 2018 , 16, e05461	2.3	

145	Safety and efficacy of DSM 28343 as a feed additive for piglets. <i>EFSA Journal</i> , 2018 , 16, e05221	2.3	1
144	Safety and efficacy of ponceau 4R for cats, dogs and ornamental fish. <i>EFSA Journal</i> , 2018 , 16, e05222	2.3	2
143	Safety and efficacy of Coxiril (diclazuril) for pheasants. <i>EFSA Journal</i> , 2018 , 16, e05196	2.3	
142	Safety and efficacy of EB15 10 (DSM 25841) as a feed additive for weaned piglets and minor porcine species. <i>EFSA Journal</i> , 2018 , 16, e05199	2.3	1
141	Safety and efficacy of ZM16 10 (DSM 25840) as a feed additive for weaned piglets and minor porcine species. <i>EFSA Journal</i> , 2018 , 16, e05200	2.3	1
140	Safety and efficacy of natural mixtures of talc (steatite) and chlorite (E 560) as a feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05205	2.3	
139	Safety and efficacy of fumonisin esterase from DSM 32159 as a technological feed additive for pigs and poultry. <i>EFSA Journal</i> , 2018 , 16, e05269	2.3	6
138	Safety and efficacy of l-arginine produced by fermentation using KCCM 10741P for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05277	2.3	1
137	Safety and efficacy of Kelforce (l-glutamic acid, -diacetic acid, tetrasodium salt (GLDA-Na)) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2018 , 16, e05279	2.3	1
136	Safety and efficacy of ECONASE XT (endo-1,4- β -xylanase) as a feed additive for laying hens. <i>EFSA Journal</i> , 2018 , 16, e05216	2.3	2
135	Safety and efficacy of Calsporin (DSM 15544) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2018 , 16, e05219	2.3	4
134	Dietary Zinc Supplementation to Prevent Chronic Copper Poisoning in Sheep. <i>Animals</i> , 2018 , 8,	3.1	20
133	Safety and efficacy of Hemicell HT (endo-1,4- β -mannanase) as a feed additive for chickens for fattening, chickens reared for laying, turkey for fattening, turkeys reared for breeding, weaned piglets, pigs for fattening and minor poultry and porcine species. <i>EFSA Journal</i> , 2018 , 16, e05270	2.3	2
132	Safety and efficacy of Coxiril (diclazuril) for chickens reared for laying. <i>EFSA Journal</i> , 2018 , 16, e05195	2.3	
131	Safety and efficacy of NCIMB 30160 as a feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05218	2.3	1
130	Safety of natural mixture of dolomite plus magnesite and magnesium-phyllsilicates (Fluidol) for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05272	2.3	1
129	Scientific Opinion on the safety and efficacy of Aviax 5% (semduramicin sodium) for chickens for fattening. <i>EFSA Journal</i> , 2018 , 16, e05341	2.3	5
128	Assessment of the application for renewal of authorisation of selenomethionine produced by CNCM I-3060 (selenised yeast inactivated) for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05386	2.3	6

127	Safety and efficacy of ECONASE XT (endo-1,4- β -xylanase) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2018 , 16, e05217	2.3	2
126	Efficacy of Cylactin (NCIMB 10415) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2018 , 16, e05204		
125	Safety and efficacy of l-threonine produced by fermentation using CGMCC 7.232 for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05458	2.3	6
124	Safety and efficacy of Zinc-l-Selenomethionine as feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05197	2.3	1
123	Safety and efficacy of Hostazym X (endo-1,4-beta-xylanase) as a feed additive for sows in order to have benefit in piglets. <i>EFSA Journal</i> , 2018 , 16, e05456	2.3	1
122	Safety and efficacy of DSM 28343 as a feed additive for calves for rearing. <i>EFSA Journal</i> , 2018 , 16, e05220	2.3	1
121	Safety and efficacy of l-arginine produced by fermentation with NITE BP-02186 for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05276	2.3	3
120	Safety and efficacy of ' CNCM I-4785 and ' CNCM I-4323NCIMB 40788 as a silage additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05455	2.3	
119	Efficacy of Bergazym P100 (endo-1,4- β -xylanase) as a feed additive for chickens for fattening and weaned piglets. <i>EFSA Journal</i> , 2018 , 16, e05457	2.3	
118	Safety and efficacy of Monimax (monensin sodium and nicarbazin) for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2018 , 16, e05459	2.3	7
117	Safety and efficacy of Monteban G100 (narasin) for chickens for fattening. <i>EFSA Journal</i> , 2018 , 16, e05460	2.3	3
116	Safety and efficacy of a super critical carbon dioxide extract of L. flos when used as a feed flavouring for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05462	2.3	1
115	Safety of zinc chelate of methionine sulfate for the target species. <i>EFSA Journal</i> , 2018 , 16, e05463	2.3	
114	Safety and efficacy of cumin tincture (L.) when used as a sensory additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05273	2.3	1
113	Safety and efficacy of vitamin B (riboflavin 5Pphosphate ester monosodium salt) for all animal species when used in water for drinking. <i>EFSA Journal</i> , 2018 , 16, e05531	2.3	4
112	Safety of natural mixture of illite, montmorillonite and kaolinite (Argile Verte du Velay) for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05387	2.3	
111	Safety and efficacy of Coxar (nicarbazin) for turkeys for fattening. <i>EFSA Journal</i> , 2018 , 16, e05214	2.3	1
110	Safety and efficacy of Amylofeed (endo-1,3(4)- β -glucanase and endo-1,4- β -xylanase and β -amylase) as a feed additive for piglets and minor growing porcine species. <i>EFSA Journal</i> , 2018 , 16, e05271	2.3	1

109	Safety and efficacy of betaine anhydrous for food-producing animal species based on a dossier submitted by AB Vista. <i>EFSA Journal</i> , 2018 , 16, e05335	2.3	0
108	Safety and efficacy of COXAM (amprolium hydrochloride) for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2018 , 16, e05338	2.3	3
107	Safety and efficacy of vitamin B (in the form of cyanocobalamin) produced by spp. as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. <i>EFSA Journal</i> , 2018 , 16, e05336	2.3	9
106	Assessment of the application for renewal of authorisation of Actisaf Sc47 (CNCM I-4407) for lambs for fattening, minor dairy ruminants, horses and pigs for fattening. <i>EFSA Journal</i> , 2018 , 16, e05339	2.3	1
105	Assessment of the application for renewal of authorisation of Calsporin (DSM 15544) for chickens for fattening. <i>EFSA Journal</i> , 2018 , 16, e05340	2.3	4
104	Safety and efficacy of 3-phytase FLF1000 as a feed additive for chickens reared for laying and minor poultry species. <i>EFSA Journal</i> , 2018 , 16, e05203	2.3	3
103	Guidance on the assessment of the efficacy of feed additives. <i>EFSA Journal</i> , 2018 , 16, e05274	2.3	172
102	Safety and efficacy of D2/CSL (CECT 4529) as a feed additive for cats and dogs. <i>EFSA Journal</i> , 2018 , 16, e05278	2.3	2
101	Guidance on the characterisation of microorganisms used as feed additives or as production organisms. <i>EFSA Journal</i> , 2018 , 16, e05206	2.3	262
100	Safety and efficacy of butylated hydroxyanisole (BHA) as a feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05215	2.3	4
99	Safety and efficacy of alpha-amylase from DSM 9553, NCIMB 30251, CBS 585.94 and ATCC SD-5374, endo-1,4-beta-glucanase from ATCC PTA-10001, ATCC SD-6331 and CBS 120604, endo-1,4-beta-xylanase from MUCL 39203 and CBS 614.94 and endo-1,3(4)-beta-glucanase from MUCL 39199 as silage additives for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05224	2.3	0
98	Modification of the terms of authorisation of lecithins as a feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05334	2.3	0
97	Safety and efficacy of Taminizer D (dimethylglycine sodium salt) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2018 , 16, e05268	2.3	2
96	Importance of breed aptitude (beef or dairy) in determining trace element concentrations in bovine muscles. <i>Meat Science</i> , 2018 , 145, 101-106	6.4	5
95	Relationship between the essential and toxic element concentrations and the proximate composition of different commercial and internal cuts of young beef. <i>European Food Research and Technology</i> , 2017 , 243, 1869-1873	3.4	3
94	Safety of l-lysine sulfate produced by fermentation with CGMCC 3705 for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04714	2.3	13
93	Safety and efficacy of CNCM I-4785 as a silage additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04758	2.3	1
92	Safety of l-tryptophan technically pure, produced by fermentation with DSM 25084, KCCM 11132P and SARI12091203 for all animal species based on a dossier submitted by FEFANA Asbl. <i>EFSA Journal</i> , 2017 , 15, e04712	2.3	6

91	Safety and efficacy of Calsporin (DSM 15544) as a feed additive for dogs. <i>EFSA Journal</i> , 2017 , 15, e04760.	2.3	3
90	Subcellular distribution of hepatic copper in beef cattle receiving high copper supplementation. <i>Journal of Trace Elements in Medicine and Biology</i> , 2017 , 42, 111-116	4.1	5
89	Efficacy of Liderfeed (eugenol) for chickens for fattening. <i>EFSA Journal</i> , 2017 , 15, e04931	2.3	1
88	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04938	2.3	5
87	Safety and efficacy of Monimax (monensin sodium and nicarbazin) for turkeys for fattening. <i>EFSA Journal</i> , 2017 , 15, e05094	2.3	7
86	Safety and efficacy of Avatec 150G (lasalocid A sodium) for chickens for fattening and chickens reared for laying, and modification of the terms of authorisation for chickens for fattening, chickens reared for laying, turkeys for fattening, minor avian species (pheasants, guinea fowl, quails and partridges) reared to point of lay. <i>EFSA Journal</i> , 2017 , 15, e04957	2.3	2
85	Safety and efficacy of NRRL B-50733 as a silage additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04934	2.3	1
84	Safety and efficacy of HOSTAZYM X (endo-1,4- β -xylanase) as a feed additive for carps. <i>EFSA Journal</i> , 2017 , 15, e04942	2.3	2
83	Safety and efficacy of Alterion NE (DSM 29784) as a feed additive for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2017 , 15, e04933	2.3	1
82	Safety and efficacy of AviMatrix (benzoic acid, calcium formate and fumaric acid) for chickens for fattening, chickens reared for laying, minor avian species for fattening and minor avian species reared to point of lay. <i>EFSA Journal</i> , 2017 , 15, e05025	2.3	2
81	Safety and efficacy of Calsporin (DSM 15544) for sows and suckling piglets. <i>EFSA Journal</i> , 2017 , 15, e04761	2.3	3
80	Safety and efficacy of natural mixture of illite, montmorillonite and kaolinite for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04940	2.3	1
79	Safety and efficacy of l-threonine produced by fermentation with CGMCC 11473 for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04939	2.3	4
78	Helminth infections on organic dairy farms in Spain. <i>Veterinary Parasitology</i> , 2017 , 243, 115-118	2.8	1
77	Safety and efficacy of selenium-enriched yeast (CNCM I-3399) for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04937	2.3	1
76	Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. <i>EFSA Journal</i> , 2017 , 15, e04941	2.3	4
75	Safety and efficacy of sodium and potassium alginate for pets, other non food-producing animals and fish. <i>EFSA Journal</i> , 2017 , 15, e04945	2.3	3
74	Guidance on the identity, characterisation and conditions of use of feed additives. <i>EFSA Journal</i> , 2017 , 15, e05023	2.3	167

73	Safety and efficacy of Natuphos E (6-phytase) as a feed additive for avian and porcine species. <i>EFSA Journal</i> , 2017 , 15, e05024	2.3	6
72	Safety and efficacy of RONOZYMEWX (endo-1,4- β -xylanase) as a feed additive for laying hens. <i>EFSA Journal</i> , 2017 , 15, e05020	2.3	2
71	Guidance on the assessment of the safety of feed additives for the consumer. <i>EFSA Journal</i> , 2017 , 15, e05022	2.3	176
70	Safety of natural mixture of dolomite plus magnesite and magnesium-phyllsilicates (Fluidol) for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04711	2.3	1
69	Assessment of the functional properties of protein extracted from the brown seaweed <i>Himanthalia elongata</i> (Linnaeus) S. F. Gray. <i>Food Research International</i> , 2017 , 99, 971-978	7	48
68	Safety and efficacy of an essential oil from subsp. (Link) lets. var. Vulkan when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2017 , 15, e05095	2.3	3
67	Guidance on the assessment of the safety of feed additives for the target species. <i>EFSA Journal</i> , 2017 , 15, e05021	2.3	214
66	Safety and efficacy of bentonite as a feed additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e05096	2.3	7
65	Safety and efficacy of l-arginine produced by KCCM 80099 for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04858	2.3	2
64	Safety and efficacy of ENZY CARBOPLUS (endo-1,4- β -xylanase and endo-1,3(4)- β -glucanase) as a feed additive for avian species, weaned piglets and minor weaned porcine species. <i>EFSA Journal</i> , 2017 , 15, e05097	2.3	3
63	Safety and efficacy of LevucellSC (CNCM I-1077) as a feed additive for dairy cows, cattle for fattening, minor ruminant species and camelids. <i>EFSA Journal</i> , 2017 , 15, e04944	2.3	1
62	Safety of l-tryptophan technically pure, produced by CGMCC 3667, for all animal species based on a dossier submitted by GBT Europe GmbH. <i>EFSA Journal</i> , 2017 , 15, e04705	2.3	7
61	Efficacy of Levucell SB (CNCM I-1079) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2017 , 15, e04932	2.3	1
60	Holstein-Friesian milk performance in organic farming in North Spain: Comparison with other systems and breeds. <i>Spanish Journal of Agricultural Research</i> , 2017 , 15, e0601	1.1	5
59	Identifying sources of metal exposure in organic and conventional dairy farming. <i>Chemosphere</i> , 2017 , 185, 1048-1055	8.4	15
58	Modification of the terms of the authorisation regarding the formulation of Maxiban [®] G160 (narasin and nicarbazin) for chickens for fattening. <i>EFSA Journal</i> , 2016 , 14, e04614	2.3	2
57	Hepatic concentrations of copper and other metals in dogs with and without chronic hepatitis. <i>Journal of Small Animal Practice</i> , 2016 , 57, 703-709	1.6	9
56	Safety and efficacy of 3-phytase FLF1000 as a feed additive for chickens for fattening and laying hens. <i>EFSA Journal</i> , 2016 , 14, e04622	2.3	2

55	Essential and toxic trace element concentrations in different commercial veal cuts in Spain. <i>Meat Science</i> , 2016 , 121, 47-52	6.4	21
54	Use of homeopathy in organic dairy farming in Spain. <i>Homeopathy</i> , 2016 , 105, 102-8	1.4	2
53	Dynamics of mammary infections in organic dairy farms in Northern Spain. <i>Spanish Journal of Agricultural Research</i> , 2016 , 14, e0502	1.1	3
52	Safety and efficacy of dry grape extract when used as flavouring in water for drinking for all animal species and categories. <i>EFSA Journal</i> , 2016 , 14, e04627	2.3	1
51	Effects of different strategies of mineral supplementation (marine algae alone or combined with rumen boluses) in organic dairy systems. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2016 , 100, 836-43	2.6	6
50	Safety and efficacy of B-Act (Bacillus licheniformis DSM 28710) for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2016 , 14, e04615	2.3	5
49	Is lack of antibiotic usage affecting udder health status of organic dairy cattle?. <i>Journal of Dairy Research</i> , 2016 , 83, 464-467	1.6	5
48	Safety and efficacy of fumonisin esterase (FUMzyme) as a technological feed additive for all avian species. <i>EFSA Journal</i> , 2016 , 14, e04617	2.3	7
47	Udder health in organic dairy cattle in Northern Spain. <i>Spanish Journal of Agricultural Research</i> , 2015 , 13, e0503	1.1	5
46	The use of seaweed from the Galician coast as a mineral supplement in organic dairy cattle. <i>Animal</i> , 2014 , 8, 580-6	3.1	31
45	Trace element distribution in selected edible tissues of zebu (Bos indicus) cattle slaughtered at Jimma, SW Ethiopia. <i>PLoS ONE</i> , 2014 , 9, e85300	3.7	4
44	Essential trace and toxic element concentrations in organic and conventional milk in NW Spain. <i>Food and Chemical Toxicology</i> , 2013 , 55, 513-8	4.7	74
43	Trace mineral status and toxic metal accumulation in extensive and intensive pigs in NW Spain. <i>Livestock Science</i> , 2012 , 146, 47-53	1.7	18
42	Effect of moderate Cu supplementation on serum metabolites, enzymes and redox state in feedlot calves. <i>Research in Veterinary Science</i> , 2012 , 93, 269-74	2.5	9
41	The involvement of metallothionein in hepatic and renal Cd, Cu and Zn accumulation in pigs. <i>Livestock Science</i> , 2012 , 150, 152-158	1.7	5
40	Evaluation of organic, conventional and intensive beef farm systems: health, management and animal production. <i>Animal</i> , 2012 , 6, 1503-11	3.1	17
39	Trace minerals and livestock: not too much not too little. <i>ISRN Veterinary Science</i> , 2012 , 2012, 704825		57
38	Histochemistry evaluation of the oxidative stress and the antioxidant status in Cu-supplemented cattle. <i>Animal</i> , 2012 , 6, 1435-43	3.1	13

37	Effect of type of muscle and Cu supplementation on trace element concentrations in cattle meat. <i>Food and Chemical Toxicology</i> , 2011 , 49, 1443-9	4.7	23
36	Influence of Cu supplementation on toxic and essential trace element status in intensive reared beef cattle. <i>Food and Chemical Toxicology</i> , 2011 , 49, 3358-66	4.7	8
35	The influence of chemical form on the effects of supplementary malate on serum metabolites and enzymes in finishing bull calves. <i>Livestock Science</i> , 2011 , 137, 260-263	1.7	3
34	Evaluation of the need of copper supplementation in intensively reared beef cattle. <i>Livestock Science</i> , 2011 , 137, 273-277	1.7	15
33	Serum metabolite concentrations and enzyme activities in finishing bull calves fed different types of high-grain diets. <i>Archives Animal Breeding</i> , 2011 , 54, 137-146	1.6	3
32	The interlobular distribution of copper in the liver of beef calves on a high-copper diet. <i>Journal of Veterinary Diagnostic Investigation</i> , 2010 , 22, 277-81	1.5	7
31	Sublethal effects on seabirds after the Prestige oil-spill are mirrored in sexual signals. <i>Biology Letters</i> , 2010 , 6, 33-5	3.6	16
30	Influence of breed on blood and tissue copper status in growing and finishing steers fed diets supplemented with copper. <i>Archives of Animal Nutrition</i> , 2010 , 64, 98-110	2.7	12
29	Non-essential and essential trace element concentrations in meat from cattle reared under organic, intensive or conventional production systems. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2010 , 27, 36-42	3.2	18
28	EROD activity and stable isotopes in seabirds to disentangle marine food web contamination after the Prestige oil spill. <i>Environmental Pollution</i> , 2010 , 158, 1275-80	9.3	17
27	Metal accumulation in cattle raised in a serpentine-soil area: relationship between metal concentrations in soil, forage and animal tissues. <i>Journal of Trace Elements in Medicine and Biology</i> , 2009 , 23, 231-8	4.1	55
26	Factors affecting trace element status in calves in NW Spain. <i>Livestock Science</i> , 2009 , 123, 198-208	1.7	29
25	Effects of malate supplementation on acid-base balance and productive performance in growing/finishing bull calves fed a high-grain diet. <i>Archives of Animal Nutrition</i> , 2008 , 62, 70-81	2.7	2
24	Monitoring polycyclic aromatic hydrocarbon pollution in the marine environment after the Prestige oil spill by means of seabird blood analysis. <i>Environmental Science & Technology</i> , 2008 , 42, 707-13	10.3	58
23	Organochlorine pesticide and polychlorinated biphenyl in calves from north-west Spain. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2008 , 81, 583-7	2.7	3
22	Use of dogs as indicators of metal exposure in rural and urban habitats in NW Spain. <i>Science of the Total Environment</i> , 2007 , 372, 668-75	10.2	34
21	Toxic and trace metal concentrations in liver and kidney of dogs: influence of diet, sex, age, and pathological lesions. <i>Biological Trace Element Research</i> , 2007 , 116, 185-202	4.5	18
20	Malic acid supplementation in growing/finishing feedlot bull calves: Influence of chemical form on blood acidBase balance and productive performance. <i>Animal Feed Science and Technology</i> , 2007 , 135, 222-235	3	15

19	Sublethal toxicity of the Prestige oil spill on yellow-legged gulls. <i>Environment International</i> , 2007 , 33, 773-81	12.9	70
18	Toxic and essential metals in liver, kidney and muscle of pigs at slaughter in Galicia, north-west Spain. <i>Food Additives and Contaminants</i> , 2007 , 24, 943-54		57
17	Toxic and trace metal concentrations in liver and kidney of dogs 2007 , 116, 185		1
16	On a type of evolution of self-referred and hereditary phenomena. <i>Aequationes Mathematicae</i> , 2006 , 71, 253-268	0.7	2
15	Long-term follow-up of blood lead levels and haematological and biochemical parameters in heifers that survived an accidental lead poisoning episode. <i>Transboundary and Emerging Diseases</i> , 2006 , 53, 305-10		15
14	Influence of copper status on the accumulation of toxic and essential metals in cattle. <i>Environment International</i> , 2006 , 32, 901-6	12.9	54
13	Plasma malonaldehyde (MDA) and total antioxidant status (TAS) during lactation in dairy cows. <i>Research in Veterinary Science</i> , 2006 , 80, 133-9	2.5	119
12	Assessment of some blood parameters as potential markers of hepatic copper accumulation in cattle. <i>Journal of Veterinary Diagnostic Investigation</i> , 2006 , 18, 71-5	1.5	35
11	Copper, zinc, iron, and manganese accumulation in cattle from asturias (northern Spain). <i>Biological Trace Element Research</i> , 2006 , 109, 135-43	4.5	12
10	Influence of grain processing on acid-base balance in feedlot steers. <i>Veterinary Research Communications</i> , 2006 , 30, 823-37	2.9	17
9	Effects of moderate pollution on toxic and trace metal levels in calves from a polluted area of northern Spain. <i>Environment International</i> , 2005 , 31, 543-8	12.9	71
8	The role of metallothionein and zinc in hepatic copper accumulation in cattle. <i>Veterinary Journal</i> , 2005 , 169, 262-7	2.5	23
7	Oxidative status during late pregnancy and early lactation in dairy cows. <i>Veterinary Journal</i> , 2005 , 169, 286-92	2.5	240
6	Intracellular distribution of copper and zinc in the liver of copper-exposed cattle from northwest Spain. <i>Veterinary Journal</i> , 2005 , 170, 332-8	2.5	11
5	Organic acids as a substitute for monensin in diets for beef cattle. <i>Animal Feed Science and Technology</i> , 2004 , 115, 101-116	3	77
4	Some toxic elements in liver, kidney and meat from calves slaughtered in Asturias (Northern Spain). <i>European Food Research and Technology</i> , 2003 , 216, 284-289	3.4	8
3	Mercury concentrations in cattle from NW Spain. <i>Science of the Total Environment</i> , 2003 , 302, 93-100	10.2	27
2	Large-scale spatial variation in mercury concentrations in cattle in NW Spain. <i>Environmental Pollution</i> , 2003 , 125, 173-81	9.3	23

- 1 The effect of pig farming on copper and zinc accumulation in cattle in Galicia (north-western Spain).
Veterinary Journal, **2000**, 160, 259-66 2.5 38