List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/682397/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Guidance on the characterisation of microorganisms used as feed additives or as production organisms. EFSA Journal, 2018, 16, e05206.	0.9	458
2	Guidance on the assessment of the safety of feed additives for the target species. EFSA Journal, 2017, 15, e05021.	0.9	334
3	Oxidative status during late pregnancy and early lactation in dairy cows. Veterinary Journal, 2005, 169, 286-292.	0.6	300
4	Guidance on the assessment of the efficacy of feed additives. EFSA Journal, 2018, 16, e05274.	0.9	293
5	Guidance on the identity, characterisation and conditions of use of feed additives. EFSA Journal, 2017, 15, e05023.	0.9	272
6	Guidance on the assessment of the safety of feed additives for the consumer. EFSA Journal, 2017, 15, e05022.	0.9	267
7	Guidance on the assessment of the safety of feed additives for the environment. EFSA Journal, 2019, 17, e05648.	0.9	218
8	Plasma malonaldehyde (MDA) and total antioxidant status (TAS) during lactation in dairy cows. Research in Veterinary Science, 2006, 80, 133-139.	0.9	154
9	Trace Minerals and Livestock: Not Too Much Not Too Little. ISRN Veterinary Science, 2012, 2012, 1-18.	1.1	99
10	Organic acids as a substitute for monensin in diets for beef cattle. Animal Feed Science and Technology, 2004, 115, 101-116.	1.1	98
11	Effects of moderate pollution on toxic and trace metal levels in calves from a polluted area of northern Spain. Environment International, 2005, 31, 543-548.	4.8	92
12	Essential trace and toxic element concentrations in organic and conventional milk in NW Spain. Food and Chemical Toxicology, 2013, 55, 513-518.	1.8	91
13	Sublethal toxicity of the Prestige oil spill on yellow-legged gulls. Environment International, 2007, 33, 773-781.	4.8	79
14	Assessment of the functional properties of protein extracted from the brown seaweed Himanthalia elongata (Linnaeus) S. F. Gray. Food Research International, 2017, 99, 971-978.	2.9	77
15	Toxic and essential metals in liver, kidney and muscle of pigs at slaughter in Galicia, north-west Spain. Food Additives and Contaminants, 2007, 24, 943-954.	2.0	70
16	Metal accumulation in cattle raised in a serpentine-soil area: Relationship between metal concentrations in soil, forage and animal tissues. Journal of Trace Elements in Medicine and Biology, 2009, 23, 231-238.	1.5	70
17	Monitoring Polycyclic Aromatic Hydrocarbon Pollution in the Marine Environment after the <i>Prestige</i> Oil Spill by Means of Seabird Blood Analysis. Environmental Science & Technology, 2008, 42, 707-713.	4.6	66
18	Influence of copper status on the accumulation of toxic and essential metals in cattle. Environment International, 2006, 32, 901-906.	4.8	64

#	Article	IF	CITATIONS
19	Consumers' perception of and attitudes towards organic food in Galicia (Northern Spain). International Journal of Consumer Studies, 2020, 44, 206-219.	7.2	53
20	Guidance on the renewal of the authorisation of feed additives. EFSA Journal, 2021, 19, e06340.	0.9	50
21	Chemometric authentication of the organic status of milk on the basis of trace element content. Food Chemistry, 2018, 240, 686-693.	4.2	48
22	The use of seaweed from the Galician coast as a mineral supplement in organic dairy cattle. Animal, 2014, 8, 580-586.	1.3	47
23	The Effect of Pig Farming on Copper and Zinc Accumulation in Cattle in Galicia (North-Western Spain). Veterinary Journal, 2000, 160, 259-266.	0.6	45
24	Assessment of Some Blood Parameters as Potential Markers of Hepatic Copper Accumulation in Cattle. Journal of Veterinary Diagnostic Investigation, 2006, 18, 71-75.	0.5	42
25	Use of dogs as indicators of metal exposure in rural and urban habitats in NW Spain. Science of the Total Environment, 2007, 372, 668-675.	3.9	40
26	The role of metallothionein and zinc in hepatic copper accumulation in cattle. Veterinary Journal, 2005, 169, 262-267.	0.6	34
27	Copper Supplementation, A Challenge in Cattle. Animals, 2020, 10, 1890.	1.0	33
28	Mercury concentrations in cattle from NW Spain. Science of the Total Environment, 2003, 302, 93-100.	3.9	32
29	Factors affecting trace element status in calves in NW Spain. Livestock Science, 2009, 123, 198-208.	0.6	32
30	Seasonal Variation of the Proximate Composition, Mineral Content, Fatty Acid Profiles and Other Phytochemical Constituents of Selected Brown Macroalgae. Marine Drugs, 2021, 19, 204.	2.2	32
31	Effect of type of muscle and Cu supplementation on trace element concentrations in cattle meat. Food and Chemical Toxicology, 2011, 49, 1443-1449.	1.8	31
32	Alternatives to antibiotics and trace elements (copper and zinc) to improve gut health and zootechnical parameters in piglets: A review. Animal Feed Science and Technology, 2021, 271, 114727.	1.1	26
33	Essential and toxic trace element concentrations in different commercial veal cuts in Spain. Meat Science, 2016, 121, 47-52.	2.7	25
34	Dietary Zinc Supplementation to Prevent Chronic Copper Poisoning in Sheep. Animals, 2018, 8, 227.	1.0	25
35	Breeding for organic dairy farming: what types of cows are needed?. Journal of Dairy Research, 2019, 86, 3-12.	0.7	25
36	Toxic and essential trace element concentrations in fish species in the Lower Amazon, Brazil. Science of the Total Environment, 2020, 732, 138983.	3.9	25

#	Article	IF	CITATIONS
37	Large-scale spatial variation in mercury concentrations in cattle in NW Spain. Environmental Pollution, 2003, 125, 173-181.	3.7	24
38	Trace mineral status and toxic metal accumulation in extensive and intensive pigs in NW Spain. Livestock Science, 2012, 146, 47-53.	0.6	24
39	Identifying sources of metal exposure in organic and conventional dairy farming. Chemosphere, 2017, 185, 1048-1055.	4.2	23
40	Evaluation of trace element status of organic dairy cattle. Animal, 2018, 12, 1296-1305.	1.3	22
41	Influence of Grain Processing on Acid–Base Balance in Feedlot Steers. Veterinary Research Communications, 2006, 30, 823-837.	0.6	21
42	Non-essential and essential trace element concentrations in meat from cattle reared under organic, intensive or conventional production systems. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2010, 27, 36-42.	1.1	21
43	Long-term Follow-up of Blood Lead Levels and Haematological and Biochemical Parameters in Heifers that Survived an Accidental Lead Poisoning Episode. Transboundary and Emerging Diseases, 2006, 53, 305-310.	0.6	20
44	Toxic and trace metal concentrations in liver and kidney of dogs. Biological Trace Element Research, 2007, 116, 185-202.	1.9	20
45	Sublethal effects on seabirds after the <i>Prestige</i> oil-spill are mirrored in sexual signals. Biology Letters, 2010, 6, 33-35.	1.0	20
46	Trace Element Concentrations in Beef Cattle Related to the Breed Aptitude. Biological Trace Element Research, 2018, 186, 135-142.	1.9	20
47	Safety and efficacy of feed additives consisting of expressed lemon oil and its fractions from Citrus limon (L.) Osbeck and of lime oil from Citrus aurantiifolia (Christm.) Swingle for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06548.	0.9	19
48	Assessment of the feed additive consisting of Lentilactobacillus buchneri (formerly Lactobacillus) Tj ETQq0 0 0 r	gBT /Overl 0.9	ock 10 Tf 50 3 19
49	EROD activity and stable isotopes in seabirds to disentangle marine food web contamination after the Prestige oil spill. Environmental Pollution, 2010, 158, 1275-1280.	3.7	18
50	Evaluation of the need of copper supplementation in intensively reared beef cattle. Livestock Science, 2011, 137, 273-277.	0.6	18
51	Evaluation of organic, conventional and intensive beef farm systems: health, management and animal production. Animal, 2012, 6, 1503-1511.	1.3	18
52	Intracellular distribution of copper and zinc in the liver of copper-exposed cattle from northwest Spain. Veterinary Journal, 2005, 170, 332-338.	0.6	17
53	Fish tissues for biomonitoring toxic and essential trace elements in the Lower Amazon. Environmental Pollution, 2021, 283, 117024.	3.7	17
54	Malic acid supplementation in growing/finishing feedlot bull calves: Influence of chemical form on blood acid–base balance and productive performance. Animal Feed Science and Technology, 2007, 135, 222-235.	1.1	16

#	Article	IF	CITATIONS
55	Safety and efficacy of 26 compounds belonging to chemical group 3 (α,βâ€unsaturated straightâ€chain and) Tj all animal species and categories. EFSA Journal, 2019, 17, e05654.	ETQq1	l 0.784314 rg 16
56	Validation of a simple sample preparation method for multielement analysis of bovine serum. PLoS ONE, 2019, 14, e0211859.	1.1	16
57	Safety and efficacy of sodium carboxymethyl cellulose for all animal species. EFSA Journal, 2020, 18, e06211.	0.9	16
58	Safety and efficacy of a feed additive consisting of an extract of olibanum from Boswellia serrata Roxb. ex Colebr. for use in dogs and horses (FEFANA asbl). EFSA Journal, 2022, 20, e07158.	0.9	16
59	Copper, Zinc, Iron, and Manganese Accumulation in Cattle from Asturias (Northern Spain). Biological Trace Element Research, 2006, 109, 135-144.	1.9	15
60	Influence of breed on blood and tissue copper status in growing and finishing steers fed diets supplemented with copper. Archives of Animal Nutrition, 2010, 64, 98-110.	0.9	15
61	Histochemistry evaluation of the oxidative stress and the antioxidant status in Cu-supplemented cattle. Animal, 2012, 6, 1435-1443.	1.3	15
62	Hepatic concentrations of copper and other metals in dogs with and without chronic hepatitis. Journal of Small Animal Practice, 2016, 57, 703-709.	0.5	14
63	Determination of Essential and Toxic Elements in Cattle Blood: Serum vs Plasma. Animals, 2019, 9, 465.	1.0	14
64	Safety of concentrated lâ€lysine (base), lâ€lysine monohydrochloride and lâ€lysine sulfate produced using different strains of CorynebacteriumÂglutamicum for all animal species based on a dossier submitted by FEFANA asbl. EFSA Journal, 2019, 17, e05532.	0.9	14
65	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€ŧarget feed. Part 5: Lincosamides: lincomycin. EFSA Journal, 2021, 19, e06856.	0.9	14
66	The Interlobular Distribution of Copper in the Liver of Beef Calves on a High-Copper Diet. Journal of Veterinary Diagnostic Investigation, 2010, 22, 277-281.	0.5	13
67	Safety and efficacy of fumonisin esterase (FUMzyme®) as a technological feed additive for all avian species. EFSA Journal, 2016, 14, e04617.	0.9	13
68	Safety of lâ€lysine sulfate produced by fermentation with EscherichiaÂcoli CGMCCÂ3705 for all animal species. EFSA Journal, 2017, 15, e04714.	0.9	13
69	Safety and efficacy of vitamin B12 (in the form of cyanocobalamin) produced by Ensifer spp. as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. EFSA Journal, 2018, 16, e05336.	0.9	13
70	Toxic and essential trace element concentrations in the freshwater shrimp Macrobrachium amazonicum in the Lower Amazon, Brazil. Journal of Food Composition and Analysis, 2020, 86, 103361.	1.9	13
71	Maximum levels of cross ontamination for 24 antimicrobial active substances in nonâ€ŧarget feed. Part 11: Sulfonamides. EFSA Journal, 2021, 19, e06863.	0.9	13
72	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€target feed.†Part 3: Amprolium. EFSA Journal, 2021, 19, e06854.	0.9	13

#	Article	IF	CITATIONS
73	Influence of Cu supplementation on toxic and essential trace element status in intensive reared beef cattle. Food and Chemical Toxicology, 2011, 49, 3358-3366.	1.8	12
74	Safety and efficacy of bentonite as a feed additive for all animal species. EFSA Journal, 2017, 15, e05096.	0.9	12
75	Safety and efficacy of lâ€lysine monohydrochloride and concentrated liquid lâ€lysine (base) produced by fermentation using CorynebacteriumÂglutamicum strain NRRLÂBâ€50775 for all animal species based on a dossier submitted by ADM. EFSA Journal, 2019, 17, e05537.	0.9	12
76	Safety and efficacy of lâ€lysine monohydrochloride and concentrated liquid lâ€lysine (base) produced by fermentation using Corynebacterium glutamicum strain KCCM 10227 for all animal species. EFSA Journal, 2019, 17, e05697.	0.9	12
77	Safety and efficacy of lâ€lysine monohydrochloride and lâ€lysine sulfate produced using Corynebacterium glutamicum CCTCC M 2015595 for all animal species. EFSA Journal, 2019, 17, e05643.	0.9	12
78	Safety and efficacy of Lactobacillus parafarraginis DSM 32962 as a silage additive for all animal species. EFSA Journal, 2020, 18, e06201.	0.9	12
79	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€target feed. Part 13: Diaminopyrimidines: trimethoprim. EFSA Journal, 2021, 19, e06865.	0.9	12
80	Some toxic elements in liver, kidney and meat from calves slaughtered in Asturias (Northern Spain). European Food Research and Technology, 2003, 216, 284-289.	1.6	11
81	Effect of moderate Cu supplementation on serum metabolites, enzymes and redox state in feedlot calves. Research in Veterinary Science, 2012, 93, 269-274.	0.9	11
82	Safety and efficacy of astaxanthinâ€dimethyldisuccinate (Carophyll® Stayâ€Pink 10% WS) for salmonids, crustaceans and other fish. EFSA Journal, 2019, 17, e05920.	0.9	11
83	Safety and efficacy of an essential oil from Origanum vulgare ssp. hirtum (Link) letsw. for all animal species. EFSA Journal, 2019, 17, e05909.	0.9	11
84	Maximum levels of cross ontamination for 24 antimicrobial active substances in nonâ€ŧarget feed. Part 1: Methodology, general data gaps and uncertainties. EFSA Journal, 2021, 19, e06852.	0.9	11
85	Use of homeopathy in organic dairy farming in Spain. Homeopathy, 2016, 105, 102-108.	0.5	10
86	Safety of vitamin B2 (80%) as riboflavin produced by BacillusÂsubtilis KCCMâ€10445 for all animal species. EFSA Journal, 2018, 16, e05223.	0.9	10
87	Safety and efficacy of lâ€lysine monohydrochloride and concentrated liquid lâ€lysine (base) produced by fermentation using Corynebacterium glutamicum strains NRRLâ€Bâ€67439 or NRRL Bâ€67535 for all animal species. EFSA Journal, 2019, 17, e05886.	0.9	10
88	Holstein-Friesian milk performance in organic farming in North Spain: Comparison with other systems and breeds. Spanish Journal of Agricultural Research, 2017, 15, e0601.	0.3	10
89	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€target feed.—Part 9: Polymyxins: colistin. EFSA Journal, 2021, 19, e06861.	0.9	10
90	The involvement of metallothionein in hepatic and renal Cd, Cu and Zn accumulation in pigs. Livestock Science, 2012, 150, 152-158.	0.6	9

#	Article	IF	CITATIONS
91	Is lack of antibiotic usage affecting udder health status of organic dairy cattle?. Journal of Dairy Research, 2016, 83, 464-467.	0.7	9
92	Subcellular distribution of hepatic copper in beef cattle receiving high copper supplementation. Journal of Trace Elements in Medicine and Biology, 2017, 42, 111-116.	1.5	9
93	Assessment of the application for renewal of authorisation of selenomethionine produced by SaccharomycesÂcerevisiae CNCM lâ€3060 (selenised yeast inactivated) for all animal species. EFSA Journal, 2018, 16, e05386.	0.9	9
94	Safety and efficacy of butylated hydroxyanisole (BHA) as a feed additive for all animal species. EFSA Journal, 2018, 16, e05215.	0.9	9
95	Safety and efficacy of Deccox® (decoquinate) for chickens for fattening. EFSA Journal, 2019, 17, e05541.	0.9	9
96	Safety and efficacy of lâ€lysine sulfate produced by fermentation using Corynebacterium glutamicum KFCC 11043 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06203.	0.9	9
97	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€ŧarget feed.†Part 2: Aminoglycosides/aminocyclitols: apramycin, paromomycin, neomycin and spectinomycin. EFSA Journal, 2021, 19, e06853.	0.9	9
98	Safety and efficacy of sodium and potassium alginate forÂpets, other non foodâ€producing animals and fish. EFSA Journal, 2017, 15, e04945.	0.9	8
99	Safety and efficacy of Natuphos® E (6â€phytase) as a feed additive for avian and porcine species. EFSA Journal, 2017, 15, e05024.	0.9	8
100	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. EFSA Journal, 2017, 15, e04938.	0.9	8
101	Safety and efficacy of Monimax® (monensin sodium and nicarbazin) for turkeys for fattening. EFSA Journal, 2017, 15, e05094.	0.9	8
102	Safety and efficacy of fumonisin esterase from Komagataella phaffii DSM 32159 as a technological feed additive for pigs and poultry. EFSA Journal, 2018, 16, e05269.	0.9	8
103	Safety and efficacy of Monimax® (monensin sodium and nicarbazin) for chickens for fattening and chickens reared for laying. EFSA Journal, 2018, 16, e05459.	0.9	8
104	Safety and efficacy of vitamin B2 (riboflavin) produced by Ashbya gossypii DSM 23096 for all animal species based on a dossier submitted by BASF SE. EFSA Journal, 2018, 16, e05337.	0.9	8
105	Organic cattle products: Authenticating production origin by analysis of serum mineral content. Food Chemistry, 2018, 264, 210-217.	4.2	8
106	Assessment of the application for renewal of authorisation of selenomethionine produced by SaccharomycesÂcerevisiae NCYC R397 for all animal species. EFSA Journal, 2019, 17, e05539.	0.9	8
107	Safety and efficacy of fumonisin esterase from Komagataella phaffii DSM 32159 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06207.	0.9	8
108	Safety and efficacy of lâ€lysine monohydrochloride and lâ€lysine sulfate produced using Corynebacterium glutamicum CGMCC 7.266 for all animal species. EFSA Journal, 2020, 18, e06019.	0.9	8

#	Article	IF	CITATIONS
109	Toxic and essential trace element concentrations in different tissues of extensively reared sheep in northern Spain. Journal of Food Composition and Analysis, 2021, 96, 103709.	1.9	8
110	Assessment of a feed additive consisting of allâ€racâ€alphaâ€tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (NHU Europe GmbH). EFSA Journal, 2021, 19, e06533.	0.9	8
111	Trace Element Distribution in Selected Edible Tissues of Zebu (Bos indicus) Cattle Slaughtered at Jimma, SW Ethiopia. PLoS ONE, 2014, 9, e85300.	1.1	8
112	Safety and efficacy of lâ€lysine monohydrochloride produced by fermentation with Corynebacterium glutamicum DSM 32932 for all animal species. EFSA Journal, 2020, 18, e06078.	0.9	8
113	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€ŧarget feed. Part 8: Pleuromutilins: tiamulin and valnemulin. EFSA Journal, 2021, 19, e06860.	0.9	8
114	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€ŧarget feed.†Part 10: Quinolones: flumequine and oxolinic acid. EFSA Journal, 2021, 19, e06862.	0.9	8
115	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€target feed.â€"Part 6: Macrolides: tilmicosin, tylosin and tylvalosin. EFSA Journal, 2021, 19, e06858.	0.9	8
116	Safety and efficacy of a feed additive consisting of ethoxyquin (6â€ethoxyâ€1,2â€dihydroâ€2,2,4â€trimethylquinoline) for all animal species (FEFANA asbl). EFSA Journal, 2022, e07166.	2 0, 9	8
117	Effects of different strategies of mineral supplementation (marine algae alone or combined with) Tj ETQq1 1 0.784 836-843.	4314 rgBT 1.0	/Overlock 7
118	Safety of lâ€ŧryptophan technically pure, produced by EscherichiaÂcoli CGMCCÂ3667, for all animal species based on a dossier submitted by GBT Europe GmbH. EFSA Journal, 2017, 15, e04705.	0.9	7
119	Scientific Opinion on the safety and efficacy of Aviax 5% (semduramicin sodium) for chickens for fattening. EFSA Journal, 2018, 16, e05341.	0.9	7
120	Importance of breed aptitude (beef or dairy) in determining trace element concentrations in bovine muscles. Meat Science, 2018, 145, 101-106.	2.7	7
121	Safety and efficacy of hydroxy analogue of methionine and its calcium salt (ADRY+®) for all animal species. EFSA Journal, 2018, 16, e05198.	0.9	7
122	Safety and efficacy of lâ€ŧryptophan produced with EscherichiaÂcoli CGMCC 11674 for all animal species. EFSA Journal, 2019, 17, e05642.	0.9	7
123	Safety and efficacy of Bacillus subtilisPB6 (Bacillus velezensisATCC PTAâ€6737) as a feed additive for chickens for fattening, chickens reared for laying, minor poultry species (except for laying purposes), ornamental, sporting and game birds. EFSA Journal, 2020, 18, e06280.	0.9	7
124	Serum Concentrations of Essential Trace and Toxic Elements in Healthy and Disease-Affected Dogs. Animals, 2020, 10, 1052.	1.0	7
125	Safety and efficacy of a feed additive consisting on the bacteriophages PCM F/00069, PCM F/00070, PCM F/00071 and PCM F/00097 infecting Salmonella Gallinarum B/00111 (Bafasal®) for all avian species (Proteon Pharmaceuticals S.A.). EFSA Journal, 2021, 19, e06534.	0.9	7
126	Safety of lâ€ŧryptophan technically pure, produced by fermentation with Escherichia coli DSM 25084, KCCM 11132P and SARI12091203 for all animal species based on a dossier submitted by FEFANA Asbl. EFSA Journal, 2017, 15, e04712.	0.9	6

#	Article	IF	CITATIONS
127	Safety and efficacy of an essential oil from OriganumÂvulgare subsp. hirtum (Link) letsw. var. Vulkan when used as a sensory additive in feed for all animal species. EFSA Journal, 2017, 15, e05095.	0.9	6
128	Safety and efficacy of lâ€ŧhreonine produced by fermentation using Escherichia coli CGMCC 7.232 for all animal species. EFSA Journal, 2018, 16, e05458.	0.9	6
129	Safety and efficacy of copper chelates of lysine and glutamic acid as a feed additive for all animal species. EFSA Journal, 2019, 17, e05728.	0.9	6
130	Safety and efficacy of lâ€ŧryptophan produced by fermentation with CorynebacteriumÂglutamicum KCCM 80176 for all animal species. EFSA Journal, 2019, 17, e05729.	0.9	6
131	Safety and efficacy of APSA PHYTAFEED® 20,000 GR/L (6â€phytase) as a feed additive for chickens for fattening, chickens reared for laying and minor growing poultry species. EFSA Journal, 2019, 17, e05692.	0.9	6
132	Chemometric characterization of the trace element profile of raw meat from Rubia Gallega x Holstein Friesian calves from an intensive system. Meat Science, 2019, 149, 63-69.	2.7	6
133	Dairy cow nutrition in organic farming systems. Comparison with the conventional system. Animal, 2019, 13, 1084-1093.	1.3	6
134	Safety and efficacy of hydroxypropyl methyl cellulose for all animal species. EFSA Journal, 2020, 18, e06214.	0.9	6
135	Safety and efficacy of methyl cellulose for all animal species. EFSA Journal, 2020, 18, e06212.	0.9	6
136	Safety and efficacy of concentrated liquid lâ€lysine (base) and lâ€lysine monohydrochloride produced by fermentation with Corynebacterium casei KCCM 80190 as feed additives for all animal species. EFSA Journal, 2020, 18, e06285.	0.9	6
137	Safety and efficacy of a feed additive consisting of zinc chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06467.	0.9	6
138	Safety and efficacy of a feed additive consisting of a tincture derived from roots of Gentiana lutea L. (gentian tincture) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06547.	0.9	6
139	Safety and efficacy of a feed additive consisting of titanium dioxide for all animal species (Kronos) Tj ETQq1 1 0.7	784314 rgl 0.9	3T/Overlock
140	Safety and efficacy of a feed additive consisting of acetic acid for all animal species. EFSA Journal, 2021, 19, e06615.	0.9	6
141	Safety and efficacy of a feed additive consisting of a flavonoidâ€rich dried extract of CitrusÂ×Âaurantium L. fruit (bitter orange extract) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06709.	0.9	6
142	Udder health in organic dairy cattle in Northern Spain. Spanish Journal of Agricultural Research, 2015, 13, e0503.	0.3	6
143	Safety and efficacy of Bâ€Act® (BacillusÂlicheniformis DSM 28710) for chickens for fattening and chickens reared for laying. EFSA Journal, 2016, 14, e04615.	0.9	5
144	Relationship between the essential and toxic element concentrations and the proximate composition of different commercial and internal cuts of young beef. European Food Research and Technology, 2017, 243, 1869-1873.	1.6	5

#	Article	IF	CITATIONS
145	Safety and efficacy of Calsporin® (BacillusÂsubtilis DSMÂ15544) as a feed additive for dogs. EFSA Journal, 2017, 15, e04760.	0.9	5
146	Safety and efficacy of sodium saccharin when used as a feed flavour for piglets, pigs for fattening, calves for rearing and calves for fattening. EFSA Journal, 2018, 16, e05208.	0.9	5
147	Safety and efficacy of Zincâ€lâ€Selenomethionine as feed additive for all animal species. EFSA Journal, 2018, 16, e05197.	0.9	5
148	Safety and efficacy of vitamin B2 (riboflavin 5′â€phosphate ester monosodium salt) for all animal species when used in water for drinking. EFSA Journal, 2018, 16, e05531.	0.9	5
149	Safety and efficacy of muramidase from TrichodermaÂreesei DSM 32338 as a feed additive for chickens for fattening and minor poultry species. EFSA Journal, 2018, 16, e05342.	0.9	5
150	Safety and efficacy of lâ€histidine monohydrochloride monohydrate produced using Corynebacterium glutamicum KCCM 80172 for all animal species. EFSA Journal, 2019, 17, e05783.	0.9	5
151	Safety and efficacy of lâ€ŧryptophan produced by fermentation with EscherichiaÂcoli KCCM 80135 for all animal species. EFSA Journal, 2019, 17, e05694.	0.9	5
152	Safety and efficacy of lâ€tryptophan produced by fermentation with Escherichia coli KCCM 80152 for all animal species. EFSA Journal, 2019, 17, e05695.	0.9	5
153	Assessment of the application for renewal of authorisation of Bactocell® (Pediococcus acidilactici) Tj ETQq1 1	0.784314 0.9	rgBT /Overlo 5
154	Safety and efficacy of an essential oil from Elettaria cardamomum (L.) Maton when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05721.	0.9	5
155	Safety and efficacy of lâ€ŧryptophan produced by fermentation with EscherichiaÂcoli CGMCC 7.248 for all animal species. EFSA Journal, 2019, 17, e05601.	0.9	5
156	Efficacy of sodium formate as a technological feed additive (hygiene condition enhancer) for all animal species. EFSA Journal, 2019, 17, e05645.	0.9	5
157	Safety and efficacy of a molybdenum compound (E7) sodium molybdate dihydrate as feed additive for sheep based on a dossier submitted by Trouw Nutrition International B.V EFSA Journal, 2019, 17, e05606.	0.9	5
158	Safety and efficacy of lâ€valine produced by fermentation using CorynebacteriumÂglutamicum KCCMÂ11201P for all animal species. EFSA Journal, 2019, 17, e05538.	0.9	5
159	Safety and efficacy of Probiotic LactinaA® (Enterococcus faecium NBIMCC 8270,) IJ ETQq1 1 0.784314 rgB1 /C	o.9	5
160	and weaned rabbits. EFSA Journal, 2019, 17, e05646. Safety and efficacy of BioWorma® (Duddingtonia flagrans NCIMB 30336) as a feed additive for all grazing animals. EFSA Journal, 2020, 18, e06208.	0.9	5
161	Safety and efficacy of ethyl cellulose for all animal species. EFSA Journal, 2020, 18, e06210.	0.9	5
162	Safety and efficacy of Lactobacillus rhamnosus CNCM lâ€3698 and Lactobacillus farciminis CNCM lâ€3699 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06082.	0.9	5

#	Article	IF	CITATIONS
163	Safety and efficacy of propyl gallate for all animal species. EFSA Journal, 2020, 18, e06069.	0.9	5
164	Safety and efficacy of turmeric extract, turmeric oil, turmeric oleoresin and turmeric tincture from Curcuma longa L. rhizome when used as sensory additives in feed for all animal species. EFSA Journal, 2020, 18, e06146.	0.9	5
165	Assessment of the application for renewal of the authorisation of Pediococcus pentosaceus DSM 16244 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06166.	0.9	5
166	Safety and efficacy of Availa®Cr (chromium chelate of DLâ€nethionine) as a feed additive for dairy cows. EFSA Journal, 2020, 18, e06026.	0.9	5
167	Safety and efficacy of lâ€glutamine produced using Corynebacterium glutamicum NITE BPâ€02524 for all animal species. EFSA Journal, 2020, 18, e06075.	0.9	5
168	Statement on the safety and efficacy of the feed additive consisting on tragacanth gum for all animal species (Association for International Promotion of Gums). EFSA Journal, 2021, 19, e06447.	0.9	5
169	Safety and efficacy of lâ€lysine monohydrochloride and concentrated liquid lâ€lysine (base) produced by fermentation with Corynebacterium glutamicumKCTC 12307BP as feed additives for all animal species. EFSA Journal, 2020, 18, e06333.	0.9	5
170	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€ŧarget feed. Part 12: Tetracyclines: tetracycline, chlortetracycline, oxytetracycline, and doxycycline. EFSA Journal, 2021, 19, e06864.	0.9	5
171	Assessment of the application for renewal of authorisation of Bactocell (CNCM I-4622) as a feed additive for all fish and shrimps and its extension of use for all crustaceans. EFSA Journal, 2019, 17, e05691.	0.9	5
172	Safety and efficacy of a feed additive consisting of 3â€nitrooxypropanol (Bovaer® 10) for ruminants for milk production and reproduction (DSM Nutritional Products Ltd). EFSA Journal, 2021, 19, e06905.	0.9	5
173	Safety and efficacy of a feed additive consisting of lactic acid produced by Weizmannia coagulans (synonym Bacillus coagulans) DSM 32789 for all animal species except for fish (Jungbunzlauer SA). EFSA Journal, 2022, 20, e07268.	0.9	5
174	Organochlorine Pesticide and Polychlorinated Biphenyl in Calves from North-West Spain. Bulletin of Environmental Contamination and Toxicology, 2008, 81, 583-587.	1.3	4
175	Effects of malate supplementation on acid-base balance and productive performance in growing/finishing bull calves fed a high-grain diet. Archives of Animal Nutrition, 2008, 62, 70-81.	0.9	4
176	Safety and efficacy of lâ€ŧhreonine produced by fermentationÂwith Escherichia coli CGMCC 11473 for all animal species. EFSA Journal, 2017, 15, e04939.	0.9	4
177	Safety and efficacy of Beltherm MP/ML (endoâ€1,4â€betaâ€xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding breeding purposes and minor poultry species. EFSA Journal, 2017, 15, e04941.	0.9	4
178	Safety and efficacy of Avatec® 150G (lasalocid A sodium) for chickens for fattening and chickens reared for laying, and modification of the terms of authorisation for chickens for fattening, chickens reared for laying, turkeys for fattening, minor avian species (pheasants, guinea fowl, quails) Tj ETQq0 () 0 r <mark>89</mark> 7 /C	overfock 10 Tf
179	Safety and efficacy of AviMatrix® (benzoic acid, calcium formate and fumaric acid) for chickens for fattening, chickens reared for laying, minor avian species for fattening and minor avian species reared to point of lay. EFSA Journal, 2017, 15, e05025.	0.9	4
180	Safety and efficacy of lâ€arginine produced by fermentation using CorynebacteriumÂglutamicum	0.9	4

180 KCCMÂ10741P for all animal species. EFSA Journal, 2018, 16, e05277.

#	Article	IF	CITATIONS
181	Safety and efficacy of Calsporin® (Bacillus subtilis DSM 15544) as a feed additive for pigs for fattening. EFSA Journal, 2018, 16, e05219.	0.9	4
182	Safety and efficacy of lâ€arginine produced by fermentation with EscherichiaÂcoli NITE BPâ€02186 for all animal species. EFSA Journal, 2018, 16, e05276.	0.9	4
183	Safety and efficacy of betaine anhydrous for foodâ€producing animal species based on a dossier submitted by AB Vista. EFSA Journal, 2018, 16, e05335.	0.9	4
184	Safety and efficacy of COXAM® (amprolium hydrochloride) for chickens for fattening and chickens reared for laying. EFSA Journal, 2018, 16, e05338.	0.9	4
185	Assessment of the application for renewal of authorisation of Calsporin® (BacillusÂsubtilis DSM) Tj ETQq1 1 0.7	'843]4 rg 0.9	;BT ₄ /Overlock
186	Safety and efficacy of 3â€phytase FLF1000 as a feed additive for chickens reared for laying and minor poultry species. EFSA Journal, 2018, 16, e05203.	0.9	4
187	Safety and efficacy of Taminizer D (dimethylglycine sodium salt) as a feed additive for chickens for fattening. EFSA Journal, 2018, 16, e05268.	0.9	4
188	Safety of an essential oil from Origanum vulgare subsp. hirtum (Link) letsw. var. Vulkan when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05794.	0.9	4
189	Safety and efficacy of Biomin® DCâ€P as a zootechnical feed additive for chickens for fattening, chickens reared for laying and minor avian species to the point of lay. EFSA Journal, 2019, 17, e05724.	0.9	4
190	Modification of the terms of authorisation regarding the maximum inclusion level of Maxiban® G160 (narasin and nicarbazin) for chickens for fattening. EFSA Journal, 2019, 17, e05786.	0.9	4
191	Safety and efficacy of lâ€valine produced using CorynebacteriumÂglutamicum CGMCC 11675 for all animal species. EFSA Journal, 2019, 17, e05611.	0.9	4
192	Safety and efficacy of an essential oil of OriganumÂvulgare ssp. hirtum (Link) leetsw. for all poultry species. EFSA Journal, 2019, 17, e05653.	0.9	4
193	Organic or conventional dairy farming in northern Spain: Impacts on cow reproductive performance. Reproduction in Domestic Animals, 2019, 54, 902-911.	0.6	4
194	Safety and efficacy of Bonvital (EnterococcusÂfaecium, DSM 7134) as an additive in water for drinking for sows. EFSA Journal, 2019, 17, e05612.	0.9	4
195	Safety and efficacy of APSA PHYTAFEED® 20,000 GR/L (6â€phytase) as a feed additive for piglets (suckling) Tj E	TQq] 1 0	.784314 rg <mark>81</mark>
196	Safety and efficacy of lâ€methionine produced by fermentation with Corynebacterium glutamicum KCCM 80184 and Escherichia coli KCCM 80096 for all animal species. EFSA Journal, 2019, 17, e05917.	0.9	4
197	Safety and efficacy of monosodium lâ€glutamate monohydrate produced by Corynebacterium glutamicum KCCM 80188 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06085.	0.9	4
198	Safety and efficacy of microcrystalline cellulose for all animal species. EFSA Journal, 2020, 18, e06209.	0.9	4

#	Article	IF	CITATIONS
	Safety and efficacy of GalliPro® Fit (Bacillus subtilis DSM 32324, Bacillus subtilis DSM 32325 and) Tj ETQq1 10	.784314	rgBT /Overloci
199	laying/breeding. EFSA Journal, 2020, 18, e06094.	0.9	4
200	Safety and efficacy of lâ€valine produced by fermentation using Escherichia coli KCCM 80159 for all animal species. EFSA Journal, 2020, 18, e06074.	0.9	4
201	Safety and efficacy of lâ€isoleucine produced by fermentation with Corynebacterium glutamicum KCCM 80189 for all animal species. EFSA Journal, 2020, 18, e06021.	0.9	4
202	Safety and efficacy of octâ€1â€enâ€3â€ol, pentâ€1â€enâ€3â€ol, octâ€1â€enâ€3â€one, octâ€1â€enâ€3â€yl ac 5â€methylheptâ€2â€enâ€4â€one, belonging to chemical group 5 and of isopulegone and αâ€damascone belon chemical group 8 when used as flavourings for all animal species. EFSA Journal, 2020, 18, e06002.	etate, isc ginggto	pulegol and 4
203	Assessment of the feed additive consisting of endoâ€1,4â€Î²â€xylanase produced by Trichoderma reesei CBS 114044 (ECONASE® XT) for piglets (weaned), chickens reared for laying, chickens for fattening, turkeys for fattening and turkeys reared for breeding for the renewal of its authorisation (Roal Oy). EFSA lournal, 2021, 19, e06458.	0.9	4
204	Safety of the feed additive consisting of manganese chelates of lysine and glutamic acid for all animal species (Zinpro Animal Nutrition). EFSA Journal, 2021, 19, e06454.	0.9	4
205	Safety and efficacy of a feed additive consisting of an essential oil from the fruits of Litsea cubeba (Lour.) Pers. (litsea berry oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06623.	0.9	4
206	Safety and efficacy of a feed additive consisting of l″ysine sulfate produced by Corynebacterium glutamicum KCCM 80227 for all animal species (Daesang Europe BV). EFSA Journal, 2021, 19, e06706.	0.9	4
207	Assessment of the application for renewal of the authorisation of Calsporin® (Bacillus) Tj ETQq1 1 0.784314 rg	BT/Qver	lock ₄ 10 Tf 50 4
208	Safety of potassium diformate (Formiâ,,¢ LHS) as a feed additive for sows, from ADDCON EUROPE GmbH. EFSA Journal, 2020, 18, e06339.	0.9	4
209	Serum metabolite concentrations and enzyme activities in finishing bull calves fed different types of high-grain diets. Archives Animal Breeding, 2011, 54, 137-146.	0.5	4
210	Dynamics of mammary infections in organic dairy farms in Northern Spain. Spanish Journal of Agricultural Research, 2016, 14, e0502.	0.3	4
211	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€ŧarget feed. Part 7: Amphenicols: florfenicol and thiamphenicol. EFSA Journal, 2021, 19, e06859.	0.9	4
212	Safety and efficacy of a feed additive consisting of an aqueous extract of Citrus limon (L.) Osbeck (lemon extract) for use in all animal species (Norâ€Feed SAS). EFSA Journal, 2021, 19, e06893.	0.9	4
213	Safety and efficacy of a feed additive consisting of sepiolite for all animal species (Sepiol S.A and) Tj ETQq1 1 0.7	84314 rg	gBT /Overlock
	Safety and efficacy of a feed additive consisting of Bacillus velezensis ATCC PTAâ€6737 (Bacillus) Tj ETQq0 0 0 r	gBT /Ove	rlock 10 Tf 50
214	species for laying, piglets (weaned), weaned minor porcine species and sows (Kemin Europe N.V.). EFSA Journal, 2022, 20, e07244.	0.9	4
215	Safety and efficacy of a feed additive consisting of guanidinoacetic acid for all animal species (Alzchem Trostberg GmbH). EFSA Journal, 2022, 20, e07269.	0.9	4
216	On a type of evolution of self-referred and hereditary phenomena. Aequationes Mathematicae, 2006, 71, 253-268.	0.4	3

#	Article	IF	CITATIONS
217	The influence of chemical form on the effects of supplementary malate on serum metabolites and enzymes in finishing bull calves. Livestock Science, 2011, 137, 260-263.	0.6	3
218	Safety and efficacy of RONOZYME® WX (endoâ€1,4â€Î²â€xylanase) as a feed additive for laying hens. EFSA Journal, 2017, 15, e05020.	0.9	3
219	Safety and efficacy of lâ€arginine produced by CorynebacteriumÂglutamicum KCCMÂ80099 for all animal species. EFSA Journal, 2017, 15, e04858.	0.9	3
220	Safety and efficacy of ENZY CARBOPLUS® (endoâ€1,4â€betaâ€xylanase and endoâ€1,3(4)â€betaâ€glucanase) a additive for avian species, weaned piglets and minor weaned porcine species. EFSA Journal, 2017, 15, e05097.	as a feed 0.9	3
221	Safety and efficacy of Levucell® SC (Saccharomyces cerevisiae CNCM lâ€1077) as a feed additive for dairy cows, cattle for fattening, minor ruminant species and camelids. EFSA Journal, 2017, 15, e04944.	0.9	3
222	Safety and efficacy of Calsporin® (BacillusÂsubtilis DSM 15544) for sows and suckling piglets. EFSA Journal, 2017, 15, e04761.	0.9	3
223	Safety and efficacy of ponceau 4R for cats, dogs and ornamental fish. EFSA Journal, 2018, 16, e05222.	0.9	3
224	Safety and efficacy of Hemicell® HT (endoâ€1,4â€Î²â€mannanase) as a feed additive for chickens for fattening, chickens reared for laying, turkey for fattening, turkeys reared for breeding, weaned piglets, pigs for fattening and minor poultry and porcine species. EFSA Journal, 2018, 16, e05270.	0.9	3
225	Safety and efficacy of Monteban® G100 (narasin) for chickens for fattening. EFSA Journal, 2018, 16, e05460.	0.9	3
226	Safety and efficacy of cumin tincture (Cuminum cyminum L.) when used as a sensory additive for all animal species. EFSA Journal, 2018, 16, e05273.	0.9	3
227	Safety and efficacy of Lactobacillus acidophilus D2/CSL (Lactobacillus acidophilus CECT 4529) as a feed additive for cats and dogs. EFSA Journal, 2018, 16, e05278. Safety and efficacy of alphaâ€amylase from BacillusÂamyloliquefaciens DSMÂ9553,	0.9	3
228	BacillusÂamyloliquefaciens NCIMBÂ30251, AspergillusÂoryzae CBSÂ585.94 and AspergillusÂoryzae ATTC SDâ€5374, endoâ€1,4â€betaâ€glucanase from TrichodermaÂreesei ATCC PTAâ€10001, TrichodermaÂreesei ATCC and AspergillusÂniger CBSÂ120604, endoâ€1,4â€betaâ€xylanase from TrichodermaÂkoningii MUCLÂ39203 and TrichodermaÂcitrinoviride CBSÂ614.94 and endoâ€1,3(4)â€betaâ€glucanase from AspergillusÂtubingensis	SDâ€633	313
229	MUCLÂ39199 as silage additives for. EFSA Journal, 2018, 16, e05224. Safety and efficacy of zinc chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2019, 17, e05782.	0.9	3
230	Safety and efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2019, 17, e05792.	0.9	3
231	Safety and efficacy of 3â€phytase FLF1000 as a feed additive for pigs for fattening and minor porcine species for growing. EFSA Journal, 2019, 17, e05791.	0.9	3
232	Safety and efficacy of Robenz® 66G (robenidine hydrochloride) for chickens for fattening and turkeys for fattening. EFSA Journal, 2019, 17, e05613.	0.9	3
233	Assessment of the application for renewal of authorisation of Biosprint® (SaccharomycesÂcerevisiae) Tj ETQq1 1	0.784314 0.9	4 ggBT /Over
234	Safety and efficacy of lutein and lutein/zeaxanthin extracts from TagetesÂerecta for poultry for fattening and laying (except turkeys). EFSA Journal, 2019, 17, e05698.	0.9	3

#	Article	IF	CITATIONS
235	Safety and efficacy of benzoic acid as a technological feed additive for weaned piglets and pigs for fattening. EFSA Journal, 2019, 17, e05527.	0.9	3
236	Safety and efficacy of Biomin® DC as a zootechnical feed additive for weaned piglets. EFSA Journal, 2019, 17, e05688.	0.9	3
237	Safety and efficacy of sorbitan monolaurate as a feed additive for all animal species. EFSA Journal, 2019, 17, e05651.	0.9	3
238	Assessment of the application for renewal of authorisation of Bonvital® (EnterococcusÂfaecium DSM) Tj ETQq(0.0 rgBT	Oyerlock 10
239	Safety and efficacy of 3â€phytase FSF10000 as a feed additive for chickens for fattening or reared for laying, laying hens and minor poultry species. EFSA Journal, 2019, 17, e05543.	0.9	3
240	Safety and efficacy of Calsporin® (BacillusÂsubtilis DSMÂ15544) for all poultry species. EFSA Journal, 2019, 17, e05605.	0.9	3
241	Assessment of the application for renewal of authorisation of Levucell SC (SaccharomycesÂcerevisiae) Tj ETQq1	1 0.7843: 0.9	l4 rgBT /Over
242	Safety and efficacy of Bâ€Act® (BacillusÂlicheniformis DSM 28710) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species for fattening or raised for laying. EFSA Journal, 2019, 17, e05536.	0.9	3
243	Safety and efficacy of APSA PHYTAFEED® 20,000 GR/L (6â€phytase) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species. EFSA Journal, 2019, 17, e05893.	0.9	3
244	Safety and efficacy of Elancoban® G200 (monensin sodium) for chickens for fattening, chickens reared for laying and turkeys. EFSA Journal, 2019, 17, e05891.	0.9	3
245	Assessment of the application for renewal of authorisation of Biosprint® (Saccharomyces cerevisiae) Tj ETQq1	1 0,78431 0.9	.4 rgBT /Overl
246	Safety for the environment of Monimax® (monensin sodium and nicarbazin) for chickens for fattening, chickens reared for laying and for turkeys for fattening. EFSA Journal, 2019, 17, e05888.	0.9	3
247	Safety and efficacy of Clâ€FERâ,"¢ (ferric citrate chelate) as a zootechnical feed additive for suckling and weaned piglets and minor porcine species. EFSA Journal, 2019, 17, e05916.	0.9	3
248	Variation in trace element content between liver lobes in cattle. How important is the sampling site?. Journal of Trace Elements in Medicine and Biology, 2019, 52, 53-57.	1.5	3
249	Safety and efficacy of Sorbiflore® ADVANCE (Lactobacillus rhamnosus CNCM Iâ€3698 and Lactobacillus) Tj ETC	QqJJ0.78	843314 rgBT /(
250	Safety and efficacy of Correlinkâ,,¢ ABS747 Bacillus subtilis (Bacillus velezensis NRRL Bâ€67257) as a feed additive for all growing poultry species. EFSA Journal, 2020, 18, e06278.	0.9	3
251	Statement on the safety and efficacy of phosphoric acid 60% on silica carrier (UD60) for all animal species. EFSA Journal, 2020, 18, e06064.	0.9	3
252	Safety and efficacy of vermiculite as a feed additive for pigs, poultry, bovines, sheep, goats, rabbits and horses. EFSA Journal, 2020, 18, e06160.	0.9	3

#	Article	IF	CITATIONS
253	Safety and efficacy of Avatec® 150G (lasalocid A sodium) as a feed additive for chickens for fattening and chickens reared for laying. EFSA Journal, 2020, 18, e06202.	0.9	3
254	Safety of 3â€phytase FLF1000 and FSF10000 as a feed additive for pigs for fattening and minor growing porcine species. EFSA Journal, 2020, 18, e06205.	0.9	3
255	Safety and efficacy of OptiPhos® PLUS for suckling and weaned piglets, pigs for fattening, sows, other minor pig species for fattening and other minor reproductive pig species. EFSA Journal, 2020, 18, e06204.	0.9	3
256	Safety and efficacy of Sorbiflore® ADVANCE (Lactobacillus rhamnosus CNCM lâ€3698 and Lactobacillus) Tj ETQo	q0,00 rgE	3T ₃ Overlock
257	Trace Element Levels in Serum Are Potentially Valuable Diagnostic Markers in Dogs. Animals, 2020, 10, 2316.	1.0	3
258	Safety and efficacy of OptiPhos® PLUS for poultry species for fattening, minor poultry species reared for breeding and ornamental birds. EFSA Journal, 2020, 18, e06141.	0.9	3
259	Safety and efficacy of 4â€phenylbutâ€3â€enâ€2â€one and benzophenone belonging to chemical group 21 when used as flavouring compounds for all animal species. EFSA Journal, 2020, 18, e06017.	0.9	3
260	Safety and efficacy of IMP (disodium 5′â€inosinate) produced by fermentation with Corynebacterium stationis KCCM 80161 for all animal species. EFSA Journal, 2020, 18, e06140.	0.9	3
261	Safety and efficacy of essential oil, oleoresin and tincture from Zingiber officinale Roscoe when used as sensory additives in feed for all animal species. EFSA Journal, 2020, 18, e06147.	0.9	3
262	Safety and efficacy of APSA PHYTAFEED® 20,000 GR/L (6â€phytase) as a feed additive for pigs for fattening. EFSA Journal, 2020, 18, e05979.	0.9	3
263	Assessment of the application for renewal of the authorisation of Amaferm® (fermentation product) Tj ETQq1 1	0,784314	l rgBT /Overle
264	Assessment of the application for renewal of authorisation of Ecobiol® (Bacillus amyloliquefaciens) Tj ETQq0 0 0 for laying. EFSA Journal, 2020, 18, e06014.	rgBT /Ov 0.9	erlock 10 Tf : 3
265	Assessment of the application for renewal of authorisation of Formiâ"¢ LHS (potassium diformate) for sows. EFSA Journal, 2020, 18, e06024.	0.9	3
266	Safety and efficacy of a feed additive consisting on Propionibacterium freudenreichii ssp. shermanii ATCC PTAâ€6752 for all animal species (Chr. Hansen A/S). EFSA Journal, 2021, 19, e06470.	0.9	3
267	Assessment of the feed additive consisting of Enterococcus faecium DSM 7134 (Bonvital®) for chickens for fattening for the renewal of its authorisation (Lactosan GmbH & Co. KG). EFSA Journal, 2021, 19, e06451.	0.9	3
268	Safety and efficacy of the feed additive consisting of Vitamin B2/Riboflavin produced by Eremothecium ashbyi CCTCCM 2019833 for all animal species (Hubei Guangji Pharmaceutical Co., Ltd). EFSA Journal, 2021, 19, e06462.	0.9	3
269	Safety and efficacy of a feed additive consisting of lasalocid A sodium and nicarbazin (Nilablendâ"¢) Tj ETQq1 1 0.	784314 r 0.9	ggT /Overloc
270	Safety and efficacy of a feed additive consisting of a dried extract from Garcinia gummiâ€gutta (L.) Roxb. for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06444.	0.9	3

#	Article	IF	CITATIONS
271	Safety and efficacy of a feed additive consisting of Bacillus velezensis PTAâ€6507, B. velezensis NRRL Bâ€50013 and B. velezensis NRRL Bâ€50104 (Enviva® PRO 202 GT) for turkeys for fattening (Danisco Animal) T	j চা ହq1 1	03784314 rg
272	Assessment of the feed additive consisting of Lactiplantibacillus plantarum (formerly Lactobacillus) Tj ETQq0 0 0	rgBT /Over 0.9	lock 10 Tf 5
273	Safety and efficacy of a feed additive consisting of expressed mandarin oil from the fruit peels of Citrus reticulata Blanco for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06625.	0.9	3
274	Safety and efficacy of feed additives consisting of Vitamin B2 (98%) and Vitamin B2 (80%) as riboflavin produced by Bacillus subtilis KCCM 10445 for all animal species (Hubei Guangji Pharmaceutical Co.) Tj ETQq0 0 0	r gB JT/Ove	erlæck 10 Tf 5
275	Safety and efficacy of a feed additive consisting of Lactiplantibacillus plantarum (formerly) Tj ETQq1 1 0.784314 i	gBT /Over 0.9	lock 10 Tf 5
276	Safety and efficacy of a feed additive consisting of Lactiplantibacillus plantarum (formerly) Tj ETQq0 0 0 rgBT /Ove	erlock 10 ⁻ 0.9	Tf 50 547 Td 3
277	Safety of Lancer® (lanthanide citrate) as a zootechnical additive for weaned piglets. EFSA Journal, 2019, 17, e05912.	0.9	3
278	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€target feed.†Part 4: βâ€Lactams: amoxicillin and penicillin V. EFSA Journal, 2021, 19, e06855.	0.9	3
279	Safety and efficacy of a feed additive consisting of Lacticaseibacillus rhamnosus (formerly) Tj ETQq1 1 0.784314 (Lactosan GmbH & Co. KG). EFSA Journal, 2021, 19, e06901.	rgBT /Over 0.9	lock 10 Tf 5
280	Assessment of a feed additive consisting of allâ€racâ€alphaâ€tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Jilin Beisha Pharmaceutical Co., Ltd). EFSA Journal, 2021, 19, e06974.	0.9	3
281	Safety and efficacy of a feed additive consisting of an essential oil from Cinnamomum camphora (L.) J. Presl (camphor white oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e06985.	0.9	3
282	Safety and efficacy of a feed additive consisting of a tincture from the bark of Cinnamomum verum J. Presl (cinnamon tincture) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06986.	0.9	3
283	Safety and efficacy of a feed additive consisting of carrageenan for pets and other nonâ€foodâ€producing animals (Marinalg International). EFSA Journal, 2022, 20, e07285.	0.9	3
284	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Katyon Technologies Limited). EFSA Journal, 2022, 20, e07287.	0.9	3
285	Modification of the terms of the authorisation regarding theÂformulation of Maxiban® G160 (narasin) Tj ETQq1	1.0,7843	14 rgBT /Ove
286	Safety and efficacy of 3â€phytase FLF1000 as a feed additive for chickens for fattening and laying hens. EFSA Journal, 2016, 14, e04622.	0.9	2
287	Safety and efficacy of Lactobacillus hilgardii CNCM Iâ€4785 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04758.	0.9	2
288	Safety and efficacy of natural mixture of illite, montmorillonite and kaolinite for all animal species. EFSA Journal, 2017, 15, e04940.	0.9	2

#	Article	IF	CITATIONS
289	Helminth infections on organic dairy farms in Spain. Veterinary Parasitology, 2017, 243, 115-118.	0.7	2
290	Safety and efficacy of seleniumâ€enriched yeast (SaccharomycesÂcerevisiae CNCM Iâ€3399) for all animal species. EFSA Journal, 2017, 15, e04937.	0.9	2
291	Efficacy of Liderfeed® (eugenol) for chickens for fattening. EFSA Journal, 2017, 15, e04931.	0.9	2
292	Safety and efficacy of LactobacillusÂbuchneri NRRL Bâ€50733 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04934.	0.9	2
293	Safety and efficacy of HOSTAZYM® X (endoâ€1,4â€Î²â€xylanase) as a feed additive for carps. EFSA Journal, 2017 15, e04942.	7, .0.9	2
294	Safety and efficacy of benzoic acid for pigs and poultry. EFSA Journal, 2018, 16, e05210.	0.9	2
295	Safety and efficacy of PediococcusÂpentosaceus DSM 32291 as a silage additive for all animal species. EFSA Journal, 2018, 16, e05202.	0.9	2
296	Safety and efficacy of Monteban® G100 (narasin) for ducks for fattening. EFSA Journal, 2018, 16, e05461.	0.9	2
297	Safety and efficacy of BacillusÂsubtilis DSMÂ28343 as a feed additive for piglets. EFSA Journal, 2018, 16, e05221.	0.9	2
298	Safety and efficacy of ZM16 10 (BacillusÂamyloliquefaciens DSM 25840) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2018, 16, e05200.	0.9	2
299	Safety and efficacy of ECONASE® XT (endoâ€1,4â€Î²â€xylanase) as a feed additive for laying hens. EFSA Journal, 2018, 16, e05216.	0.9	2
300	Safety and efficacy of Coxiril® (diclazuril) for chickens reared for laying. EFSA Journal, 2018, 16, e05195.	0.9	2
301	Safety and efficacy of ECONASE® XT (endoâ€1,4â€Î²â€xylanase) as a feed additive for pigs for fattening. EFSA Journal, 2018, 16, e05217.	0.9	2
302	Safety of natural mixture of illite, montmorillonite and kaolinite (Argile Verte du Velay) for all animal species. EFSA Journal, 2018, 16, e05387.	0.9	2
303	Safety and efficacy of Bacillus subtilis KCCM 10673P and Aspergillus oryzae KCTC 10258BP when used as a technological feed additive for all animal species. EFSA Journal, 2018, 16, e05275.	0.9	2
304	Safety and efficacy of sodium selenate as feed additive for ruminants. EFSA Journal, 2019, 17, e05788.	0.9	2
305	Safety and efficacy of lâ€histidine monohydrochloride monohydrate produced using CorynebacteriumAglutamicum KCCM 80179 for all animal species. EFSA Journal, 2019, 17, e05784. 	0.9	2
306	Efficacy of Bacillus subtilis DSM 28343 as a zootechnical additive (gut flora stabiliser) for calves for rearing. EFSA Journal, 2019, 17, e05793.	0.9	2

#	Article	IF	CITATIONS
307	Safety and efficacy of lâ€histidine monohydrochloride monohydrate produced by fermentation with EscherichiaÂcoli (NITE BPâ€02526) for all animal species. EFSA Journal, 2019, 17, e05785.	0.9	2
308	Safety and efficacy of Bacillus licheniformis DSM 32457 as a silage additive for all animal species. EFSA Journal, 2019, 17, e05787.	0.9	2
309	Safety and efficacy of a tincture derived from Artemisia vulgaris L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05879.	0.9	2
310	Safety and efficacy of Beltherm MP/ML (endoâ€1,4â€betaâ€xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. EFSA Journal, 2019, 17, e05609.	0.9	2
311	Safety and efficacy of muramidase from Trichoderma reesei DSM 32338 as a feed additive for turkeys for fattening, turkeys reared for breeding, chickens reared for breeding and other poultry species reared for breeding. EFSA Journal, 2019, 17, e05686.	0.9	2
312	Assessment of the application for renewal of authorisation of PHYZYME® XP 5000 G/L (6â€phytase) for chickens for fattening, laying hens, turkeys for fattening, ducks for fattening, weaned piglets, pigs for fattening and sows for reproduction. EFSA Journal, 2019, 17, e05701.	0.9	2
313	Safety and efficacy of LactobacillusÂreuteri NBFâ€2 (DSM 32264) as a feed additive for cats. EFSA Journal, 2019, 17, e05526.	0.9	2
314	Assessment of the application for renewal of authorisation of Natugrain® Wheat TS and TS L (endoâ€1,4â€betaâ€xylanase) as a feed additive for chickens for fattening, ducks, turkeys for fattening, turkeys reared for breeding, minor avian species (except ducks and laying birds) and ornamental birds. EFSA lournal, 2019, 17, e05652.	0.9	2
315	Safety and efficacy of TYFERâ,,¢ (ferric tyrosine chelate) as a zootechnical feed additive for chickens, turkeys and minor poultry species for fattening or reared for laying/breeding. EFSA Journal, 2019, 17, e05608.	0.9	2
316	Safety and efficacy of 8â€mercaptoâ€pâ€menthanâ€3â€one and pâ€menthâ€1â€eneâ€8â€thiol belonging to ch 20Âwhen used as flavourings for all animal species. EFSA Journal, 2019, 17, e05530.	iemiçal 0.9	group
317	Safety and efficacy of Actisaf® Sc47 (SaccharomycesÂcerevisiae CNCM lâ€4407) as a feed additive for cattle for fattening, dairy cows, weaned piglets and sows. EFSA Journal, 2019, 17, e05600.	0.9	2
318	Safety and efficacy of lâ€threonine produced by fermentation with CorynebacteriumÂglutamicum â—â—â—â—1 animal species. EFSA Journal, 2019, 17, e05603.	or all	2
319	Safety and efficacy of Cinergy® Life B3 HiCon (Bacillus amyloliquefaciens NRRL Bâ€50508,) Tj ETQq1 1 0.78433 fattening and minor porcine species. EFSA Journal, 2019, 17, e05647.	.4 rgBT 0.9	/Overlock 10 Ta 2
320	Assessment of the application for renewal of authorisation of ECONASE® XT (endoâ€1,4â€Î²â€xylanase) as a feed additive for piglets (weaned), chickens for fattening, chickens reared for laying, turkeys for fattening and turkeys reared for breeding. EFSA Journal, 2019, 17, e05880.	0.9	2
321	Efficacy of ZM16 10 (Bacillus amyloliquefaciens DSM 25840) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2019, 17, e05881.	0.9	2
322	Iron loading and secondary multi-trace element deficiency in a dairy herd fed silage grass grown on land fertilized with sewage sludge. Environmental Science and Pollution Research, 2019, 26, 36978-36984.	2.7	2
323	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. EFSA Journal, 2019, 17, e05914.	0.9	2
324	Safety and efficacy of LactobacillusÂreuteri NBFâ€1 (DSM 32203) as a feed additive for dogs. EFSA Journal, 2019, 17, e05524.	0.9	2

#	Article	IF	CITATIONS
325	Breed performance in organic dairy farming in Northern Spain. Reproduction in Domestic Animals, 2020, 55, 93-104.	0.6	2
326	Safety and efficacy of STENOROL® (halofuginone hydrobromide) as a feed additive for chickens for fattening and turkeys. EFSA Journal, 2020, 18, e06169.	0.9	2
327	Assessment of the application for renewal of authorisation of Biosprint® (Saccharomyces cerevisiae) Tj ETQq1	1 0,78431 0.9	4 rgBT /Over
328	Assessment of the application for renewal of authorisation of lâ€histidine monohydrochloride monohydrate produced with Escherichia coli NITE SD 00268 for salmonids and its extension of use to other fin fish. EFSA Journal, 2020, 18, e06072.	0.9	2
329	Safety and efficacy of lâ€valine produced by fermentation using Corynebacterium glutamicumCGMCC 7.358 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06286.	0.9	2
330	Safety and efficacy of Bonvital® (Enterococcus faeciumDSM 7134) as a feed additive for laying hens. EFSA Journal, 2020, 18, e06277.	0.9	2
331	Safety and efficacy of Correlinkâ,,¢ ABS1781 Bacillus subtilis (Bacillus velezensisNRRL Bâ€67259) as a feed additive for all growing poultry species. EFSA Journal, 2020, 18, e06279.	0.9	2
332	Safety and efficacy of Nimicoat® (carvacrol) as a zootechnical additive for weaned piglets. EFSA Journal, 2020, 18, e06070.	0.9	2
333	Safety and efficacy of Biacton® (Lactobacillus farciminis CNCM lâ€3740) as a feed additive for chickens for fattening, turkeys for fattening and laying hens. EFSA Journal, 2020, 18, e06083.	0.9	2
334	Statement on the safety and efficacy of perlite for ruminants and poultry. EFSA Journal, 2020, 18, e06138.	0.9	2
335	Safety and efficacy of a dried aqueous ethanol extract of Melissa officinalis L. leaves when used as a sensory additive for all animal species. EFSA Journal, 2020, 18, e06016.	0.9	2
336	Safety and efficacy of DSP® (Na2EDTA, tanninâ€rich extract of Castanea sativa, thyme oil and origanum) Tj ET	Qq0,00 rg	BT_/Overlock
337	Safety and efficacy of the feed additive consisting of Bacillus licheniformis DSM 28710 (Bâ€Act®) for laying hens, minor poultry species for laying, poultry species for breeding purposes and ornamental birds (HuvePharma N.V.). EFSA Journal, 2021, 19, e06449.	0.9	2
338	Efficacy of the feed additive consisting of decoquinate (Deccox®) for use in chickens for fattening (Zoetis Belgium SA). EFSA Journal, 2021, 19, e06453.	0.9	2
220	Safety and efficacy of the feed additive consisting of Clostridium butyricum FERM BPâ€2789 (Miyaâ€Gold®) T	ETQq11(0.784314 rgl
- 339	breeding, minor avian species (excluding laying birds), piglets (suckling and weaned) and minor porcine species (Mivarisan Pharmaceutical Co. Ltd.). EFSA Journal. 2021, 19. e06450.		2
340	Safety and efficacy of a feed additive consisting of a preparation of benzoic acid, calcium formate and fumaric acid (AviMatrix® Z) for all avian species other than laying birds (Novus Europe S.A. / N.V). EFSA Journal, 2021, 19, e06528.	0.9	2
341	Assessment of a feed additive consisting of allâ€racâ€alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (DSM). EFSA Journal, 2021, 19, e06529.	0.9	2
342	Assessment of a feed additive consisting of allâ€racâ€alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (EUROPEâ€ASIA Import Export GmbH). EFSA Journal, 2021, 19, e06530.	0.9	2

#	Article	IF	CITATIONS
343	Safety and efficacy of a feed additive consisting of a dried extract from the leaves of Ginkgo biloba L. (G. biloba dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06525.	0.9	2
344	Safety of the feed additives consisting of lâ€lysine monohydrochloride and lâ€lysine sulfate produced by Corynebacterium glutamicumÂCCTCC M 2015595 for all animal species (Kempex Holland B. V.). EFSA Journal, 2021, 19, e06520.	0.9	2
345	Assessment of a feed additive consisting of RRRâ€alphaâ€tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Specialty Ingredients (Europe) B.V. and Vitae Caps S.A.). EFSA Journal, 2021, 19, e06532.	0.9	2
346	Safety and efficacy of the feed additives concentrated liquid lâ€lysine (base) and lâ€lysine monohydrochloride produced by Corynebacterium glutamicum KCCM 80183 for all animal species (CJ) Tj ETQq0 C) 0. gBT /(Dværlock 10
347	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of Citrus × aurantium L. (petitgrain bigarade oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06624.	0.9	2
348	Safety and efficacy of an additive consisting of potassium diformate (Formiâ,,¢ LHS) for piglets (weaned) and pigs for fattening (Addcon GmbH). EFSA Journal, 2021, 19, e06617.	0.9	2
349	Safety and efficacy of a feed additive consisting on Lactiplantibacillus plantarum (formerly) Tj ETQq1 1 0.784314 CECT 8700 (AQ02) for suckling piglets (AQUILON CYL S.L.). EFSA Journal, 2021, 19, e06631.	rgBT /Ove 0.9	rlock 10 Tr 2
350	Safety and efficacy of a feed additive consisting of Lactiplantibacillus plantarum (formerly) Tj ETQq0 0 0 rgBT /Ove	erlock 10 0.9	If 50 467 To 2
351	Safety and efficacy of a feed additive consisting of Lacticaseibacillus rhamnosus (formerly) Tj ETQq1 1 0.784314 r	gBT /Over 0.9	lock 10 Tf 3 2
352	Safety and efficacy of an additive consisting of xanthan gum produced by Xanthomonas campestris strains â–â–â–â–â–, â–â–â–â– for all animal species (Biopolymer International). EFSA Journal, 2021, 19, e0673	1 8 :9	2
353	Efficacy of Levucell® SB (Saccharomyces cerevisiae CNCM lâ€1079) as a feed additive for weaned piglets. EFSA Journal, 2017, 15, e04932.	0.9	2
354	Efficacy of Cygro® 10G (maduramicin ammoniumâ€Î±) for turkeys. EFSA Journal, 2020, 18, e06079.	0.9	2
355	Safety and efficacy of a feed additive consisting of Bacillus velezensis DSM 15544 (Calsporin®) for piglets (suckling and weaned), pigs for fattening, sows in order to have benefit in piglets, ornamental fish, dogs and all avian species (Asahi Biocycle Co.). EFSA Journal, 2021, 19, e06903.	0.9	2
356	Safety and efficacy of a feed additive consisting of Bacillus subtilis strains CNCM Iâ€4606, CNCM Iâ€5043 and CNCM Iâ€4607 and Lactococcus lactisÂCNCM Iâ€4609 for all animal species (Nolivade). EFSA Journal, 2021, 19, e06907.	0.9	2
357	Influence of Haemolysis on the Mineral Profile of Cattle Serum. Animals, 2021, 11, 3336.	1.0	2
358	Safety and efficacy of a feed additive consisting of an essential oil from the flowers of Cananga odorata (Lam.) Hook.f. & Thomson (ylang ylang oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07159.	0.9	2
359	Safety and efficacy of a feed additive consisting of Bacillus velezensis NITE BPâ€01844 (BAâ€KING®) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding and all avian species for fattening, or rearing to slaughter or point of lay including nonâ€food producing species (Toa Biopharma Co., Ltd.), EFSA lournal, 2022, 20, e07152.	0.9	2
360	Safety of 37 feed additives consisting of flavouring compounds belonging to different chemical groups for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07249.	0.9	2

#	Article	IF	CITATIONS
361	acidophilus NBIMCC 8242, Lactobacillus helveticus NBIMCC 8269, Lactobacillus delbrueckii ssp. lactis NBIMCC 8250, L. delbrueckii ssp. bulgaricus NBIMCC 8244 and Streptococcus thermophilus NBIMCC 8253 (Probiotic Lactina®) for chickens for fattening and suckling and weaned rabbits (Lactina Ltd.).	0.9	2
362	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Lanxess Deutschland GmbH). EFSA Journal, 2022, 20, e07286.	0.9	2
363	Safety and efficacy of a feed additive consisting of endoâ€1,4â€betaâ€xylanase and endoâ€1,3(4)â€betaâ€glucar produced with Talaromyces versatilis IMI 378536 and DSM 26702 (ROVABIO® ADVANCE) for weaned piglets and pigs for fattening (ADISSEO France S.A.S). EFSA Journal, 2022, 20, e07251.	1ase 0.9	2
364	Safety and efficacy of dry grape extract when used as flavouring in water for drinking for all animal species and categories. EFSA Journal, 2016, 14, e04627.	0.9	1
365	Safety of natural mixture of dolomite plus magnesite and magnesiumâ€phyllosilicates (Fluidol) for all animal species. EFSA Journal, 2017, 15, e04711.	0.9	1
366	Safety and efficacy of Alterion NE® (BacillusÂsubtilis DSM 29784) as a feed additive for chickens for fattening and chickens reared for laying. EFSA Journal, 2017, 15, e04933.	0.9	1
367	Safety and efficacy of Alterion NE® (BacillusÂsubtilis DSM 29784) as a feed additive for minor poultry species for fattening and reared for laying. EFSA Journal, 2018, 16, e05204.	0.9	1
368	Safety and efficacy of CoxirilÂ $^{\odot}$ (diclazuril) for pheasants. EFSA Journal, 2018, 16, e05196.	0.9	1
369	Safety and efficacy of EB15 10 (BacillusÂsubtilis DSM 25841) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2018, 16, e05199.	0.9	1
370	Safety and efficacy of Kelforce® (lâ€glutamic acid, N,Nâ€diacetic acid, tetrasodium salt (GLDAâ€Na4)) as a feed additive for chickens for fattening. EFSA Journal, 2018, 16, e05279.	0.9	1
371	Safety and efficacy of LactococcusÂlactis NCIMB 30160 as a feed additive for all animal species. EFSA Journal, 2018, 16, e05218.	0.9	1
372	Safety of natural mixture of dolomite plus magnesite and magnesiumâ€phyllosilicates (Fluidol) for all animal species. EFSA Journal, 2018, 16, e05272.	0.9	1
373	Efficacy of Cylactin® (EnterococcusÂfaecium NCIMB 10415) as a feed additive for pigs for fattening. EFSA Journal, 2018, 16, e05201.	0.9	1
374	Safety and efficacy of Hostazym® X (endoâ€1,4â€betaâ€xylanase) as a feed additive for sows in order to have benefit in piglets. EFSA Journal, 2018, 16, e05456.	0.9	1
375	Safety and efficacy of BacillusÂsubtilis DSMÂ28343 as a feed additive for calves for rearing. EFSA Journal, 2018, 16, e05220.	0.9	1
376	Safety and efficacy of LactobacillusÂhilgardii CNCM lâ€4785 and LactobacillusÂbuchneri CNCM lâ€4323/NCIMB 40788 as a silage additive for all animal species. EFSA Journal, 2018, 16, e05455.	0.9	1
377	Efficacy of Bergazym® P100 (endoâ€1,4â€Î²â€xylanase) as a feed additive for chickens for fattening and weaned piglets. EFSA Journal, 2018, 16, e05457.	0.9	1
378	Safety and efficacy of a super critical carbon dioxide extract of Humulus lupulus L. flos when used as a feed flavouring for all animal species. EFSA Journal, 2018, 16, e05462.	0.9	1

#	Article	IF	CITATIONS
379	Safety and efficacy of Coxar® (nicarbazin) for turkeys for fattening. EFSA Journal, 2018, 16, e05214.	0.9	1
380	Safety and efficacy of Amylofeed® (endoâ€1,3(4)â€Î²â€glucanase and endoâ€1,4â€Î²â€xylanase and αâ€amyla additive for piglets and minor growing porcine species. EFSA Journal, 2018, 16, e05271.	se) as a fe 0.9	ed 1
381	Assessment of the application for renewal of authorisation of Actisaf® Sc47 (Saccharomyces) Tj ETQq1 1 0.7843 EFSA Journal, 2018, 16, e05339.	814 rgBT / 0.9	Overlock 10 1
382	Modification of the terms of authorisation of lecithins as a feed additive for all animal species. EFSA Journal, 2018, 16, e05334.	0.9	1
383	Assessment of the application for renewal of authorisation of Levucell® SC (Saccharomyces) Tj ETQq1 1 0.7843	14 rgBT /C	Overlock 10
384	Safety and efficacy of Natuphos® E (6â€phytase) as a feed additive for laying hens, minor poultry and other avian species for laying. EFSA Journal, 2019, 17, e05789.	0.9	1
385	Safety and efficacy of AviPlus® as a feed additive for turkeys for fattening, turkeys reared for breeding and suckling piglets. EFSA Journal, 2019, 17, e05795.	0.9	1
386	Assessment of the application for renewal of authorisation of lâ€arginine produced by fermentation using CorynebacteriumÂglutamicum NITE SD 00285 for all animal species. EFSA Journal, 2019, 17, e05720.	0.9	1
387	Modification of the conditions of the authorisation of BioPlus® 2B (BacillusÂlicheniformis DSM 5749) Tj ETQq1	1 8:38431	4 ₁ rgBT /Ove
388	Safety and efficacy of FRA® Octazyme C Dry (endoâ€1,4â€Î²â€xylanase, mannanâ€endoâ€1,4â€Î²â€mannosida weaned piglets and chickens for fattening. EFSA Journal, 2019, 17, e05730.	se, αâ€an 0.9	nylase,) Tj ET 1
389	Safety and efficacy of RONOZYME® WX CT/L (endoâ€1,4â€Î²â€xylanase) as a feed additive for sows for reproduction. EFSA Journal, 2019, 17, e05790.	0.9	1
390	Assessment of the application for renewal of authorisation of Lantharenol $\hat{A}^{ extsf{\$}}$ (lanthanum carbonate) Tj ETQq0 0 0	rgBT /Ove	erlock 10 Tf
391	Safety and efficacy of Levucell® SB (Saccharomyces cerevisiae CNCM Iâ€1079) as a feed additive for turkeys for fattening. EFSA Journal, 2019, 17, e05693.	0.9	1
392	Assessment of the application for renewal of the authorisation of PHYZYME® XP 10000 TPT/L (6â€phytase) as a feed additive for all avian species and all swine species. EFSA Journal, 2019, 17, e05702.	0.9	1
393	Safety and efficacy of Levucell SC® (Saccharomyces cerevisiae CNCM Iâ€1077) as a feed additive for calves and minor ruminant species and camelids at the same developmental stage. EFSA Journal, 2019, 17, e05723.	0.9	1
394	Safety and efficacy of Levucell® SB (SaccharomycesÂcerevisiae CNCM lâ€1079) as a feed additive for all pigs. EFSA Journal, 2019, 17, e05535.	0.9	1
395	Efficacy of a preparation of algae interspaced bentonite as a feed additive for all animal species. EFSA Journal, 2019, 17, e05604.	0.9	1
396	Safety and efficacy of lâ€leucine produced by fermentation with EscherichiaÂcoli NITE BPâ€02351 for all animal species. EFSA Journal, 2019, 17, e05689.	0.9	1

#	Article	IF	CITATIONS
397	Efficacy of Saccharomyces cerevisiae NBRC 0203, Lactobacillus plantarum NBRC 3070 and Lactobacillus casei NBRC 3425 as a technological additive (silage additive) for all animal species. EFSA Journal, 2019, 17, e05700.	0.9	1
398	Safety and efficacy of lâ€ŧhreonine produced by fermentation with CorynebacteriumÂglutamicum KCCM 80117 for all animal species. EFSA Journal, 2019, 17, e05602.	0.9	1
399	Assessment of the application for renewal of the authorisation of Natuphos (3â€phytase) as a feed additive for poultry and pigs. EFSA Journal, 2019, 17, e05640.	0.9	1
400	Safety and efficacy of HOSTAZYM® X (endoâ€1,4â€betaâ€xylanase) as a feed additive for rabbits for fattening. EFSA Journal, 2019, 17, e05529.	0.9	1
401	Safety for the environment of vitamin D3 for salmonids. EFSA Journal, 2019, 17, e05540.	0.9	1
402	Modification of the terms of the authorisation of Natuphos® E as a feed additive for chickens for fattening or reared for laying/breeding. EFSA Journal, 2019, 17, e05607.	0.9	1
403	Safety and efficacy of Beltherm MP/ML (endoâ€1,4â€betaâ€xylanase) as a feed additive for piglets, pigs for fattening and other porcine species. EFSA Journal, 2019, 17, e05610.	0.9	1
404	Safety and efficacy of eight compounds belonging to different chemical groups when used as flavourings for cats and dogs. EFSA Journal, 2019, 17, e05649.	0.9	1
405	Safety and efficacy of a tincture derived from Verbascum thapsus L. when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05910.	0.9	1
406	Safety and efficacy of Belfeed B MP/ML (endoâ€1,4â€Î²â€xylanase) as a feed additive for sows, in order to have benefits in piglets, and for all porcine species. EFSA Journal, 2019, 17, e05892.	0.9	1
407	Safety of ethyl ester of βâ€apoâ€8'â€carotenoic acid as a feed additive for poultry for fattening and poultry for laying. EFSA Journal, 2019, 17, e05911.	0.9	1
408	Safety of butylated hydroxy anisole (BHA) for all animal species. EFSA Journal, 2019, 17, e05913.	0.9	1
409	Safety of lâ€ŧhreonine produced by fermentation with Escherichia coli CGMCC 11473 as a feed additive for all animal species. EFSA Journal, 2019, 17, e05885.	0.9	1
410	Efficacy of RONOZYME® WX (endoâ€1,4â€Î²â€xylanase) as a feed additive for laying hens. EFSA Journal, 2019, e05919.	17. 0.9	1
411	Assessment of the application for renewal of authorisation of pyridoxine hydrochloride (vitamin B6) as a feed additive for all animal species. EFSA Journal, 2020, 18, e06289.	0.9	1
412	Safety and efficacy of Axtra® XAP 104 TPT (endoâ€1,4â€xylanase, protease and alphaâ€amylase) as a feed additive for chickens for fattening, laying hens and minor poultry species. EFSA Journal, 2020, 18, e06165.	0.9	1
413	Safety and efficacy of hydroxypropyl cellulose for all animal species. EFSA Journal, 2020, 18, e06213.	0.9	1
414	Safety and efficacy of lâ€tryptophan produced by fermentation with Escherichia coli KCCM 10534 for all animal species. EFSA Journal, 2020, 18, e06071.	0.9	1

#	Article	IF	CITATIONS
415	Safety of methanethiol [12.003] when used as a feed additive for all animal species. EFSA Journal, 2020, 18, e06288.	0.9	1
416	Safety and Efficacy of lâ€histidine monohydrochloride monohydrate produced by fermentation using Escherichia coli KCCM 80212 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06287.	0.9	1
417	Safety and efficacy of Capsozyme SB Plus (αâ€galactosidase and endoâ€1,4â€Î²â€xylanase) as a feed additive for poultry species for fattening or reared for laying and ornamental birds. EFSA Journal, 2020, 18, e06086.	0.9	1
418	Safety and efficacy of Manganese chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2020, 18, e06001.	0.9	1
419	Safety and efficacy of lâ€tryptophan produced by fermentation using Escherichia coli CGMCC 7.267 for all animal species. EFSA Journal, 2020, 18, e06013.	0.9	1
420	Safety and efficacy of saponified paprika extract, containing capsanthin as main carotenoid source, for poultry for fattening and laying (except turkeys). EFSA Journal, 2020, 18, e06023.	0.9	1
421	Safety and efficacy of ProEquo® (Lactobacillus plantarum DSM 11520) as a feed additive for horses. EFSA Journal, 2020, 18, e06143.	0.9	1
422	Safety and efficacy of TechnoSpore® (Bacillus coagulans DSM 32016) for piglets, other growing Suidae, chickens for fattening, other poultry for fattening and ornamental birds. EFSA Journal, 2020, 18, e06158.	0.9	1
423	Safety and efficacy of OptiPhos® PLUS (6 phytase) for laying hens, turkeys for breeding, chickens for breeding, minor poultry species for egg production purposes and breeding. EFSA Journal, 2020, 18, e06161.	0.9	1
424	Safety of lâ€ŧryptophan produced using Escherichia coli CGMCC 11674 for all animal species. EFSA Journal, 2020, 18, e06168.	0.9	1
425	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. EFSA Journal, 2020, 18, e06077.	0.9	1
426	Safety and efficacy of APSA PHYTAFEED® (6â€phytase) as a feed additive for laying hens and other laying birds. EFSA Journal, 2020, 18, e06142.	0.9	1
427	Efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2020, 18, e06164.	0.9	1
428	Safety and efficacy of FSF10000 and FLF1000 (3â€phytase) as a feed additive for turkeys for fattening or reared for breeding, pigs for fattening and minor porcine species. EFSA Journal, 2020, 18, e06015.	0.9	1
429	Statement on the safety and efficacy of Shellac for all animal species. EFSA Journal, 2020, 18, e06065.	0.9	1
430	Safety and efficacy of lâ€cysteine hydrochloride monohydrate produced by fermentation using Escherichia coli KCCM 80180 and Escherichia coli KCCM 80181 as a flavouring additive for all animal species. EFSA Journal, 2020, 18, e06003.	0.9	1
431	Safety and efficacy of Natugrain® TS/TS L (endoâ€1,4â€betaâ€xylanase and endoâ€1,4â€betaâ€glucanase) as a additive for sows. EFSA Journal, 2020, 18, e06025.	feed 0.9	1
432	Safety for the user of the feed additive consisting of ferric citrate chelate (Clâ€FERâ,,¢) for suckling and weaned piglets and minor porcine species (Akeso Biomedical, Inc.). EFSA Journal, 2021, 19, e06455.	0.9	1

#	Article	IF	CITATIONS
433	Safety and efficacy of a feed additive consisting of serine protease produced by Bacillus licheniformis DSM 19670 (Ronozyme® ProAct) for chickens for fattening (DSM Nutritional Products Ltd.). EFSA Journal, 2021, 19, e06448.	0.9	1
434	Safety and efficacy of a feed additive consisting of manganese chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06468.	0.9	1
435	Safety and efficacy of a feed additive consisting of endoâ€1,4â€î²â€xylanase produced by Bacillus subtilis LMG Sâ€15136 (Belfeed B MP/ML) for sows in order to have benefits in piglets and for all porcine species (Beldem, a division of Puratos NV). EFSA Journal, 2021, 19, e06456.	0.9	1
436	Efficacy of the feed additive consisting of amprolium hydrochloride (COXAM®) for use in chickens for fattening and chickens reared for laying (Huvepharma N.V.). EFSA Journal, 2021, 19, e06457.	0.9	1
437	Safety and efficacy of the feed additive consisting of lâ€tryptophan produced by Escherichia coli KCCM 80210 for all animal species (Daesang Europe BV). EFSA Journal, 2021, 19, e06425.	0.9	1
438	Safety and efficacy of a feed additive consisting of lâ€valine produced by Corynebacterium glutamicumÂCGMCC 7.366 for all animal species (Ningxia Eppen Biotech Co., Ltd.). EFSA Journal, 2021, 19, e06521.	0.9	1
439	Safety and efficacy of a feed additive consisting of a dried extract from the roots of Arctium lappa L. (A. lappa dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06527.	0.9	1
440	Safety and efficacy of a feed additive consisting of copper chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06541.	0.9	1
441	Safety and efficacy of a feed additive consisting of endoâ€1,4â€î²â€xylanase (ECONASE® XT) produced by Trichoderma reesei CBS 140027 as a feed additive for piglets (weaned), pigs for fattening, chickens for fattening, chickens reared for laying, laying hens, turkeys for fattening, turkeys reared for breeding and minor poultry species (Roal Ov), EFSA lournal, 2021, 19, e06536.	0.9	1
442	Safety and efficacy of an additive consisting of synthetic vitamin K1 (phytomenadione) for horses (JARAZ Enterprises GmbH & Co. KG). EFSA Journal, 2021, 19, e06538.	0.9	1
443	Assessment of a feed additive consisting of allâ€racâ€alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (BASF SE). EFSA Journal, 2021, 19, e06531.	0.9	1
444	Safety and efficacy of a feed additive consisting of ferrous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). EFSA Journal, 2021, 19, e06545.	0.9	1
445	Safety and efficacy of a feed additive consisting of iron chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06540.	0.9	1
446	Assessment of the feed additive consisting of dimethylglycine sodium salt (Taminizer D) for chickens for fattening for the renewal of its authorisation (Taminco N.V.). EFSA Journal, 2021, 19, e06621.	0.9	1
447	Efficacy of the feed additive containing Companilactobacillus farciminis (formerly Lactobacillus) Tj ETQq1 1 0.78 (ChemVet dk A/S). EFSA Journal, 2021, 19, e06627.	4314 rgBT 0.9	/Overlock 1 1
448	Safety and efficacy of a feed additive consisting of lâ€histidine monohydrochloride monohydrate produced using Escherichia coli NITE SD 00268 for all animal species (Kyowa Hakko Europe GmbH). EFSA Journal, 2021, 19, e06622.	0.9	1
449	Safety and efficacy of a feed additive consisting of disodium 5'â€guanylate produced with Corynebacterium stationis KCCM 10530 and Escherichia coli Kâ€12 KFCC 11067 for all animal species (CJ) Tj ETC	2q ð. 9 0.78	84 3 14 rgBT
450	Safety and efficacy of a feed additive consisting of ferric (III) ammonium hexacyanoferrate (II) for ruminants (domestic and wild), calves prior the start of rumination, lambs prior the start of	0.0	

rumination, kids prior the start of rumination and pigs (domestic and wild) (Honeywell Specialty) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 5

#	Article	IF	CITATIONS
451	Safety and efficacy of the feed additive consisting of Bacillus velezensisÂCECT 5940 (Ecobiol®) for turkeys for fattening, turkeys reared for breeding, minor poultry species for fattening and reared for laying and ornamental birds (Evonik Operations GmbH). EFSA Journal, 2021, 19, e06620.	0.9	1
452	Assessment of the feed additive consisting of Pediococcus pentosaceusÂDSM 12834 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2021, 19, e06713.	0.9	1
453	Assessment of the feed additive consisting of Pediococcus acidilacticiÂDSM 16243 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KC). EFSA Journal, 2021, 19, e06697.	0.9	1
454	Safety and efficacy of a feed additive consisting of Pediococcus pentosaceus IMI 507024 for all animal species (ALL‶ECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). EFSA Journal, 2021, 19, e06701.	0.9	1
455	Safety and efficacy of a feed additive consisting of butylated hydroxyanisole (BHA) for use in cats (FEDIAF). EFSA Journal, 2021, 19, e06714.	0.9	1
456	Safety and efficacy of a feed additive consisting of Saccharomyces cerevisiae MUCL 39885 (Biosprint®) for cats and dogs (Prosol S.p.A.). EFSA Journal, 2021, 19, e06699.	0.9	1
457	Safety for the environment of a feed additive consisting of nicarbazin (Coxar®) for use in turkeys for fattening (Huvepharma N.V.). EFSA Journal, 2021, 19, e06715.	0.9	1
458	Safety and efficacy of a feed additive consisting of Pediococcus pentosaceus IMI 507025 for all animal species (ALLâ€TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). EFSA Journal, 2021, 19, e06702.	0.9	1
459	Toxic and trace metal concentrations in liver and kidney of dogs. Biological Trace Element Research, 2007, 116, 185-202.	1.9	1
460	Short communication: The main factors affecting somatic cell count in organic dairy farming. Spanish Journal of Agricultural Research, 2018, 15, e06SC02.	0.3	1
461	Assessment of the application for renewal of the authorisation of Actisaf® Sc 47 (Saccharomyces) Tj ETQq1	1 0.784314	rgBT /Overloc
462	Safety and efficacy of Lactobacillus buchneri DSM 29026 as a silage additive for all animal species. EFSA Journal, 2020, 18, e06159.	0.9	1
463	Safety and efficacy of lâ€lysine monohydrochloride and concentrated liquid lâ€lysine (base) produced by fermentation with Corynebacterium glutamicum KCCM 80216 as feed additive for all animal species. EFSA Journal, 2020, 18, e06334.	0.9	1
464	Safety of vitamin B12 (in the form of cyanocobalamin) produced by Ensifer adhaerensCNCMâ€I 5541 for all animal species. EFSA Journal, 2020, 18, e06335.	0.9	1
465	Safety of 31 flavouring compounds belonging to different chemical groups when used as feed additives for all animal species. EFSA Journal, 2020, 18, e06338.	0.9	1
466	Safety and efficacy of lâ€cysteine monohydrochloride monohydrate produced by fermentation using Escherichia coli KCCM 80109 and Escherichia coli KCCM 80197 for all animal species. EFSA Journal, 2020, 18, e06101.	0.9	1
467	Assessment of the application for renewal of authorisation of AviPlus® as a feed additive for all porcine species (weaned), chickens for fattening, chickens reared for laying, minor poultry species for fattening, minor poultry species reared for laying. EFSA Journal, 2020, 18, e06063.	0.9	1
468	Assessment of the feed additive consisting of Levilactobacillus brevis (formerly Lactobacillus brevis) DSM 12835 EU for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2021, 19, e06900.	0.9	1

#	Article	IF	CITATIONS
469	Assessment of the application for renewal of authorisation of manganese chelate of hydroxy analogue of methionine for all animal species. EFSA Journal, 2020, 18, e06281.	0.9	1
470	Safety and efficacy of Nutrase P (6â€phytase) for chickens for fattening, other poultry for fattening, reared for laying and ornamental birds. EFSA Journal, 2020, 18, e06282.	0.9	1
471	Safety and efficacy of feed additives consisting of expressed sweet orange peel oil and its fractions from Citrus sinensis (L.) Osbeck for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06891.	0.9	1
472	Safety and efficacy of two solvent extracts of rosemary (Rosmarinus officinalis L.) when used as feed additive for cats and dogs (Kemin Nutrisurance Europe SRL). EFSA Journal, 2022, 20, e06978.	0.9	1
473	Safety and efficacy of a feed additive consisting of zearalenone hydrolase produced by Escherichia coli DSM 32731 for all terrestrial animal species (Biomin GmbH). EFSA Journal, 2022, 20, e07157.	0.9	1
474	Safety and efficacy of a feed additive consisting of lâ€valine produced by Escherichia coli CCTCC M2020321 for all animal species (Kempex Holland BV). EFSA Journal, 2022, 20, e07163.	0.9	1
475	Assessment of the feed additive consisting of potassium diformate for all animal species for the renewal of its authorisation (Addcon GmbH). EFSA Journal, 2022, 20, e07167.	0.9	1
476	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of Agathosma betulina (P.J. Bergius) Pillans (buchu leaf oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07160.	0.9	1
477	Safety and efficacy of the feed additives consisting of lâ€glutamic acid and monosodium lâ€glutamate monohydrate produced by Corynebacterium glutamicum NITE BPâ€01681 for all animal species (METEX) Tj ETQq2	l d.. 7843	314 rgBT /0
478	Safety and efficacy of a feed additive consisting of disodium 5'â€inosinate (IMP) produced by Corynebacterium stationis KCCM 80235 for all animal species (CJ Europe GmbH). EFSA Journal, 2022, 20, e07153.	0.9	1
479	Safety and efficacy of a feed additive consisting of lâ€isoleucine produced by Corynebacterium glutamicum KCCM 80185 for all animal species (CJ Europe GmbH). EFSA Journal, 2021, 19, e06977.	0.9	1
480	Safety and efficacy of the feed additive consisting of seleniumâ€enriched yeast (Saccharomyces) Tj ETQq0 0 0 rgE	3T/Qverlo 0.9	ck 10 Tf 50
481	Safety and efficacy of a feed additive consisting of sodium aluminosilicate, synthetic, for all animal species (European Zeolites Producers Association (EUZEPA) & Association of Synthetic Amorphous) Tj ETQq1	₫ .0.7 843	3114 rgBT /0
482	Assessment of the feed additive consisting of Lactococcus lactis DSM 11037 for all animal species for the renewal of its authorisation (Chr. Hansen A/S). EFSA Journal, 2022, 20, e07241.	0.9	1
483	Safety and efficacy of a feed additive consisting of lâ€methionine produced by the combined activities of Corynebacterium glutamicum KCCM 80245 and Escherichia coli KCCM 80246 for all animal species (CJ) Tj ETQq1	10097843	14 rgBT /O
484	Safety and efficacy of a feed additive consisting of lâ€lysine sulfate produced by Escherichia coli CGMCC 7.398 for all animal species (Kempex Holland B.V.). EFSA Journal, 2022, 20, e07246.	0.9	1
485	Assessment of the feed additive consisting of Lactococcus lactis NCIMB 30117 for all animal species for the renewal of its authorisation (Chr. Hansen A/S). EFSA Journal, 2022, 20, e07243.	0.9	1
486	Safety and efficacy of a feed additive consisting of agar for pets and nonâ€foodâ€producing animals (Hispanagar). EFSA Journal, 2022, 20, e07284.	0.9	1

#	Article	IF	CITATIONS
487	Safety and efficacy of the feed additive consisting of ammonium chloride (Ammonium Chloride AF) for all ruminants, dogs and cats for the renewal of its authorisation (BASF SE). EFSA Journal, 2022, 20, e07255.	0.9	1
488	Safety and efficacy of a feed additive consisting of acacia gum (gum Arabic) for all animal species (A.I.P.G. Association for International Promotion of Gums). EFSA Journal, 2022, 20, e07252.	0.9	1
489	Safety and efficacy of a feed additive consisting of guar gum for all animal species (A.I.P.G. Association) Tj ETQq1	1 0.78431 0.9	4_rgBT /Ove
	Safety and efficacy of a feed additive consisting of 6â€phytase (produced by Komagataella phaffii DSM) Tj ETQq0	0 0 rgBT /	Overlock 10
490	for breeding, weaned piglets, pigs for fattening and sows for the renewal of their authorisation and for the new use in breeding hens and turkeys, ornamental birds, suckling piglets and minor pig species	0.9	1
491	for fattening and breeding (Huvepharma EOOd). EFSA Journal, 2022, 20, e07238. Safety and efficacy of a feed additive consisting of Sunset Yellow FCF for cats and dogs, ornamental fish, grainâ€eating ornamental birds and small rodents (Sensient Colours Europe GmbH). EFSA Journal, 2022, 20, e07266.	0.9	1
492	Safety and efficacy of natural mixtures of talc (steatite) and chlorite (E 560) as a feed additive for all animal species. EFSA Journal, 2018, 16, e05205.	0.9	0
493	Safety of zinc chelate of methionine sulfate for the target species. EFSA Journal, 2018, 16, e05463.	0.9	0
494	Safety and efficacy of Sacox® microGranulate (salinomycin sodium) for rabbits for fattening. EFSA Journal, 2018, 16, e05209.	0.9	0
495	Safety and efficacy of Bergazym® P100 (endoâ€1,4â€Î²â€xylanase) as a feed additive for other birds for fattening, ornamental birds and other growing Suidae. EFSA Journal, 2019, 17, e05781.	0.9	0
496	Safety and efficacy of aluminosilicate of sodium, potassium, calcium and magnesium as a feed additive for pigs. EFSA Journal, 2019, 17, e05722.	0.9	0
497	Safety and efficacy of Hemicell®â€L (endoâ€1,4â€Î²â€mannanase) as a feed additive for chickens for fattening o reared for laying, turkeys for fattening or reared for breeding and minor poultry species. EFSA Journal, 2019, 17, e05641.	or 0.9	0
498	Safety and efficacy of VevoVitall® (benzoic acid) as feed additive for pigs for fattening. EFSA Journal, 2019, 17, e05727.	0.9	0
499	Safety and efficacy of BacillusÂsubtilis DSM 28343 for pigs for fattening. EFSA Journal, 2019, 17, e05725.	0.9	0
500	Safety and efficacy of Probion forte® (BacillusÂsubtilis KCCM 10941P and BacillusÂcoagulans KCCM) Tj ETQq0 (08.ggBT /C	Overlock 10 ⁻
501	Safety and efficacy of lâ€arginine produced by fermentation with CorynebacteriumÂglutamicum KCCM 80182 for all animal species. EFSA Journal, 2019, 17, e05696	0.9	0
502	Safety of erythrosine for ornamental fish. EFSA Journal, 2019, 17, e05699.	0.9	0
503	Assessment of the application for renewal of authorisation of GalliPro® (BacillusÂsubtilis DSM 17299) for chickens for fattening. EFSA Journal, 2019, 17, e05687.	0.9	0

⁵⁰⁴ Efficacy of methyl ester of conjugated linoleic acid (t10,c12 isomer) for sows and cows for reproduction. EFSA Journal, 2019, 17, e05614.

#	Article	IF	CITATIONS
505	Safety of cassia gum as a feed additive for cats and dogs based on a dossier submitted by Glycomer GmbH. EFSA Journal, 2019, 17, e05528.	0.9	Ο
506	Safety and efficacy of ZM16 10 (Bacillus amyloliquefaciens DSM 25840) as a feed additive for sows in order to have benefits in piglets, sows for reproduction, piglets (suckling and weaned), pigs for fattening and minor porcine species. EFSA Journal, 2019, 17, e05883.	0.9	0
507	Safety of Lactococcus lactis NCIMB 30160 as a feed additive for all animal species. EFSA Journal, 2019, 17, e05890.	0.9	0
508	Safety and efficacy of EB15 10 (Bacillus subtilis DSM 25841) as a feed additive for piglets (suckling and) Tj ETQ minor porcine species. EFSA Journal, 2019, 17, e05884.	0 0 0 rgB 0.9	T /Overlock 10 0
509	Efficacy of EB15 10 (Bacillus subtilis DSM 25841) as a feed additive for weaned piglets and weaned minor porcine species. EFSA Journal, 2019, 17, e05882.	0.9	0
510	Safety of a tincture derived from Artemisia vulgaris L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. EFSA Journal, 2020, 18, e06206.	0.9	0
511	Safety and efficacy of montmorilloniteâ€illite (FIMIX 1g557) for all animal species. EFSA Journal, 2020, 18, e06095.	0.9	0
512	Safety of ammonium formate (EÂ295) for all animal species. EFSA Journal, 2020, 18, e06076.	0.9	0
513	Safety for the environment of sorbitan monolaurate as a feed additive for all animal species. EFSA Journal, 2020, 18, e06162.	0.9	Ο
514	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. EFSA Journal, 2020, 18, e06137.	0.9	0
515	Safety and efficacy of †dry grape extract 60â€⊋0' when used as feed flavouring for dogs. EFSA Journal, 2020, 18, e06067.	0.9	0
516	Safety and efficacy of Biacton® (Lactobacillus farciminis CNCM lâ€3740) as a feed additive for weaned piglets. EFSA Journal, 2020, 18, e06084.	0.9	0
517	Safety of lignosulphonate for all animal species. EFSA Journal, 2020, 18, e06000.	0.9	Ο
518	Safety and efficacy of lâ€cystine produced using Pantoea ananatis strain NITE BPâ€02525 for all animal species. EFSA Journal, 2020, 18, e06020.	0.9	0
519	Assessment of the application for renewal of authorisation of lâ€isoleucine produced by Escherichia coli FERM ABPâ€10641 as a nutritional additive, its extension of use in water for drinking and a new use as flavouring additive for all animal species. EFSA Journal, 2020, 18, e06022.	0.9	Ο
520	Safety and efficacy of STABILFLOR® as a zootechnical feed additive for pigs for fattening. EFSA Journal, 2020, 18, e06145.	0.9	0
521	Efficacy of sodium formate as a technological feed additive (preservative) for all animal species. EFSA Journal, 2020, 18, e06139.	0.9	0
522	Assessment of the application for renewal of authorisation of seleniumâ€enriched yeast produced by Saccharomyces cerevisiae CNCM Iâ€3399 for all animal species. EFSA Journal, 2020, 18, e06144.	0.9	0

#	Article	IF	CITATIONS
523	Safety and efficacy of a dried aqueous ethanol extract of leaves from Olea europaea L. when used as a sensory additive in feed for all animal species. EFSA Journal, 2020, 18, e06018.	0.9	0
524	Safety of hexamethylene tetramine for pigs, poultry, bovines, sheep, goats, rabbits and horses. EFSA Journal, 2020, 18, e06012.	0.9	0
525	Safety and efficacy of Avizyme® 1505 (endoâ€1,4â€betaâ€xylanase, subtilisin and alphaâ€amylase) for all poulti species. EFSA Journal, 2020, 18, e06027.	у _{0.9}	0
526	Safety and efficacy of the additive consisting of muramidase produced by Trichoderma reesei DSM 32338 (Balanciusâ,,¢) for use in weaned piglets (DSM Nutritional products Ltd). EFSA Journal, 2021, 19, e06452.	0.9	0
527	Safety and efficacy of a feed additive consisting on Ligilactobacillus animalisÂATCC PTAâ€6750 (formerly) Tj ETQc	1,1,0.784 0.9	3]4 rgBT /0
528	Safety and efficacy of a feed additive consisting of the seed husk of Plantago ovata Forssk. for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06445.	0.9	0
529	Safety and efficacy of feed additives consisting of dried extracts from Echinacea angustifolia DC. or Echinacea purpurea (L.) Moench for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06446.	0.9	0
530	Safety and efficacy of an additive consisting of Bacillus subtilisÂDSM 32324 for all animal species (Chr.) Tj ETQqO	0.0_rgBT /	Oyerlock 10
531	Safety and efficacy of an additive consisting of Bacillus subtilisÂDSM 32325 for all animal species (Chr.) Tj ETQq1	1.0,78431 0.9	l4rgBT /Ove
532	Safety and efficacy of the feed additive consisting of endoâ€1,4â€betaâ€xylanase produced by Trichoderma reesei CBS 143953 (Danisco Xylanase 40000 G/L) for poultry and porcine species (Danisco Animal) Tj ETQq0 0 0 r	g B D/Over	loock 10 Tf 5
533	Safety and efficacy of a feed additive consisting of a dried extract from the roots of Panax ginseng C.A. Meyer (P. ginseng dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06526.	0.9	0
534	Safety and efficacy of a feed additive consisting of chromium propionate (KemTRACEâ,,¢ Chromium) for all growing poultry species (Kemin Europa NV). EFSA Journal, 2021, 19, e06546.	0.9	0
535	Safety and efficacy of an additive consisting of Bacillus amyloliquefaciensÂDSM 25840 for all animal species (Chr. Hansen A/S). EFSA Journal, 2021, 19, e06522.	0.9	0
536	Assessment of the feed additive consisting of copper chelate of hydroxy analogue of methionine for all animal species for the renewal of its authorisation (Novus Europe S.A./N.V.). EFSA Journal, 2021, 19, e06618.	0.9	0
537	Assessment of the feed additive consisting of Lactiplantibacillus plantarum (formerly Lactobacillus) Tj ETQq1 1 0.7	784314 rg 0.9	BT /Overloci 0
538	Safety and efficacy of an additive consisting of phyllite, natural mixture of minerals of metamorphic origin, as a feed additive for all animal species (Marmorkalkwerk Troesch GmbH & Co. KG). EFSA Journal, 2021, 19, e06616.	0.9	0
539	Assessment of the feed additive consisting of Lactiplantibacillus plantarum (formerly Lactobacillus) Tj ETQq1 1 0.7	784314 rg 0.9	BT /Overloci 0
540	Assessment of a feed additive consisting of vitamin B6 (pyridoxine hydrochloride) for all animal species for the renewal of its authorisation (Kaesler Nutrition GmbH). EFSA Journal, 2021, 19, e06612.	0.9	0

#	Article	IF	CITATIONS
541	Safety of a feed additive consisting of a tincture derived from Verbascum thapsus L. (great mullein) Tj ETQq1 1 0.	.784314 r	gBJ /Overloc
542	Safety and efficacy of a feed additive consisting of Saccharomyces cerevisiae MUCL 39885 (Biosprint®) for all pigs (other than sows and weaned piglets) and other minor porcine species (Prosol S.p.A.). EFSA Journal, 2021, 19, e06698.	0.9	0
543	Assessment of the application for renewal of authorisation of Yeaâ€Sacc® (Saccharomyces cerevisiae) for horses. EFSA Journal, 2019, 17, e05918.	0.9	0
544	Assessment of the application for renewal of authorisation of AveMix® XG 10 (endoâ€1,4â€betaâ€xylanase) Tj	ETQg0 0 () rgBT /Overld
545	Safety of a feed additive consisting of a dried aqueous ethanol extract from the leaves of Melissa officinalis L. for all animal species (Norâ€Feed SAS). EFSA Journal, 2021, 19, e06904.	0.9	0
546	Safety and efficacy of a feed additive consisting of Lactiplantibacillus plantarum (formerly) Tj ETQq0 0 0 rgBT /Ov e06898.	erlock 10 0.9	Tf 50 547 Td 0
547	Safety and efficacy of a feed additive consisting of copper (II) chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06896.	0.9	0
548	Safety and efficacy of a feed additive consisting of zinc chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06897.	0.9	0
549	Safety and efficacy of a feed additive consisting of cashew nutshell liquid for all animal species (Oligobasic Europe). EFSA Journal, 2021, 19, e06892.	0.9	0
550	Safety and efficacy of a feed additive consisting of manganese chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06895.	0.9	0
551	Safety and efficacy of lâ€ŧhreonine produced using Escherichia coliCGMCC 13325 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06332.	0.9	0
552	Assessment of the application for renewal of authorisation of zinc chelate of hydroxy analogue of methionine for all animal species. EFSA Journal, 2020, 18, e06337.	0.9	0
553	Assessment of the application for renewal of authorisation of endoâ€1,4â€Î²â€xylanase produced by Aspergillus nigerCBS 109.713 and endoâ€1,4â€Î²â€glucanase produced by Aspergillus nigerDSM 18404 for poultry species, ornamental birds and weaned piglets, from BASF SE. EFSA Journal, 2020, 18, e06331.	0.9	0
554	Assessment of the application for renewal of authorisation of 6â€phytase produced by Trichoderma reeseiCBS 122001 as a feed additive for pigs and poultry, from Roal Oy. EFSA Journal, 2020, 18, e06336.	0.9	0
555	Statement on the safety and efficacy of lignosulphonate of magnesium (Caimabond) for all animal species. EFSA Journal, 2020, 18, e06066.	0.9	0
556	Safety and efficacy of Panavital feed (dâ€glyceric acid) for chickens for fattening. EFSA Journal, 2020, 18, e06068.	0.9	0
557	Safety and efficacy of a feed additive consisting of endoâ€1,4â€Î²â€xylanase produced by Bacillus subtilis LMG Sâ€27588 (Beltherm MP/ML) for laying hens, minor poultry species and all avian species (Puratos NV). EFSA Journal, 2021, 19, e06906.	0.9	0
558	Assessment of the feed additive consisting of sodium benzoate (Protural®) for weaned piglets for the renewal of its authorisation and the extension of use to other growing Suidae (Taminco Finland Oy). EFSA Journal, 2021, 19, e06899.	0.9	0

#	Article	IF	CITATIONS
559	Safety and efficacy of a feed additive consisting of iron (II) chelate of amino acids hydrate for all animal species. EFSA Journal, 2021, 19, e06894.	0.9	0
560	Assessment of the feed additive consisting of Lacticaseibacillus paracasei (formerly Lactobacillus) Tj ETQq0 0 0 rg	BT /Overlo 0.9	ck 10 Tf 50 0
561	Assessment of the feed additive consisting of Lactococcus lactis NCIMB 30160 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2022, 20, e06975.	0.9	0
562	Safety and efficacy of a feed additive consisting of Bacillus velezensis DSM 15544 (Calsporin®) for dairy cows and other dairy ruminants (Asahi Biocycle Co. Ltd.). EFSA Journal, 2022, 20, e06984.	0.9	0
563	Safety of the fermentation product of Aspergillus oryzae NRRL 458 (Amaferm®) as a feed additive for dairy cows (Biozyme Inc.). EFSA Journal, 2022, 20, e06983.	0.9	0
564	Efficacy of a feed additive consisting of nicarbazin (Coxar®) for use in turkeys for fattening (Huvepharma N.V.). EFSA Journal, 2022, 20, e07162.	0.9	0
565	Safety and efficacy of a feed additive consisting of ferric citrate chelate (Clâ€FERâ,,¢) for poultry species for fattening or reared up to the point of lay (Akeso Biomedical, Inc.). EFSA Journal, 2022, 20, e07155.	0.9	0
566	Safety and efficacy of a feed additive consisting of Propionibacterium freudenreichii DSM 33189 and Lentilactobacillus buchneri (formerly Lactobacillus buchneri) DSM 12856 for all animal species (Lactosan GmbH & Co.KG.). EFSA Journal, 2022, 20, e07151.	0.9	0
567	Assessment of the feed additive consisting of Lentilactobacillus buchneri (formerly Lactobacillus) Tj ETQq1 1 0.78	4314 rgBT 0.9	/Overlock 0
568	Safety and efficacy of a feed additive consisting of lanthanum carbonate octahydrate (Lanthan One) for cats (Porus GmbH). EFSA Journal, 2022, 20, e07168.	0.9	0
569	Safety and efficacy of a feed additive consisting of astaxanthinâ€rich Phaffia rhodozyma for salmon and trout (Igene Biotechnology, Inc.). EFSA Journal, 2022, 20, e07161.	0.9	0
570	Safety and efficacy of the feed additive consisting of Lactobacillus acidophilus CECT 4529 (Lactobacillus acidophilus D2/CSL) for all poultry species and categories and all ornamental birds (Centro Sperimentale del Latte S.r.I). EFSA Journal, 2022, 20, e07150.	0.9	0
571	Safety and efficacy of a feed additive consisting of sodium alginate for all animal species (ALGAIA). EFSA Journal, 2022, 20, e07164.	0.9	0
572	Efficacy of a feed additive consisting of endoâ€1,4â€betaâ€xylanase produced by Trichoderma citrinoviride (IMI SD 135) (HOSTAZYM® X) for sows in order to have benefits in piglets (Huvepharma NV). EFSA Journal, 2022, 20, e07154.	0.9	0
573	Safety and efficacy of a feed additive consisting of manganous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). EFSA Journal, 2022, 20, e07165.	0.9	0
574	Assessment of the feed additive consisting of Lactiplantibacillus plantarum (formerly Lactobacillus) Tj ETQq0 0 0 r Journal, 2022, 20, e07149.	[.] gBT /Overl 0.9	ock 10 Tf 5
575	Safety and efficacy of a feed additive consisting of Allura Red AC for small nonâ€foodâ€producing mammals and ornamental birds (Versele‣aga). EFSA Journal, 2021, 19, e06987.	0.9	0

Safety and efficacy of a feed additive consisting of αâ€galactosidase (produced by Aspergillus tubingensis) Tj ETQq0 0 0 rgBT /Overlock

#	Article	IF	CITATIONS
577	Safety and efficacy of a feed additive consisting of lâ€lysine monohydrochloride and lâ€lysine sulfate produced by Corynebacterium glutamicum CGMCC 14498 for all animal species (Kempex Holland BV). EFSA Journal, 2021, 19, e06980.	0.9	0
578	Safety and efficacy of a feed additive consisting of monosodium lâ€glutamate produced by fermentation with Corynebacterium glutamicum KCCM 80187 for all animal species (CJ Europe GmbH). EFSA Journal, 2021, 19, e06982.	0.9	0
579	Safety of feed additives consisting of βâ€damascone [07.083] and (E)â€Î²â€damascone [07.224] belonging to chemical group 8 for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07248.	0.9	0