List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6824880/publications.pdf Version: 2024-02-01

		53794	26613
112	17,365	45	107
papers	citations	h-index	g-index
117	117	117	25943
all docs	docs citations	times ranked	citing authors

Κλιικό Ηρικκίι Δα

#	Article	IF	CITATIONS
1	Genetic studies of body mass index yield new insights for obesity biology. Nature, 2015, 518, 197-206.	27.8	3,823
2	Discovery and refinement of loci associated with lipid levels. Nature Genetics, 2013, 45, 1274-1283.	21.4	2,641
3	New genetic loci link adipose and insulin biology to body fat distribution. Nature, 2015, 518, 187-196.	27.8	1,328
4	Common variants associated with plasma triglycerides and risk for coronary artery disease. Nature Genetics, 2013, 45, 1345-1352.	21.4	754
5	Familial Risk and Heritability of Cancer Among Twins in Nordic Countries. JAMA - Journal of the American Medical Association, 2016, 315, 68.	7.4	648
6	Rare and low-frequency coding variants alter human adult height. Nature, 2017, 542, 186-190.	27.8	544
7	Meta-analysis of 375,000 individuals identifies 38 susceptibility loci for migraine. Nature Genetics, 2016, 48, 856-866.	21.4	520
8	Snoring as a risk factor for ischaemic heart disease and stroke in men BMJ: British Medical Journal, 1987, 294, 16-19.	2.3	433
9	Life Satisfaction and Suicide: A 20-Year Follow-Up Study. American Journal of Psychiatry, 2001, 158, 433-439.	7.2	381
10	Genome-wide meta-analysis identifies new susceptibility loci for migraine. Nature Genetics, 2013, 45, 912-917.	21.4	338
11	Self-reported Life Satisfaction and 20-Year Mortality in Healthy Finnish Adults. American Journal of Epidemiology, 2000, 152, 983-991.	3.4	335
12	SNORING AS A RISK FACTOR FOR HYPERTENSION AND ANGINA PECTORIS. Lancet, The, 1985, 325, 893-896.	13.7	327
13	Prevalence and Genetics of Sleepwalking. Neurology, 1997, 48, 177-181.	1.1	312
14	Genome-wide analysis identifies 12 loci influencing human reproductive behavior. Nature Genetics, 2016, 48, 1462-1472.	21.4	284
15	The prevalence of narcolepsy: An epidemiological study of the Finnish Twin Cohort. Annals of Neurology, 1994, 35, 709-716.	5.3	216
16	Hostility as a risk factor for mortality and ischemic heart disease in men Psychosomatic Medicine, 1988, 50, 330-340.	2.0	207
17	Heritability of diurnal type: a nationwide study of 8753 adult twin pairs. Journal of Sleep Research, 2007, 16, 156-162.	3.2	196
18	The Role of Adiposity in Cardiometabolic Traits: A Mendelian Randomization Analysis. PLoS Medicine, 2013, 10, e1001474.	8.4	178

#	Article	IF	CITATIONS
19	Genetic and environmental effects on body mass index from infancy to the onset of adulthood: an individual-based pooled analysis of 45 twin cohorts participating in the COllaborative project of Development of Anthropometrical measures in Twins (CODATwins) study. American Journal of Clinical Nutrition, 2016, 104, 371-379.	4.7	175
20	Daytime sleepiness in an adult, Finnish population. Journal of Internal Medicine, 1996, 239, 417-423.	6.0	174
21	Directional dominance on stature and cognition inÂdiverse human populations. Nature, 2015, 523, 459-462.	27.8	173
22	Migraine and Concomitant Symptoms Among 8167 Adult Twin Pairs. Headache, 1995, 35, 70-78.	3.9	162
23	Genetic and environmental influences on height from infancy to early adulthood: An individual-based pooled analysis of 45 twin cohorts. Scientific Reports, 2016, 6, 28496.	3.3	133
24	Midlife Sleep Characteristics Associated with Late Life Cognitive Function. Sleep, 2013, 36, 1533-1541.	1.1	129
25	The Ullanlinna Narcolepsy Scale: validation of a measure of symptoms in the narcoleptic syndrome. Journal of Sleep Research, 1994, 3, 52-59.	3.2	127
26	Harmonization of Neuroticism and Extraversion phenotypes across inventories and cohorts in the Genetics of Personality Consortium: an application of Item Response Theory. Behavior Genetics, 2014, 44, 295-313.	2.1	103
27	Genetic and Environmental Factors in Sciatica Evidence from a Nationwide Panel of 9365 Adult Twin Pairs. Annals of Medicine, 1989, 21, 393-398.	3.8	101
28	Replication of linkage on chromosome 7q22 and association of the regional Reelin gene with working memory in schizophrenia families. Molecular Psychiatry, 2008, 13, 673-684.	7.9	91
29	Genetic Linkage to Chromosome 22q12 for a Heavy-Smoking Quantitative Trait in Two Independent Samples. American Journal of Human Genetics, 2007, 80, 856-866.	6.2	89
30	Interpersonal conflict as a predictor of work disability: A follow-up study of 15,348 finnish employees. Journal of Psychosomatic Research, 1996, 40, 157-167.	2.6	87
31	Long-term consistency of diurnal-type preferences among men. Chronobiology International, 2014, 31, 182-188.	2.0	79
32	Genome-wide association study identifies 48 common genetic variants associated with handedness. Nature Human Behaviour, 2021, 5, 59-70.	12.0	79
33	Life dissatisfaction and subsequent work disability in an 11-year follow-up. Psychological Medicine, 2004, 34, 221-228.	4.5	76
34	Geographical structure and differential natural selection among North European populations. Genome Research, 2009, 19, 804-814.	5.5	75
35	Increased Genetic Vulnerability to Smoking at CHRNA5 in Early-Onset Smokers. Archives of General Psychiatry, 2012, 69, 854.	12.3	71
36	Elucidating the relationship between noise sensitivity and personality. Noise and Health, 2015, 17, 165.	0.5	67

ΚΑυκό Ηεικκιlä

#	Article	IF	CITATIONS
37	A Population-Based Survey of Headache and Migraine in 22,809 Adults. Headache, 1993, 33, 403-412.	3.9	66
38	Genetic Component of Noise Sensitivity. Twin Research and Human Genetics, 2005, 8, 245-249.	0.6	66
39	Genome-wide association study on detailed profiles of smoking behavior and nicotine dependence in a twin sample. Molecular Psychiatry, 2014, 19, 615-624.	7.9	64
40	Age- and Sex-Specific Causal Effects of Adiposity on Cardiovascular Risk Factors. Diabetes, 2015, 64, 1841-1852.	0.6	63
41	Analysis of Detailed Phenotype Profiles Reveals CHRNA5-CHRNA3-CHRNB4 Gene Cluster Association With Several Nicotine Dependence Traits. Nicotine and Tobacco Research, 2012, 14, 720-733.	2.6	61
42	Midlife cardiovascular risk factors and late cognitive impairment. European Journal of Epidemiology, 2013, 28, 405-416.	5.7	57
43	The CODATwins Project: The Cohort Description of Collaborative Project of Development of Anthropometrical Measures in Twins to Study Macro-Environmental Variation in Genetic and Environmental Effects on Anthropometric Traits. Twin Research and Human Genetics, 2015, 18, 348-360.	0.6	55
44	Evidence that BMI and type 2 diabetes share only a minor fraction of genetic variance: a follow-up study of 23,585 monozygotic and dizygotic twins from the Finnish Twin Cohort Study. Diabetologia, 2010, 53, 1314-1321.	6.3	51
45	Snoring and Cardiovascular Risk Factors. Annals of Medicine, 1994, 26, 371-376.	3.8	49
46	A genome-wide cross-phenotype meta-analysis of the association of blood pressure with migraine. Nature Communications, 2020, 11, 3368.	12.8	49
47	Self-reported Life Satisfaction and Alcohol use: A 15-year follow-up of Healthy Adult Twins. Alcohol and Alcoholism, 2012, 47, 160-168.	1.6	48
48	FinnTwin12 Cohort: An Updated Review. Twin Research and Human Genetics, 2019, 22, 302-311.	0.6	48
49	Magnetic Fields of Transmission Lines and Depression. American Journal of Epidemiology, 1997, 146, 1037-1045.	3.4	43
50	Linkage of nicotine dependence and smoking behavior on 10q, 7q and 11p in twins with homogeneous genetic background. Pharmacogenomics Journal, 2008, 8, 209-219.	2.0	43
51	Genetic Component of Noise Sensitivity. Twin Research and Human Genetics, 2005, 8, 245-249.	0.6	43
52	The association of noise sensitivity with coronary heart and cardiovascular mortality among Finnish adults. Science of the Total Environment, 2007, 372, 406-412.	8.0	42
53	Genetic and environmental influences on adult human height across birth cohorts from 1886 to 1994. ELife, 2016, 5, .	6.0	42
54	Metabolic signatures of birthweight in 18Â288 adolescents and adults. International Journal of Epidemiology, 2016, 45, 1539-1550.	1.9	41

#	Article	IF	CITATIONS
55	FinnTwin16: A Longitudinal Study from Age 16 of a Population-Based Finnish Twin Cohort. Twin Research and Human Genetics, 2019, 22, 530-539.	0.6	39
56	Physical Activity, Fitness, Glucose Homeostasis, and Brain Morphology in Twins. Medicine and Science in Sports and Exercise, 2015, 47, 509-518.	0.4	35
57	Early adolescent aggression predicts antisocial personality disorder in young adults: a population-based study. European Child and Adolescent Psychiatry, 2019, 28, 341-350.	4.7	35
58	Cross-trait analyses with migraine reveal widespread pleiotropy and suggest a vascular component to migraine headache. International Journal of Epidemiology, 2020, 49, 1022-1031.	1.9	34
59	Identification, Heritability, and Relation With Gene Expression of Novel DNA Methylation Loci for Blood Pressure. Hypertension, 2020, 76, 195-205.	2.7	33
60	Distinct Loci in the <i>CHRNA5</i> / <i>CHRNA3</i> / <i>CHRNB4</i> Gene Cluster Are Associated With Onset of Regular Smoking. Genetic Epidemiology, 2013, 37, 846-859.	1.3	32
61	Midlife Alcohol Consumption and Later Risk of Cognitive Impairment: A Twin Follow-up Study. Journal of Alzheimer's Disease, 2010, 22, 939-948.	2.6	31
62	Narcolepsyâ€like symptoms among adult twins. Journal of Sleep Research, 1996, 5, 55-60.	3.2	28
63	SELF-REPORT OF TRANSPORTATION NOISE EXPOSURE, ANNOYANCE AND NOISE SENSITIVITY IN RELATION TO NOISE MAP INFORMATION. Journal of Sound and Vibration, 2000, 234, 191-206.	3.9	28
64	Self-rated depression in 12,063 middle-aged adults. Nordic Journal of Psychiatry, 1997, 51, 331-338.	1.3	26
65	Leisure-time physical inactivity and association with body mass index: a Finnish Twin Study with a 35-year follow-up. International Journal of Epidemiology, 2017, 46, 116-127.	1.9	26
66	Chronic diseases and objectively monitored physical activity profile among aged individuals – a cross-sectional twin cohort study. Annals of Medicine, 2019, 51, 78-87.	3.8	25
67	Somatic and Psychological Characteristics of Noise-Sensitive Adults in Finland. Archives of Environmental Health, 2004, 59, 410-417.	0.4	24
68	Noise sensitivity and multiple chemical sensitivity scales: Properties in a population based epidemiological study. Noise and Health, 2012, 14, 215.	0.5	24
69	Zygosity Differences in Height and Body Mass Index of Twins From Infancy to Old Age: A Study of the CODATwins Project. Twin Research and Human Genetics, 2015, 18, 557-570.	0.6	24
70	Testing the reciprocal association between smoking and depressive symptoms from adolescence to adulthood: A longitudinal twin study. Drug and Alcohol Dependence, 2019, 200, 64-70.	3.2	24
71	Noise sensitivity and hearing disability. Noise and Health, 2011, 13, 59.	0.5	24
72	Association between birthweight and later body mass index: an individual-based pooled analysis of 27 twin cohorts participating in the CODATwins project. International Journal of Epidemiology, 2017, 46, 1488-1498.	1.9	22

#	Article	IF	CITATIONS
73	The Negative Affect Hypothesis of Noise Sensitivity. International Journal of Environmental Research and Public Health, 2015, 12, 5284-5303.	2.6	21
74	Twin's Birth-Order Differences in Height and Body Mass Index From Birth to Old Age: A Pooled Study of 26 Twin Cohorts Participating in the CODATwins Project. Twin Research and Human Genetics, 2016, 19, 112-124.	0.6	21
75	The association of noise sensitivity with music listening, training, and aptitude. Noise and Health, 2015, 17, 350.	0.5	21
76	Associations between birth size and later height from infancy through adulthood: An individual based pooled analysis of 28 twin cohorts participating in the CODATwins project. Early Human Development, 2018, 120, 53-60.	1.8	20
77	Genetic linkage findings for DSMâ€IV nicotine withdrawal in two populations. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 950-959.	1.7	19
78	Residential exposure to magnetic fields generated by 110-400 kV power lines in Finland. Bioelectromagnetics, 1995, 16, 365-376.	1.6	18
79	Long-term leisure-time physical activity and other health habits as predictors of objectively monitored late-life physical activity – A 40-year twin study. Scientific Reports, 2018, 8, 9400.	3.3	18
80	Predictive Association of Smoking with Depressive Symptoms: a Longitudinal Study of Adolescent Twins. Prevention Science, 2019, 20, 1021-1030.	2.6	18
81	Habitual sleep disturbances and migraine: a Mendelian randomization study. Annals of Clinical and Translational Neurology, 2020, 7, 2370-2380.	3.7	18
82	Cigarette smoking and alcohol use as predictors of disability retirement: A population-based cohort study. Drug and Alcohol Dependence, 2015, 155, 260-266.	3.2	17
83	Association between education and future leisure-time physical inactivity: a study of Finnish twins over a 35-year follow-up. BMC Public Health, 2016, 16, 720.	2.9	17
84	Middle age selfâ€report risk score predicts cognitive functioning and dementia in 20–40Âyears. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2016, 4, 118-125.	2.4	17
85	Triplets, birthweight, and handedness. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 6076-6081.	7.1	17
86	Assessment of diabetic retinopathy using two-field 60° fundus photography. A comparison between red-free, black-and-white prints and colour transparencies. Acta Ophthalmologica, 1999, 77, 638-647.	0.3	16
87	A comparison between one- and two-field 60° fundus photography when screening for diabetic retinopathy. Acta Ophthalmologica, 2000, 78, 14-20.	0.3	16
88	Midlife Physical Activity and Cognition Later in Life: A Prospective Twin Study. Journal of Alzheimer's Disease, 2016, 54, 1303-1317.	2.6	16
89	Genome wide association study identifies variants in NBEA associated with migraine in bipolar disorder. Journal of Affective Disorders, 2015, 172, 453-461.	4.1	15
90	Noise exposure of musicians of a ballet orchestra. Noise and Health, 2011, 13, 51.	0.5	15

#	Article	IF	CITATIONS
91	Genomeâ€wide timeâ€toâ€event analysis on smoking progression stages in a familyâ€based study. Brain and Behavior, 2016, 6, e00462.	2.2	14
92	Objectively measured physical activity profile and cognition in Finnish elderly twins. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2018, 4, 263-271.	3.7	14
93	Higher Prevalence of Left-Handedness in Twins? Not After Controlling Birth Time Confounders. Twin Research and Human Genetics, 2015, 18, 526-532.	0.6	13
94	Handedness in the Helsinki Ultrasound Trial. Ultrasound in Obstetrics and Gynecology, 2011, 37, 638-642.	1.7	12
95	Selection Bias in Disease-Related Twin Studies — Data on 11,154 Adult Finnish Twin Pairs from a Nationwide Panel. Acta Geneticae Medicae Et Gemellologiae, 1990, 39, 441-446.	0.2	10
96	Noise Sensitivity and Disability Retirement. Journal of Occupational and Environmental Medicine, 2013, 55, 365-370.	1.7	10
97	Detection of retinal neovascularizations using 45â€f° and 60â€f° photographic fields with varying 45â€f° simulated on a 60â€f° photograph. Acta Ophthalmologica, 2002, 80, 372-378.	fields 0.3	8
98	Education in Twins and Their Parents Across Birth Cohorts Over 100 years: An Individual-Level Pooled Analysis of 42-Twin Cohorts. Twin Research and Human Genetics, 2017, 20, 395-405.	0.6	8
99	Sensitivity to Noise Following a Mild Traumatic Brain Injury: A Longitudinal Study. Journal of Head Trauma Rehabilitation, 2021, 36, E289-E301.	1.7	7
100	Elucidating the relationship between migraine risk and brain structure using genetic data. Brain, 2022, 145, 3214-3224.	7.6	7
101	Genetic meta-analysis of twin birth weight shows high genetic correlation with singleton birth weight. Human Molecular Genetics, 2021, 30, 1894-1905.	2.9	6
102	Design and Sampling Considerations, Response Rates, and Representativeness in a Finnish Twin Family Study. Acta Geneticae Medicae Et Gemellologiae, 1987, 36, 79-93.	0.2	5
103	Detection of diabetic retinopathy: a comparison between red-free digital images and colour transparencies. Graefe's Archive for Clinical and Experimental Ophthalmology, 2005, 243, 427-432.	1.9	4
104	Association between smoking behavior patterns and chronic obstructive pulmonary disease: A long-term follow-up study among Finnish adults. Annals of Medicine, 2012, 44, 598-606.	3.8	4
105	Educational attainment of same-sex and opposite-sex dizygotic twins: An individual-level pooled study of 19 twin cohorts. Hormones and Behavior, 2021, 136, 105054.	2.1	1
106	Authors' reply (Finland). BMJ: British Medical Journal, 1994, 308, 1163-1163.	2.3	1
107	The association between smoking behaviour patterns and chronic obstructive pulmonary disease: a longâ€ŧerm followâ€up study among Finnish adults. Clinical Respiratory Journal, 2011, 5, 6-7.	1.6	0
108	Noise Sensitivity and Multiple Chemical Sensitivity. Noise and Vibration Worldwide, 2013, 44, 9-15.	1.0	0

#	Article	IF	CITATIONS
109	DT-02-06: Middle age protective score based onÂself-reported measures predictsÂdementia status in old age: A population-based study with 28-year follow-up. , 2015, 11, P335-P335.		0
110	P3-367: Cognitive Reserve as Indexed by Educational and Occupational Attainment Moderates the Association Between Cardiovascular Disease and Dementia. , 2016, 12, P989-P990.		0
111	[O3–O6–05]: EPISODIC MEMORY PERFORMANCE IN COGNITIVELY HEALTHY TWINS WITH COGNITIVELY IMPAIRED COâ€TWINS. Alzheimer's and Dementia, 2017, 13, P913.	0.8	0
112	The Epidemiology of Noise Sensitivity in New Zealand. Neuroepidemiology, 2020, 54, 482-489.	2.3	0