

Ignacio Garca de la Torre

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6827236/ignacio-garcia-de-la-torre-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90 papers	6,241 citations	35 h-index	78 g-index
97 ext. papers	7,517 ext. citations	4.7 avg, IF	4.83 L-index

#	Paper	IF	Citations
90	The International Consensus on ANA Patterns (ICAP) in 2021-The 6th Workshop and Current Perspectives.. <i>Journal of applied laboratory medicine, The</i> , 2022 , 7, 322-330	2	6
89	Myositis-Specific Antibodies and Myositis-Associated Antibodies in Patients With Idiopathic Inflammatory Myopathies From the PANLAR Myositis Study Group. <i>Journal of Clinical Rheumatology</i> , 2021 , 27, e302-e306	1.1	3
88	Controversies in Systemic Lupus Erythematosus: Are We Treating Our Patients Adequately?. <i>Journal of Clinical Rheumatology</i> , 2021 ,	1.1	1
87	How to report the antinuclear antibodies (anti-cell antibodies) test on HEp-2 cells: guidelines from the ICAP initiative. <i>Immunologic Research</i> , 2021 , 69, 594-608	4.3	11
86	Factors associated with neuropsychiatric involvement in Latin American patients with systemic lupus erythematosus. <i>Lupus</i> , 2021 , 30, 1481-1491	2.6	
85	A longitudinal multiethnic study of biomarkers in systemic lupus erythematosus: Launching the GLADEL 2.0 Study Group. <i>Lupus</i> , 2021 , 961203320988586	2.6	0
84	Mortality and adverse events of special interest with intravenous belimumab for adults with active, autoantibody-positive systemic lupus erythematosus (BASE): a multicentre, double-blind, randomised, placebo-controlled, phase 4 trial. <i>Lancet Rheumatology, The</i> , 2021 , 3, e122-e130	14.2	9
83	Good response to mycophenolate mofetil on treatment of interstitial lung disease in polymyositis associated with antisynthetase syndrome positive for anti-EJ and anti-Ro52 antibodies. <i>Clinical Rheumatology</i> , 2020 , 39, 2837-2839	3.9	
82	Clinical features, damage accrual, and survival in patients with familial systemic lupus erythematosus: data from a multi-ethnic, multinational Latin American lupus cohort. <i>Lupus</i> , 2020 , 29, 1140-1145	2.6	0
81	Predictors of renal damage in systemic lupus erythematosus patients: data from a multiethnic, multinational Latin American lupus cohort (GLADEL). <i>RMD Open</i> , 2020 , 6,	5.9	4
80	Establishment of international autoantibody reference standards for the detection of autoantibodies directed against PML bodies, GW bodies, and NuMA protein. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 59, 197-207	5.9	2
79	Clinical predictors of remission and low disease activity in Latin American early rheumatoid arthritis: data from the GLADAR cohort. <i>Clinical Rheumatology</i> , 2019 , 38, 2737-2746	3.9	6
78	Establishment of an international autoantibody reference standard for human anti-DFS70 antibodies: proof-of-concept study for a novel Megapool strategy by pooling individual specific sera. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, 1754-1763	5.9	10
77	Anti-NT5c1A Autoantibodies as Biomarkers in Inclusion Body Myositis. <i>Frontiers in Immunology</i> , 2019 , 10, 745	8.4	17
76	Clinical relevance of HEp-2 indirect immunofluorescent patterns: the International Consensus on ANA patterns (ICAP) perspective. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 879-889	2.4	128
75	Autoantibodies to Mi-2 alpha and Mi-2 beta in patients with idiopathic inflammatory myopathy. <i>Rheumatology</i> , 2019 , 58, 1655-1661	3.9	12
74	Gonococcal and Nongonococcal Bacterial Infections 2019 , 21-27		

73	Reference standards for the detection of anti-mitochondrial and anti-rods/rings autoantibodies. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 1789-1798	5.9	13
72	First Latin American clinical practice guidelines for the treatment of systemic lupus erythematosus: Latin American Group for the Study of Lupus (GLADEL,)-Pan-American League of Associations of Rheumatology (PANLAR). <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1549-1557	2.4	57
71	International consensus on antinuclear antibody patterns: definition of the AC-29 pattern associated with antibodies to DNA topoisomerase I. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 1783-1788	5.9	32
70	Detection of autoantibodies to DSF70/LEDGFp75 in Mexican Hispanics using multiple complementary assay platforms. <i>Autoimmunity Highlights</i> , 2017 , 8, 1	3.7	17
69	2016 American College of Rheumatology/European League Against Rheumatism Criteria for Minimal, Moderate, and Major Clinical Response in Adult Dermatomyositis and Polymyositis: An International Myositis Assessment and Clinical Studies Group/Paediatric Rheumatology International Trial Organization Collaborative Initiative. <i>Arthritis and Rheumatology</i> , 2017 , 69, 898-910	9.5	33
68	2016 American College of Rheumatology/European League Against Rheumatism criteria for minimal, moderate, and major clinical response in adult dermatomyositis and polymyositis: An International Myositis Assessment and Clinical Studies Group/Paediatric Rheumatology International Trial Organization Collaborative Initiative. <i>Arthritis and Rheumatology</i> , 2017 , 69, 898-910	2.4	65
67	2017 European League Against Rheumatism/American College of Rheumatology classification criteria for adult and juvenile idiopathic inflammatory myopathies and their major subgroups. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1955-1964	2.4	393
66	Transancestral mapping and genetic load in systemic lupus erythematosus. <i>Nature Communications</i> , 2017 , 8, 16021	17.4	171
65	EULAR/ACR classification criteria for adult and juvenile idiopathic inflammatory myopathies and their major subgroups: a methodology report. <i>RMD Open</i> , 2017 , 3, e000507	5.9	66
64	Effects of Amerindian Genetic Ancestry on Clinical Variables and Therapy in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2017 , 44, 1804-1812	4.1	1
63	2017 European League Against Rheumatism/American College of Rheumatology Classification Criteria for Adult and Juvenile Idiopathic Inflammatory Myopathies and Their Major Subgroups. <i>Arthritis and Rheumatology</i> , 2017 , 69, 2271-2282	9.5	210
62	2016 ACR-EULAR adult dermatomyositis and polymyositis and juvenile dermatomyositis response criteria-methodological aspects. <i>Rheumatology</i> , 2017 , 56, 1884-1893	3.9	23
61	Cardiovascular Safety of Celecoxib, Naproxen, or Ibuprofen for Arthritis. <i>New England Journal of Medicine</i> , 2016 , 375, 2519-29	59.2	430
60	Report on the second International Consensus on ANA Pattern (ICAP) workshop in Dresden 2015. <i>Lupus</i> , 2016 , 25, 797-804	2.6	62
59	International consensus on ANA patterns (ICAP): the bumpy road towards a consensus on reporting ANA results. <i>Autoimmunity Highlights</i> , 2016 , 7, 1	3.7	86
58	Genome-Wide Association Study in an Amerindian Ancestry Population Reveals Novel Systemic Lupus Erythematosus Risk Loci and the Role of European Admixture. <i>Arthritis and Rheumatology</i> , 2016 , 68, 932-43	9.5	93
57	Anti-HMGCR antibodies as a biomarker for immune-mediated necrotizing myopathies: A history of statins and experience from a large international multi-center study. <i>Autoimmunity Reviews</i> , 2016 , 15, 983-93	13.6	76
56	Late-onset systemic lupus erythematosus in Latin Americans: a distinct subgroup?. <i>Lupus</i> , 2015 , 24, 788-256	2.5	32

55	Detection of autoantibodies to multiple tumor-associated antigens (TAAs) in the immunodiagnosis of breast cancer. <i>Tumor Biology</i> , 2015 , 36, 1307-12	2.9	15
54	Antinuclear antibody (ANA) testing in patients treated with biological DMARDs: is it useful?. <i>Current Rheumatology Reports</i> , 2015 , 17, 23	4.9	9
53	Report of the First International Consensus on Standardized Nomenclature of Antinuclear Antibody HEp-2 Cell Patterns 2014-2015. <i>Frontiers in Immunology</i> , 2015 , 6, 412	8.4	193
52	Clinical Usefulness of Autoantibodies in Idiopathic Inflammatory Myositis. <i>Frontiers in Immunology</i> , 2015 , 6, 331	8.4	14
51	The American College of Rheumatology and the Systemic Lupus International Collaborating Clinics classification criteria for systemic lupus erythematosus in two multiethnic cohorts: a commentary. <i>Lupus</i> , 2014 , 23, 3-9	2.6	48
50	International recommendations for the assessment of autoantibodies to cellular antigens referred to as anti-nuclear antibodies. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 17-23	2.4	360
49	FAS -670A>G promoter polymorphism is associated with soluble Fas levels in primary Sjögren's syndrome. <i>Genetics and Molecular Research</i> , 2014 , 13, 4831-8	1.2	9
48	Allelic heterogeneity in NCF2 associated with systemic lupus erythematosus (SLE) susceptibility across four ethnic populations. <i>Human Molecular Genetics</i> , 2014 , 23, 1656-68	5.6	50
47	Platelet thromboxane (11-dehydro-Thromboxane B2) and aspirin response in patients with diabetes and coronary artery disease. <i>World Journal of Diabetes</i> , 2014 , 5, 115-27	4.7	25
46	Anticardiolipin Antibody Isotype Determination in Amniotic Fluid of Pregnant Patients with Systemic Lupus Erythematosus and/or Antiphospholipid Syndrome. <i>Open Journal of Rheumatology and Autoimmune Diseases</i> , 2014 , 04, 170-177	0.2	
45	Antinuclear antibody test: when to order?. <i>American Journal of Medicine</i> , 2013 , 126, e17	2.4	2
44	Insertion/deletion polymorphism of the angiotensin-converting enzyme gene in lupus nephritis among Mexicans. <i>Immunopharmacology and Immunotoxicology</i> , 2013 , 35, 174-80	3.2	5
43	Rheumatoid arthritis in Latin Americans enriched for Amerindian ancestry is associated with loci in chromosomes 1, 12, and 13, and the HLA class II region. <i>Arthritis and Rheumatism</i> , 2013 , 65, 1457-67		30
42	Impact of genetic ancestry and sociodemographic status on the clinical expression of systemic lupus erythematosus in American Indian-European populations. <i>Arthritis and Rheumatism</i> , 2012 , 64, 3687-94		61
41	Aspirin insensitive thromboxane generation is associated with oxidative stress in type 2 diabetes mellitus. <i>Thrombosis Research</i> , 2012 , 130, 350-4	8.2	17
40	The impact of rural residency on the expression and outcome of systemic lupus erythematosus: data from a multiethnic Latin American cohort. <i>Lupus</i> , 2012 , 21, 1397-404	2.6	16
39	Treatment of early rheumatoid arthritis in a multinational inception cohort of Latin American patients: the GLADAR experience. <i>Journal of Clinical Rheumatology</i> , 2012 , 18, 327-35	1.1	34
38	Rosuvastatin Treatment is Associated with a Decrease of Serum Oxidised Low-Density Lipoprotein/Beta2-Glycoprotein I Complex Concentration in Type 2 Diabetes. <i>British Journal of Diabetes and Vascular Disease</i> , 2010 , 10, 292-299		9

37	Antimalarial treatment may have a time-dependent effect on lupus survival: data from a multinational Latin American inception cohort. <i>Arthritis and Rheumatism</i> , 2010 , 62, 855-62		145
36	Genetically determined Amerindian ancestry correlates with increased frequency of risk alleles for systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2010 , 62, 3722-9		61
35	A functional Ser(413)/Ser(413) PAI-2 polymorphism is associated with susceptibility and damage index score in systemic lupus erythematosus. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2009 , 15, 233-8	3.3	11
34	Validation of the Spanish, Portuguese and French versions of the Lupus Damage Index questionnaire: data from North and South America, Spain and Portugal. <i>Lupus</i> , 2009 , 18, 1033-52	2.6	19
33	The safety and efficacy of a JAK inhibitor in patients with active rheumatoid arthritis: Results of a double-blind, placebo-controlled phase IIa trial of three dosage levels of CP-690,550 versus placebo. <i>Arthritis and Rheumatism</i> , 2009 , 60, 1895-905		436
32	Gonococcal and nongonococcal arthritis. <i>Rheumatic Disease Clinics of North America</i> , 2009 , 35, 63-73	2.4	28
31	Childhood systemic lupus erythematosus in Latin America. The GLADEL experience in 230 children. <i>Lupus</i> , 2008 , 17, 596-604	2.6	94
30	International multicenter evaluation of autoantibodies to ribosomal P proteins. <i>Vaccine Journal</i> , 2006 , 13, 77-83		69
29	Oxidized low-density lipoprotein and beta2-glycoprotein I in patients with systemic lupus erythematosus and increased carotid intima-media thickness: implications in autoimmune-mediated atherosclerosis. <i>Lupus</i> , 2006 , 15, 80-6	2.6	53
28	Advances in the management of septic arthritis. <i>Infectious Disease Clinics of North America</i> , 2006 , 20, 773-88	6.5	19
27	Male systemic lupus erythematosus in a Latin-American inception cohort of 1214 patients. <i>Lupus</i> , 2005 , 14, 938-46	2.6	91
26	Familial aggregation of systemic lupus erythematosus, rheumatoid arthritis, and other autoimmune diseases in 1,177 lupus patients from the GLADEL cohort. <i>Arthritis and Rheumatism</i> , 2005 , 52, 1138-47		287
25	International consensus guidelines for trials of therapies in the idiopathic inflammatory myopathies. <i>Arthritis and Rheumatism</i> , 2005 , 52, 2607-15		121
24	Therapy with intermittent pulse cyclophosphamide for pulmonary hypertension associated with systemic lupus erythematosus. <i>Lupus</i> , 2004 , 13, 105-12	2.6	49
23	Oxidized Low-Density Lipoprotein/ β -Glycoprotein I Complexes and Autoantibodies to oxLig-1/ β -Glycoprotein I in Patients with Systemic Lupus Erythematosus and Antiphospholipid Syndrome. <i>American Journal of Clinical Pathology</i> , 2004 , 121, 426-436	1.9	47
22	International consensus outcome measures for patients with idiopathic inflammatory myopathies. Development and initial validation of myositis activity and damage indices in patients with adult onset disease. <i>Rheumatology</i> , 2004 , 43, 49-54	3.9	249
21	The GLADEL multinational Latin American prospective inception cohort of 1,214 patients with systemic lupus erythematosus: ethnic and disease heterogeneity among "Hispanics". <i>Medicine (United States)</i> , 2004 , 83, 1-17	1.8	288
20	International consensus on preliminary definitions of improvement in adult and juvenile myositis. <i>Arthritis and Rheumatism</i> , 2004 , 50, 2281-90		173

19	Oxidized low-density lipoprotein/beta2-glycoprotein I complexes and autoantibodies to oxLig-1/beta2-glycoprotein I in patients with systemic lupus erythematosus and antiphospholipid syndrome. <i>American Journal of Clinical Pathology</i> , 2004 , 121, 426-36	1.9	16
18	Advances in the management of septic arthritis. <i>Rheumatic Disease Clinics of North America</i> , 2003 , 29, 61-75	2.4	28
17	Onychomycosis in systemic lupus erythematosus: a case control study. <i>Journal of Rheumatology</i> , 2003 , 30, 1491-4	4.1	11
16	Differences in idiopathic inflammatory myopathy phenotypes and genotypes between Mesoamerican Mestizos and North American Caucasians: ethnogeographic influences in the genetics and clinical expression of myositis. <i>Arthritis and Rheumatism</i> , 2002 , 46, 1885-93		79
15	Longitudinal study of antinuclear and anticardiolipin antibodies in pregnant women with systemic lupus erythematosus and antiphospholipid syndrome. <i>Rheumatology International</i> , 2002 , 22, 142-7	3.6	14
14	Proposed preliminary core set measures for disease outcome assessment in adult and juvenile idiopathic inflammatory myopathies. <i>British Journal of Rheumatology</i> , 2001 , 40, 1262-73		226
13	Autoantibodies to receptor induced neoepitopes of fibrinolytic proteins in rheumatic and vascular diseases. <i>Journal of Rheumatology</i> , 2001 , 28, 302-8	4.1	4
12	Clinical, serologic, and immunogenetic features of familial idiopathic inflammatory myopathy. <i>Arthritis and Rheumatism</i> , 1998 , 41, 710-9		55
11	Advances in autoantibodies in SLE. <i>Lupus</i> , 1998 , 7, 507-14	2.6	13
10	Madelung's deformity from a rheumatologist's point of view. <i>Rheumatology</i> , 1997 , 36, 925-6	3.9	
9	Mixed connective tissue disease. A clinico-serological study of 17 cases. <i>Molecular Biology Reports</i> , 1996 , 23, 153-7	2.8	10
8	Antibodies to fibrin-bound tissue-type plasminogen activator in systemic lupus erythematosus are associated with Raynaud's phenomenon and thrombosis. <i>Lupus</i> , 1996 , 5, 275-8	2.6	26
7	Diffuse alveolar hemorrhage in limited cutaneous systemic sclerosis with positive perinuclear antineutrophil cytoplasmic antibodies. <i>Journal of Rheumatology</i> , 1996 , 23, 1821-3	4.1	15
6	Prevalence of antinuclear antibodies in a Huichol population of Mexico. <i>Lupus</i> , 1995 , 4, 164-5	2.6	3
5	Systemic lupus erythematosus induced by isoniazid. <i>Annals of the Rheumatic Diseases</i> , 1992 , 51, 1085-7	2.4	35
4	Acute familial myositis with a common autoimmune response. <i>Arthritis and Rheumatism</i> , 1991 , 34, 744-50		5
3	Progressive facial hemiatrophy (Parry-Romberg syndrome) and antibodies to Borrelia. <i>Journal of the American Academy of Dermatology</i> , 1991 , 25, 578-9	4.5	5
2	Prevalence of antinuclear antibodies in patients with habitual abortion and in normal and toxemic pregnancies. <i>Rheumatology International</i> , 1984 , 4, 87-9	3.6	16

- 1 Diversity of antinuclear antibodies in progressive systemic sclerosis. Anti-centromere antibody and its relationship to CREST syndrome. *Arthritis and Rheumatism*, **1980**, 23, 617-25 47¹