
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6827469/publications.pdf Version: 2024-02-01



Πρησ Κιιιλιλ

#	Article	IF	CITATIONS
1	Scoring of patellofemoral disorders. Arthroscopy - Journal of Arthroscopic and Related Surgery, 1993, 9, 159-163.	2.7	1,079
2	Relationship of Leisure-Time Physical Activity and Mortality. JAMA - Journal of the American Medical Association, 1998, 279, 440.	7.4	481
3	Cumulative Incidence of Achilles Tendon Rupture and Tendinopathy in Male Former Elite Athletes. Clinical Journal of Sport Medicine, 2005, 15, 133-135.	1.8	421
4	Knee osteoarthritis in former runners, soccer players, weight lifters, and shooters. Arthritis and Rheumatism, 1995, 38, 539-546.	6.7	390
5	The Prevalence of Low Back Pain Among Children and Adolescents. Spine, 1997, 22, 1132-1136.	2.0	349
6	Long-term and recent trends in hypertension awareness, treatment, and control in 12 high-income countries: an analysis of 123 nationally representative surveys. Lancet, The, 2019, 394, 639-651.	13.7	325
7	Lone atrial fibrillation in vigorously exercising middle aged men: case-control study. BMJ: British Medical Journal, 1998, 316, 1784-1785.	2.3	285
8	Physical Inactivity and Obesity: A Vicious Circle. Obesity, 2008, 16, 409-414.	3.0	264
9	Osteoarthritis of weight bearing joints of lower limbs in former elite male athletes. BMJ: British Medical Journal, 1994, 308, 231-234.	2.3	252
10	Hamstring Injuries. Sports Medicine, 1997, 23, 397-404.	6.5	241
11	Acute injuries in soccer, ice hockey, volleyball, basketball, judo, and karate: analysis of national registry data. BMJ: British Medical Journal, 1995, 311, 1465-1468.	2.3	240
12	Stiff Landings Are Associated With Increased ACL Injury Risk in Young Female Basketball and Floorball Players. American Journal of Sports Medicine, 2017, 45, 386-393.	4.2	238
13	Long-Term Prognosis for Jumper's Knee in Male Athletes: Prospective Follow-up Study. American Journal of Sports Medicine, 2002, 30, 689-692.	4.2	235
14	Health benefits of different sport disciplines for adults: systematic review of observational and intervention studies with meta-analysis. British Journal of Sports Medicine, 2015, 49, 434-440.	6.7	234
15	Is it Possible to Prevent Sports Injuries?. Sports Medicine, 2001, 31, 985-995.	6.5	213
16	Genetic Influences on Exercise Participation in 37.051 Twin Pairs from Seven Countries. PLoS ONE, 2006, 1, e22.	2.5	210
17	Osgood-Schlatter's disease in adolescent athletes. American Journal of Sports Medicine, 1985, 13, 236-241.	4.2	195
18	Long-term Leisure-time Physical Activity and Serum Metabolome. Circulation, 2013, 127, 340-348.	1.6	193

#	Article	IF	CITATIONS
19	Rupture of the Ischial Origin of the Hamstring Muscles. American Journal of Sports Medicine, 1995, 23, 702-705.	4.2	186
20	Modifiable Risk Factors as Predictors of All-Cause Mortality: The Roles of Genetics and Childhood Environment. American Journal of Epidemiology, 2002, 156, 985-993.	3.4	170
21	Low-back pain in adolescent athletes. Medicine and Science in Sports and Exercise, 1996, 28, 165-170.	0.4	149
22	Intrinsic Risk Factors and Athletic Injuries. Sports Medicine, 1990, 9, 205-215.	6.5	148
23	Six-Week Endurance Exercise Alters Gut Metagenome That Is not Reflected in Systemic Metabolism in Over-weight Women. Frontiers in Microbiology, 2018, 9, 2323.	3.5	145
24	Copenhagen Consensus statement 2019: physical activity and ageing. British Journal of Sports Medicine, 2019, 53, 856-858.	6.7	145
25	Associations between long-term physical activity, waist circumference and weight gain: a 30-year longitudinal twin study. International Journal of Obesity, 2008, 32, 353-361.	3.4	136
26	Isokinetic quadriceps and hamstring muscle strength and knee function 5Âyears after anterior cruciate ligament reconstruction: comparison between bone-patellar tendon-bone and hamstring tendon autografts. Knee Surgery, Sports Traumatology, Arthroscopy, 2008, 16, 1009-1016.	4.2	133
27	Adolescent flexibility, endurance strength, and physical activity as predictors of adult tension neck, low back pain, and knee injury: a 25 year follow up study. British Journal of Sports Medicine, 2006, 40, 107-113.	6.7	131
28	Patellofemoral relationships in recurrent patellar dislocation. Journal of Bone and Joint Surgery: British Volume, 1989, 71-B, 788-792.	3.4	131
29	Postmenopausal hormone replacement therapy modifies skeletal muscle composition and function: a study with monozygotic twin pairs. Journal of Applied Physiology, 2009, 107, 25-33.	2.5	127
30	Angiotensinogen gene M235T polymorphism predicts left ventricular hypertrophy in endurance athletes. Journal of the American College of Cardiology, 1999, 34, 494-499.	2.8	126
31	Meta-analysis of genome-wide association studies confirms a susceptibility locus for knee osteoarthritis on chromosome 7q22. Annals of the Rheumatic Diseases, 2011, 70, 349-355.	0.9	126
32	Evidence on the effects of exercise therapy in the treatment of chronic disease. British Journal of Sports Medicine, 2009, 43, 550-555.	6.7	125
33	Subject characteristics and low back pain in young athletes and nonathletes. Medicine and Science in Sports and Exercise, 1992, 24, 627???632.	0.4	121
34	Physical Activity and Osteoporotic Hip Fracture Risk in Men. Archives of Internal Medicine, 2000, 160, 705-8.	3.8	119
35	Lumbar Mobility and Low Back Pain During Adolescence. American Journal of Sports Medicine, 1997, 25, 363-368.	4.2	114
36	Genome Scan for Predisposing Loci for Distal Interphalangeal Joint Osteoarthritis: Evidence for a Locus on 2q. American Journal of Human Genetics, 1999, 65, 1060-1067.	6.2	114

#	Article	IF	CITATIONS
37	Interventions to Prevent Sports Related Injuries: A Systematic Review and Meta-Analysis of Randomised Controlled Trials. Sports Medicine, 2014, 44, 473-486.	6.5	107
38	Prevalence of diabetes, hypertension, and ischemic heart disease in former elite athletes. Metabolism: Clinical and Experimental, 1994, 43, 1255-1260.	3.4	102
39	Patellar motion analyzed by magnetic resonance imaging. Acta Orthopaedica, 1989, 60, 13-16.	1.4	101
40	Inherited myeloproliferative neoplasm risk affects haematopoietic stem cells. Nature, 2020, 586, 769-775.	27.8	101
41	Stability of leisure-time physical activity during adolescence-a longitudinal study among 16-, 17- and 18-year-old Finnish youth. Scandinavian Journal of Medicine and Science in Sports, 2002, 12, 179-185.	2.9	95
42	Muscle and bone mass in middleâ€aged women: role of menopausal status and physical activity. Journal of Cachexia, Sarcopenia and Muscle, 2020, 11, 698-709.	7.3	95
43	Leisure physical activity and various pain symptoms among adolescents. British Journal of Sports Medicine, 1999, 33, 325-328.	6.7	94
44	Type of sport is related to injury profile: A study on cross country skiers, swimmers, longâ€distance runners and soccer players. A retrospective 12â€month study. Scandinavian Journal of Medicine and Science in Sports, 2010, 20, 384-393.	2.9	93
45	Factors predisposing to patellar chondropathy and patellar apicitis in athletes. International Orthopaedics, 1986, 10, 195-200.	1.9	92
46	Lower-Limb Function among Former Elite Male Athletes. American Journal of Sports Medicine, 2001, 29, 2-8.	4.2	91
47	Untreated Scheuermann's disease: a 37-year follow-up study. European Spine Journal, 2012, 21, 819-824.	2.2	90
48	Sagittal Plane Hip, Knee, and Ankle Biomechanics and the Risk of Anterior Cruciate Ligament Injury: A Prospective Study. Orthopaedic Journal of Sports Medicine, 2017, 5, 232596711774548.	1.7	90
49	Prevention of Sports Injuries. Archives of Internal Medicine, 2007, 167, 1585.	3.8	88
50	All-cause and disease-specific mortality among male, former elite athletes: an average 50-year follow-up. British Journal of Sports Medicine, 2015, 49, 893-897.	6.7	86
51	Familial Aggregation of Leisure-Time Physical Activity - a Three Generation Study. International Journal of Sports Medicine, 1997, 18, 549-556.	1.7	85
52	Back extensor and psoas muscle cross-sectional area, prior physical training, and trunk muscle strength ? a longitudinal study in adolescent girls. European Journal of Applied Physiology, 1997, 77, 66-71.	2.5	85
53	Recommendations for standardization and phenotype definitions in genetic studies of osteoarthritis: the TREAT-OA consortium. Osteoarthritis and Cartilage, 2011, 19, 254-264.	1.3	82
54	Reduced oxidized LDL levels after a 10-month exercise program. Medicine and Science in Sports and Exercise, 1998, 30, 1496-1501.	0.4	82

#	Article	IF	CITATIONS
55	Leisure Time Physical Activity in the Young. International Journal of Sports Medicine, 1993, 14, 406-410.	1.7	81
56	Physical loading and performance as predictors of back pain in healthy adults A 5-year prospective study. European Journal of Applied Physiology and Occupational Physiology, 1996, 73, 452-458.	1.2	79
57	Liver and pancreatic fat content and metabolism in healthy monozygotic twins with discordant physical activity. Journal of Hepatology, 2011, 54, 545-552.	3.7	79
58	Measurement of serum lipid peroxidation during exercise using three different methods: diene conjugation, thiobarbituric acid reactive material and fluorescent chromolipids. Clinica Chimica Acta, 1995, 234, 63-69.	1.1	78
59	Leisure-time physical activity and high-risk fat: a longitudinal population-based twin study. International Journal of Obesity, 2009, 33, 1211-1218.	3.4	78
60	Disc degeneration in young gymnasts. American Journal of Sports Medicine, 1990, 18, 206-208.	4.2	77
61	Knee Injuries in Athletes. Sports Medicine, 1986, 3, 447-460.	6.5	76
62	Ischial Tuberosity Apophysitis and Avulsion Among Athletes. International Journal of Sports Medicine, 1997, 18, 149-155.	1.7	76
63	Occurrence of Chronic Disease in Former Top-Level Athletes. Sports Medicine, 2003, 33, 553-561.	6.5	76
64	Translation, Cross-cultural Adaptation, and Clinimetric Testing of Instruments Used to Assess Patients With Patellofemoral Pain Syndrome in the Brazilian Population. Journal of Orthopaedic and Sports Physical Therapy, 2013, 43, 332-339.	3.5	76
65	Physical activity as a protective factor for dementia and Alzheimer's disease: systematic review, meta-analysis and quality assessment of cohort and case–control studies. British Journal of Sports Medicine, 2022, 56, 701-709.	6.7	73
66	Ischial Apophysis Injuries in Athletes. Sports Medicine, 1993, 16, 290-294.	6.5	72
67	Evidence for insufficient chondrocytic differentiation during repair of full-thickness defects of articular cartilage. Matrix Biology, 1996, 15, 39-47.	3.6	72
68	Trait-specific tracking and determinants of body composition: a 7-year follow-up study of pubertal growth in girls. BMC Medicine, 2009, 7, 5.	5.5	72
69	Hospital Care in Later Life Among Former World-Class Finnish Athletes. JAMA - Journal of the American Medical Association, 1996, 276, 216.	7.4	71
70	Effects of diet-induced obesity and voluntary wheel running on the microstructure of the murine distal femur. Nutrition and Metabolism, 2011, 8, 1.	3.0	71
71	Adolescent physical fitness and activity as predictors of adulthood activity. Journal of Sports Sciences, 2011, 29, 1135-1141.	2.0	69
72	Serum metabolic profiles in overweight and obese women with and without metabolic syndrome. Diabetology and Metabolic Syndrome, 2014, 6, 40.	2.7	68

#	Article	IF	CITATIONS
73	The Older Finnish Twin Cohort — 45 Years of Follow-up. Twin Research and Human Genetics, 2019, 22, 240-254.	0.6	68
74	Magnetic resonance imaging of patellofemoral relationships. Skeletal Radiology, 1993, 22, 403-410.	2.0	67
75	Injury Profile in Ice Hockey from the 1970s through the 1990s in Finland. American Journal of Sports Medicine, 2000, 28, 322-327.	4.2	67
76	Potential Role of Branched-Chain Amino Acid Catabolism in Regulating Fat Oxidation. Exercise and Sport Sciences Reviews, 2013, 41, 194-200.	3.0	67
77	Effect of Therapeutic Aquatic Exercise on Symptoms and Function Associated With Lower Limb Osteoarthritis: Systematic Review With Meta-Analysis. Physical Therapy, 2014, 94, 1383-1395.	2.4	67
78	Associations of physical activity, fitness, and body composition with heart rate variability–based indicators of stress and recovery on workdays: a cross-sectional study. Journal of Occupational Medicine and Toxicology, 2014, 9, 16.	2.2	66
79	Effects of exercise training on oxygen uptake in coronary heart disease: a systematic review and metaâ€analysis. Scandinavian Journal of Medicine and Science in Sports, 2010, 20, 545-555.	2.9	65
80	Differences in Muscle and Adipose Tissue Gene Expression and Cardio-Metabolic Risk Factors in the Members of Physical Activity Discordant Twin Pairs. PLoS ONE, 2010, 5, e12609.	2.5	65
81	Exercise therapy for functional capacity in chronic diseases: an overview of meta-analyses of randomised controlled trials. British Journal of Sports Medicine, 2017, 51, 1459-1465.	6.7	64
82	QT interval and QT dispersion in endurance athletes and in power athletes using large doses of anabolic steroids. American Journal of Cardiology, 1999, 84, 364-366.	1.6	62
83	Physical Activity in Adolescence as a Predictor of Alcohol and Illicit Drug Use in Early Adulthood: A Longitudinal Population-Based Twin Study. Twin Research and Human Genetics, 2009, 12, 261-268.	0.6	62
84	Physical performance in relation to menopause status and physical activity. Menopause, 2018, 25, 1432-1441.	2.0	62
85	ABO blood groups and musculoskeletal injuries. Injury, 1992, 23, 131-133.	1.7	61
86	Effects of Acute Prolonged Exercise on Serum and LDL Oxidation and Antioxidant Defences. Free Radical Biology and Medicine, 1997, 22, 509-513.	2.9	61
87	Physical activity in adulthood: genes and mortality. Scientific Reports, 2015, 5, 18259.	3.3	60
88	Effects of high intensity resistance aquatic training on body composition and walking speed in women with mild knee osteoarthritis: a 4-month RCT with 12-month follow-up. Osteoarthritis and Cartilage, 2017, 25, 1238-1246.	1.3	60
89	Relationship between the pivot shift and the configuration of the lateral tibial plateau. Archives of Orthopaedic and Trauma Surgery, 1992, 111, 228-229.	2.4	59
90	Injuries to the Upper Extremity in Ice Hockey. American Journal of Sports Medicine, 2003, 31, 751-757.	4.2	59

#	Article	IF	CITATIONS
91	GONADOTROPHINâ€RELEASING HORMONE AND HUMAN CHORIONIC GONADOTROPHIN TESTS REVEAL THAT BOTH HYPOTHALAMIC AND TESTICULAR ENDOCRINE FUNCTIONS ARE SUPPRESSED DURING ACUTE PROLONGED PHYSICAL EXERCISE. Clinical Endocrinology, 1990, 33, 219-226.	2.4	57
92	Predictors of Weight Change in Middleâ€aged and Old Men. Obesity, 2000, 8, 367-373.	4.0	57
93	Is physical activity a cause of longevity? It is not as straightforward as some would believe. A critical analysis. British Journal of Sports Medicine, 2018, 52, 914-918.	6.7	56
94	Effects of High-Impact Training on Bone and Articular Cartilage: 12-Month Randomized Controlled Quantitative MRI Study. Journal of Bone and Mineral Research, 2014, 29, 192-201.	2.8	55
95	Motives for physical activity among active and inactive persons in their midâ€30s. Scandinavian Journal of Medicine and Science in Sports, 2014, 24, 727-735.	2.9	54
96	Disease-Specific Mortality Among Elite Athletes. JAMA - Journal of the American Medical Association, 2001, 285, 44-45.	7.4	54
97	Efficacy of progressive aquatic resistance training for tibiofemoral cartilage in postmenopausal women with mild knee osteoarthritis: a randomised controlled trial. Osteoarthritis and Cartilage, 2016, 24, 1708-1717.	1.3	53
98	Lower Limb Asymmetry and Patellofemoral Joint Incongruence in the Etiology of Knee Exertion Injuries in Athletes. International Journal of Sports Medicine, 1987, 08, 214-220.	1.7	52
99	Increased serum and low-density-lipoprotein antioxidant potential after antioxidant supplementation in endurance athletes. American Journal of Clinical Nutrition, 1997, 65, 1052-1056.	4.7	52
100	Health of Master Track and Field Athletes. Clinical Journal of Sport Medicine, 2006, 16, 142-148.	1.8	52
101	Knee arthroscopy and exercise versus exercise only for chronic patellofemoral pain syndrome: a randomized controlled trial. BMC Medicine, 2007, 5, 38.	5.5	52
102	Prevalence and etiological factors of sport-related groin injuries in top-level soccer compared to non-contact sports. Archives of Orthopaedic and Trauma Surgery, 2011, 131, 261-266.	2.4	52
103	Objectively measured physical activity, body composition and physical fitness: Crossâ€sectional associations in 9―to 15â€yearâ€old children. European Journal of Sport Science, 2018, 18, 882-892.	2.7	52
104	Patellofemoral relationships and distal insertion of the vastus medialis muscle: A magnetic resonance imaging study in nonsymptomatic subjects and in patients with patellar dislocation. Arthroscopy - Journal of Arthroscopic and Related Surgery, 1992, 8, 465-468.	2.7	51
105	Increased physical activity decreases hepatic free fatty acid uptake: a study in human monozygotic twins. Journal of Physiology, 2007, 578, 347-358.	2.9	50
106	Estrogenic regulation of skeletal muscle proteome: a study of premenopausal women and postmenopausal <scp>MZ</scp> cotwins discordant for hormonal therapy. Aging Cell, 2017, 16, 1276-1287.	6.7	50
107	Sports Career-Related Musculoskeletal Injuries. Sports Medicine, 2003, 33, 869-875.	6.5	49
108	Subjective stress, objective heart rate variability-based stress, and recovery on workdays among overweight and psychologically distressed individuals: a cross-sectional study. Journal of Occupational Medicine and Toxicology, 2015, 10, 39.	2.2	49

#	Article	IF	CITATIONS
109	High ankle injury rate in adolescent basketball: A 3â€year prospective followâ€up study. Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 643-649.	2.9	49
110	Prognostic Relevance of Cardiorespiratory Fitness as Assessed by Submaximal Exercise Testing for All-Cause Mortality: A UK Biobank Prospective Study. Mayo Clinic Proceedings, 2020, 95, 867-878.	3.0	49
111	Design and protocol of Estrogenic Regulation of Muscle Apoptosis (ERMA) study with 47 to 55-year-old women's cohort: novel results show menopause-related differences in blood count. Menopause, 2018, 25, 1020-1032.	2.0	48
112	Physical activity in adolescence and smoking in young adulthood: a prospective twin cohort study. Addiction, 2007, 102, 1151-1157.	3.3	47
113	Leisure-time physical activity and type 2 diabetes during a 28Âyear follow-up in twins. Diabetologia, 2010, 53, 2531-2537.	6.3	47
114	Hormone replacement therapy enhances IGF-1 signaling in skeletal muscle by diminishing miR-182 and miR-223 expressions: a study on postmenopausal monozygotic twin pairs. Aging Cell, 2014, 13, 850-861.	6.7	47
115	Role of Menopausal Transition and Physical Activity in Loss of Lean and Muscle Mass: A Follow-Up Study in Middle-Aged Finnish Women. Journal of Clinical Medicine, 2020, 9, 1588.	2.4	47
116	Heart attacks and lower-limb function in master endurance athletes. Medicine and Science in Sports and Exercise, 1999, 31, 1041-1046.	0.4	47
117	Left ventricular mass, geometry, and filling in endurance athletes: association with exercise blood pressure. Journal of Applied Physiology, 1997, 82, 531-537.	2.5	46
118	Prolonged low-back pain in young athletes: a prospective case series study of findings and prognosis. European Spine Journal, 1999, 8, 480-484.	2.2	46
119	Long-Term Leisure Time Physical Activity and Properties of Bone: A Twin Study. Journal of Bone and Mineral Research, 2009, 24, 1427-1433.	2.8	46
120	Hospital care in later life among former world-class Finnish athletes. JAMA - Journal of the American Medical Association, 1996, 276, 216-220.	7.4	46
121	Sport injuries as the main cause of sport career termination among Finnish topâ€level athletes. European Journal of Sport Science, 2012, 12, 274-282.	2.7	45
122	Evidence for exercise therapy in the treatment of chronic disease based on at least three randomized controlled trials - summary of published systematic reviews. Scandinavian Journal of Medicine and Science in Sports, 2004, 14, 339-345.	2.9	44
123	Higher Free Fatty Acid Uptake in Visceral Than in Abdominal Subcutaneous Fat Tissue in Men. Obesity, 2010, 18, 261-265.	3.0	44
124	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. International Journal of Epidemiology, 2020, 49, 173-192.	1.9	44
125	Physical activity and other risk factors in male twin-pairs discordant for coronary heart disease. Atherosclerosis, 2000, 150, 193-200.	0.8	42
126	Exercise therapy for people with rheumatoid arthritis and osteoarthritis. Scandinavian Journal of Medicine and Science in Sports, 2004, 14, 138-142.	2.9	42

#	Article	IF	CITATIONS
127	Allelic variants of IL1R1gene associate with severe hand osteoarthritis. BMC Medical Genetics, 2010, 11, 50.	2.1	42
128	Physical Activity During Pregnancy: Predictors of Change, Perceived Support and Barriers Among Women at Increased Risk of Gestational Diabetes. Maternal and Child Health Journal, 2014, 18, 2158-2166.	1.5	42
129	Physical activity, body mass index and heart rate variability-based stress and recovery in 16 275 Finnish employees: a cross-sectional study. BMC Public Health, 2016, 16, 701.	2.9	42
130	Accelerometry—Simple, but challenging. Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 574-578.	2.9	42
131	Secular trends in aerobic fitness performance in 13-18-year-old adolescents from 1976 to 2001. British Journal of Sports Medicine, 2010, 44, 968-972.	6.7	41
132	Validation and cultural adaptation of "Kujala Score―in Spanish. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 2845-2853.	4.2	40
133	Physical Activity. Medicine and Science in Sports and Exercise, 2017, 49, 474-481.	0.4	40
134	Strength characteristics of a healthy urban adult population. European Journal of Applied Physiology and Occupational Physiology, 1991, 63, 43-47.	1.2	39
135	Asthma and other pulmonary diseases in former elite athletes Thorax, 1996, 51, 288-292.	5.6	39
136	Associations of health-related behaviors, school type and health status to physical activity patterns in 16 year old boys and girls. Scandinavian Journal of Public Health, 1997, 25, 156-167.	0.6	39
137	Factors associated with hip joint rotation in former elite athletes. British Journal of Sports Medicine, 2000, 34, 44-48.	6.7	39
138	Physical activity and dementia: Long-term follow-up study of adult twins. Annals of Medicine, 2015, 47, 81-87.	3.8	39
139	FinnTwin16: A Longitudinal Study from Age 16 of a Population-Based Finnish Twin Cohort. Twin Research and Human Genetics, 2019, 22, 530-539.	0.6	39
140	Genetic liability to osteoarthritis may be greater in women than men. BMJ: British Medical Journal, 1996, 313, 232-232.	2.3	39
141	Eight-year-old children with high cardiorespiratory fitness have lower overall and abdominal fatness. Pediatric Obesity, 2009, 4, 98-105.	3.2	38
142	Low volumetric BMD is linked to upper-limb fracture in pubertal girls and persists into adulthood: A seven-year cohort study. Bone, 2009, 45, 480-486.	2.9	38
143	Association between frontal plane knee control and lower extremity injuries: a prospective study on young team sport athletes. BMJ Open Sport and Exercise Medicine, 2018, 4, e000311.	2.9	38
144	Female reproductive factors are associated with objectively measured physical activity in middle-aged women. PLoS ONE, 2017, 12, e0172054.	2.5	38

#	Article	IF	CITATIONS
145	The effect of endurance exercise at moderate altitude on serum lipid peroxidation and antioxidative functions in humans. European Journal of Applied Physiology, 1997, 75, 396-399.	2.5	37
146	Natural selection to sports, later physical activity habits, and coronary heart disease. British Journal of Sports Medicine, 2000, 34, 445-449.	6.7	37
147	Baseline anthropometry, flexibility and strength characteristics and future lowâ€back pain in adolescent athletes and nonathletes. Scandinavian Journal of Medicine and Science in Sports, 1994, 4, 200-205.	2.9	36
148	Effects of 32-Year Leisure Time Physical Activity Discordance in Twin Pairs on Health (TWINACTIVE) Tj ETQq0 C 108-117.	0 rgBT /Ov 0.6	erlock 10 Tf 5 36
149	Menopausal Status and Physical Activity Are Independently Associated With Cardiovascular Risk Factors of Healthy Middle-Aged Women: Cross-Sectional and Longitudinal Evidence. Frontiers in Endocrinology, 2019, 10, 589.	3.5	36
150	Combination of hormone replacement therapy and high physical activity is associated with differences in Achilles tendon size in monozygotic female twin pairs. Journal of Applied Physiology, 2009, 106, 1332-1337.	2.5	35
151	Lifetime physical activity and cancer incidence—A cohort study of male former elite athletes in Finland. Journal of Science and Medicine in Sport, 2014, 17, 479-484.	1.3	35
152	Physical Activity, Fitness, Glucose Homeostasis, and Brain Morphology in Twins. Medicine and Science in Sports and Exercise, 2015, 47, 509-518.	0.4	35
153	Variance Components Models for Physical Activity With Age as Modifier: A Comparative Twin Study in Seven Countries. Twin Research and Human Genetics, 2011, 14, 25-34.	0.6	34
154	Leisure-time physical activity and DNA methylation age—a twin study. Clinical Epigenetics, 2019, 11, 12.	4.1	34
155	Gender differences in sport injury risk and types of inju-ries: a retrospective twelve-month study on cross-country skiers, swimmers, long-distance runners and soccer players. Journal of Sports Science and Medicine, 2009, 8, 443-51.	1.6	34
156	Sports-Related Injuries in Children. International Journal of Sports Medicine, 1989, 10, 81-86.	1.7	33
157	Spinal Cord Injuries in Ice Hockey in Finland and Sweden from 1980 to 1996. International Journal of Sports Medicine, 1999, 20, 64-67.	1.7	33
158	The effectiveness and applicability of different lifestyle interventions for enhancing wellbeing: the study design for a randomized controlled trial for persons with metabolic syndrome risk factors and psychological distress. BMC Public Health, 2014, 14, 310.	2.9	33
159	Metabolic health, menopause, and physical activity—a 4-year follow-up study. International Journal of Obesity, 2022, 46, 544-554.	3.4	33
160	Health status of former elite athletes. The Finnish experience. Aging Clinical and Experimental Research, 1997, 9, 35-41.	2.9	32
161	Associations between self-estimated and measured physical fitness among 40-year-old men and women. Scandinavian Journal of Medicine and Science in Sports, 2005, 15, 329-335.	2.9	32
162	Myocardial blood flow and adenosine A _{2A} receptor density in endurance athletes and untrained men. Journal of Physiology, 2008, 586, 5193-5202.	2.9	32

#	Article	IF	CITATIONS
163	Power training and postmenopausal hormone therapy affect transcriptional control of specific co-regulated gene clusters in skeletal muscle. Age, 2010, 32, 347-363.	3.0	32
164	Global gene expression profiles in skeletal muscle of monozygotic female twins discordant for hormone replacement therapy. Aging Cell, 2010, 9, 1098-1110.	6.7	32
165	Secular trends in muscular fitness among Finnish adolescents. Scandinavian Journal of Public Health, 2010, 38, 739-747.	2.3	32
166	Finnish version of the Tampa Scale of Kinesiophobia: Reference values in the Finnish general population and associations with leisure-time physical activity. Journal of Rehabilitation Medicine, 2015, 47, 249-255.	1.1	32
167	Branched-Chain Amino Acid Levels Are Related with Surrogates of Disturbed Lipid Metabolism among Older Men. Frontiers in Medicine, 2016, 3, 57.	2.6	32
168	Validation of the German version of the Kujala score in patients with patellofemoral instability: a prospective multi-centre study. Archives of Orthopaedic and Trauma Surgery, 2018, 138, 527-535.	2.4	32
169	School fitness tests as predictors of adult health-related fitness. American Journal of Human Biology, 2006, 18, 342-349.	1.6	31
170	Effects of Diet-Induced Obesity and Voluntary Wheel Running on Bone Properties in Young Male C57BL/6J Mice. Calcified Tissue International, 2010, 86, 411-419.	3.1	31
171	Associations between sports participation, cardiorespiratory fitness, and adiposity in young adult twins. Journal of Applied Physiology, 2011, 110, 681-686.	2.5	31
172	Increase in physical activity and cardiometabolic risk profile change during lifestyle intervention in primary healthcare: 1-year follow-up study among individuals at high risk for type 2 diabetes. BMJ Open, 2011, 1, e000292-e000292.	1.9	31
173	Walking Ability and All-Cause Mortality in Older Women. International Journal of Sports Medicine, 2011, 32, 216-222.	1.7	31
174	Health promotion activities of sports clubs and coaches, and health and health behaviours in youth participating in sports clubs: the Health Promoting Sports Club study. BMJ Open Sport and Exercise Medicine, 2015, 1, e000034.	2.9	31
175	Epidemiology of Overuse Injuries in Youth Team Sports: A 3-year Prospective Study. International Journal of Sports Medicine, 2017, 38, 847-856.	1.7	31
176	The effect of volleyball playing on the knee extensor mechanism. American Journal of Sports Medicine, 1989, 17, 766-769.	4.2	30
177	Use of Medications and Dietary Supplements in Later Years Among Male Former Top-Level Athletes. Archives of Internal Medicine, 2003, 163, 1064.	3.8	30
178	Muscle fiber-type distribution predicts weight gain and unfavorable left ventricular geometry: a 19 year follow-up study. BMC Cardiovascular Disorders, 2006, 6, 2.	1.7	30
179	Genetic Influences on Change in BMI from Middle to Old Age: A 29-Year Follow-up Study of Twin Sisters. Behavior Genetics, 2009, 39, 154-164.	2.1	30
180	Knee arthroscopy and exercise versus exercise only for chronic patellofemoral pain syndrome: 5-year follow-up. British Journal of Sports Medicine, 2012, 46, 243-246.	6.7	30

#	Article	IF	CITATIONS
181	Associations of Aerobic Fitness and Maximal Muscular Strength With Metabolites in Young Men. JAMA Network Open, 2019, 2, e198265.	5.9	30
182	Muscle Fiber-Type Distribution as a Predictor of Blood Pressure. Hypertension, 2005, 45, 1019-1023.	2.7	29
183	Factors behind Leisure-Time Physical Activity Behavior Based on Finnish Twin Studies: The Role of Genetic and Environmental Influences and the Role of Motives. BioMed Research International, 2014, 2014, 1-8.	1.9	29
184	Predictors of lower extremity injuries in team sports (PROFITS-study): a study protocol. BMJ Open Sport and Exercise Medicine, 2015, 1, e000076.	2.9	29
185	Effects of Exercise on Patellar Cartilage in Women with Mild Knee Osteoarthritis. Medicine and Science in Sports and Exercise, 2015, 47, 1767-1774.	0.4	29
186	Physical activity, mood and the functioning of daily living. Archives of Gerontology and Geriatrics, 2009, 48, 1-9.	3.0	28
187	Physical activity, genes, and lifetime predisposition to chronic disease. European Review of Aging and Physical Activity, 2011, 8, 31-36.	2.9	28
188	Overuse injuries in youth basketball and floorball. Open Access Journal of Sports Medicine, 2015, 6, 173.	1.3	28
189	Leisure-Time and Occupational Physical Activity Associates Differently with Epigenetic Aging. Medicine and Science in Sports and Exercise, 2021, 53, 487-495.	0.4	28
190	Reaction Times with Reference to Musculoskeletal Complaints in Adolescence. Perceptual and Motor Skills, 1992, 75, 1075-1082.	1.3	27
191	Hypertension in master endurance athletes. Journal of Hypertension, 1998, 16, 1573-1577.	0.5	27
192	Low LDL oxidation in veteran endurance athletes. Scandinavian Journal of Medicine and Science in Sports, 1996, 6, 303-308.	2.9	27
193	Genetics of Maximal Walking Speed and Skeletal Muscle Characteristics in Older Women. Twin Research and Human Genetics, 2008, 11, 321-334.	0.6	27
194	A former career as a male elite athlete—does it protect against type 2 diabetes in later life?. Diabetologia, 2014, 57, 270-274.	6.3	27
195	Effects of muscular dystrophy, exercise and blocking activin receptor IIB ligands on the unfolded protein response and oxidative stress. Free Radical Biology and Medicine, 2016, 99, 308-322.	2.9	27
196	Primary cartilage lesions and outcome among subjects with patellofemoral pain syndrome. Knee Surgery, Sports Traumatology, Arthroscopy, 2005, 13, 131-134.	4.2	26
197	Physically active vs. inactive lifestyle, muscle properties, and glucose homeostasis in middle-aged and older twins. Age, 2013, 35, 1917-1926.	3.0	26
198	Effects of a progressive aquatic resistance exercise program on the biochemical composition and morphology of cartilage in women with mild knee osteoarthritis: protocol for a randomised controlled trial. BMC Musculoskeletal Disorders, 2013, 14, 82.	1.9	26

#	Article	IF	CITATIONS
199	Leisure-time physical inactivity and association with body mass index: a Finnish Twin Study with a 35-year follow-up. International Journal of Epidemiology, 2017, 46, 116-127.	1.9	26
200	A Twin Study on the Heritability of Walking Ability Among Older Women. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2006, 61, 1082-1085.	3.6	25
201	A Longitudinal Study on Genetic and Environmental Influences on Leisure Time Physical Activity in the Finnish Twin Cohort. Twin Research and Human Genetics, 2010, 13, 475-481.	0.6	25
202	Longevityâ€related molecular pathways are subject to midlife "switch―in humans. Aging Cell, 2019, 18, e12970.	6.7	25
203	Chronic diseases and objectively monitored physical activity profile among aged individuals – a cross-sectional twin cohort study. Annals of Medicine, 2019, 51, 78-87.	3.8	25
204	Magnetic Resonance Imaging Analysis of Patellofemoral Congruity in Females. Clinical Journal of Sport Medicine, 1992, 2, 21-26.	1.8	24
205	Relative roles of heredity and physical activity in adolescence and adulthood on blood pressure. Journal of Applied Physiology, 2004, 97, 1046-1052.	2.5	24
206	Leisure-Time Physical Activity and Academic Performance: Cross-Lagged Associations from Adolescence to Young Adulthood. Scientific Reports, 2016, 6, 39215.	3.3	24
207	Mortality and health-related habits in 900 Finnish former elite athletes and their brothers. British Journal of Sports Medicine, 2018, 52, 89-95.	6.7	24
208	Low Cardiorespiratory Fitness IsÂaÂRiskÂFactor for Death. Journal of the American College of Cardiology, 2018, 72, 2293-2296.	2.8	24
209	Hormone therapy is associated with better body composition and adipokine/glucose profiles. Menopause, 2012, 19, 1329-1335.	2.0	23
210	Objectively measured physical activity in Finnish employees: a cross-sectional study. BMJ Open, 2014, 4, e005927.	1.9	23
211	Lipid droplet-associated proteins in high-fat fed mice with the effects of voluntary running and diet change. Metabolism: Clinical and Experimental, 2014, 63, 1031-1040.	3.4	23
212	Physical activity, heart rate variability–based stress and recovery, and subjective stress during a 9â€month study period. Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 612-621.	2.9	23
213	Repair of the anterior cruciate ligament: Augmentation versus conventional suture of fresh rupture. Acta Orthopaedica, 1986, 57, 354-357.	1.4	22
214	Acute Injuries in Orienteerers. International Journal of Sports Medicine, 1995, 16, 122-125.	1.7	22
215	Candidate Gene Association Study of Magnetic Resonance Imaging-based Hip Osteoarthritis (OA): Evidence for COL9A2 Gene as a Common Predisposing Factor for Hip OA and Lumbar Disc Degeneration. Journal of Rheumatology, 2011, 38, 747-752.	2.0	22
216	Genetic and Environmental Influences on Longitudinal Changes in Leisure-Time Physical Activity From Adolescence to Young Adulthood. Twin Research and Human Genetics, 2013, 16, 535-543.	0.6	22

#	Article	IF	CITATIONS
217	MicroRNAs in Extracellular Vesicles in Sweat Change in Response to Endurance Exercise. Frontiers in Physiology, 2020, 11, 676.	2.8	22
218	The role of physical activity in the link between menopausal status and mental well-being. Menopause, 2020, 27, 398-409.	2.0	22
219	Motor Development and Physical Activity. Medicine and Science in Sports and Exercise, 2015, 47, 2111-2118.	0.4	21
220	Myostatin/activin blocking combined with exercise reconditions skeletal muscle expression profile of mdx mice. Molecular and Cellular Endocrinology, 2015, 399, 131-142.	3.2	21
221	Acute injuries in Finnish junior floorball league players. Journal of Science and Medicine in Sport, 2018, 21, 268-273.	1.3	21
222	Self-Reported Restrictive Eating, Eating Disorders, Menstrual Dysfunction, and Injuries in Athletes Competing at Different Levels and Sports. Nutrients, 2021, 13, 3275.	4.1	21
223	Physical activity, fitness, and all-cause mortality: An 18-year follow-up among old people. Journal of Sport and Health Science, 2016, 5, 437-442.	6.5	20
224	Physical Activity Is Related with Cartilage Quality in Women with Knee Osteoarthritis. Medicine and Science in Sports and Exercise, 2017, 49, 1323-1330.	0.4	20
225	Physical Performance During the Menopausal Transition and the Role of Physical Activity. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 1587-1590.	3.6	20
226	Validity and Reliability of a Single Question for Leisure-Time Physical Activity Assessment in Middle-Aged Women. Journal of Aging and Physical Activity, 2020, 28, 231-241.	1.0	20
227	Acute Effect of Alcohol Intake on Cardiovascular Autonomic Regulation During the First Hours of Sleep in a Large Real-World Sample of Finnish Employees: Observational Study. JMIR Mental Health, 2018, 5, e23.	3.3	20
228	Long-Term Vigorous Training in Young Adulthood and Later Physical Activity as Predictors of Hypertension in Middle-Aged and Older Men. International Journal of Sports Medicine, 2002, 23, 178-182.	1.7	19
229	Genetic Influences on Resting Electrocardiographic Variables in Older Women: A Twin Study. Annals of Noninvasive Electrocardiology, 2009, 14, 57-64.	1.1	19
230	Hip fractures and femoral bone mineral density in male former elite athletes. Bone, 2010, 46, 330-335.	2.9	19
231	An expanded analysis framework for multivariate GWAS connects inflammatory biomarkers to functional variants and disease. European Journal of Human Genetics, 2021, 29, 309-324.	2.8	19
232	Total and regional body adiposity increases during menopause—evidence from a followâ€up study. Aging Cell, 2022, 21, e13621.	6.7	19
233	Restoration of patellofemoral congruity by combined lateral release and tibial tuberosity transposition as assessed by MRI analysis. International Orthopaedics, 1991, 15, 363-6.	1.9	18
234	The effect of ski training at altitude and racing on pituitary, adrenal and testicular function in men. European Journal of Applied Physiology and Occupational Physiology, 1993, 66, 221-225.	1.2	18

#	Article	IF	CITATIONS
235	iGEMS: an integrated model for identification of alternative exon usage events. Nucleic Acids Research, 2016, 44, e109-e109.	14.5	18
236	Long-term leisure-time physical activity and other health habits as predictors of objectively monitored late-life physical activity – A 40-year twin study. Scientific Reports, 2018, 8, 9400.	3.3	18
237	Development of a Food-Based Diet Quality Score from a Short FFQ and Associations with Obesity Measures, Eating Styles and Nutrient Intakes in Finnish Twins. Nutrients, 2019, 11, 2561.	4.1	18
238	Adolescent Sport Participation and Age at Menarche in Relation to Midlife Body Composition, Bone Mineral Density, Fitness, and Physical Activity. Journal of Clinical Medicine, 2020, 9, 3797.	2.4	18
239	Factors predisposing Army conscripts to knee exertion injuries incurred in a physical training program. Clinical Orthopaedics and Related Research, 1986, , 203-12.	1.5	18
240	Hospital care in later life among former world-class Finnish athletes. JAMA - Journal of the American Medical Association, 1996, 276, 216-20.	7.4	18
241	Effect of lateral release on patellar motion in chondromalacia: An MRI study of 11 knees. Acta Orthopaedica, 1990, 61, 311-312.	1.4	17
242	Fasciotomy of the Posterior Femoral Muscle Compartment in Athletes. International Journal of Sports Medicine, 1998, 19, 71-75.	1.7	17
243	Relationship between local perfusion and FFA uptake in human skeletal muscle—no effect of increased physical activity and aerobic fitness. Journal of Applied Physiology, 2006, 101, 1303-1311.	2.5	17
244	Effect of Physical Activity Counseling on Disability in Older People: A 2‥ear Randomized Controlled Trial. Journal of the American Geriatrics Society, 2008, 56, 2188-2194.	2.6	17
245	Physical activity, morbidity and mortality in twins: a 24-year prospective follow-up. European Journal of Epidemiology, 2010, 25, 731-739.	5.7	17
246	OGT and OGA expression in postmenopausal skeletal muscle associates with hormone replacement therapy and muscle cross-sectional area. Experimental Gerontology, 2013, 48, 1501-1504.	2.8	17
247	Health-Related Findings Among Twin Pairs Discordant for Leisure-Time Physical Activity for 32 Years: The TWINACTIVE Study Synopsis. Twin Research and Human Genetics, 2015, 18, 266-272.	0.6	17
248	Association between education and future leisure-time physical inactivity: a study of Finnish twins over a 35-year follow-up. BMC Public Health, 2016, 16, 720.	2.9	17
249	Accelerometer-measured and self-reported physical activity in relation to extraversion and neuroticism: a cross-sectional analysis of two studies. BMC Geriatrics, 2020, 20, 264.	2.7	17
250	Cardiac structure and function in monozygotic twin pairs discordant for physical fitness. Journal of Applied Physiology, 2005, 99, 535-541.	2.5	16
251	Physical and psychological functioning of daily living in relation to physical activity. A longitudinal study among former elite male athletes and controls. Aging Clinical and Experimental Research, 2006, 18, 40-49.	2.9	16
252	Familial resemblance and diversity in bone mass and strength in the population are established during the first year of postnatal life. Journal of Bone and Mineral Research, 2010, 25, 1512-1520.	2.8	16

#	Article	IF	CITATIONS
253	Midlife Physical Activity and Cognition Later in Life: A Prospective Twin Study. Journal of Alzheimer's Disease, 2016, 54, 1303-1317.	2.6	16
254	Former male elite athletes have better metabolic health in late life than their controls. Scandinavian Journal of Medicine and Science in Sports, 2016, 26, 284-290.	2.9	16
255	Association study of MMP8 gene in osteoarthritis. Connective Tissue Research, 2016, 57, 44-52.	2.3	16
256	Physical fitness development in relation to changes in body composition and physical activity in adolescence. Scandinavian Journal of Medicine and Science in Sports, 2021, 31, 456-464.	2.9	16
257	Jumping height in former elite athletes. European Journal of Applied Physiology, 1999, 79, 197-201.	2.5	15
258	Patellofemoral relationships and cartilage breakdown. Knee Surgery, Sports Traumatology, Arthroscopy, 2005, 13, 142-144.	4.2	15
259	Blood and skeletal muscle ageing determined by epigenetic clocks and their associations with physical activity and functioning. Clinical Epigenetics, 2021, 13, 110.	4.1	15
260	Joint–specific twin and familial aggregation of recalled physician diagnosed osteoarthritis. Twin Research and Human Genetics, 1999, 2, 196-202.	1.0	15
261	The relation of low grade mental ability to fractures in young men. International Orthopaedics, 1991, 15, 75-7.	1.9	14
262	Genetic influences on adult body mass index followed over 29 years and their effects on late-life mobility: a study of twin sisters. Journal of Epidemiology and Community Health, 2009, 63, 651-658.	3.7	14
263	Perceived need to increase physical activity levels among adults at high risk of type 2 diabetes. A cross-sectional analysis within a community-based diabetes prevention project FIN-D2D. BMC Public Health, 2012, 12, 514.	2.9	14
264	Objectively measured physical activity profile and cognition in Finnish elderly twins. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2018, 4, 263-271.	3.7	14
265	Incidence and risk factors for back pain in young floorball and basketball players: A Prospective study. Scandinavian Journal of Medicine and Science in Sports, 2018, 28, 2407-2415.	2.9	14
266	The Effects of Acceptance and Commitment Therapy (ACT) Intervention on Inflammation and Stress Biomarkers: a Randomized Controlled Trial. International Journal of Behavioral Medicine, 2020, 27, 539-555.	1.7	14
267	Plasma lipid profile associates with the improvement of psychological well-being in individuals with perceived stress symptoms. Scientific Reports, 2020, 10, 2143.	3.3	14
268	Effects of progressive aquatic resistance training on symptoms and quality of life in women with knee osteoarthritis: A secondary analysis. Scandinavian Journal of Medicine and Science in Sports, 2020, 30, 1064-1072.	2.9	14
269	Neuromuscular Training Warm-up Prevents Acute Noncontact Lower Extremity Injuries in Children's Soccer: A Cluster Randomized Controlled Trial. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110057.	1.7	14
270	Polygenic Score for Physical Activity Is Associated with Multiple Common Diseases. Medicine and Science in Sports and Exercise, 2021, Publish Ahead of Print, .	0.4	14

#	Article	IF	CITATIONS
271	Physical activity, &OV0312O2max, and jumping height in an urban population. Medicine and Science in Sports and Exercise, 1994, 26, 889???895.	0.4	13
272	Leisure time physical activity in individuals with screen-detected type 2 diabetes compared to those with known type 2 diabetes. Diabetes Research and Clinical Practice, 2008, 81, 110-116.	2.8	13
273	The effect of a movement-to-music video program on the objectively measured sedentary time and physical activity of preschool-aged children and their mothers: A randomized controlled trial. PLoS ONE, 2017, 12, e0183317.	2.5	13
274	Polygenic Risk Scores and Physical Activity. Medicine and Science in Sports and Exercise, 2020, 52, 1518-1524.	0.4	13
275	Long-Term Physical Activity May Modify Brain Structure and Function: Studies in Young Healthy Twins. Journal of Physical Activity and Health, 2019, 16, 637-643.	2.0	13
276	Effect of intensive exercise in early adult life on telomere length in later life in men. Journal of Sports Science and Medicine, 2015, 14, 239-45.	1.6	13
277	Effect of patellar brace on patellofemoral relationships. Scandinavian Journal of Medicine and Science in Sports, 1991, 1, 119-122.	2.9	12
278	Leisure-time physical activity and nutrition: a twin study. Public Health Nutrition, 2011, 14, 846-852.	2.2	12
279	Persistent leisure-time physical activity in adulthood and use of antidepressants: A follow-up study among twins. Journal of Affective Disorders, 2016, 200, 172-177.	4.1	12
280	Progression of untreated mild thoracic Scheuermann's kyphosis–ÂRadiographic and functional assessment after mean follow-up of 46Âyears. Journal of Orthopaedic Science, 2017, 22, 652-657.	1.1	12
281	Leisure Time Physical Activity and Sleep Predict Mortality in Men Irrespective of Background in Competitive Sports. Progress in Preventive Medicine (New York, N Y), 2017, 2, e0009.	0.7	12
282	Musculoskeletal examination in young athletes and non-athletes: the Finnish Health Promoting Sports Club (FHPSC) study. BMJ Open Sport and Exercise Medicine, 2018, 4, e000376.	2.9	12
283	Bone and cartilage characteristics in postmenopausal women with mild knee radiographic osteoarthritis and those without radiographic osteoarthritis. Journal of Musculoskeletal Neuronal Interactions, 2015, 15, 69-77.	0.1	12
284	Associations of Sex Hormones and Hormonal Status With Arterial Stiffness in a Female Sample From Reproductive Years to Menopause. Frontiers in Endocrinology, 2021, 12, 765916.	3.5	12
285	Familial aggregation of LDL oxidation. Scandinavian Journal of Clinical and Laboratory Investigation, 1997, 57, 141-146.	1.2	11
286	Diabetes in a population-based series of twin pairs discordant for leisure sedentariness. Diabetologia, 2000, 43, 259-259.	6.3	11
287	Benefits of exercise therapy for chronic diseases. British Journal of Sports Medicine, 2006, 40, 3-4.	6.7	11
288	Myocardial and peripheral vascular functional adaptation to exercise training. Scandinavian Journal of Medicine and Science in Sports. 2006, 17, 061120070736045-???	2.9	11

#	Article	IF	CITATIONS
289	Physical Activity History and End-of-Life Hospital and Long-Term Care. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2009, 64A, 778-784.	3.6	11
290	Influence of long-term postmenopausal hormone-replacement therapy on estimated structural bone strength: A study in discordant monozygotic twins. Journal of Bone and Mineral Research, 2011, 26, 546-552.	2.8	11
291	Reproducibility of Regional DEXA Examinations of Abdominal Fat and Lean Tissue. Obesity Facts, 2013, 6, 203-210.	3.4	11
292	Persistence or change in leisureâ€ŧime physical activity habits and waist gain during early adulthood: A twinâ€study. Obesity, 2014, 22, 2061-2070.	3.0	11
293	Knee Control and Jump-Landing Technique in Young Basketball and Floorball Players. International Journal of Sports Medicine, 2016, 37, 334-338.	1.7	11
294	Genetic architecture of motives for leisureâ€ŧime physical activity: a twin study. Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 1431-1441.	2.9	11
295	Detecting differences with magnetoencephalography of somatosensory processing after tactile and electrical stimuli. Journal of Neuroscience Methods, 2019, 311, 331-337.	2.5	11
296	Associations of physical performance and physical activity with mental well-being in middle-aged women. BMC Public Health, 2021, 21, 1448.	2.9	11
297	Personality, motivational, and social cognition predictors of leisure-time physical activity. Psychology of Sport and Exercise, 2022, 60, 102135.	2.1	11
298	Measuring psychosocial stress with heart rate variability-based methods in different health and age groups. Physiological Measurement, 2022, 43, 055002.	2.1	11
299	Training does not increase maximal lumbar extension in healthy adolescents. Clinical Biomechanics, 1997, 12, 181-184.	1.2	10
300	Future hospital care in a population-based series of twin pairs discordant for physical activity behavior American Journal of Public Health, 1999, 89, 1869-1872.	2.7	10
301	Stability and change of volume and intensity of physical activity as predictors of hypertension. Scandinavian Journal of Public Health, 2004, 32, 303-309.	2.3	10
302	Effect of Physical Activity on Health in Twins. Medicine and Science in Sports and Exercise, 2010, 42, 658-664.	0.4	10
303	The prevalence of musculoskeletal pain and use of painkillers among adolescent male ice hockey players in Finland. Health Psychology and Behavioral Medicine, 2014, 2, 448-454.	1.8	10
304	Dyspnea and All-Cause Mortality. Medicine and Science in Sports and Exercise, 2014, 46, 1538-1545.	0.4	10
305	Former male elite athletes and risk of hypertension in later life. Journal of Hypertension, 2015, 33, 1549-1554.	0.5	10
306	Use of Alcohol and Alcohol-Related Morbidity in Finnish Former Elite Athletes. Medicine and Science in Sports and Exercise, 2017, 49, 492-499.	0.4	10

#	Article	IF	CITATIONS
307	Peak oxygen uptake, ventilatory threshold, and arterial stiffness in adolescents. European Journal of Applied Physiology, 2018, 118, 2367-2376.	2.5	10
308	Role of acute injury during adolescent growth spurt in development of lumbar spine abnormalities. Lancet, The, 1994, 344, 1020.	13.7	9
309	Electrocardiographic Findings in Female Endurance Athletes. Clinical Journal of Sport Medicine, 1997, 7, 85-89.	1.8	9
310	Endurance Running Ability at Adolescence as a Predictor of Blood Pressure Levels and Hypertension in Men: a 25-Year Follow-Up Study. International Journal of Sports Medicine, 2005, 26, 448-452.	1.7	9
311	Leisureâ€ŧime physical activity and intraâ€abdominal fat in young adulthood: A monozygotic coâ€ŧwin control study. Obesity, 2016, 24, 1185-1191.	3.0	9
312	Stiff Landings Are Associated With Increased ACL Injury Risk in Young Female Basketball and Floorball Players: Response. American Journal of Sports Medicine, 2017, 45, NP5-NP6.	4.2	9
313	Somatosensory Brain Function and Gray Matter Regional Volumes Differ According to Exercise History: Evidence from Monozygotic Twins. Brain Topography, 2017, 30, 77-86.	1.8	9
314	Counselling for physical activity, life-space mobility and falls prevention in old age (COSMOS): protocol of a randomised controlled trial. BMJ Open, 2019, 9, e029682.	1.9	9
315	Resting Electrocardiogram and Blood Pressure in Young Endurance and Nonendurance Athletes and Nonathletes. Journal of Athletic Training, 2021, 56, 484-490.	1.8	9
316	Essay: Does training adversely affect long-term health?. Lancet, The, 2005, 366, S55-S56.	13.7	8
317	Long-term physical activity modulates brain processing of somatosensory stimuli: Evidence from young male twins. Biological Psychology, 2016, 117, 1-7.	2.2	8
318	Cardiovascular health in former elite male athletes. Scandinavian Journal of Medicine and Science in Sports, 2016, 26, 535-543.	2.9	8
319	Self-reported Fitness and Objectively Measured Physical Activity Profile Among Older Adults: A Twin Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1965-1972.	3.6	8
320	Motives for physical activity in older men and women: A twin study using accelerometerâ€measured physical activity. Scandinavian Journal of Medicine and Science in Sports, 2020, 30, 1409-1422.	2.9	8
321	The associations between adolescents' sports club participation and dietary habits. Translational Sports Medicine, 2021, 4, 617-626.	1.1	8
322	Body Fat and Mobility Are Explained by Common Genetic and Environmental Influences in Older Women. Obesity, 2008, 16, 1616-1621.	3.0	7
323	Longitudinal changes in genetic and environmental influences on older women's walking ability. Scandinavian Journal of Medicine and Science in Sports, 2009, 19, 669-677.	2.9	7
324	Leisureâ€ŧime physical activity and artery lumen diameters: A monozygotic coâ€ŧwin control study. Scandinavian Journal of Medicine and Science in Sports, 2011, 21, e208-14.	2.9	7

#	Article	IF	CITATIONS
325	Reproducibility of pulse wave velocity and augmentation index derived from nonâ€invasive occlusive oscillometric tonometry analysis in adolescents. Clinical Physiology and Functional Imaging, 2019, 39, 22-28.	1.2	7
326	Fat oxidation at rest and during exercise in male monozygotic twins. European Journal of Applied Physiology, 2019, 119, 2711-2722.	2.5	7
327	Acute and overuse injuries among sports club members and non-members: the Finnish Health Promoting Sports Club (FHPSC) study. BMC Musculoskeletal Disorders, 2019, 20, 32.	1.9	7
328	Physical Activity and Academic Performance: Genetic and Environmental Associations. Medicine and Science in Sports and Exercise, 2020, 52, 381-390.	0.4	7
329	Effects of long-term physical activity on cardiac structure and function: a twin study. Journal of Sports Science and Medicine, 2009, 8, 533-42.	1.6	7
330	Physical activity and health: Findings from Finnish monozygotic twin pairs discordant for physical activity. Scandinavian Journal of Medicine and Science in Sports, 2022, 32, 1316-1323.	2.9	7
331	Equipment, Drugs and Problems of the Competition and Team Physician. Sports Medicine, 1988, 6, 197-209.	6.5	6
332	Predictors of increase in physical activity during a 6-month follow-up period among overweight and physically inactive healthy young adults. Journal of Exercise Science and Fitness, 2015, 13, 63-71.	2.2	6
333	Beneficial effects of running and milk protein supplements on Sirtuins and risk factors of metabolic disorders in rats with low aerobic capacity. Metabolism Open, 2019, 4, 100019.	2.9	6
334	Long-term physical activity modifies automatic visual processing. International Journal of Sport and Exercise Psychology, 2019, 17, 275-284.	2.1	6
335	There Is No Relationship Between Lower Extremity Alignment During Unilateral and Bilateral Drop Jumps and the Risk of Knee or Ankle Injury: A Prospective Study. Journal of Orthopaedic and Sports Physical Therapy, 2020, 50, 267-274.	3.5	6
336	Menstrual dysfunction and body weight dissatisfaction among Finnish young athletes and nonâ€athletes. Scandinavian Journal of Medicine and Science in Sports, 2021, 31, 405-417.	2.9	6
337	Physical activity, VO2max, and jumping height in an urban population. Medicine and Science in Sports and Exercise, 1994, 26, 889-95.	0.4	6
338	EFFECT OF PHYSICAL ACTIVITY COUNSELING ON HOME CARE USE IN OLDER PEOPLE. Journal of the American Geriatrics Society, 2009, 57, 571-573.	2.6	5
339	Exercise in type 2 diabetes: The mechanisms of resistance and endurance training. Journal of Sport and Health Science, 2012, 1, 65-66.	6.5	5
340	Mobility and muscle strength in male former elite endurance and power athletes aged 66â^'91Âyears. Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 1283-1291.	2.9	5
341	The Interplay between Genes and Psychosocial Home Environment on Physical Activity. Medicine and Science in Sports and Exercise, 2018, 50, 691-699.	0.4	5
342	Predicting the age at natural menopause in middle-aged women. Menopause, 2021, 28, 792-799.	2.0	5

#	Article	IF	CITATIONS
343	Adherence to an Injury Prevention Warm-Up Program in Children's Soccer—A Secondary Analysis of a Randomized Controlled Trial. International journal of Environmental Research and Public Health, 2021, 18, 13134.	2.6	5
344	Costs of diabetes medication among male former elite athletes in later life. Acta Diabetologica, 2017, 54, 335-341.	2.5	4
345	Bilateral activations in operculoâ€insular area show temporal dissociation after peripheral electrical stimulation in healthy adults. European Journal of Neuroscience, 2020, 52, 4604-4612.	2.6	4
346	Precision exercise medicine: predicting unfavourable status and development in the 20-m shuttle run test performance in adolescence with machine learning. BMJ Open Sport and Exercise Medicine, 2021, 7, e001053.	2.9	4
347	Asthma, allergies and respiratory symptoms in different activity groups of swimmers exercising in swimming halls. BMC Sports Science, Medicine and Rehabilitation, 2021, 13, 119.	1.7	4
348	Born to be rich, physically active, fit and healthy?. Scandinavian Journal of Medicine and Science in Sports, 2010, 20, 367-367.	2.9	3
349	Crossâ€sectional associations between the diversity of sport activities and the type of low back pain in adulthood. European Journal of Sport Science, 2020, 20, 1277-1287.	2.7	3
350	Twin studies on the association of physical activity with cognitive and cerebral outcomes. Neuroscience and Biobehavioral Reviews, 2020, 114, 1-11.	6.1	3
351	Physical activity, use of alcohol and smoking in middleâ€aged and aging men. A longitudinal study among Finnish male former athletes and controls. European Journal of Sport Science, 2021, 21, 460-469.	2.7	3
352	Enlarged PLIN5-uncoated lipid droplets in inner regions of skeletal muscle type II fibers associate with type 2 diabetes. Acta Histochemica, 2022, 124, 151869.	1.8	3
353	The MacIntosh lateral substitution reconstruction for anterior cruciate deficiency. International Orthopaedics, 1993, 17, 224-7.	1.9	2
354	Joint-specific twin and familial aggregation of recalled physician diagnosed osteoarthritis. Twin Research and Human Genetics, 1999, 2, 196-202.	1.0	2
355	Is it really important for sick people to perform exercise?. Scandinavian Journal of Medicine and Science in Sports, 2006, 16, 145-146.	2.9	2
356	Are schools able to improve the physical fitness of children and adolescents?. Scandinavian Journal of Medicine and Science in Sports, 2013, 23, 525-526.	2.9	2
357	Sport disciplines, types of sports, and waist circumference in young adulthood – a populationâ€based twin study. European Journal of Sport Science, 2017, 17, 1184-1193.	2.7	2
358	Is diversity of leisure-time sport activities associated with low back and neck–shoulder region pain? A Finnish twin cohort study. Preventive Medicine Reports, 2019, 15, 100933.	1.8	2
359	Physical Activity and Body Composition in Children and Their Mothers According to Mother's Gestational Diabetes Risk: A Seven-Year Follow-Up Study. Medicina (Lithuania), 2019, 55, 635.	2.0	2
360	Relationship between mothers' enjoyment and sedentary behavior and physical activity of mother–child dyads using a movement-to-music video program: a secondary analysis of a randomized controlled trial. BMC Public Health, 2020, 20, 1659.	2.9	2

#	Article	IF	CITATIONS
361	Haemoglobin, iron status and lung function of adolescents participating in organised sports in the Finnish Health Promoting Sports Club Study. BMJ Open Sport and Exercise Medicine, 2020, 6, e000804.	2.9	2
362	Sleep-time physiological recovery is associated with eating habits in distressed working-age FinnsÂwith overweight: secondary analysis of a randomised controlled trial. Journal of Occupational Medicine and Toxicology, 2021, 16, 23.	2.2	2
363	Fitter, healthier and stronger? Many factors influence elite athletes' long-term health. British Journal of Sports Medicine, 2021, 55, 77-78.	6.7	2
364	Interactive multiobjective optimization for finding the most preferred exercise therapy modality in knee osteoarthritis. Annals of Medicine, 2022, 54, 181-194.	3.8	2
365	Players with high physical fitness are at greater risk of injury in youth football. Scandinavian Journal of Medicine and Science in Sports, 0, , .	2.9	2
366	Electrocardiographic Indices of Left Ventricular Hypertrophy and Repolarization Phase Share the Same Genetic Influences: A Twin Study. Annals of Noninvasive Electrocardiology, 2009, 14, 346-354.	1.1	1
367	Electrocardiographic and other clinical correlates of walking ability in older women. Archives of Gerontology and Geriatrics, 2010, 51, 216-221.	3.0	1
368	Response to the comments on "Effects of high intensity aquatic resistance training on body composition and walking speed in women with mild knee osteoarthritis: a 4-month RCT with 12-month follow-up― Osteoarthritis and Cartilage, 2017, 25, e19-e20.	1.3	1
369	The effects of mothers' musical background on sedentary behavior, physical activity, and exercise adherence in their 5-6-years-old children using movement-to-music video program. PLoS ONE, 2018, 13, e0195837.	2.5	1
370	The difference in risk of chronic pulmonary disease morbidity and mortality between former elite athletes and ordinary men in Finland. European Journal of Sport Science, 2020, 20, 1140-1149.	2.7	1
371	The Associations Between Leisure-Time Physical Activity and Academic Performance: A Twin Study. Journal of Physical Activity and Health, 2021, 18, 998-1003.	2.0	1
372	Tendon Avulsions in Children and Adolescents. , 2005, , 86-89.		1
373	Effects of aerobic and strength training on aerobic capacity, muscle strength, and gene expression of lymphomonocytes in patients with stable CAD. American Journal of Translational Research (discontinued), 2020, 12, 4582-4593.	0.0	1
374	Bidirectional associations between cognitive functions and walking performance among middle-aged women. Menopause, 2022, 29, 200-209.	2.0	1
375	Power of lower extremities and age were the main determinants on the agility test for adults in a cohort of men aged 66–91 years. European Journal of Physiotherapy, 2021, 23, 122-131.	1.3	0
376	Genetic and Environmental Effects on the Individual Variation and Continuity of Participation in Diverse Physical Activities. Medicine and Science in Sports and Exercise, 2021, Publish Ahead of Print, 2495-2502.	0.4	0
377	Knee arthroplasty until age 60: role of sports and other injuries. Gazzetta Medica Italiana Archivio Per Le Scienze Mediche, 2019, 178, .	0.1	0
378	Resting electrocardiogram and blood pressure in young athletes and nonathletes: A 4â€year followâ€up. Clinical Physiology and Functional Imaging, 2022, , .	1.2	0

#	Article	IF	CITATIONS
379	Longitudinal Associations of High-Volume and Vigorous-Intensity Exercise With Hip Fracture Risk in Men. Journal of Bone and Mineral Research, 2020, 37, 1562-1570.	2.8	0