Jacob C Seidell

List of Publications by Citations

Source: https://exaly.com/author-pdf/6827797/jacob-c-seidell-publications-by-citations.pdf

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85 361 32,311 173 h-index g-index citations papers 36,240 7.67 5.2 394 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
361	Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. <i>Lancet, The</i> , 2004 , 363, 157-63	40	6911
360	Body mass index as a measure of body fatness: age- and sex-specific prediction formulas. <i>British Journal of Nutrition</i> , 1991 , 65, 105-14	3.6	828
359	Diet, nutrition and the prevention of excess weight gain and obesity. <i>Public Health Nutrition</i> , 2004 , 7, 123-46	3.3	701
358	The public health impact of obesity. Annual Review of Public Health, 2001, 22, 355-75	20.6	673
357	A trial of sugar-free or sugar-sweetened beverages and body weight in children. <i>New England Journal of Medicine</i> , 2012 , 367, 1397-406	59.2	557
356	Adiposity in relation to vitamin D status and parathyroid hormone levels: a population-based study in older men and women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 4119-23	5.6	518
355	Obesity, insulin resistance and diabetesa worldwide epidemic. <i>British Journal of Nutrition</i> , 2000 , 83 Suppl 1, S5-8	3.6	480
354	Visceral fat accumulation in men is positively associated with insulin, glucose, and C-peptide levels, but negatively with testosterone levels. <i>Metabolism: Clinical and Experimental</i> , 1990 , 39, 897-901	12.7	480
353	The prevention of overweight and obesity in children and adolescents: a review of interventions and programmes. <i>Obesity Reviews</i> , 2006 , 7, 111-36	10.6	432
352	What aspects of body fat are particularly hazardous and how do we measure them?. <i>International Journal of Epidemiology</i> , 2006 , 35, 83-92	7.8	405
351	Waist and hip circumferences have independent and opposite effects on cardiovascular disease risk factors: the Quebec Family Study. <i>American Journal of Clinical Nutrition</i> , 2001 , 74, 315-21	7	377
350	The global burden of obesity and the challenges of prevention. <i>Annals of Nutrition and Metabolism</i> , 2015 , 66 Suppl 2, 7-12	4.5	372
349	Impairment of health and quality of life in people with large waist circumference. <i>Lancet, The</i> , 1998 , 351, 853-6	40	367
348	Associations of hip and thigh circumferences independent of waist circumference with the incidence of type 2 diabetes: the Hoorn Study. <i>American Journal of Clinical Nutrition</i> , 2003 , 77, 1192-7	7	341
347	Development and validation of a hospital screening tool for malnutrition: the short nutritional assessment questionnaire (SNAQ). <i>Clinical Nutrition</i> , 2005 , 24, 75-82	5.9	328
346	Trunk fat and leg fat have independent and opposite associations with fasting and postload glucose levels: the Hoorn study. <i>Diabetes Care</i> , 2004 , 27, 372-7	14.6	316
345	Low subcutaneous thigh fat is a risk factor for unfavourable glucose and lipid levels, independently of high abdominal fat. The Health ABC Study. <i>Diabetologia</i> , 2005 , 48, 301-8	10.3	309

344	Assessing obesity: classification and epidemiology. British Medical Bulletin, 1997, 53, 238-52	5.4	298
343	Visceral and ectopic fat, atherosclerosis, and cardiometabolic disease: a position statement. <i>Lancet Diabetes and Endocrinology,the</i> , 2019 , 7, 715-725	18.1	296
342	A comparison of body mass index, waist-hip ratio and waist circumference as predictors of all-cause mortality among the elderly: the Rotterdam study. <i>International Journal of Obesity</i> , 2001 , 25, 1730-5	5.5	272
341	Waist circumference as a vital sign in clinical practice: a Consensus Statement from the IAS and ICCR Working Group on Visceral Obesity. <i>Nature Reviews Endocrinology</i> , 2020 , 16, 177-189	15.2	270
340	Energy balance and obesity: what are the main drivers?. Cancer Causes and Control, 2017, 28, 247-258	2.8	268
339	Selection of anthropometric indicators for classification of abdominal fatnessa critical review. <i>International Journal of Obesity</i> , 1998 , 22, 719-27	5.5	264
338	Assessment of intra-abdominal and subcutaneous abdominal fat: relation between anthropometry and computed tomography. <i>American Journal of Clinical Nutrition</i> , 1987 , 45, 7-13	7	247
337	Effectiveness and cost-effectiveness of early screening and treatment of malnourished patients. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 1082-9	7	241
336	Does the relationship between waist circumference, morbidity and mortality depend on measurement protocol for waist circumference?. <i>Obesity Reviews</i> , 2008 , 9, 312-25	10.6	234
335	Overweight, obesity and fat distribution in 50- to 64-year-old participants in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2002 , 5, 1147-62	3.3	229
334	Educational level, relative body weight, and changes in their association over 10 years: an international perspective from the WHO MONICA Project. <i>American Journal of Public Health</i> , 2000 , 90, 1260-8	5.1	229
333	Independent and opposite associations of waist and hip circumferences with diabetes, hypertension and dyslipidemia: the AusDiab Study. <i>International Journal of Obesity</i> , 2004 , 28, 402-9	5.5	218
332	A lipoprotein lipase mutation (Asn291Ser) is associated with reduced HDL cholesterol levels in premature atherosclerosis. <i>Nature Genetics</i> , 1995 , 10, 28-34	36.3	213
331	Body weight and weight change and their health implications for the elderly. <i>European Journal of Clinical Nutrition</i> , 2000 , 54 Suppl 3, S33-9	5.2	210
330	Effects of sex steroids on components of the insulin resistance syndrome in transsexual subjects. <i>Clinical Endocrinology</i> , 2003 , 58, 562-71	3.4	203
329	The prediction of visceral fat by dual-energy X-ray absorptiometry in the elderly: a comparison with computed tomography and anthropometry. <i>International Journal of Obesity</i> , 2002 , 26, 984-93	5.5	191
328	Disagreement in physical activity assessed by accelerometer and self-report in subgroups of age, gender, education and weight status. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009 , 6, 17	8.4	185
327	Vitamin D status and parathyroid hormone levels in relation to blood pressure: a population-based study in older men and women. <i>Journal of Internal Medicine</i> , 2007 , 261, 558-65	10.8	184

326	The 2015 Dutch food-based dietary guidelines. European Journal of Clinical Nutrition, 2016, 70, 869-78	5.2	184
325	Impairment of health and quality of life using new US federal guidelines for the identification of obesity. <i>Archives of Internal Medicine</i> , 1999 , 159, 837-43		169
324	Larger hip circumference independently predicts health and longevity in a Swedish female cohort. <i>Obesity</i> , 2001 , 9, 644-6		167
323	Determinants of obesity-related underreporting of energy intake. <i>American Journal of Epidemiology</i> , 1998 , 147, 1081-6	3.8	166
322	Low serum concentrations of 25-hydroxyvitamin D in older persons and the risk of nursing home admission. <i>American Journal of Clinical Nutrition</i> , 2006 , 84, 616-22; quiz 671-2	7	165
321	EPODE approach for childhood obesity prevention: methods, progress and international development. <i>Obesity Reviews</i> , 2012 , 13, 299-315	10.6	158
320	Long-term testosterone administration increases visceral fat in female to male transsexuals. Journal of Clinical Endocrinology and Metabolism, 1997, 82, 2044-7	5.6	157
319	Heterogeneity at the CETP gene locus. Influence on plasma CETP concentrations and HDL cholesterol levels. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 560-8	9.4	155
318	Narrow hips and broad waist circumferences independently contribute to increased risk of non-insulin-dependent diabetes mellitus. <i>Journal of Internal Medicine</i> , 1997 , 242, 401-6	10.8	150
317	Carbohydrate intake and obesity. European Journal of Clinical Nutrition, 2007, 61 Suppl 1, S75-99	5.2	149
316	Central fat mass versus peripheral fat and lean mass: opposite (adverse versus favorable) associations with arterial stiffness? The Amsterdam Growth and Health Longitudinal Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 2632-9	5.6	149
315	Overweight, Underweight, and Mortality. Archives of Internal Medicine, 1996, 156, 958		147
314	Waist and hip circumferences, and waist-hip ratio in 19 populations of the WHO MONICA Project. <i>International Journal of Obesity</i> , 1999 , 23, 116-25	5.5	144
313	Front-of-pack nutrition label stimulates healthier product development: a quantitative analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010 , 7, 65	8.4	142
312	Body fat distribution in relation to physical activity and smoking habits in 38-year-old European men. The European Fat Distribution Study. <i>American Journal of Epidemiology</i> , 1991 , 133, 257-65	3.8	140
311	Waist circumference and waist/hip ratio in relation to all-cause mortality, cancer and sleep apnea. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 35-41	5.2	139
310	Hypocretin deficiency in narcoleptic humans is associated with abdominal obesity. <i>Obesity</i> , 2003 , 11, 1147-54		137
309	Larger thigh and hip circumferences are associated with better glucose tolerance: the Hoorn study. <i>Obesity</i> , 2003 , 11, 104-11		137

(2007-1997)

308	Common C-to-T substitution at position -480 of the hepatic lipase promoter associated with a lowered lipase activity in coronary artery disease patients. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 2837-42	9.4	135
307	Predicting intra-abdominal fatness from anthropometric measures: the influence of stature. <i>International Journal of Obesity</i> , 1997 , 21, 587-93	5.5	134
306	Time trends in obesity: an epidemiological perspective. Hormone and Metabolic Research, 1997, 29, 155-	-83.1	133
305	Dietary fat and obesity: an epidemiologic perspective. <i>American Journal of Clinical Nutrition</i> , 1998 , 67, 546S-550S	7	133
304	Reversal of the sex difference in serum leptin levels upon cross-sex hormone administration in transsexuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997 , 82, 3267-70	5.6	131
303	Smoking and relative body weight: an international perspective from the WHO MONICA Project. <i>Journal of Epidemiology and Community Health</i> , 1997 , 51, 252-60	5.1	131
302	Association between TV viewing, computer use and overweight, determinants and competing activities of screen time in 4- to 13-year-old children. <i>International Journal of Obesity</i> , 2013 , 37, 47-53	5.5	130
301	Associations of adiponectin levels with incident impaired glucose metabolism and type 2 diabetes in older men and women: the hoorn study. <i>Diabetes Care</i> , 2006 , 29, 2498-503	14.6	130
300	Abdominal diameters as indicators of visceral fat: comparison between magnetic resonance imaging and anthropometry. <i>British Journal of Nutrition</i> , 1993 , 70, 47-58	3.6	129
299	Long-Term Testosterone Administration Increases Visceral Fat in Female to Male Transsexuals. Journal of Clinical Endocrinology and Metabolism, 1997 , 82, 2044-2047	5.6	127
298	Waist-hip ratio is a poor predictor of changes in visceral fat. <i>American Journal of Clinical Nutrition</i> , 1993 , 57, 327-33	7	126
297	Underreporting of BMI in adults and its effect on obesity prevalence estimations in the period 1998 to 2001. <i>Obesity</i> , 2006 , 14, 2054-63	8	121
296	Price discounts significantly enhance fruit and vegetable purchases when combined with nutrition education: a randomized controlled supermarket trial. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 886-95	7	113
295	Reversal of the Sex Difference in Serum Leptin Levels upon Cross-Sex Hormone Administration in Transsexuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997 , 82, 3267-3270	5.6	112
294	Underweight and overweight in relation to mortality among men aged 40-59 and 50-69 years: the Seven Countries Study. <i>American Journal of Epidemiology</i> , 2000 , 151, 660-6	3.8	110
293	Prevalence of overweight and obesity in the Netherlands. <i>Obesity Reviews</i> , 2007 , 8, 101-8	10.6	109
292	The prevalence of low back pain and associations with body fatness, fat distribution and height. <i>International Journal of Obesity</i> , 1997 , 21, 600-7	5.5	108
291	Association between body mass index and mortality is similar in the hemodialysis population and the general population at high age and equal duration of follow-up. <i>Journal of the American Society of Nephrology: JASN</i> , 2007 , 18, 967-74	12.7	100

2 90	Obesity, adipose tissue distribution and health in menthe study of men born in 1913. <i>Appetite</i> , 1989 , 13, 37-44	4.5	100
289	Long-term and recent time trends in the prevalence of obesity among Dutch men and women. International Journal of Obesity, 2002, 26, 1218-24	5.5	99
288	Adolescent skinfold thickness is a better predictor of high body fatness in adults than is body mass index: the Amsterdam Growth and Health Longitudinal Study. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 1533-9	7	95
287	Circulating levels of insulin-like growth factor I, its binding proteins -1,-2, -3, C-peptide and risk of postmenopausal breast cancer. <i>International Journal of Cancer</i> , 2003 , 106, 90-5	7.5	95
286	Actual use of a front-of-pack nutrition logo in the supermarket: consumers' motives in food choice. <i>Public Health Nutrition</i> , 2010 , 13, 1882-9	3.3	93
285	Autoantibodies against MDA-LDL in subjects with severe and minor atherosclerosis and healthy population controls. <i>Atherosclerosis</i> , 1996 , 122, 245-53	3.1	93
284	Overweight and changes in weight status during childhood in relation to asthma symptoms at 8 years of age. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 123, 1312-8.e2	11.5	92
283	Varying sensitivity of waist action levels to identify subjects with overweight or obesity in 19 populations of the WHO MONICA Project. <i>Journal of Clinical Epidemiology</i> , 1999 , 52, 1213-24	5.7	91
282	Development of international criteria for a front of package food labelling system: the International Choices Programme. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 1190-200	5.2	89
281	Regional body composition as a determinant of arterial stiffness in the elderly: The Hoorn Study. <i>Journal of Hypertension</i> , 2004 , 22, 2339-47	1.9	88
2 80	Current and adolescent body fatness and fat distribution: relationships with carotid intima-media thickness and large artery stiffness at the age of 36 years. <i>Journal of Hypertension</i> , 2004 , 22, 145-55	1.9	87
279	Fat distribution in European women: a comparison of anthropometric measurements in relation to cardiovascular risk factors. <i>International Journal of Epidemiology</i> , 1990 , 19, 303-8	7.8	85
278	Visceral fat accumulation in relation to sex hormones in obese men and women undergoing weight loss therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1994 , 78, 1515-1520	5.6	85
277	Physical activity and dietary fiber determine population body fat levels: the Seven Countries Study. <i>International Journal of Obesity</i> , 2001 , 25, 301-6	5.5	84
276	Family functioning and psychosocial adjustment in overweight youngsters. <i>International Journal of Eating Disorders</i> , 2000 , 27, 110-4	6.3	84
275	Effects of retirement on lifestyle in relation to changes in weight and waist circumference in Dutch men: a prospective study. <i>Public Health Nutrition</i> , 2005 , 8, 1266-74	3.3	82
274	Time trends (1993-1997) and seasonal variation in body mass index and waist circumference in the Netherlands. <i>International Journal of Obesity</i> , 2004 , 28, 1309-16	5.5	81
273	Indicators of fat distribution, serum lipids, and blood pressure in European women born in 1948the European Fat Distribution Study. <i>American Journal of Epidemiology</i> , 1989 , 130, 53-65	3.8	81

(1991-1996)

272	Do dietary and supplementary intakes of antioxidants differ with smoking status?. <i>International Journal of Epidemiology</i> , 1996 , 25, 70-9	7.8	80	
271	Influence of question structure on the recall of self-reported drug use. <i>Journal of Clinical Epidemiology</i> , 2000 , 53, 273-7	5.7	79	
270	Genetic variation in the leptin receptor gene, leptin, and weight gain in young Dutch adults. <i>Obesity</i> , 2003 , 11, 377-86		78	
269	Epidemiology of obesity. Seminars in Vascular Medicine, 2005 , 5, 3-14		77	
268	Motives for (not) participating in a lifestyle intervention trial. <i>BMC Medical Research Methodology</i> , 2008 , 8, 17	4.7	76	
267	Short-term oral nutritional intervention with protein and vitamin D decreases falls in malnourished older adults. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 691-9	5.6	75	
266	Cultural and social influences on food consumption in dutch residents of Turkish and moroccan origin: a qualitative study. <i>Journal of Nutrition Education and Behavior</i> , 2009 , 41, 232-41	2	74	
265	The 'Sydney Principles' for reducing the commercial promotion of foods and beverages to children. <i>Public Health Nutrition</i> , 2008 , 11, 881-6	3.3	74	
264	Perception of weight status and dieting behaviour in Dutch men and women. <i>International Journal of Obesity</i> , 1999 , 23, 7-17	5.5	74	
263	A front-of-pack nutrition logo: a quantitative and qualitative process evaluation in the Netherlands. <i>Journal of Health Communication</i> , 2009 , 14, 631-45	2.5	72	
262	The influences of height and age on waist circumference as an index of adiposity in adults. <i>International Journal of Obesity</i> , 1997 , 21, 83-9	5.5	72	
261	Superiority of skinfold measurements and waist over waist-to-hip ratio for determination of body fat distribution in a population-based cohort of Caucasian Dutch adults. <i>European Journal of Endocrinology</i> , 2007 , 156, 655-61	6.5	71	
260	The role of systemic inflammation linking maternal BMI to neurodevelopment in children. <i>Pediatric Research</i> , 2016 , 79, 3-12	3.2	70	
259	Post-discharge nutritional support in malnourished elderly individuals improves functional limitations. <i>Journal of the American Medical Directors Association</i> , 2011 , 12, 295-301	5.9	70	
258	Screening malnutrition in hospital outpatients. Can the SNAQ malnutrition screening tool also be applied to this population?. <i>Clinical Nutrition</i> , 2008 , 27, 439-46	5.9	68	
257	Obesity and unhealthy life-years in adult Finns: an empirical approach. <i>Archives of Internal Medicine</i> , 2004 , 164, 1413-20		68	
256	Common variants in the ATP-sensitive K+ channel genes KCNJ11 (Kir6.2) and ABCC8 (SUR1) in relation to glucose intolerance: population-based studies and meta-analyses. <i>Diabetic Medicine</i> , 2005 , 22, 590-8	3.5	68	
255	Body fat distribution in relation to serum lipids and blood pressure in 38-year-old European men: the European fat distribution study. <i>Atherosclerosis</i> , 1991 , 86, 251-60	3.1	68	

254	Influence of placement of a nutrition logo on cafeteria menu items on lunchtime food Choices at Dutch work sites. <i>Journal of the American Dietetic Association</i> , 2011 , 111, 131-6		66	
253	Age standardization in mapping adult overweight and obesity trends in the WHO European Region. <i>Obesity Reviews</i> , 2012 , 13, 174-91	10.6	65	
252	Age, period and cohort effects on body weight and body mass index in adults: The Doetinchem Cohort Study. <i>Public Health Nutrition</i> , 2009 , 12, 862-70	3.3	65	
251	Feasibility and effectiveness of online physical activity advice based on a personal activity monitor: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2009 , 11, e27	7.6	64	
250	The effect of a counselling intervention on weight changes during and after pregnancy: a randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120, 92-9	3.7	62	
249	Excess stroke among hypertensive men and women attributable to undertreatment of hypertension. <i>Stroke</i> , 1999 , 30, 1312-8	6.7	62	
248	Visceral fat accumulation measured by magnetic resonance imaging in relation to serum lipids in obese men and women. <i>Atherosclerosis</i> , 1992 , 94, 171-81	3.1	62	
247	Energy density, energy costs and income - how are they related?. Public Health Nutrition, 2010, 13, 1599	-6.98	60	
246	Fat distribution and gender differences in serum lipids in men and women from four European communities. <i>Atherosclerosis</i> , 1991 , 87, 203-10	3.1	60	
245	Oral nutritional support in malnourished elderly decreases functional limitations with no extra costs. <i>Clinical Nutrition</i> , 2012 , 31, 183-90	5.9	59	
244	Determinants of changes in dietary patterns among Chinese immigrants: a cross-sectional analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 42	8.4	59	
243	Accelerometers and Internet for physical activity promotion in youth? Feasibility and effectiveness of a minimal intervention [ISRCTN93896459]. <i>Preventive Medicine</i> , 2010 , 51, 31-6	4.3	59	
242	Cognitive determinants of energy balance-related behaviours: measurement issues. <i>Sports Medicine</i> , 2005 , 35, 923-33	10.6	59	
241	The white blood cell count: its relationship to plasma insulin and other cardiovascular risk factors in healthy male individuals. <i>Journal of Internal Medicine</i> , 1996 , 239, 435-41	10.8	59	
240	Changes in fat cell size and in vitro lipolytic activity of abdominal and gluteal adipocytes after a one-year cross-sex hormone administration in transsexuals. <i>Metabolism: Clinical and Experimental</i> , 1999 , 48, 1371-7	12.7	58	
239	Waist circumference as a screening tool for cardiovascular risk factors: evaluation of receiver operating characteristics (ROC). <i>Obesity</i> , 1996 , 4, 533-47		57	
238	The relationship between quality of life and perceived body weight and dieting history in Dutch men and women. <i>International Journal of Obesity</i> , 2001 , 25, 1386-92	5.5	56	
237	Prevalence and time trends of obesity in Europe. <i>Journal of Endocrinological Investigation</i> , 2002 , 25, 816	5-3.2	56	

(2009-1999)

236	Cardiovascular diseases and risk factors in a population-based study in The Netherlands: agreement between questionnaire information and medical records. <i>Netherlands Journal of Medicine</i> , 1999 , 55, 177	7-83	55
235	Ser447stop mutation in lipoprotein lipase is associated with elevated HDL cholesterol levels in normolipidemic males. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 595-9	9.4	55
234	Introducing taxes, subsidies or both: the effects of various food pricing strategies in a web-based supermarket randomized trial. <i>Preventive Medicine</i> , 2012 , 54, 323-30	4.3	54
233	Characterizing the EPODE logic model: unravelling the past and informing the future. <i>Obesity Reviews</i> , 2013 , 14, 162-70	10.6	54
232	The prevalence of overweight and obesity and its determinants in children with and without disabilities. <i>Journal of Pediatrics</i> , 2011 , 158, 735-9	3.6	53
231	Postpartum behaviour as predictor of weight change from before pregnancy to one year postpartum. <i>BMC Public Health</i> , 2011 , 11, 165	4.1	53
230	Portion size: a qualitative study of consumers' attitudes toward point-of-purchase interventions aimed at portion size. <i>Health Education Research</i> , 2010 , 25, 109-20	1.8	53
229	Genetic factors as predictors of weight gain in young adult Dutch men and women. <i>International Journal of Obesity</i> , 2002 , 26, 517-28	5.5	53
228	The prevalence of subclinical hypothyroidism at different total plasma cholesterol levels in middle aged men and women: a need for case-finding?. <i>Clinical Endocrinology</i> , 1999 , 50, 217-20	3.4	53
227	Dietary calcium, potassium, magnesium and blood pressure in the Netherlands. <i>International Journal of Epidemiology</i> , 1995 , 24, 1117-23	7.8	53
226	The effects of a 25% discount on fruits and vegetables: results of a randomized trial in a three-dimensional web-based supermarket. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012 , 9, 11	8.4	52
225	Obesity in Europe: prevalence and consequences for use of medical care. <i>Pharmacoeconomics</i> , 1994 , 5, 38-44	4.4	52
224	Androgenicity in relation to body fat distribution and metabolism in 38-year-old womenthe European Fat Distribution Study. <i>Journal of Clinical Epidemiology</i> , 1990 , 43, 21-34	5.7	52
223	Correlates of absolute and excessive weight gain during pregnancy. <i>Journal of Womenls Health</i> , 2009 , 18, 1559-66	3	50
222	Agreement between self-reported antihypertensive drug use and pharmacy records in a population-based study in The Netherlands. <i>International Journal of Clinical Pharmacy</i> , 1999 , 21, 217-20		50
221	High HDL cholesterol does not protect against coronary artery disease when associated with combined cholesteryl ester transfer protein and hepatic lipase gene variants. <i>Atherosclerosis</i> , 2008 , 200, 161-7	3.1	49
220	Small portion sizes in worksite cafeterias: do they help consumers to reduce their food intake?. <i>International Journal of Obesity</i> , 2011 , 35, 1200-7	5.5	48
219	Relationship of adiposity with arterial stiffness as mediated by adiponectin in older men and women: the Hoorn Study. <i>European Journal of Endocrinology</i> , 2009 , 160, 387-95	6.5	48

218	Overweight in dogs, but not in cats, is related to overweight in their owners. <i>Public Health Nutrition</i> , 2010 , 13, 102-6	3.3	47
217	Stemming the obesity epidemic: a tantalizing prospect. <i>Obesity</i> , 2007 , 15, 2365-70	8	47
216	Design of the New Life(style) study: a randomised controlled trial to optimise maternal weight development during pregnancy. [ISRCTN85313483]. <i>BMC Public Health</i> , 2006 , 6, 168	4.1	47
215	Parental history of diabetes modifies the association between abdominal adiposity and hyperglycemia. <i>Diabetes Care</i> , 2001 , 24, 1454-9	14.6	45
214	Value for money or making the healthy choice: the impact of proportional pricing on consumers' portion size choices. <i>European Journal of Public Health</i> , 2010 , 20, 65-9	2.1	43
213	Towards the measurement of food literacy with respect to healthy eating: the development and validation of the self perceived food literacy scale among an adult sample in the Netherlands. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 54	8.4	42
212	Obesity in older adults is associated with an increased prevalence and incidence of pain. <i>Obesity</i> , 2008 , 16, 2510-7	8	41
211	Estimating the prevalence of hypertension corrected for the effect of within-person variability in blood pressure. <i>Journal of Clinical Epidemiology</i> , 2000 , 53, 1158-63	5.7	41
210	Sex differences in the pharmacological treatment of hypertension: a review of population-based studies. <i>Journal of Hypertension</i> , 1997 , 15, 591-600	1.9	40
209	Polymorphisms in the NPY and AGRP genes and body fatness in Dutch adults. <i>International Journal of Obesity</i> , 2006 , 30, 1522-8	5.5	40
208	Obesity and subcutaneous fat patterning in relation to survival of postmenopausal breast cancer patients participating in the DOM-project. <i>Breast Cancer Research and Treatment</i> , 1995 , 34, 129-37	4.4	40
207	Body fat distribution in relation to breast cancer in women participating in the DOM-project. <i>Breast Cancer Research and Treatment</i> , 1995 , 34, 55-61	4.4	40
206	Body size and growth in 0- to 4-year-old children and the relation to body size in primary school age. <i>Obesity Reviews</i> , 2011 , 12, 637-52	10.6	38
205	The effects of using a nutrition logo on consumption and product evaluation of a sweet pastry. <i>Appetite</i> , 2010 , 55, 707-9	4.5	38
204	Overweight and chronic illnessa retrospective cohort study, with a follow-up of 6-17 years, in men and women of initially 20-50 years of age. <i>Journal of Chronic Diseases</i> , 1986 , 39, 585-93		38
203	The Asn9 variant of lipoprotein lipase is associated with the -93G promoter mutation and an increased risk of coronary artery disease. The Regress Study Group. <i>Clinical Genetics</i> , 1998 , 53, 27-33	4	38
202	Negotiated media effects. Peer feedback modifies effects of media's thin-body ideal on adolescent girls. <i>Appetite</i> , 2014 , 73, 172-82	4.5	37
201	Sagittal abdominal diameter: no advantage compared with other anthropometric measures as a correlate of components of the metabolic syndrome in elderly from the Hoorn Study. <i>American Journal of Clinical Nutrition</i> , 2006 , 84, 995-1002	7	37

(1991-2004)

200	Psychosocial characteristics of obese children/youngsters and their families: implications for preventive and curative interventions. <i>Patient Education and Counseling</i> , 2004 , 55, 353-62	3.1	37
199	Sex differences in antihypertensive drug use: determinants of the choice of medication for hypertension. <i>Journal of Hypertension</i> , 1998 , 16, 1545-53	1.9	37
198	Methodological quality of front-of-pack labeling studies: a review plus identification of research challenges. <i>Nutrition Reviews</i> , 2012 , 70, 709-20	6.4	36
197	Undertreatment of hypertension in a population-based study in The Netherlands. <i>Journal of Hypertension</i> , 1998 , 16, 1371-8	1.9	36
196	Obesity in Europe. <i>Obesity</i> , 1995 , 3 Suppl 2, 89s-93s		36
195	Obesity and cardiovascular disease risk among Turkish and Moroccan migrant groups in Europe: a systematic review. <i>Obesity Reviews</i> , 2012 , 13, 2-16	10.6	35
194	Perceptions on the use of pricing strategies to stimulate healthy eating among residents of deprived neighbourhoods: a focus group study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010 , 7, 44	8.4	35
193	Netherlands research programme weight gain prevention (NHF-NRG): rationale, objectives and strategies. <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 498-507	5.2	35
192	Potential effects of nutrient profiles on nutrient intakes in the Netherlands, Greece, Spain, USA, Israel, China and South-Africa. <i>PLoS ONE</i> , 2011 , 6, e14721	3.7	34
191	From the point-of-purchase perspective: a qualitative study of the feasibility of interventions aimed at portion-size. <i>Health Policy</i> , 2009 , 90, 73-80	3.2	34
190	Association between sleep duration and overweight: the importance of parenting. <i>International Journal of Obesity</i> , 2012 , 36, 1278-84	5.5	34
189	Cost-effective measures to prevent obesity: epidemiological basis and appropriate target groups. <i>Proceedings of the Nutrition Society</i> , 2005 , 64, 1-5	2.9	34
188	Effects of different discount levels on healthy products coupled with a healthy choice label, special offer label or both: results from a web-based supermarket experiment. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013 , 10, 59	8.4	33
187	Resting energy expenditure in malnourished older patients at hospital admission and three months after discharge: predictive equations versus measurements. <i>Clinical Nutrition</i> , 2012 , 31, 958-66	5.9	33
186	Expert views on most suitable monetary incentives on food to stimulate healthy eating. <i>European Journal of Public Health</i> , 2010 , 20, 325-31	2.1	33
185	An integrated health care standard for the management and prevention of obesity in The Netherlands. <i>Family Practice</i> , 2012 , 29 Suppl 1, i153-i156	1.9	33
184	Misclassification of high-risk older subjects using waist action levels established for young and middle-aged adultsresults from the Rotterdam Study. <i>Journal of the American Geriatrics Society</i> , 2000 , 48, 1638-45	5.6	33
183	Fasting serum insulin in relation to fat distribution, serum lipid profile, and blood pressure in European women: the European Fat Distribution Study. <i>Metabolism: Clinical and Experimental</i> , 1991 , 40, 781-7	12.7	33

182	Overweight and obesity in the mortality rate data: current evidence and research issues. <i>Medicine and Science in Sports and Exercise</i> , 1999 , 31, S597-601	1.2	33
181	Optimal cutoff values for high-risk waist circumference in older adults based on related health outcomes. <i>American Journal of Epidemiology</i> , 2011 , 174, 479-89	3.8	31
180	Prospective relation of C-reactive protein with type 2 diabetes: response to Han et al. <i>Diabetes Care</i> , 2003 , 26, 1656-7; author reply 1657-8	14.6	31
179	Cardiometabolic risk factors and quality of life in severely obese children and adolescents in The Netherlands. <i>BMC Pediatrics</i> , 2013 , 13, 62	2.6	30
178	Body size preference and body weight perception among two migrant groups of non-Western origin. <i>Public Health Nutrition</i> , 2008 , 11, 1332-41	3.3	30
177	Independent association of hip circumference with metabolic profile in different ethnic groups. <i>Obesity</i> , 2004 , 12, 1370-4		30
176	PortionControl@HOME: results of a randomized controlled trial evaluating the effect of a multi-component portion size intervention on portion control behavior and body mass index. <i>Annals of Behavioral Medicine</i> , 2015 , 49, 18-28	4.5	29
175	Greenery in the university environment: Students' preferences and perceived restoration likelihood. <i>PLoS ONE</i> , 2018 , 13, e0192429	3.7	29
174	Obesity and body fat distribution: ethnic differences and the role of socio-economic status. <i>Obesity Facts</i> , 2011 , 4, 53-60	5.1	29
173	Are malnourished patients complex patients? Health status and care complexity of malnourished patients detected by the Short Nutritional Assessment Questionnaire (SNAQ). <i>European Journal of Internal Medicine</i> , 2006 , 17, 189-94	3.9	29
172	Modelling of usual nutrient intakes: potential impact of the choices programme on nutrient intakes in young dutch adults. <i>PLoS ONE</i> , 2013 , 8, e72378	3.7	29
171	Identifying developmental trajectories of body mass index in childhood using latent class growth (mixture) modelling: associations with dietary, sedentary and physical activity behaviors: a longitudinal study. <i>BMC Public Health</i> , 2016 , 16, 1128	4.1	28
170	The insulin receptor substrate-1 Gly972Arg polymorphism is not associated with Type 2 diabetes mellitus in two population-based studies. <i>Diabetic Medicine</i> , 2004 , 21, 752-8	3.5	28
169	The Joint Impact of Family History of Myocardial Infarction and Other Risk Factors on 12-year Coronary Heart Disease Mortality. <i>Epidemiology</i> , 1999 , 10, 767-770	3.1	28
168	Physical activity and glucose tolerance in elderly men: the Zutphen Elderly study. <i>Medicine and Science in Sports and Exercise</i> , 2002 , 34, 1132-6	1.2	27
167	Polyunsaturated fatty acids in adipose tissue in European men aged 38 years in relation to serum lipids, smoking habits, and fat distribution. <i>American Journal of Epidemiology</i> , 1991 , 134, 583-9	3.8	27
166	The Impact of Obesity and Lifestyle on the Immune System and Susceptibility to Infections Such as COVID-19. <i>Frontiers in Nutrition</i> , 2020 , 7, 597600	6.2	26
165	Behavioural and socio-demographic characteristics of Dutch neighbourhoods with high prevalence of childhood obesity. <i>Pediatric Obesity</i> , 2011 , 6, 298-305		26

(2018-2010)

164	Feasibility and impact of placing water coolers on sales of sugar-sweetened beverages in Dutch secondary school canteens. <i>Obesity Facts</i> , 2010 , 3, 109-15	5.1	26	
163	Promoting physical activity using an activity monitor and a tailored web-based advice: design of a randomized controlled trial [ISRCTN93896459]. <i>BMC Public Health</i> , 2005 , 5, 134	4.1	26	
162	Behavioural strategies to control the amount of food selected and consumed. <i>Appetite</i> , 2014 , 72, 156-6	54.5	25	
161	Counteracting Media's Thin-Body Ideal for Adolescent Girls: Informing Is More Effective Than Warning. <i>Media Psychology</i> , 2014 , 17, 154-184	2.9	25	
160	To: Mathieu C, Gysemans C, Giulietti A, Bouillon R (2005) Vitamin D and diabetes. Diabetologia 48:1247-1257. <i>Diabetologia</i> , 2006 , 49, 217-8	10.3	25	
159	Physical activity modulates the effect of a lipoprotein lipase mutation (D9N) on plasma lipids and lipoproteins. <i>Clinical Genetics</i> , 1999 , 56, 158-63	4	25	
158	Differences in the association between alcohol consumption and blood pressure by age, gender, and smoking. <i>Epidemiology</i> , 1994 , 5, 576-82	3.1	25	
157	Home environmental determinants of children's fruit and vegetable consumption across different SES backgrounds. <i>Pediatric Obesity</i> , 2015 , 10, 134-40	4.6	24	
156	Agreement between parent and child report of physical activity, sedentary and dietary behaviours in 9-12-year-old children and associations with children's weight status. <i>BMC Psychology</i> , 2018 , 6, 14	2.8	24	
155	Food Futures: Developing effective food systems interventions to improve public health nutrition. <i>Agricultural Systems</i> , 2018 , 160, 124-131	6.1	24	
154	Potential impact of the Choices Programme on nutrient intakes in the Dutch population. <i>Nutrition Bulletin</i> , 2009 , 34, 318-323	3.5	24	
153	Obesity: The obesity epidemic in the USA - no end in sight?. <i>Nature Reviews Endocrinology</i> , 2016 , 12, 499	9-590	24	
152	Tackling the problem of overweight and obesity: the Dutch approach. <i>Obesity Facts</i> , 2010 , 3, 267-72	5.1	23	
151	Long-chain polyunsaturated fatty acids in breast milk and early weight gain in breast-fed infants. <i>British Journal of Nutrition</i> , 2009 , 101, 116-21	3.6	23	
150	Obesity and subcutaneous fat patterning in relation to breast cancer in postmenopausal women participating in the Diagnostic Investigation of Mammary Cancer Project. <i>Cancer</i> , 1992 , 69, 2663-7	6.4	23	
149	The relationship between fat distribution and some chronic diseases in 11,825 women participating in the DOM-project. <i>International Journal of Epidemiology</i> , 1990 , 19, 564-70	7.8	23	
148	Toward the optimal strategy for sustained weight loss in overweight cancer survivors: a systematic review of the literature. <i>Journal of Cancer Survivorship</i> , 2017 , 11, 360-385	5.1	22	
147	Health-Related Quality of Life in Children and Adolescents with Severe Obesity after Intensive Lifestyle Treatment and at 1-Year Follow-Up. <i>Obesity Facts</i> , 2018 , 11, 116-128	5.1	22	

146	Influences on body weight of female Moroccan migrants in the Netherlands: a qualitative study. Health and Place, 2012 , 18, 883-91	4.6	22
145	Lipid profiles reflecting high and low risk for coronary heart disease: contribution of apolipoprotein E polymorphism and lifestyle. <i>Atherosclerosis</i> , 1998 , 136, 395-402	3.1	22
144	Adolescents' Views on Active and Non-Active Videogames: A Focus Group Study. <i>Games for Health Journal</i> , 2012 , 1, 211-8	4.2	21
143	Do differences in childhood diet explain the reduced overweight risk in breastfed children?. <i>Obesity</i> , 2008 , 16, 2498-503	8	21
142	Active and non-active video gaming among Dutch adolescents: who plays and how much?. <i>Journal of Science and Medicine in Sport</i> , 2014 , 17, 597-601	4.4	20
141	Weight information labels on media models reduce body dissatisfaction in adolescent girls. <i>Journal of Adolescent Health</i> , 2012 , 50, 600-6	5.8	19
140	Interventions to promote an integrated approach to public health problems: an application to childhood obesity. <i>Journal of Environmental and Public Health</i> , 2012 , 2012, 913236	2.6	19
139	Maternal attitudes and child-feeding practices: relationship with the BMI of Chilean children. <i>Nutrition Journal</i> , 2009 , 8, 37	4.3	19
138	Relationships of blood pressure to fibrinolysis: influence of anthropometry, metabolic profile and behavioural variables. <i>Journal of Hypertension</i> , 1995 , 13, 659-66	1.9	19
137	Replacing Non-Active Video Gaming by Active Video Gaming to Prevent Excessive Weight Gain in Adolescents. <i>PLoS ONE</i> , 2015 , 10, e0126023	3.7	19
136	The effect of a comprehensive lifestyle intervention on cardiovascular risk factors in pharmacologically treated patients with stable cardiovascular disease compared to usual care: a randomised controlled trial. <i>BMC Cardiovascular Disorders</i> , 2012 , 12, 71	2.3	18
135	View the label before you view the movie: a field experiment into the impact of portion size and Guideline Daily Amounts labelling on soft drinks in cinemas. <i>BMC Public Health</i> , 2011 , 11, 438	4.1	18
134	Portion size labeling and intended soft drink consumption: the impact of labeling format and size portfolio. <i>Journal of Nutrition Education and Behavior</i> , 2010 , 42, 422-6	2	18
133	A local consensus process making use of focus groups to enhance the implementation of a national integrated health care standard on obesity care. <i>Family Practice</i> , 2012 , 29 Suppl 1, i177-i184	1.9	17
132	Ethnic differences in total and HDL cholesterol among Turkish, Moroccan and Dutch ethnic groups living in Amsterdam, the Netherlands. <i>BMC Public Health</i> , 2010 , 10, 740	4.1	17
131	Early Life Exposure to Antibiotics and Autism Spectrum Disorders: A Systematic Review. <i>Journal of Autism and Developmental Disorders</i> , 2019 , 49, 3866-3876	4.6	16
130	We are healthy so we can behave unhealthily. <i>Health Education</i> , 2010 , 110, 30-42	1	16
129	Study protocol: cost-effectiveness of transmural nutritional support in malnourished elderly patients in comparison with usual care. <i>Nutrition Journal</i> , 2010 , 9, 6	4.3	16

(2006-2020)

128	Greening the classroom: Three field experiments on the effects of indoor nature on students' attention, well-being, and perceived environmental quality. <i>Building and Environment</i> , 2020 , 171, 1066	75 ^{6.5}	15	
127	The development and evaluation of an Internet-based intervention to increase awareness about food portion sizes: a randomized, controlled trial. <i>Journal of Nutrition Education and Behavior</i> , 2013 , 45, 701-7	2	15	
126	Nature in the indoor and outdoor study environment and secondary and tertiary education students' well-being, academic outcomes, and possible mediating pathways: A systematic review with recommendations for science and practice. <i>Health and Place</i> , 2020 , 66, 102403	4.6	15	
125	□Eat the Vegetables because I Have Grown them with My Own Hands□Children's Perspectives on School Gardening and Vegetable Consumption. <i>Children and Society</i> , 2017 , 31, 429-440	1.4	14	
124	The relationship of prenatal antibiotic exposure and infant antibiotic administration with childhood allergies: a systematic review. <i>BMC Pediatrics</i> , 2020 , 20, 312	2.6	14	
123	Active video games as a tool to prevent excessive weight gain in adolescents: rationale, design and methods of a randomized controlled trial. <i>BMC Public Health</i> , 2014 , 14, 275	4.1	14	
122	Consuming a diet complying with front-of-pack label criteria may reduce cholesterol levels: a modeling study. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 510-6	5.2	14	
121	Socioeconomic and ethnic differences in the relation between dietary costs and dietary quality: the HELIUS study. <i>Nutrition Journal</i> , 2019 , 18, 21	4.3	13	
120	The association of eating styles with weight change after an intensive combined lifestyle intervention for children and adolescents with severe obesity. <i>Appetite</i> , 2016 , 99, 82-90	4.5	13	
119	Dietetic treatment lowers body mass index in overweight patients: an observational study in primary health care. <i>Journal of Human Nutrition and Dietetics</i> , 2014 , 27, 426-33	3.1	13	
118	Obesity and cardiovascular disease risk factors among the indigenous and immigrant Pakistani population: a systematic review. <i>Obesity Facts</i> , 2013 , 6, 523-35	5.1	13	
117	Exploring cut-off values for large waist circumference in older adults: a new methodological approach. <i>Journal of Nutrition, Health and Aging</i> , 2010 , 14, 272-7	5.2	13	
116	Development of the 'Canteen Scan': an online tool to monitor implementation of healthy canteen guidelines. <i>BMC Public Health</i> , 2018 , 18, 1109	4.1	13	
115	Abdominal adiposity and risk of heart disease. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 281, 2284-5	27.4	13	
114	Design of CIAO, a research program to support the development of an integrated approach to prevent overweight and obesity in the Netherlands. <i>BMC Obesity</i> , 2014 , 1, 5	3.6	12	
113	Ethnic differences in systemic inflammation: an investigation of C-reactive protein levels among Moroccan, Turkish and Dutch groups in the Netherlands. <i>Atherosclerosis</i> , 2011 , 218, 511-6	3.1	12	
112	Cost-effectiveness of intensive inpatient treatments for severely obese children and adolescents in the Netherlands; a randomized controlled trial (HELIOS). <i>BMC Public Health</i> , 2011 , 11, 518	4.1	12	
111	Cross-sectional growth references and implications for the development of an international growth standard for school-aged children and adolescents. <i>Food and Nutrition Bulletin</i> , 2006 , 27, S189-98	1.8	12	

110	Blood pressure and long-term coronary heart disease mortality in the Seven Countries study: implications for clinical practice and public health. <i>European Heart Journal</i> , 2000 , 21, 1639-42	9.5	12
109	Is drug treatment of hypertension in clinical practice as effective as in randomized controlled trials with regard to the reduction of the incidence of stroke?. <i>Epidemiology</i> , 2001 , 12, 339-44	3.1	12
108	Promoting health equity in European children: design and methodology of the prospective EPHE (Epode for the Promotion of Health Equity) evaluation study. <i>BMC Public Health</i> , 2014 , 14, 303	4.1	11
107	Sowing Seeds for Healthier Diets: Children's Perspectives on School Gardening. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	11
106	Inequities in energy-balance related behaviours and family environmental determinants in European children: baseline results of the prospective EPHE evaluation study. <i>BMC Public Health</i> , 2015 , 15, 1203	4.1	11
105	Parental history of myocardial infarction: lipid traits, gene polymorphisms and lifestyle. <i>Atherosclerosis</i> , 2001 , 155, 149-56	3.1	11
104	An exploration of needs and preferences for dietary support in colorectal cancer survivors: A mixed-methods study. <i>PLoS ONE</i> , 2017 , 12, e0189178	3.7	11
103	Optimizing Tailored Health Promotion for Older Adults: Understanding Their Perspectives on Healthy Living. <i>Gerontology and Geriatric Medicine</i> , 2016 , 2, 2333721415625293	2.3	11
102	Fruit and vegetable intakes, associated characteristics and perceptions of current and future availability in Dutch university students. <i>Public Health Nutrition</i> , 2019 , 22, 1951-1959	3.3	10
101	Overweight and obese adults have low intentions of seeking weight-related care: a cross-sectional survey. <i>BMC Public Health</i> , 2014 , 14, 582	4.1	10
100	The role of self-regulating abilities in long-term weight loss in severely obese children and adolescents undergoing intensive combined lifestyle interventions (HELIOS); rationale, design and methods. <i>BMC Pediatrics</i> , 2013 , 13, 41	2.6	10
99	EJCN at the start of the 21st century. European Journal of Clinical Nutrition, 2000, 54, 739-740	5.2	10
98	A System Dynamics and Participatory Action Research Approach to Promote Healthy Living and a Healthy Weight among 10-14-Year-Old Adolescents in Amsterdam: The LIKE Programme. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	10
97	Dietary acculturation among the South-Asian Surinamese population in the Netherlands: the HELIUS study. <i>Public Health Nutrition</i> , 2017 , 20, 1983-1992	3.3	9
96	Gallstone disease in severely obese children participating in a lifestyle intervention program: incidence and risk factors. <i>International Journal of Obesity</i> , 2014 , 38, 950-3	5.5	9
95	The process evaluation of two interventions aimed at portion size in worksite cafeterias. <i>Journal of Human Nutrition and Dietetics</i> , 2012 , 25, 180-8	3.1	9
94	Water Consumption in European Children: Associations with Intake of Fruit Juices, Soft Drinks and Related Parenting Practices. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	9
93	A nutrition labeling intervention in worksite cafeterias: an implementation evaluation across two large catering companies in the Netherlands. <i>Health Promotion International</i> , 2012 , 27, 230-7	3	9

(2018-2016)

92	Recommendations and Improvements for the Evaluation of Integrated Community-Wide Interventions Approaches. <i>Journal of Obesity</i> , 2016 , 2016, 2385698	3.7	9
91	Can unhealthy food purchases at checkout counters be discouraged by introducing healthier snacks? A real-life experiment in supermarkets in deprived urban areas in the Netherlands. <i>BMC Public Health</i> , 2020 , 20, 542	4.1	9
90	Package size and manufacturer-recommended serving size of sweet beverages: a cross-sectional study across four high-income countries. <i>Public Health Nutrition</i> , 2016 , 19, 1008-16	3.3	8
89	Hydration and obesity prevention. <i>Obesity Facts</i> , 2014 , 7 Suppl 2, 37-48	5.1	8
88	The association between antihypertensive drug therapies and plasma lipid levels in the general population. <i>Journal of Human Hypertension</i> , 2001 , 15, 701-5	2.6	8
87	The relationship of prenatal and infant antibiotic exposure with childhood overweight and obesity: a systematic review. <i>Journal of Developmental Origins of Health and Disease</i> , 2020 , 11, 335-349	2.4	8
86	Inequalities in energy-balance related behaviours and family environmental determinants in European children: changes and sustainability within the EPHE evaluation study. <i>International Journal for Equity in Health</i> , 2016 , 15, 160	4.6	8
85	Social norm nudges in shopping trolleys to promote vegetable purchases: A quasi-experimental study in a supermarket in a deprived urban area in the Netherlands. <i>Appetite</i> , 2020 , 151, 104655	4.5	8
84	One-year effects of two intensive inpatient treatments for severely obese children and adolescents. <i>BMC Pediatrics</i> , 2016 , 16, 120	2.6	7
83	Epidemiology and health economics of obesity. <i>Medicine</i> , 2006 , 34, 506-509	0.6	7
83	Epidemiology and health economics of obesity. <i>Medicine</i> , 2006 , 34, 506-509 The Epidemiology of Obesity23-29	0.6	7
		0.6	
82	The Epidemiology of Obesity23-29	0.6	7
82	The Epidemiology of Obesity23-29 The Burden of Obesity and Its Sequelae. <i>Disease Management and Health Outcomes</i> , 1999 , 5, 13-21 No specific effect of fluoxetine treatment on fasting glucose, insulin, lipid levels, and blood	3.6	7
82 81 80	The Epidemiology of Obesity23-29 The Burden of Obesity and Its Sequelae. <i>Disease Management and Health Outcomes</i> , 1999 , 5, 13-21 No specific effect of fluoxetine treatment on fasting glucose, insulin, lipid levels, and blood pressure in healthy men with abdominal obesity. <i>Obesity</i> , 1994 , 2, 152-9 The association of self-regulation with weight loss maintenance after an intensive combined		7 7 7
82 81 80	The Epidemiology of Obesity23-29 The Burden of Obesity and Its Sequelae. <i>Disease Management and Health Outcomes</i> , 1999, 5, 13-21 No specific effect of fluoxetine treatment on fasting glucose, insulin, lipid levels, and blood pressure in healthy men with abdominal obesity. <i>Obesity</i> , 1994, 2, 152-9 The association of self-regulation with weight loss maintenance after an intensive combined lifestyle intervention for children and adolescents with severe obesity. <i>BMC Obesity</i> , 2017, 4, 13 The home food environment of overweight gatekeepers in the Netherlands. <i>Public Health Nutrition</i> ,	3.6	7 7 7 6
82 81 80 79 78	The Epidemiology of Obesity23-29 The Burden of Obesity and Its Sequelae. <i>Disease Management and Health Outcomes</i> , 1999, 5, 13-21 No specific effect of fluoxetine treatment on fasting glucose, insulin, lipid levels, and blood pressure in healthy men with abdominal obesity. <i>Obesity</i> , 1994, 2, 152-9 The association of self-regulation with weight loss maintenance after an intensive combined lifestyle intervention for children and adolescents with severe obesity. <i>BMC Obesity</i> , 2017, 4, 13 The home food environment of overweight gatekeepers in the Netherlands. <i>Public Health Nutrition</i> , 2015, 18, 1815-23 The "Stages Towards Completion Model": what helps and hinders children with overweight or obesity and their parents to be guided towards, adhere to and complete a group lifestyle	3.6	7 7 7 6 6

74	Comparison of general health status, myocardial infarction, obesity, diabetes, and fruit and vegetable intake between immigrant Pakistani population in the Netherlands and the local Amsterdam population. <i>Ethnicity and Health</i> , 2017 , 22, 551-564	2.2	6
73	National and Local Strategies in the Netherlands for Obesity Prevention and Management in Children and Adolescents. <i>Obesity Facts</i> , 2020 , 13, 418-429	5.1	6
72	Barriers to and Facilitators of the Evaluation of Integrated Community-Wide Overweight Intervention Approaches: A Qualitative Case Study in Two Dutch Municipalities. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13, 390	4.6	6
71	Perspectives into the experience of successful, substantial long-term weight-loss maintenance: a systematic review. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2021 , 16, 18624	81	6
70	Development and Evaluation of the Implementation of Guidelines for Healthier Canteens in Dutch Secondary Schools: Study Protocol of a Quasi-Experimental Trial. <i>Frontiers in Public Health</i> , 2019 , 7, 254	6	5
69	Tools for a systematic appraisal of integrated community-based approaches to prevent childhood obesity. <i>BMC Public Health</i> , 2018 , 18, 189	4.1	5
68	Ethnic differences in self-rated overweight and association with reporting weight loss action: the SUNSET study. <i>European Journal of Public Health</i> , 2012 , 22, 859-63	2.1	5
67	Comment on: Schmidt MI, Duncan BB, Vigo A et al (2006) Leptin and incident type 2 diabetes: risk or protection? Diabetologia 49:2086-2096. <i>Diabetologia</i> , 2007 , 50, 234-6; author reply 237-8; discussion 239-40	10.3	5
66	Re: "Changes in body weight and body fat distribution as risk factors for clinical diabetes in US men". <i>American Journal of Epidemiology</i> , 2004 , 160, 1133-4; author reply 1134-5	3.8	5
65	Leptin and insulin responses to a four-day energy-deficient diet in men with different weight history. <i>International Journal of Obesity</i> , 2003 , 27, 574-81	5.5	5
64	The Effect of Supportive Implementation of Healthier Canteen Guidelines on Changes in Dutch School Canteens and Student Purchase Behaviour. <i>Nutrients</i> , 2020 , 12,	6.7	5
63	Energy Balance-Related Behavior and Anthropometric Measures Among Adolescents Across Three Educational Levels: A Cross-Sectional Study in Dutch Schools. <i>Health Education and Behavior</i> , 2018 , 45, 349-358	4.2	5
62	Change in visceral fat and total body fat and the effect on cardiometabolic risk factors during transgender hormone therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 ,	5.6	5
61	Associations between active video gaming and other energy-balance related behaviours in adolescents: a 24-hour recall diary study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 32	8.4	4
60	Comparison of cardiovascular risk factors and dietary intakes among Javanese Surinamese and South-Asian Surinamese in the Netherlands. The HELIUS study. <i>BMC Research Notes</i> , 2017 , 10, 23	2.3	4
59	The local implementation of a chronic disease management model for childhood overweight and obesity. <i>Obesity Facts</i> , 2012 , 5, 766-75	5.1	4
58	Obesity and weight control: the evidence. <i>Proceedings of the Nutrition Society</i> , 2000 , 59, 419-20	2.9	4
57	Sex differences in the medication choice for hypertension in general practice. A study with written case simulations. <i>International Journal of Clinical Pharmacy</i> , 2000 , 22, 140-6		4

(2021-2021)

56	Children's, Parents' and Healthcare Professionals' Preferences for Weight-Based Terminology in Health Care. <i>Health Communication</i> , 2021 , 36, 1805-1809	3.2	4
55	What's for lunch? The content and quality of lunches consumed by Dutch primary schoolchildren and the differences between lunches consumed at home and at school. <i>BMC Public Health</i> , 2019 , 19, 1365	4.1	3
54	Personal, social, and game-related correlates of active and non-active gaming among dutch gaming adolescents: survey-based multivariable, multilevel logistic regression analyses. <i>JMIR Serious Games</i> , 2014 , 2, e4	3.4	3
53	Parental Perspectives and Experiences in Relation to Lifestyle-Related Practices in the First Two Years of a Child's Life: A Qualitative Study in a Disadvantaged Neighborhood in The Netherlands. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
52	Greening the room: A quasi-experimental study on the presence of potted plants in study rooms on mood, cognitive performance, and perceived environmental quality among university students. Journal of Environmental Psychology, 2021 , 73, 101557	6.7	3
51	Obesity Prevention in Primary School Settings: Evidence from Intervention Studies79-87		3
50	Obesity Prevention in Secondary Schools88-93		3
49	A Human Rights Approach to Childhood Obesity Prevention40-45		3
48	Are intestinal parasites associated with obesity in Mexican children and adolescents?. <i>Parasitology International</i> , 2019 , 71, 126-131	2.1	2
47	A free-produce stand on campus: impact on fruit and vegetable intake in Dutch university students. <i>Public Health Nutrition</i> , 2020 , 23, 924-934	3.3	2
46	Kwaliteit van leven als uitkomstmaat in de zorg voor kinderen (4-19 jaar) met obesitas. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , 2016 , 94, 300-304	0.2	2
45	Weight related health status of patients treated by dietitians in primary care practice: first results of a cohort study. <i>BMC Family Practice</i> , 2014 , 15, 161	2.6	2
44	Dutch teachers and parents about overweight prevention in pre-vocational schools. <i>Health Promotion International</i> , 2014 , 29, 15-25	3	2
43	Relation between blood pressure and mortality: is there a threshold?. <i>European Heart Journal</i> , 2001 , 22, 2132-3	9.5	2
42	Key elements of a successful integrated community-based approach aimed at reducing socioeconomic health inequalities in the Netherlands: A qualitative study. <i>PLoS ONE</i> , 2020 , 15, e024075	<i>3</i> ∙7	2
41	Changes in the Health-Related Quality of Life and Weight Status of Children with Overweight or Obesity Aged 7 to 13 Years after Participating in a 10-Week Lifestyle Intervention. <i>Childhood Obesity</i> , 2020 , 16, 412-420	2.5	2
40	How healthy and processed are foods and drinks promoted in supermarket sales flyers? A cross-sectional study in the Netherlands. <i>Public Health Nutrition</i> , 2021 , 24, 3000-3008	3.3	2
39	Dietary Patterns in Early Childhood and the Risk of Childhood Overweight: The GECKO Drenthe Birth Cohort. <i>Nutrients</i> , 2021 , 13,	6.7	2

38	Implementation of Guidelines for Healthier Canteens in Dutch Secondary Schools: A Process Evaluation. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	2
37	The Healthy Supermarket Coach: Effects of a Nutrition Peer-Education Intervention in Dutch Supermarkets Involving Adolescents With a Lower Education Level. <i>Health Education and Behavior</i> , 2021 , 48, 150-159	4.2	2
36	Feeding patterns and BMI trajectories during infancy: a multi-ethnic, prospective birth cohort. <i>BMC Pediatrics</i> , 2021 , 21, 34	2.6	2
35	Evidence Framework for Childhood Obesity Prevention49-56		2
34	Economic Evaluation of Intensive Inpatient Treatments for Severely Obese Children and Adolescents. <i>Obesity Facts</i> , 2017 , 10, 458-472	5.1	1
33	Improving dietary intake during lunch through the provision of a healthy school lunch at Dutch primary schools: design of a pretest-posttest effectiveness study. <i>BMC Public Health</i> , 2020 , 20, 662	4.1	1
32	Aanbevelingen voor de evaluatie van de integrale wijkgerichte aanpak van overgewicht. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , 2017 , 95, 326-334	0.2	1
31	Het Evaluatie Raamwerk voor de Integrale Aanpak van Overgewicht. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , 2014 , 92, 75-76	0.2	1
30	Survival of cognitively impaired older hospitalized patients at risk of malnutrition. <i>European Geriatric Medicine</i> , 2012 , 3, 330-335	3	1
29	Assessment of control of hypertension in the population. <i>Journal of Hypertension</i> , 1998 , 16, 395-6	1.9	1
28	Obesity in Europe - causes, costs, and consequences. <i>International Journal of Risk and Safety in Medicine</i> , 1995 , 7, 103-10	1.6	1
27	Prevalence of obesity in Europe. <i>Forum of Nutrition</i> , 1989 , 44, 1-7		1
26	Involving Children in Creating a Healthy Environment in Low Socioeconomic Position (SEP) Neighborhoods in The Netherlands: A Participatory Action Research (PAR) Project. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
25	Can Healthy Checkout Counters Improve Food Purchases? Two Real-Life Experiments in Dutch Supermarkets. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
24	Psychological distress and lower health-related quality of life are associated with need for dietary support among colorectal cancer survivors with overweight or obesity. <i>Supportive Care in Cancer</i> , 2021 , 29, 7659-7668	3.9	1
23	What Do Secondary Schools Need to Create Healthier Canteens? The Development of an Implementation Plan. <i>Frontiers in Public Health</i> , 2021 , 9, 683556	6	1
22	Supporting parents and healthy behaviours through parent-child meetings - a qualitative study in the Netherlands. <i>BMC Public Health</i> , 2021 , 21, 1169	4.1	1
21	The perspectives of parents and healthcare professionals towards parental needs and support from healthcare professionals during the first two years of children's lives. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2021 , 16, 1966874	2	1

20	Evidence of the Influence of Home and Family Environment64-70		1
19	Preferences on how to measure and discuss health related quality of life within integrated care for children with obesity. <i>Journal of Patient-Reported Outcomes</i> , 2021 , 5, 106	2.6	O
18	Towards OPtimal TIming and Method for promoting sUstained adherence to lifestyle and body weight recommendations in postMenopausal breast cancer survivors (the OPTIMUM-study): protocol for a longitudinal mixed-method study. <i>BMC Womenls Health</i> , 2021 , 21, 268	2.9	О
17	Impact of nutrition education on nutritional knowledge and intentions towards nutritional counselling in Dutch medical students: an intervention study. <i>BMJ Open</i> , 2020 , 10, e034377	3	O
16	Overgewicht en obesitas bij volwassenen en kinderen 2022 , 29-56		О
15	Verspreiding en implementatie van de kennis en eindproducten van het CIAO-onderzoek. <i>TSG:</i> Tijdschrift Voor Gezondheidswetenschappen, 2017 , 95, 335-339	0.2	
14	Sex-based differences in the pharmacological treatment of hypertension. <i>Journal of Hypertension</i> , 1997 , 15, 1528	1.9	
13	The Asn9 variant of lipoprotein lipase is associated with the IP3G promoter mutation and an increased risk of coronary artery disease. <i>Clinical Genetics</i> , 2008 , 53, 27-33	4	
12	Association of dietary intake and dietary habits with risk of cardiovascular disease among immigrant Pakistanis living in the Netherlands <i>JPMA the Journal of the Pakistan Medical Association</i> , 2021 , 71, 219-228	0.4	
11	Negen kernelementen die volgens betrokken professionals bijdragen aan het succes van Zwolle Gezonde Stad. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , 2021 , 99, 61-69	0.2	
10	Overgewicht en obesitas bij volwassenen en kinderen 2020 , 29-56		
9	Childhood overweight prevention programs: Evidence for success. FASEB Journal, 2008, 22, 677.16	0.9	
8	Monitoring of Childhood Obesity175-183		
7	Een verzorgde lunch op de basisschool: wat kost dat en wat mag dat volgens ouders kosten?. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , 2018 , 96, 234-237	0.2	
6	Improving local food environments and dietary habits in adolescents by engaging with stakeholders in the Netherlands. <i>Proceedings of the Nutrition Society</i> , 2021 , 1-12	2.9	
5	Looking back: Body mass index as a measure of body fatness: age- and sex-specific prediction formulas. Thirty years later <i>British Journal of Nutrition</i> , 2022 , 1-5	3.6	
4	Key elements of a successful integrated community-based approach aimed at reducing socioeconomic health inequalities in the Netherlands: A qualitative study 2020 , 15, e0240757		
3	Key elements of a successful integrated community-based approach aimed at reducing socioeconomic health inequalities in the Netherlands: A qualitative study 2020 , 15, e0240757		

- Key elements of a successful integrated community-based approach aimed at reducing socioeconomic health inequalities in the Netherlands: A qualitative study **2020**, 15, e0240757
- Key elements of a successful integrated community-based approach aimed at reducing socioeconomic health inequalities in the Netherlands: A qualitative study **2020**, 15, e0240757