

Mariano Suppa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6829301/publications.pdf>

Version: 2024-02-01

60
papers

1,480
citations

331642

21
h-index

361001

35
g-index

65
all docs

65
docs citations

65
times ranked

1696
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Reflectance Confocal Microscopy in Dermatology. , 2022, , 351-388. | | 0 |
| 2 | Lineâ€field confocal optical coherence tomography as a tool for threeâ€dimensional in vivo quantification of healthy epidermis: A pilot study. Journal of Biophotonics, 2022, 15, e202100236. | 2.3 | 15 |
| 3 | Non-invasive scoring of cellular atypia in keratinocyte cancers in 3D LC-OCT images using Deep Learning. Scientific Reports, 2022, 12, 481. | 3.3 | 21 |
| 4 | Lineâ€field confocal optical coherence tomography of basosquamous carcinoma: a case series with histopathological correlation. Journal of the European Academy of Dermatology and Venereology, 2022, 36, 1214-1218. | 2.4 | 13 |
| 5 | Cutaneous lesions of Andersonâ€Fabry disease examined with a novel technique: Lineâ€field confocal optical coherence tomography. Journal of the European Academy of Dermatology and Venereology, 2022, 36, . | 2.4 | 2 |
| 6 | Lineâ€field confocal optical coherence tomography: a new tool for nonâ€invasive differential diagnosis of pustular skin disorders. Journal of the European Academy of Dermatology and Venereology, 2022, 36, 1873-1883. | 2.4 | 12 |
| 7 | Metascoring Hidradenitis suppurativa. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e272-e274. | 2.4 | 2 |
| 8 | Kaposi sarcoma of the glans: New findings by line field confocal optical coherence tomography examination. Skin Research and Technology, 2021, 27, 285-287. | 1.6 | 19 |
| 9 | European registry for hidradenitis suppurativa: state of play. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e274-e276. | 2.4 | 9 |
| 10 | Lineâ€field confocal optical coherence tomography of basal cell carcinoma: a descriptive study. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 1099-1110. | 2.4 | 58 |
| 11 | Microbiome as Mediator of Diet on Colorectal Cancer Risk: The Role of Vitamin D, Markers of Inflammation and Adipokines. Nutrients, 2021, 13, 363. | 4.1 | 11 |
| 12 | Line field confocal optical coherence tomography: An adjunctive tool in the diagnosis of autoimmune bullous diseases. Journal of Biophotonics, 2021, 14, e202000449. | 2.3 | 22 |
| 13 | Lineâ€field confocal optical coherence tomography of benign dermal melanocytic proliferations: a case series. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e399-e401. | 2.4 | 13 |
| 14 | TERT promoter mutations and melanoma survival: A comprehensive literature review and meta-analysis. Critical Reviews in Oncology/Hematology, 2021, 160, 103288. | 4.4 | 20 |
| 15 | Lineâ€field confocal optical coherence tomography of sebaceous hyperplasia: a case series. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e509-e511. | 2.4 | 12 |
| 16 | A Late Dermatologic Presentation of Bullous Pemphigoid Induced by Anti-PD-1 Therapy and Associated with Unexplained Neurological Disorder. Case Reports in Oncology, 2021, 14, 861-867. | 0.7 | 7 |
| 17 | Lineâ€field confocal optical coherence tomography for nonâ€invasive diagnosis of lichenoid dermatoses of the childhood: A case series. Skin Research and Technology, 2021, 27, 1178-1181. | 1.6 | 8 |
| 18 | Lineâ€field confocal optical coherence tomography of actinic keratosis: a case series. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e900-e902. | 2.4 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Line-field confocal optical coherence tomography for actinic keratosis and squamous cell carcinoma: a descriptive study. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 1530-1541. | 1.3 | 29 |
| 20 | Line-field confocal optical coherence tomography: a case on the importance of full-lesion examination for basal cell carcinoma. <i>International Journal of Dermatology</i> , 2021, , . | 1.0 | 4 |
| 21 | Non-invasive imaging of a rare presentation of infantile generalized eruptive histiocytosis with xanthogranuloma-like appearance: dermoscopy, reflectance confocal microscopy, and line-field optical coherence tomography. <i>International Journal of Dermatology</i> , 2021, , . | 1.0 | 0 |
| 22 | Hidradenitis suppurativa is associated with childhood and lifetime traumatic events: a case-control study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 2877-2883. | 2.4 | 4 |
| 23 | <i>In vivo</i> characterization of healthy human skin with a novel, non-invasive imaging technique: line-field confocal optical coherence tomography. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 2914-2921. | 2.4 | 45 |
| 24 | Proposed Definitions of Typical Lesions in Hidradenitis Suppurativa. <i>Dermatology</i> , 2020, 236, 431-438. | 2.1 | 16 |
| 25 | Sex and Gender Aspects for Patient Stratification in Allergy Prevention and Treatment. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1535. | 4.1 | 47 |
| 26 | IL-33/IL-31 Axis in Osteoporosis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1239. | 4.1 | 41 |
| 27 | New Perspectives in Food Allergy. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1474. | 4.1 | 130 |
| 28 | Does Allergy Break Bones? Osteoporosis and Its Connection to Allergy. <i>International Journal of Molecular Sciences</i> , 2020, 21, 712. | 4.1 | 29 |
| 29 | The peculiar dermoscopic features of primary umbilical endometriosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e589-e591. | 2.4 | 4 |
| 30 | Examination of circumscribed palmar hypokeratosis with line-field confocal optical coherence tomography: Dermoscopic, ultrasonographic and histopathologic correlates. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2020, 86, 206. | 0.6 | 22 |
| 31 | High-Definition Optical Coherence Tomography. , 2020, , 241-249. | | 0 |
| 32 | Reflectance Confocal Microscopy in Dermatology. , 2020, , 1-39. | | 0 |
| 33 | Who, why, where: an overview of determinants of sunbed use in Europe. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 6-12. | 2.4 | 17 |
| 34 | Association of sunbed use with skin cancer risk factors in Europe: an investigation within the Euromelanoma skin cancer prevention campaign. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 76-88. | 2.4 | 15 |
| 35 | Prevalence and determinants of sunbed use in thirty European countries: data from the Euromelanoma skin cancer prevention campaign. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 13-27. | 2.4 | 34 |
| 36 | Overview on vitamin D and sunbed use. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 28-33. | 2.4 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Sunbeds and melanoma risk: time to close the debate. <i>Current Opinion in Oncology</i> , 2019, 31, 65-71. | 2.4 | 12 |
| 38 | The actinic dysplasia syndrome – diagnostic approaches defining a new concept in field carcinogenesis with multiple cSCC. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 16-20. | 2.4 | 17 |
| 39 | Lymph node ratio as a prognostic factor in melanoma: results from European Organization for Research and Treatment of Cancer 18871, 18952, and 18991 studies. <i>Melanoma Research</i> , 2018, 28, 222-229. | 1.2 | 5 |
| 40 | A slow-cycling LGR5 tumour population mediates basal cell carcinoma relapse after therapy. <i>Nature</i> , 2018, 562, 434-438. | 27.8 | 113 |
| 41 | Line-field confocal optical coherence tomography for high-resolution noninvasive imaging of skin tumors. <i>Journal of Biomedical Optics</i> , 2018, 23, 1. | 2.6 | 139 |
| 42 | Characterization of melanoma susceptibility genes in high-risk patients from Central Italy. <i>Melanoma Research</i> , 2017, 27, 258-267. | 1.2 | 29 |
| 43 | Overlapping DRESS and Stevens-Johnson Syndrome: Case Report and Review of the Literature. <i>Case Reports in Dermatology</i> , 2017, 9, 1-7. | 0.8 | 14 |
| 44 | In vivo assessment of optical properties of basal cell carcinoma and differentiation of BCC subtypes by high-definition optical coherence tomography. <i>Biomedical Optics Express</i> , 2016, 7, 2269. | 2.9 | 23 |
| 45 | A new algorithm for the discrimination of actinic keratosis from normal skin and squamous cell carcinoma based on <i>in vivo</i> analysis of optical properties by high-definition optical coherence tomography. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1714-1725. | 2.4 | 29 |
| 46 | Establishment of a European Registry for hidradenitis suppurativa/acne inversa by using an open source software. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1424-1426. | 2.4 | 23 |
| 47 | Validation of a diagnostic algorithm for the discrimination of actinic keratosis from normal skin and squamous cell carcinoma by means of high-definition optical coherence tomography. <i>Experimental Dermatology</i> , 2016, 25, 684-687. | 2.9 | 23 |
| 48 | In vivo assessment of optical properties of melanocytic skin lesions and differentiation of melanoma from non-malignant lesions by high-definition optical coherence tomography. <i>Archives of Dermatological Research</i> , 2016, 308, 7-20. | 1.9 | 51 |
| 49 | High-definition optical coherence tomography intrinsic skin ageing assessment in women: a pilot study. <i>Archives of Dermatological Research</i> , 2015, 307, 705-720. | 1.9 | 29 |
| 50 | Dermoscopic variability of basal cell carcinoma according to clinical type and anatomic location. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 1732-1741. | 2.4 | 53 |
| 51 | High-definition optical coherence tomography algorithm for discrimination of basal cell carcinoma from clinical BCC imitators and differentiation between common subtypes. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 1771-1780. | 2.4 | 42 |
| 52 | Three-dimensional high-definition optical coherence tomography image acquisition procedure for basal cell carcinoma. <i>British Journal of Dermatology</i> , 2015, 172, 1153-1154. | 1.5 | 5 |
| 53 | High-definition optical coherence tomography algorithm for the discrimination of actinic keratosis from normal skin and from squamous cell carcinoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 1606-1615. | 2.4 | 46 |
| 54 | The first skin cancer screening day at the Italian parliament: a uromelanoma initiative. <i>International Journal of Dermatology</i> , 2015, 54, 42-49. | 1.0 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The Italian Eumelanoma Day: evaluation of results and implications for future prevention campaigns. <i>International Journal of Dermatology</i> , 2014, 53, 699-706. | 1.0 | 17 |
| 56 | Selective sunscreen application on nevi: frequency and determinants of a wrong sun-protective behaviour. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 348-354. | 2.4 | 5 |
| 57 | Knowledge, perceptions and behaviours about skin cancer and sun protection among secondary school students from Central Italy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, 571-579. | 2.4 | 32 |
| 58 | Relationship between sunbed use and melanoma risk in a large case-control study in the United Kingdom. <i>International Journal of Cancer</i> , 2012, 130, 3011-3013. | 5.1 | 17 |
| 59 | The determinants of periorbital skin ageing in participants of a melanoma case-control study in the U.K.. <i>British Journal of Dermatology</i> , 2011, 165, 1011-1021. | 1.5 | 17 |
| 60 | Efficacy and tolerability of 5-aminolevulinic acid 0.5% liposomal spray and intense pulsed light in wrinkle reduction of photodamaged skin. <i>Journal of Dermatological Treatment</i> , 2011, 22, 247-253. | 2.2 | 22 |