

# Sebastian Palmqvist

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6829852/publications.pdf>

Version: 2024-02-01

137  
papers

11,024  
citations

38738

50  
h-index

34984

98  
g-index

154  
all docs

154  
docs citations

154  
times ranked

8364  
citing authors

#	ARTICLE	IF	CITATIONS
1	Blood phosphorylated tau 181 as a biomarker for Alzheimer's disease: a diagnostic performance and prediction modelling study using data from four prospective cohorts. <i>Lancet Neurology</i> , The, 2020, 19, 422-433.	10.2	668
2	Plasma P-tau181 in Alzheimer's disease: relationship to other biomarkers, differential diagnosis, neuropathology and longitudinal progression to Alzheimer's dementia. <i>Nature Medicine</i> , 2020, 26, 379-386.	30.7	643
3	Discriminative Accuracy of Plasma Phospho-tau217 for Alzheimer Disease vs Other Neurodegenerative Disorders. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 772.	7.4	640
4	Earliest accumulation of $\beta$ -amyloid occurs within the default-mode network and concurrently affects brain connectivity. <i>Nature Communications</i> , 2017, 8, 1214.	12.8	596
5	Plasma $\beta$ -amyloid in Alzheimer's disease and vascular disease. <i>Scientific Reports</i> , 2016, 6, 26801.	3.3	442
6	Plasma tau in Alzheimer disease. <i>Neurology</i> , 2016, 87, 1827-1835.	1.1	371
7	CSF A $\beta$ <sub>42</sub> /A $\beta$ <sub>40</sub> and A $\beta$ <sub>42</sub> /A $\beta$ <sub>38</sub> ratios: better diagnostic markers of Alzheimer disease. <i>Annals of Clinical and Translational Neurology</i> , 2016, 3, 154-165.	3.7	329
8	Accuracy of Brain Amyloid Detection in Clinical Practice Using Cerebrospinal Fluid $\beta$ -Amyloid 42. <i>JAMA Neurology</i> , 2014, 71, 1282.	9.0	300
9	Discriminative Accuracy of [ <sup>18</sup> F]flortaucipir Positron Emission Tomography for Alzheimer Disease vs Other Neurodegenerative Disorders. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 1151.	7.4	298
10	Cerebrospinal fluid analysis detects cerebral amyloid- $\beta$ accumulation earlier than positron emission tomography. <i>Brain</i> , 2016, 139, 1226-1236.	7.6	292
11	Detailed comparison of amyloid PET and CSF biomarkers for identifying early Alzheimer disease. <i>Neurology</i> , 2015, 85, 1240-1249.	1.1	288
12	Performance of Fully Automated Plasma Assays as Screening Tests for Alzheimer Disease-Related $\beta$ -Amyloid Status. <i>JAMA Neurology</i> , 2019, 76, 1060.	9.0	282
13	Cerebrospinal fluid p-tau217 performs better than p-tau181 as a biomarker of Alzheimer's disease. <i>Nature Communications</i> , 2020, 11, 1683.	12.8	252
14	Prediction of future Alzheimer's disease dementia using plasma phospho-tau combined with other accessible measures. <i>Nature Medicine</i> , 2021, 27, 1034-1042.	30.7	236
15	Cerebrospinal fluid and plasma biomarker trajectories with increasing amyloid deposition in Alzheimer's disease. <i>EMBO Molecular Medicine</i> , 2019, 11, e11170.	6.9	228
16	Cerebrospinal fluid tau, neurogranin, and neurofilament light in Alzheimer's disease. <i>EMBO Molecular Medicine</i> , 2016, 8, 1184-1196.	6.9	219
17	A multicentre validation study of the diagnostic value of plasma neurofilament light. <i>Nature Communications</i> , 2021, 12, 3400.	12.8	219
18	CSF biomarkers of neuroinflammation and cerebrovascular dysfunction in early Alzheimer disease. <i>Neurology</i> , 2018, 91, e867-e877.	1.1	207

#	ARTICLE	IF	CITATIONS
19	A $\beta$ deposition is associated with increases in soluble and phosphorylated tau that precede a positive Tau PET in Alzheimer's disease. <i>Science Advances</i> , 2020, 6, eaaz2387.	10.3	202
20	Plasma GFAP is an early marker of amyloid- $\beta$ but not tau pathology in Alzheimer's disease. <i>Brain</i> , 2021, 144, 3505-3516.	7.6	198
21	Associations between tau, A $\beta$ , and cortical thickness with cognition in Alzheimer disease. <i>Neurology</i> , 2019, 92, e601-e612.	1.1	196
22	Associations of Plasma Phospho-Tau217 Levels With Tau Positron Emission Tomography in Early Alzheimer Disease. <i>JAMA Neurology</i> , 2021, 78, 149.	9.0	176
23	<sup>18</sup> F-AV-1451 and CSF $\tau$ and $\tau$ as biomarkers in Alzheimer's disease. <i>EMBO Molecular Medicine</i> , 2017, 9, 1212-1223.	6.9	156
24	Longitudinal plasma p-tau217 is increased in early stages of Alzheimer's disease. <i>Brain</i> , 2020, 143, 3234-3241.	7.6	150
25	Distinct 18F-AV-1451 tau PET retention patterns in early- and late-onset Alzheimer's disease. <i>Brain</i> , 2017, 140, 2286-2294.	7.6	149
26	Staging $\beta$ -Amyloid Pathology With Amyloid Positron Emission Tomography. <i>JAMA Neurology</i> , 2019, 76, 1319.	9.0	149
27	Accuracy of Tau Positron Emission Tomography as a Prognostic Marker in Preclinical and Prodromal Alzheimer Disease. <i>JAMA Neurology</i> , 2021, 78, 961.	9.0	148
28	Diagnostic Performance of RO948 F 18 Tau Positron Emission Tomography in the Differentiation of Alzheimer Disease From Other Neurodegenerative Disorders. <i>JAMA Neurology</i> , 2020, 77, 955.	9.0	136
29	The Montreal Cognitive Assessment: Normative Data from a Large Swedish Population-Based Cohort. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 893-901.	2.6	133
30	Blood-based biomarkers for Alzheimer's disease. <i>EMBO Molecular Medicine</i> , 2022, 14, e14408.	6.9	122
31	Plasma biomarkers of Alzheimer's disease improve prediction of cognitive decline in cognitively unimpaired elderly populations. <i>Nature Communications</i> , 2021, 12, 3555.	12.8	115
32	Determining clinically meaningful decline in preclinical Alzheimer disease. <i>Neurology</i> , 2019, 93, e322-e333.	1.1	96
33	Individualized prognosis of cognitive decline and dementia in mild cognitive impairment based on plasma biomarker combinations. <i>Nature Aging</i> , 2021, 1, 114-123.	11.6	94
34	Soluble p-tau217 reflects amyloid and tau pathology and mediates the association of amyloid with tau. <i>EMBO Molecular Medicine</i> , 2021, 13, e14022.	6.9	90
35	Apolipoprotein E Genotype and the Diagnostic Accuracy of Cerebrospinal Fluid Biomarkers for Alzheimer Disease. <i>JAMA Psychiatry</i> , 2014, 71, 1183.	11.0	85
36	Biomarker-based prognosis for people with mild cognitive impairment (ABIDE): a modelling study. <i>Lancet Neurology</i> , The, 2019, 18, 1034-1044.	10.2	85

#	ARTICLE	IF	CITATIONS
37	Comparing <sup>18</sup> F-AV-1451 with CSF t-tau and p-tau for diagnosis of Alzheimer disease. <i>Neurology</i> , 2018, 90, e388-e395.	1.1	83
38	The implications of different approaches to define AT(N) in Alzheimer disease. <i>Neurology</i> , 2020, 94, e2233-e2244.	1.1	80
39	Assessment of Demographic, Genetic, and Imaging Variables Associated With Brain Resilience and Cognitive Resilience to Pathological Tau in Patients With Alzheimer Disease. <i>JAMA Neurology</i> , 2020, 77, 632.	9.0	80
40	Mild behavioral impairment and its relation to tau pathology in preclinical Alzheimer's disease. <i>Translational Psychiatry</i> , 2021, 11, 76.	4.8	78
41	Early stages of tau pathology and its associations with functional connectivity, atrophy and memory. <i>Brain</i> , 2021, 144, 2771-2783.	7.6	78
42	Comparison of Brief Cognitive Tests and CSF Biomarkers in Predicting Alzheimer's Disease in Mild Cognitive Impairment: Six-Year Follow-Up Study. <i>PLoS ONE</i> , 2012, 7, e38639.	2.5	73
43	Distinct tau PET patterns in atrophy-defined subtypes of Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020, 16, 335-344.	0.8	73
44	Practical suggestions on how to differentiate dementia with Lewy bodies from Alzheimer's disease with common cognitive tests. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 1405-1412.	2.7	72
45	Detecting amyloid positivity in early Alzheimer's disease using combinations of plasma A $\beta$ <sup>42</sup> /A $\beta$ <sup>40</sup> and p-tau. <i>Alzheimer's and Dementia</i> , 2022, 18, 283-293.	0.8	72
46	Biomarker-Based Prediction of Longitudinal Tau Positron Emission Tomography in Alzheimer Disease. <i>JAMA Neurology</i> , 2022, 79, 149.	9.0	66
47	Plasma markers predict changes in amyloid, tau, atrophy and cognition in non-demented subjects. <i>Brain</i> , 2021, 144, 2826-2836.	7.6	65
48	The accumulation rate of tau aggregates is higher in females and younger amyloid-positive subjects. <i>Brain</i> , 2020, 143, 3805-3815.	7.6	65
49	Comparing the Clinical Utility and Diagnostic Performance of CSF P-Tau181, P-Tau217, and P-Tau231 Assays. <i>Neurology</i> , 2021, 97, e1681-e1694.	1.1	60
50	Tau PET correlates with different Alzheimer's disease-related features compared to CSF and plasma p-tau biomarkers. <i>EMBO Molecular Medicine</i> , 2021, 13, e14398.	6.9	58
51	Amyloid and tau accumulate across distinct spatial networks and are differentially associated with brain connectivity. <i>eLife</i> , 2019, 8, .	6.0	57
52	Greater tau load and reduced cortical thickness in APOE $\epsilon$ 4-negative Alzheimer's disease: a cohort study. <i>Alzheimer's Research and Therapy</i> , 2018, 10, 77.	6.2	56
53	Assessing risk for preclinical $\beta$ -amyloid pathology with APOE, cognitive, and demographic information. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2016, 4, 76-84.	2.4	49
54	Accurate risk estimation of $\beta$ -amyloid positivity to identify prodromal Alzheimer's disease: Cross-validation study of practical algorithms. <i>Alzheimer's and Dementia</i> , 2019, 15, 194-204.	0.8	49

#	ARTICLE	IF	CITATIONS
55	Increased amyloidogenic APP processing in APOE $\epsilon$ 4-negative individuals with cerebral $\beta$ 2-amyloidosis. <i>Nature Communications</i> , 2016, 7, 10918.	12.8	48
56	Association Between Earliest Amyloid Uptake and Functional Connectivity in Cognitively Unimpaired Elderly. <i>Cerebral Cortex</i> , 2019, 29, 2173-2182.	2.9	39
57	Increasing the reproducibility of fluid biomarker studies in neurodegenerative studies. <i>Nature Communications</i> , 2020, 11, 6252.	12.8	36
58	Association between Subcortical Lesions and Behavioral and Psychological Symptoms in Patients with Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 32, 417-423.	1.5	33
59	Cerebral inflammation is an underlying mechanism of early death in Alzheimer's disease: a 13-year cause-specific multivariate mortality study. <i>Alzheimer's Research and Therapy</i> , 2014, 6, 41.	6.2	33
60	Dysphagia in Lewy body dementia - a clinical observational study of swallowing function by videofluoroscopic examination. <i>BMC Neurology</i> , 2013, 13, 140.	1.8	31
61	Brief Cognitive Tests Used in Primary Care Cannot Accurately Differentiate Mild Cognitive Impairment from Subjective Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2020, 75, 1191-1201.	2.6	31
62	Atrophy of the Posterior Subiculum Is Associated with Memory Impairment, Tau- and $\beta$ 2 Pathology in Non-demented Individuals. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 306.	3.4	30
63	Brain myoinositol as a potential marker of amyloid-related pathology. <i>Neurology</i> , 2019, 92, e395-e405.	1.1	30
64	A Quick Test of cognitive speed is sensitive in detecting early treatment response in alzheimer disease. <i>Alzheimer's Research and Therapy</i> , 2010, 2, 29.	6.2	29
65	Amyloid Network Topology Characterizes the Progression of Alzheimer's Disease During the Predementia Stages. <i>Cerebral Cortex</i> , 2018, 28, 340-349.	2.9	28
66	$\beta$ 2-amyloid pathology and hippocampal atrophy are independently associated with memory function in cognitively healthy elderly. <i>Scientific Reports</i> , 2019, 9, 11180.	3.3	28
67	The impact of demographic, clinical, genetic, and imaging variables on tau PET status. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2245-2258.	6.4	27
68	Acute phase markers in CSF reveal inflammatory changes in Alzheimer's disease that intersect with pathology, APOE $\epsilon$ 4, sex and age. <i>Progress in Neurobiology</i> , 2021, 198, 101904.	5.7	25
69	Test-retest variability of plasma biomarkers in Alzheimer's disease and its effects on clinical prediction models. <i>Alzheimer's and Dementia</i> , 2023, 19, 797-806.	0.8	24
70	Association of $\beta$ 2-Amyloid Accumulation With Executive Function in Adults With Unimpaired Cognition. <i>Neurology</i> , 2022, 98, .	1.1	22
71	Cerebral hypoperfusion is not associated with an increase in amyloid $\beta$ 2 pathology in middle-aged or elderly people. <i>Alzheimer's and Dementia</i> , 2018, 14, 54-61.	0.8	21
72	Development of Apathy, Anxiety, and Depression in Cognitively Unimpaired Older Adults: Effects of Alzheimer's Disease Pathology and Cognitive Decline. <i>Biological Psychiatry</i> , 2022, 92, 34-43.	1.3	21

#	ARTICLE	IF	CITATIONS
73	Tau Pathology and Parietal White Matter Lesions Have Independent but Synergistic Effects on Early Development of Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2013, 3, 113-122.	1.3	20
74	Gender-Dependent Levels of Hyaluronic Acid in Cerebrospinal Fluid of Patients with Neurodegenerative Dementia. <i>Current Alzheimer Research</i> , 2012, 9, 257-266.	1.4	17
75	Combining plasma phospho-tau and accessible measures to evaluate progression to Alzheimer's dementia in mild cognitive impairment patients. <i>Alzheimer's Research and Therapy</i> , 2022, 14, 46.	6.2	17
76	Association of CSF A $\beta$ Levels With Risk of Alzheimer Disease-Related Decline. <i>Neurology</i> , 2022, 98, .	1.1	16
77	Effects of APOE $\epsilon$ 4 on neuroimaging, cerebrospinal fluid biomarkers, and cognition in prodromal Alzheimer's disease. <i>Neurobiology of Aging</i> , 2018, 71, 81-90.	3.1	15
78	Cognitively normal women with Alzheimer's disease proteinopathy show relative preservation of memory but not of hippocampal volume. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 109.	6.2	14
79	Derivation and utility of an A $\beta$ -PET pathology accumulation index to estimate A $\beta$ load. <i>Neurology</i> , 2020, 95, e2834-e2844.	1.1	14
80	The age-related effect on cognitive performance in cognitively healthy elderly is mainly caused by underlying AD pathology or cerebrovascular lesions: implications for cutoffs regarding cognitive impairment. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 30.	6.2	14
81	The Usefulness of Cube Copying for Evaluating Treatment of Alzheimer's Disease. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2008, 23, 439-446.	1.9	11
82	A quick test of cognitive speed can predict development of dementia in Parkinson's disease. <i>Scientific Reports</i> , 2019, 9, 15417.	3.3	11
83	Medial temporal atrophy in preclinical dementia: Visual and automated assessment during six year follow-up. <i>NeuroImage: Clinical</i> , 2020, 27, 102310.	2.7	10
84	Unburdening dementia – a basic social process grounded theory based on a primary care physician survey from 25 countries. <i>Scandinavian Journal of Primary Health Care</i> , 2020, 38, 253-264.	1.5	9
85	A Quick Test of Cognitive Speed: norm-referenced criteria for 121 Italian adults aged 45 to 90 years. <i>International Psychogeriatrics</i> , 2014, 26, 1493-1500.	1.0	8
86	The Effects of Tau, Amyloid, and White Matter Lesions on Mobility, Dual Tasking, and Balance in Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 683-691.	3.6	8
87	The Neuroinflammatory Acute Phase Response in Parkinsonian-Related Disorders. <i>Movement Disorders</i> , 2022, 37, 993-1003.	3.9	8
88	Relating Experienced To Recalled breathlessness Observational (RETRO) study: a prospective study using a mobile phone application. <i>BMJ Open Respiratory Research</i> , 2019, 6, e000370.	3.0	7
89	Components of gait in people with and without mild cognitive impairment. <i>Gait and Posture</i> , 2022, 93, 83-89.	1.4	7
90	Biomarker testing in MCI patients – deciding who to test. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 14.	6.2	6

#	ARTICLE	IF	CITATIONS
91	Genetic effects on longitudinal cognitive decline during the early stages of Alzheimer's disease. <i>Scientific Reports</i> , 2021, 11, 19853.	3.3	6
92	Detecting amyloid positivity in early Alzheimer disease using plasma biomarkers. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	6
93	Reply: Do we still need positron emission tomography for early Alzheimer's disease diagnosis?. <i>Brain</i> , 2016, 139, e61-e61.	7.6	5
94	Coping Styles among People with Parkinson's Disease: A Three-Year Follow-Up Study. <i>Behavioral Sciences (Basel, Switzerland)</i> , 2020, 10, 190.	2.1	5
95	Health utility in preclinical and prodromal Alzheimer's disease for establishing the value of new disease-modifying treatments: EQ-5D data from the Swedish BioFINDER study. <i>Alzheimer's and Dementia</i> , 2021, 17, 1832-1842.	0.8	5
96	Mild to Moderate Cognitive Impairment Does Not Affect the Ability to Self-Report Important Symptoms in Patients With Cancer: A Prospective Longitudinal Multinational Study (EPCCS). <i>Journal of Pain and Symptom Management</i> , 2020, 60, 346-354.e2.	1.2	4
97	Astrocytic function is associated with both amyloid- $\beta^2$ and tau pathology in non-demented APOE $\epsilon_4$ carriers. <i>Brain Communications</i> , 2022, 4, .	3.3	4
98	Prediction of future Alzheimer's disease dementia using plasma phospho-tau combined with other accessible measures. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	2
99	O1-07-01: Diagnostic comparison of regional amyloid PET and different CSF biomarker assays for identifying early Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2015, 11, P140.	0.8	1
100	DT-02-04: DETECTING BRAIN AMYLOID STATUS USING FULLY AUTOMATED PLASMA $A\beta^2$ BIOMARKER ASSAYS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1670.	0.8	1
101	Spatial Distribution of Tau and $\beta^2$ -Amyloid Pathologies and Their Role in Different Alzheimer Disease Phenotypes. <i>Neurology</i> , 2021, 96, 191-192.	1.1	1
102	Connecting Cohorts to Diminish Alzheimer's Disease (CONCORD-AD): A Report of an International Research Collaboration Network. <i>Journal of Alzheimer's Disease</i> , 2021, , 1-15.	2.6	1
103	Plasma glial fibrillary acidic protein is an early and specific marker of amyloid- $\beta^2$ pathology in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	1
104	Associations between longitudinal neuropsychiatric symptoms and biomarkers of beta-amyloid, tau, neurodegeneration, and cognitive decline. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	1
105	Early stages of tau pathology and its associations with functional connectivity, atrophy and memory. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	1
106	P2-290: BIOMARKERS FOR IDENTIFYING NEURODEGENERATIVE DISORDERS EARLY AND RELIABLY (BIOFINDER): METHODOLOGY AND PRELIMINARY RESULTS OF A NEW LARGE PROSPECTIVE COHORT STUDY. , 2014, 10, P583-P584.		0
107	O2-08-06: CSF Analysis Detects Cerebral $\beta$ -Amyloid Accumulation Earlier than Amyloid Pet. <i>Alzheimer's and Dementia</i> , 2016, 12, P246.	0.8	0
108	[P3-284]: THE MONTREAL COGNITIVE ASSESSMENT: NORMATIVE DATA FROM A LARGE SWEDISH POPULATION-BASED COHORT. <i>Alzheimer's and Dementia</i> , 2017, 13, P1051.	0.8	0

#	ARTICLE	IF	CITATIONS
109	[O2â€“01â€“02]: THE AMYLOID RISK SCORE: AN ACCURATE AND CROSSâ€“VALIDATED METHOD THAT PREDICTS CEREBRAL Î²â€“AMYLOIDOSIS. Alzheimer's and Dementia, 2017, 13, P548.	0.8	0
110	P3â€“492: THE MISINTERPRETED AGE EFFECT ON COGNITIVE TEST RESULTS: A PRESENTATION OF TEST NORMS FROM PERSONS WITHOUT UNDERLYING PATHOLOGIES. Alzheimer's and Dementia, 2018, 14, P1310.	0.8	0
111	P4â€“078: CONCORDEâ€“AD: AN INTERNATIONAL NETWORK OF COHORTS FOR BETTER UNDERSTANDING OF ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P1465.	0.8	0
112	O3â€“14â€“05: ASSOCIATIONS OF CSF BIOMARKERS OF NEUROINFLAMMATION AND CEREBROVASCULAR DYSFUNCTION WITH ALZHEIMER'S DISEASE PATHOLOGY AND CLINICAL PROGRESSION. Alzheimer's and Dementia, 2018, 14, P1061.	0.8	0
113	DTâ€“01â€“06: COGNITIVE DECLINE IN PRECLINICAL ALZHEIMER'S DISEASE: A COMPARISON AND SYNTHESIS OF LARGE INTERNATIONAL COHORTS. Alzheimer's and Dementia, 2018, 14, P1667.	0.8	0
114	P1â€“430: EFFECTS OF <i>APOE</i> Îµ4 ON TAU, AMYLOID, ATROPHY AND COGNITION IN ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P473.	0.8	0
115	O2â€“15â€“04: ROBUST INDIVIDUALIZED PREDICTION MODELS WHICH ARE APPLICABLE ACROSS DIFFERENT COHORTS. Alzheimer's and Dementia, 2018, 14, P661.	0.8	0
116	F1â€“04â€“01: POSITIVE ASSOCIATION BETWEEN THE EARLIEST STAGE OF AMYLOID UPTAKE AND FUNCTIONAL CONNECTIVITY IN NONâ€“DEMENTED ELDERLY SUBJECTS. Alzheimer's and Dementia, 2018, 14, P206.	0.8	0
117	P1â€“373: Î²ETAâ€“AMYLOID AND WHITE MATTER LESIONS ARE INDEPENDENTLY ASSOCIATED WITH HIPPOCAMPAL ATROPHY AND REDUCED CORTICAL TEMPORAL THICKNESS. Alzheimer's and Dementia, 2018, 14, P439.	0.8	0
118	O3â€“04â€“01: ASSOCIATIONS BETWEEN TAU, AÎ² AND CORTICAL THICKNESS WITH COGNITION IN ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P1018.	0.8	0
119	ICâ€“Pâ€“036: POSITIVE ASSOCIATION BETWEEN THE EARLIEST STAGE OF AMYLOID UPTAKE AND FUNCTIONAL CONNECTIVITY IN NONâ€“DEMENTED ELDERLY SUBJECTS. Alzheimer's and Dementia, 2018, 14, P39.	0.8	0
120	O2â€“09â€“01: CSF, PLASMA AND MRI BIOMARKER TRAJECTORIES DURING THE DEVELOPMENT OF ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P641.	0.8	0
121	DTâ€“01â€“04: DIAGNOSTIC PERFORMANCE OF [ <sup>18</sup> F]RO948 PET IN THE SEPARATION OF ALZHEIMER'S DISEASE FROM OTHER NEURODEGENERATIVE DISORDERS: FINDINGS FROM THE BIOFINDERâ€“2 STUDY. Alzheimer's and Dementia, 2019, 15, P1485.	0.8	0
122	Acute phase markers in CSF reveal inflammatory changes in Alzheimerâ€™s disease that are impacted by APOE Îµ4, sex and age but not pathology. Alzheimer's and Dementia, 2020, 16, e040745.	0.8	0
123	Genomeâ€“wide polygenic risk scores for identification of gene therapeutic target. Alzheimer's and Dementia, 2020, 16, e040903.	0.8	0
124	Health utility in preclinical and prodromal AD compared to controls: EQ5D data from the Swedish Biofinder Study. Alzheimer's and Dementia, 2020, 16, e041032.	0.8	0
125	Biomarker testing in MCI patients: Deciding who to tap. Alzheimer's and Dementia, 2020, 16, e042735.	0.8	0
126	Ability of tauâ€“PET, phosphoâ€“tau217, NfL and cortical thickness to predict shortâ€“term cognitive decline in early symptomatic Alzheimerâ€™s disease. Alzheimer's and Dementia, 2021, 17, .	0.8	0



#	ARTICLE	IF	CITATIONS
127	Unravelling drivers of age- and beta-amyloid-related neurodegeneration in medial temporal lobe atrophy in cognitively normal older adults. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
128	Biomarker driven enrichment strategies for tau pathology in AD clinical trials. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
129	Tau and synaptic biomarkers but not amyloid $\beta$ are associated with cerebral perfusion in the Alzheimer's disease spectrum. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
130	Plasma biomarkers predict longitudinal amyloid accumulation, tau burden, brain atrophy and cognitive decline in early Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
131	Lower cognitive resilience against brain atrophy in cognitively unimpaired elderly is partly explained by Alzheimer's disease pathology. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
132	Comparing the clinical utility and diagnostic performance of cerebrospinal fluid P-tau181, P-tau217 and P-tau231 assays. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
133	Amyloid $\beta$ accumulation is independently related to executive function in cognitively unimpaired adults. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
134	Associations between cerebrospinal fluid markers of neuroinflammation and longitudinal measurements of white matter lesions. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
135	The association between diet in mid-life and dementia incidence over a 20-year period. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
136	Potential drivers of age- and beta-amyloid-related neurodegeneration in early and late Alzheimer's Disease regions in cognitively normal older adults. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
137	Genetic interaction study of Alzheimer's disease quantitative biomarkers: A polygenic risk score analysis and evaluation.. <i>Alzheimer's and Dementia</i> , 2021, 17 Suppl 3, e053556.	0.8	0