

Marc P Maillard

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/683138/publications.pdf>

Version: 2024-02-01

86
papers

4,828
citations

126708

33
h-index

102304

66
g-index

86
all docs

86
docs citations

86
times ranked

10906
citing authors

#	ARTICLE	IF	CITATIONS
1	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014, 46, 1173-1186.	9.4	1,818
2	Nighttime Blood Pressure and Nocturnal Dipping Are Associated With Daytime Urinary Sodium Excretion in African Subjects. <i>Hypertension</i> , 2008, 51, 891-898.	1.3	153
3	The Circadian Clock Modulates Renal Sodium Handling. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 1019-1026.	3.0	121
4	Renal tubular NEDD4-2 deficiency causes NCC-mediated salt-dependent hypertension. <i>Journal of Clinical Investigation</i> , 2013, 123, 657-65.	3.9	120
5	Marked Association Between Obesity and Glomerular Hyperfiltration: A Cross-sectional Study in an African Population. <i>American Journal of Kidney Diseases</i> , 2010, 56, 303-312.	2.1	118
6	Proximal Sodium Reabsorption. <i>Hypertension</i> , 2000, 36, 631-637.	1.3	106
7	Local Renal Circadian Clocks Control Fluid Electrolyte Homeostasis and BP. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1430-1439.	3.0	104
8	Angiotensin II Receptor Blockade in Normotensive Subjects. <i>Hypertension</i> , 1999, 33, 850-855.	1.3	102
9	Sodium and Potassium Balance Depends on ENaC Expression in Connecting Tubule. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 1942-1951.	3.0	88
10	Comparative angiotensin II receptor blockade in healthy volunteers: The importance of dosing. <i>Clinical Pharmacology and Therapeutics</i> , 2002, 71, 68-76.	2.3	84
11	Nephron-Specific Deletion of Circadian Clock Gene <i>Bmal1</i> Alters the Plasma and Renal Metabolome and Impairs Drug Disposition. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2997-3004.	3.0	82
12	Inducible kidney-specific <i>Sgk1</i> knockout mice show a salt-losing phenotype. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 302, F977-F985.	1.3	80
13	In Vitro and in Vivo Characterization of the Activity of Telmisartan: An Insurmountable Angiotensin II Receptor Antagonist. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 302, 1089-1095.	1.3	76
14	Renal perfusion evaluation with contrast-enhanced ultrasonography. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 674-681.	0.4	73
15	Effect of Sodium Loading/Depletion on Renal Oxygenation in Young Normotensive and Hypertensive Men. <i>Hypertension</i> , 2010, 55, 1116-1122.	1.3	69
16	Colon-Specific Deletion of Epithelial Sodium Channel Causes Sodium Loss and Aldosterone Resistance. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1453-1464.	3.0	62
17	Short-Term Increase in Particulate Matter Blunts Nocturnal Blood Pressure Dipping and Daytime Urinary Sodium Excretion. <i>Hypertension</i> , 2012, 60, 1061-1069.	1.3	61
18	CYP3A5 and ABCB1 Genes Influence Blood Pressure and Response to Treatment, and Their Effect Is Modified by Salt. <i>Hypertension</i> , 2007, 49, 1007-1014.	1.3	59

#	ARTICLE	IF	CITATIONS
19	Cardiac hypertrophy, low blood pressure, and low aldosterone levels in mice devoid of the three circadian PAR bZip transcription factors DBP, HLF, and TEF. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010, 299, R1013-R1019.	0.9	59
20	Independent Relations of Left Ventricular Structure With the 24-Hour Urinary Excretion of Sodium and Aldosterone. <i>Hypertension</i> , 2009, 54, 489-495.	1.3	58
21	Acute and Chronic Effects of SGLT2 Inhibitor Empagliflozin on Renal Oxygenation and Blood Pressure Control in Nondiabetic Normotensive Subjects: A Randomized, Placebo-Controlled Trial. <i>Journal of the American Heart Association</i> , 2020, 9, e016173.	1.6	57
22	Caffeine intake and CYP1A2 variants associated with high caffeine intake protect non-smokers from hypertension. <i>Human Molecular Genetics</i> , 2012, 21, 3283-3292.	1.4	55
23	Diverging effects of enalapril or eplerenone in primary prevention against doxorubicin-induced cardiotoxicity. <i>Cardiovascular Research</i> , 2018, 114, 272-281.	1.8	55
24	Blood Pressure and Renal Sodium Handling in Relation to Genetic Variation in the <i>DRD1</i> Promoter and <i>GRK4</i> . <i>Hypertension</i> , 2008, 51, 1643-1650.	1.3	54
25	Ethnic differences in proximal and distal tubular sodium reabsorption are heritable in black and white populations. <i>Journal of Hypertension</i> , 2009, 27, 606-612.	0.3	54
26	Glomerular hyperfiltration and increased proximal sodium reabsorption in subjects with type 2 diabetes or impaired fasting glucose in a population of the African region. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 2225-2231.	0.4	51
27	Relationships among endogenous ouabain, β -adducin polymorphisms and renal sodium handling in primary hypertension. <i>Journal of Hypertension</i> , 2008, 26, 914-920.	0.3	48
28	Association of CYP3A5 genotypes with blood pressure and renal function in African families. <i>Journal of Hypertension</i> , 2006, 24, 923-929.	0.3	44
29	Renal Sodium Handling and Nighttime Blood Pressure. <i>Seminars in Nephrology</i> , 2007, 27, 565-571.	0.6	43
30	The Glucocorticoid-Induced Leucine Zipper (Gilz/Tsc22d3-2) Gene Locus Plays a Crucial Role in Male Fertility. <i>Molecular Endocrinology</i> , 2012, 26, 1000-1013.	3.7	42
31	Blockade of the renin-angiotensin system and renal tissue oxygenation as measured with BOLD-MRI in patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2013, 99, 136-144.	1.1	38
32	Inhibition of vascular calcification by inositol phosphates derivatized with ethylene glycol oligomers. <i>Nature Communications</i> , 2020, 11, 721.	5.8	38
33	Severe Salt-Losing Syndrome and Hyperkalemia Induced by Adult Nephron-Specific Knockout of the Epithelial Sodium Channel β -Subunit. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2309-2318.	3.0	36
34	Calcium-sensing receptors modulate renin release in vivo and in vitro in the rat. <i>Journal of Hypertension</i> , 2009, 27, 1980-1987.	0.3	34
35	PA21, a New Iron-Based Noncalcium Phosphate Binder, Prevents Vascular Calcification in Chronic Renal Failure Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013, 346, 281-289.	1.3	34
36	Dietary sodium induces a redistribution of the tubular metabolic workload. <i>Journal of Physiology</i> , 2017, 595, 6905-6922.	1.3	34

#	ARTICLE	IF	CITATIONS
37	Adult nephron-specific MR-deficient mice develop a severe renal PHA-1 phenotype. <i>Pflugers Archiv European Journal of Physiology</i> , 2016, 468, 895-908.	1.3	33
38	Comparative cardiovascular safety of traditional nonsteroidal anti-inflammatory drugs. <i>Expert Opinion on Drug Safety</i> , 2006, 5, 83-94.	1.0	30
39	Renal tubular SGK1 deficiency causes impaired K ⁺ excretion via loss of regulation of NEDD4-2/WNK1 and ENaC. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F330-F342.	1.3	30
40	Mice carrying ubiquitin-specific protease 2 (<i>Usp2</i>) gene inactivation maintain normal sodium balance and blood pressure. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, F21-F30.	1.3	28
41	Effects of SuCroferric Oxyhydroxide Compared to Lanthanum Carbonate and Sevelamer Carbonate on Phosphate Homeostasis and Vascular Calcifications in a Rat Model of Chronic Kidney Failure. <i>BioMed Research International</i> , 2015, 2015, 1-9.	0.9	27
42	Proximal tubular function and salt sensitivity. <i>Current Hypertension Reports</i> , 2006, 8, 8-15.	1.5	26
43	Renal Tubular Ubiquitin-Protein Ligase NEDD4-2 Is Required for Renal Adaptation during Long-Term Potassium Depletion. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2431-2442.	3.0	26
44	The intrinsic circadian clock in podocytes controls glomerular filtration rate. <i>Scientific Reports</i> , 2019, 9, 16089.	1.6	26
45	Regulation of plasma volume in male lowlanders during 4 days of exposure to hypobaric hypoxia equivalent to 3500 m altitude. <i>Journal of Physiology</i> , 2021, 599, 1083-1096.	1.3	24
46	Plasma Potassium Determines NCC Abundance in Adult Kidney-Specific β ENaC Knockout. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 977-990.	3.0	23
47	Association Between Arterial Properties and Renal Sodium Handling in a General Population. <i>Hypertension</i> , 2006, 48, 609-615.	1.3	22
48	Epithelial Sodium Channel-Mediated Sodium Transport Is Not Dependent on the Membrane-Bound Serine Protease CAP2/Tmprss4. <i>PLoS ONE</i> , 2015, 10, e0135224.	1.1	20
49	Short-term changes in dietary sodium intake influence sweat sodium concentration and muscle sodium content in healthy individuals. <i>Journal of Hypertension</i> , 2020, 38, 159-166.	0.3	20
50	Severe hyperkalemia is rescued by low-potassium diet in renal β ENaC-deficient mice. <i>Pflugers Archiv European Journal of Physiology</i> , 2017, 469, 1387-1399.	1.3	19
51	The PPAR β agonist pioglitazone modifies the vascular sodium-angiotensin II relationship in insulin-resistant rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 291, E1228-E1234.	1.8	17
52	Renal sodium handling in patients with normal pressure glaucoma. <i>Clinical Science</i> , 2007, 112, 337-344.	1.8	16
53	Conditional gene targeting of the ENaC subunit genes <i>Scnn1b</i> and <i>Scnn1g</i> . <i>American Journal of Physiology - Renal Physiology</i> , 2009, 296, F249-F256.	1.3	15
54	Effect of dark chocolate on renal tissue oxygenation as measured by BOLD-MRI in healthy volunteers. <i>Clinical Nephrology</i> , 2013, 80, 211-217.	0.4	15

#	ARTICLE	IF	CITATIONS
55	Association of ABCB1 genetic variants with renal function in Africans and in Caucasians. BMC Medical Genomics, 2008, 1, 21.	0.7	14
56	Patient adherence and the choice of antihypertensive drugs: focus on lercanidipine. Vascular Health and Risk Management, 2008, Volume 4, 1159-1166.	1.0	14
57	Combining blockers of the renin-angiotensin system or increasing the dose of an angiotensin II receptor antagonist in proteinuric patients: a randomized triple-crossover study. Journal of Hypertension, 2011, 29, 1228-1235.	0.3	14
58	Effects of the Dual Endothelin Receptor Antagonist Aprocitentan on Body Weight and Fluid Homeostasis in Healthy Subjects on a High Sodium Diet. Clinical Pharmacology and Therapeutics, 2021, 109, 746-753.	2.3	14
59	Estimation of glomerular filtration rate in hospitalised patients: are we overestimating renal function?. Swiss Medical Weekly, 2012, 142, w13708.	0.8	13
60	Association Between White-Coat Effect and Blunted Dipping of Nocturnal Blood Pressure. American Journal of Hypertension, 2009, 22, 1054-1061.	1.0	12
61	Comparative vascular and renal tubular effects of angiotensin II receptor blockers combined with a thiazide diuretic in humans. Journal of Hypertension, 2010, 28, 520-526.	0.3	12
62	Comparative Effect of a Renin Inhibitor and a Thiazide Diuretic on Renal Tissue Oxygenation in Hypertensive Patients. Kidney and Blood Pressure Research, 2015, 40, 542-554.	0.9	10
63	Furosemide stimulation of parathormone in humans: role of the calcium-sensing receptor and the renin-angiotensin system. Pflugers Archiv European Journal of Physiology, 2015, 467, 2413-2421.	1.3	10
64	Impact of salt on cardiac differential gene expression and coronary lesion in normotensive mineralocorticoid-treated mice. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2012, 302, R1025-R1033.	0.9	9
65	The effect of pH-neutral peritoneal dialysis fluids on adipokine secretion from cultured adipocytes. Nephrology Dialysis Transplantation, 2007, 22, 862-869.	0.4	8
66	Lack of Renal Tubular Glucocorticoid Receptor Decreases the Thiazide-Sensitive Na ⁺ /Cl ⁻ Cotransporter NCC and Transiently Affects Sodium Handling. Frontiers in Physiology, 2019, 10, 989.	1.3	8
67	Twenty-Four Hour Blood Pressure Response to Empagliflozin and Its Determinants in Normotensive Non-diabetic Subjects. Frontiers in Cardiovascular Medicine, 2022, 9, 854230.	1.1	8
68	Does protein binding modulate the effect of angiotensin II receptor antagonists?. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2001, 2, S54-S58.	1.0	7
69	Time-course of sodium transport along the nephron in nephrotic syndrome: The role of potassium. FASEB Journal, 2020, 34, 2408-2424.	0.2	7
70	Blood Pressure and Renal Responses to Orthostatic Stress Before and After Radiofrequency Renal Denervation in Patients with Resistant Hypertension. Frontiers in Cardiovascular Medicine, 2018, 5, 42.	1.1	6
71	Kidney-Specific CAP1/Prss8-Deficient Mice Maintain ENaC-Mediated Sodium Balance through an Aldosterone Independent Pathway. International Journal of Molecular Sciences, 2022, 23, 6745.	1.8	6
72	Bariatric Surgery Induces a Differential Effect on Plasma Aldosterone in Comparison to Dietary Advice Alone. Frontiers in Endocrinology, 2021, 12, 745045.	1.5	4

#	ARTICLE	IF	CITATIONS
73	Accurate Location of Catheter Tip With the Free-to-Total Metanephrine Ratio During Adrenal Vein Sampling. <i>Frontiers in Endocrinology</i> , 2022, 13, 842968.	1.5	4
74	ENaC activity in collecting ducts modulates NCC in cirrhotic mice. <i>Pflugers Archiv European Journal of Physiology</i> , 2015, 467, 2529-2539.	1.3	3
75	The serine-threonine kinase PIM3 is an aldosterone-regulated protein in the distal nephron. <i>Physiological Reports</i> , 2019, 7, e14177.	0.7	3
76	Dietary sodium intake does not alter renal potassium handling and blood pressure in healthy young males. <i>Nephrology Dialysis Transplantation</i> , 2021, , .	0.4	3
77	Is the fixed-dose combination of telmisartan and hydrochlorothiazide a good approach to treat hypertension?. <i>Vascular Health and Risk Management</i> , 2007, 3, 265-78.	1.0	3
78	Context Dependency of Serum and Urinary Lithium: Implications for Measurement of Proximal Sodium Reabsorption. <i>Hypertension</i> , 2007, 49, e34.	1.3	2
79	Hemodynamic effect of angiotensin II receptor blockade in postmenopausal women on a high-sodium diet: A double-blind, randomized, placebo-controlled study. <i>Current Therapeutic Research</i> , 2008, 69, 467-479.	0.5	2
80	Sex and Body Mass Index Modify the Association Between Leptin and Sodium Excretion: A Cross-sectional Study in an African Population. <i>American Journal of Hypertension</i> , 2019, 32, 1101-1108.	1.0	2
81	Impact of obesity with or without hypertension on systemic haemodynamic and renal responses to lower body negative pressure. <i>Blood Pressure</i> , 2021, 30, 67-74.	0.7	2
82	Acute decrease of urine calcium by amiloride in healthy volunteers under high-sodium diet. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 298-303.	0.4	1
83	Segmental Renal Sodium Handling in Relation to the Human SAH Gene. <i>Hypertension</i> , 2008, 52, e12-3.	1.3	0
84	37 ROLE OF POTASSIUM ON RENAL PROTECTION IN DOCA/SALT MICE. <i>Journal of Hypertension</i> , 2012, 30, e12.	0.3	0
85	SP042SHORT-TERM CHANGES IN DIETARY SODIUM INTAKE INFLUENCE SWEAT SODIUM CONCENTRATION AND MUSCLE SODIUM CONTENT IN HEALTHY SUBJECTS. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.4	0
86	The Intrinsic Circadian Clock in Podocytes Controls the Glomerular Filtration Rate. <i>FASEB Journal</i> , 2019, 33, 748.14.	0.2	0