

Mohamed L Ashour

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6831445/mohamed-l-ashour-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

1,694
citations

25
h-index

37
g-index

108
ext. papers

2,268
ext. citations

3.8
avg, IF

5.11
L-index

#	Paper	IF	Citations
92	Genus Bupleurum: a review of its phytochemistry, pharmacology and modes of action. <i>Journal of Pharmacy and Pharmacology</i> , 2011 , 63, 305-21	4.8	159
91	Secondary Metabolites from Plants Inhibiting ABC Transporters and Reversing Resistance of Cancer Cells and Microbes to Cytotoxic and Antimicrobial Agents. <i>Frontiers in Microbiology</i> , 2012 , 3, 130	5.7	101
90	Biological activity of the essential oil of <i>Kadsura longipedunculata</i> (Schisandraceae) and its major components. <i>Journal of Pharmacy and Pharmacology</i> , 2010 , 62, 1037-44	4.8	72
89	Modulation of multidrug resistance in cancer cells by chelidonine and Chelidonium majus alkaloids. <i>Phytomedicine</i> , 2013 , 20, 282-94	6.5	65
88	A Comprehensive Review of Bioactive Peptides from Marine Fungi and Their Biological Significance. <i>Marine Drugs</i> , 2019 , 17,	6	46
87	Chemical composition and biological activity of the essential oil obtained from <i>Bupleurum marginatum</i> (Apiaceae). <i>Journal of Pharmacy and Pharmacology</i> , 2010 , 61, 1079-1087	4.8	46
86	Biochemistry of Terpenoids: Monoterpenes, Sesquiterpenes and Diterpenes 258-303		45
85	Suberoylanilide hydroxamic acid, a histone deacetylase inhibitor, induces the production of anti-inflammatory cyclodepsipeptides from <i>Beauveria felina</i> . <i>Journal of Natural Products</i> , 2013 , 76, 1260-69	4.9	44
84	Screening of some Tanzanian medicinal plants for their trypanocidal and cytotoxic activities. <i>Phytotherapy Research</i> , 2010 , 24, 945-7	6.7	40
83	Chemical composition and antimicrobial activity of the essential oils of selected Apiaceous fruits. <i>Future Journal of Pharmaceutical Sciences</i> , 2018 , 4, 88-92	2.1	39
82	High resolution UPLC-MS/MS profiling of polyphenolics in the methanol extract of <i>Syzygium samarangense</i> leaves and its hepatoprotective activity in rats with CCl ₄ -induced hepatic damage. <i>Food and Chemical Toxicology</i> , 2018 , 113, 145-153	4.7	37
81	: A Polyphenol- Rich Leaf Extract Exhibits Antioxidant, Hepatoprotective, Pain-Killing and Anti-inflammatory Activities in Animal Models. <i>Frontiers in Pharmacology</i> , 2018 , 9, 566	5.6	36
80	Chemical composition and anti-inflammatory activity of the essential oils of <i>Psidium guajava</i> fruits and leaves. <i>Journal of Essential Oil Research</i> , 2013 , 25, 475-481	2.3	36
79	Inhibition of Cytochrome P450 (CYP3A4) Activity by Extracts from 57 Plants Used in Traditional Chinese Medicine (TCM). <i>Pharmacognosy Magazine</i> , 2017 , 13, 300-308	0.8	34
78	Chemical Profiling of the Essential Oils of <i>Syzygium aqueum</i> , <i>Syzygium samarangense</i> and <i>Eugenia uniflora</i> and Their Discrimination Using Chemometric Analysis. <i>Chemistry and Biodiversity</i> , 2016 , 13, 1537-1550	2.5	33
77	Xanthones and sesquiterpene derivatives from a marine-derived fungus <i>Scopulariopsis</i> sp.. <i>Tetrahedron</i> , 2016 , 72, 2411-2419	2.4	32
76	The genus <i>Eremophila</i> (Scrophulariaceae): an ethnobotanical, biological and phytochemical review. <i>Journal of Pharmacy and Pharmacology</i> , 2013 , 65, 1239-79	4.8	31

75	Chemical composition and biological activity of the essential oil obtained from <i>Bupleurum marginatum</i> (Apiaceae). <i>Journal of Pharmacy and Pharmacology</i> , 2009 , 61, 1079-87	4.8	30
74	Authentication and discrimination of green tea samples using UV-vis, FTIR and HPLC techniques coupled with chemometrics analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 164, 653-658	3.5	30
73	<i>Eremophila maculata</i> -Isolation of a rare naturally-occurring lignan glycoside and the hepatoprotective activity of the leaf extract. <i>Phytomedicine</i> , 2016 , 23, 1484-1493	6.5	28
72	Variations of the chemical composition and bioactivity of essential oils from leaves and stems of <i>Liquidambar styraciflua</i> (Altingiaceae). <i>Journal of Pharmacy and Pharmacology</i> , 2013 , 65, 1653-63	4.8	27
71	Chemical Composition of <i>Pinus roxburghii</i> Bark Volatile Oil and Validation of Its Anti-Inflammatory Activity Using Molecular Modelling and Bleomycin-Induced Inflammation in Albino Mice. <i>Molecules</i> , 2017 , 22,	4.8	26
70	Antihyperglycaemic activity of the methanol extract from leaves of <i>Eremophila maculata</i> (Scrophulariaceae) in streptozotocin-induced diabetic rats. <i>Journal of Pharmacy and Pharmacology</i> , 2017 , 69, 733-742	4.8	25
69	Diversity of Pharmacological Properties in Chinese and European Medicinal Plants: Cytotoxicity, Antiviral and Antitrypanosomal Screening of 82 Herbal Drugs. <i>Diversity</i> , 2011 , 3, 547-580	2.5	25
68	New secondary metabolites from the mangrove-derived fungus <i>Aspergillus</i> sp. AV-2. <i>Phytochemistry Letters</i> , 2019 , 29, 1-5	1.9	25
67	Evidence for the anti-inflammatory activity of <i>Bupleurum marginatum</i> (Apiaceae) extracts using in vitro and in vivo experiments supported by virtual screening. <i>Journal of Pharmacy and Pharmacology</i> , 2018 , 70, 952-963	4.8	24
66	New flavonoid glycosides from two <i>Astragalus</i> species (Fabaceae) and validation of their antihyperglycaemic activity using molecular modelling and in vitro studies. <i>Industrial Crops and Products</i> , 2018 , 118, 142-148	5.9	23
65	Polyphenols from Impair Virulence and Inhibit Quorum Sensing of. <i>Molecules</i> , 2020 , 25,	4.8	22
64	Chemical profiling of <i>Phlomis thapsoides</i> (Lamiaceae) and in vitro testing of its biological activities. <i>Medicinal Chemistry Research</i> , 2016 , 25, 2304-2315	2.2	22
63	Two new triterpenoids and a new naphthoquinone derivative isolated from a hard coral-derived fungus <i>Scopulariopsis</i> sp. <i>Fitoterapia</i> , 2017 , 116, 126-130	3.2	20
62	Volatile constituents of <i>Diates bicolor</i> (Iridaceae) and their antimicrobial activity. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2015 , 70, 217-25	1.7	20
61	and : Chemical Composition of Their Essential Oils and Their Potential Use as Natural Preservatives with Antimicrobial and Antioxidant Activities. <i>Foods</i> , 2020 , 9,	4.9	20
60	Spiroarthrinols a and B, two novel meroterpenoids isolated from the sponge- derived fungus <i>Arthrinium</i> sp. <i>Phytochemistry Letters</i> , 2017 , 20, 246-251	1.9	19
59	Anti-infective and cytotoxic properties of <i>Bupleurum marginatum</i> . <i>Chinese Medicine</i> , 2014 , 9, 4	4.7	19
58	Chemical composition and biological activity of the essential oil from <i>Thymus lanceolatus</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2016 , 71, 155-63	1.7	19

57	Volatile oils from the aerial parts of <i>Eremophila maculata</i> and their antimicrobial activity. <i>Chemistry and Biodiversity</i> , 2014 , 11, 831-41	2.5	18
56	A novel cytotoxic aryltetraline lactone from <i>Bupleurum marginatum</i> (Apiaceae). <i>Phytochemistry Letters</i> , 2012 , 5, 387-392	1.9	17
55	Chemical Composition of the Essential Oils of Variegated Pink-Fleshed Lemon (<i>Citrus x limon</i> L. Burm. f.) and their Anti-Inflammatory and Antimicrobial Activities. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2013 , 68, 275-284	1.7	17
54	Cytotoxic activity and molecular docking of a novel biflavonoid isolated from <i>Jacaranda acutifolia</i> (Bignoniaceae). <i>Natural Product Research</i> , 2016 , 30, 2093-100	2.3	16
53	Chemical composition, antimicrobial and antioxidant activities of the essential oils of three Uzbek Lamiaceae species. <i>Natural Product Research</i> , 2019 , 33, 2394-2397	2.3	16
52	A Comprehensive Insight on the Health Benefits and Phytoconstituents of and Recent Approaches for Its Quality Control. <i>Antioxidants</i> , 2019 , 8,	7.1	15
51	A Polyphenol-Rich Fraction from Exhibits Antioxidant and Hepatoprotective Activities In Vivo. <i>Pharmaceuticals</i> , 2020 , 13,	5.2	14
50	A novel methylated sesquiterpene from seagrass <i>Posidonia oceanica</i> (L.) Delile. <i>Natural Product Research</i> , 2013 , 27, 1265-70	2.3	13
49	Comparative Analysis of Volatile Constituents of <i>Pachira aquatica</i> Aubl. and <i>Pachira glabra</i> Pasq., their Anti-Mycobacterial and Anti- <i>Helicobacter pylori</i> Activities and their Metabolic Discrimination using Chemometrics. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2018 , 21, 1550-1567	1.7	13
48	<i>Fallopia japonica</i> , a Natural Modulator, Can Overcome Multidrug Resistance in Cancer Cells. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015 , 2015, 868424	2.3	12
47	Chemical Composition of the Essential Oils of Variegated Pink-Fleshed Lemon (<i>Citrus x limon</i> L. Burm. f.) and their Anti-Inflammatory and Antimicrobial Activities. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2013 , 68, 0275	1.7	10
46	Profile of volatile components of hydrodistilled and extracted leaves of <i>Jacaranda acutifolia</i> and their antimicrobial activity against foodborne pathogens. <i>Natural Product Communications</i> , 2014 , 9, 1007-10	2.0	10
45	: Seasonal Metabolic Variation in the Essential Oil Composition of Its Leaf and Verification of Its Anti-Ageing Potential via In Vitro Assays and Molecular Modelling. <i>Biomolecules</i> , 2020 , 10,	5.9	9
44	Chemical Composition of Aqueous Ethanol Extract of <i>Luffa cylindrica</i> Leaves and Its Effect on Representation of Caspase-8, Caspase-3, and the Proliferation Marker Ki67 in Intrinsic Molecular Subtypes of Breast Cancer in Vitro. <i>Chemistry and Biodiversity</i> , 2018 , 15, e1800045	2.5	9
43	Multiple Molecular Mechanisms to Overcome Multidrug Resistance in Cancer by Natural Secondary Metabolites. <i>Frontiers in Pharmacology</i> , 2021 , 12, 658513	5.6	9
42	Polyphenols from <i>Erythrina crista-galli</i> : Structures, Molecular Docking and Phytoestrogenic Activity. <i>Molecules</i> , 2016 , 21,	4.8	9
41	Chemotaxonomic Diversity of Three Species: Their Discrimination Using Chemometric Analysis and Their Role in Combating Oxidative Stress. <i>Pharmacognosy Magazine</i> , 2017 , 13, S613-S622	0.8	8
40	Neuroprotective Effects of Black Pepper Cold-Pressed Oil on Scopolamine-Induced Oxidative Stress and Memory Impairment in Rats.. <i>Antioxidants</i> , 2021 , 10,	7.1	7

39	Ursolic Acid, a Natural Pentacyclic Triterpene from and Its Role in The Management of Certain Neglected Tropical Diseases. <i>Pharmacognosy Magazine</i> , 2016 , 12, 319-325	0.8	7
38	Metabolic Profiling of Leaves using LC/MS and Evidence of their Antioxidant and Hepatoprotective Activity Using Different In Vitro and In Vivo Experimental Models. <i>Antioxidants</i> , 2019 , 8,	7.1	6
37	The Essential Oil of Tunisian <i>Dysphania ambrosioides</i> and its Antimicrobial and Antiviral Properties. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2019 , 22, 282-294	1.7	6
36	A Potent Lignan from Prunes Alleviates Inflammation and Oxidative Stress in Lithium/Pilocarpine-Induced Epileptic Seizures in Rats. <i>Antioxidants</i> , 2020 , 9,	7.1	6
35	New Epyrone glycoside from <i>Pachira glabra</i> and assessment of its gastroprotective activity using an alcohol-induced gastric ulcer model in rats. <i>Food and Function</i> , 2020 , 11, 1958-1965	6.1	6
34	Jajoba Oil: An Updated Comprehensive Review on Chemistry, Pharmaceutical Uses, and Toxicity. <i>Polymers</i> , 2021 , 13,	4.5	6
33	Cytotoxic Alkaloids Derived from Marine Sponges: A Comprehensive Review. <i>Biomolecules</i> , 2021 , 11,	5.9	6
32	Chemical composition of the essential oils of variegated pink-fleshed lemon (<i>Citrus x limon</i> L. Burm. f.) and their anti-inflammatory and antimicrobial activities. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2013 , 68, 275-84	1.7	6
31	Chemical Constituents of <i>Thymus seravschanicus</i> and Their Biological Activity. <i>Chemistry of Natural Compounds</i> , 2016 , 52, 352-355	0.7	5
30	Morphological, Anatomical, Genetical and High Performance Thin Layer Chromatography Profiling of <i>Buddleia indica</i> (Scrophulariaceae). <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2018 , 246-247, 83-95	1.9	5
29	Chemical composition and biological activity of Ehrh., essential oils growing in southern Algeria. <i>Journal of Food Science and Technology</i> , 2019 , 56, 5346-5353	3.3	5
28	Profile of Volatile Components of Hydrodistilled and Extracted Leaves of <i>Jacaranda acutifolia</i> and their Antimicrobial Activity Against Foodborne Pathogens. <i>Natural Product Communications</i> , 2014 , 9, 1934578X1400900	0.9	5
27	Chemical Profiling and Discrimination of Essential Oils from Six Species Using GC Analyses Coupled with Chemometrics and Evaluation of Their Antioxidant and Enzyme Inhibitory Potential. <i>Antibiotics</i> , 2020 , 9,	4.9	5
26	Discrimination of the Essential Oils Obtained from Four Apiaceae Species Using Multivariate Analysis Based on the Chemical Compositions and Their Biological Activity. <i>Plants</i> , 2021 , 10,	4.5	5
25	Chemical constituents and gastro-protective potential of <i>Pachira glabra</i> leaves against ethanol-induced gastric ulcer in experimental rat model. <i>Inflammopharmacology</i> , 2021 , 29, 317-332	5.1	5
24	Bioactive Alkaloids from Genus : Mechanistic Interpretation of Their Antimicrobial and Potential SARS-CoV-2 Inhibitory Activity Using Molecular Modelling. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	5
23	Validation of the Antioxidant and Enzyme Inhibitory Potential of Selected Triterpenes Using In Vitro and In Silico Studies, and the Evaluation of Their ADMET Properties. <i>Molecules</i> , 2021 , 26,	4.8	4
22	Pinoresinol-4-O-β-glucopyranoside: a lignan from prunes (<i>Prunus domestica</i>) attenuates oxidative stress, hyperglycaemia and hepatic toxicity in vitro and in vivo. <i>Journal of Pharmacy and Pharmacology</i> , 2020 , 72, 1830-1839	4.8	4

21	Overcoming Tribal Boundaries: The Biocultural Heritage of Foraging and Cooking Wild Vegetables among Four Pathan Groups in the Gadoon Valley, NW Pakistan. <i>Biology</i> , 2021 , 10,	4.9	4
20	A comparative study on chemical composition and antimicrobial activity of essential oils from three species from Uzbekistan. <i>Natural Product Research</i> , 2021 , 35, 696-701	2.3	4
19	Morphology, Anatomy and Secondary Metabolites Investigations of Blanco and Evaluation of Its Anti-Tuberculosis Activity Using In Vitro and In Silico Studies. <i>Plants</i> , 2021 , 10,	4.5	4
18	The genus Polyscias (Araliaceae): A phytochemical and biological review. <i>Journal of Herbal Medicine</i> , 2020 , 23, 100377	2.3	3
17	Chemical Composition and Biological Activity of Essential Oils of Cumin and Coriander Fruits from Egypt. <i>Natural Products Journal</i> , 2014 , 4, 63-69	0.6	3
16	Phytoconstituents, Anti-Infective Activity of Lam., and Evaluation of its SARS-CoV-2 Inhibitory Potential. <i>Frontiers in Pharmacology</i> , 2021 , 12, 619373	5.6	3
15	GC-MS Based Identification of the Volatile Components of Six Species from Uzbekistan and Their Biological Activity. <i>Plants</i> , 2021 , 10,	4.5	3
14	The Genus (Lamiaceae): A Review of Its Diversity, Ethnobotany, Phytochemistry, and Pharmacology. <i>Plants</i> , 2021 , 10,	4.5	3
13	Phytoconstituents from Polyscias guilfoylei leaves with histamine-release inhibition activity. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2019 , 74, 145-150	1.7	2
12	Anti-Hyperglycaemic Evaluation of Leaves Using In Vitro, In Vivo and In Silico Studies and Its Correlation with the Major Phytoconstituents. <i>Plants</i> , 2021 , 10,	4.5	2
11	Advances in Testing for Adulteration of Food Supplements 2016 , 667-699		2
10	and : GC-based metabolomics for the assessment of seasonal and organ variation in their volatile components, and cytotoxic activity estimation. <i>Food and Function</i> , 2021 , 12, 5247-5259	6.1	2
9	Insights into the Traditional Uses of Certain Medicinally Important Genera Belonging to Family Scrophulariaceae. <i>Current Traditional Medicine</i> , 2018 , 4, 204-214	0.8	1
8	Chemical composition and antimicrobial activity of essential oils of selected Apiaceous plants growing in Egypt. <i>Planta Medica</i> , 2016 , 81, S1-S381	3.1	1
7	Bioassay guided fractionation and cytotoxic activity of Daucus carota var. boissieri. <i>Future Journal of Pharmaceutical Sciences</i> , 2018 , 4, 14-17	2.1	1
6	The Impact of Geographical Location on the Chemical Compositions of Pimpinella lutea Desf. Growing in Tunisia. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 7739	2.6	1
5	Phytochemical Characterization and Heavy Metal and Thermal Analyses of Saussurea hypoleuca Root and Evaluation of Its Anthelmintic and Antioxidant Activity In Vitro and In Silico. <i>Separations</i> , 2022 , 9, 138	3.1	0
4	Subfamily Bombacoideae 2020 , 338-400		

- 3 Chemical composition and bioactivity of the essential oil of *Pinus roxburghii* bark. *Planta Medica*, **2016**, 81, S1-S381 3.1
- 2 *Eichhornia crassipes*: Shedding Light on its Chemical Composition, Biological Activities and Industrial Uses **2021**, 184-200
- 1 Ecdysteroids as Potent Enzyme Inhibitors and Verification of Their Activity Using in Vitro and in Silico Docking Studies. *Life*, **2022**, 12, 824 3