Roberto Langella

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6832480/publications.pdf

Version: 2024-02-01

154 papers

2,528 citations

331538 21 h-index 289141 40 g-index

154 all docs

154 docs citations

154 times ranked

1535 citing authors

| # | Article | IF | CITATIONS |
|----|--|-------------|-----------|
| 1 | Bayesian CNN-BiLSTM and Vine-GMCM Based Probabilistic Forecasting of Hour-Ahead Wind Farm Power Outputs. IEEE Transactions on Sustainable Energy, 2022, 13, 1169-1187. | 5.9 | 24 |
| 2 | New Comprehensive Analytical Model of Single-Phase AC/DC Diode Rectifiers in the Presence of Interharmonics in Supply Voltage. , 2022, , . | | 3 |
| 3 | Power Symmetrical Components as Grid Usage Indicator for Unbalanced Prosumers. , 2022, , . | | 2 |
| 4 | Development of a Power Dependent Frequency Domain Model of an Inverter-driven Heat Pump., 2022,,. | | 1 |
| 5 | Simplified Markov Chain Models for Generation of Synthetic Time Series of Wind Speed and Direction. , 2022, , . | | 1 |
| 6 | The Role of Supply Conditions on the Measurement of High-Frequency Emissions. IEEE Transactions on Instrumentation and Measurement, 2020, 69, 6667-6676. | 2.4 | 13 |
| 7 | Analysis of Approaches for Modeling the Low Frequency Emission of LED Lamps. Energies, 2020, 13, 1571. | 1.6 | 15 |
| 8 | Evaluation of wind turbine power outputs with and without uncertainties in input wind speed and wind direction data. IET Renewable Power Generation, 2020, 14, 2801-2809. | 1.7 | 9 |
| 9 | Unbalance characteristics of fundamental and harmonic currents of threeâ€phase electric vehicle battery chargers. IET Generation, Transmission and Distribution, 2020, 14, 6220-6229. | 1.4 | 4 |
| 10 | Harmonic Modelling and Experimental Validation of an Inverter-Driven Heat-pump. , 2020, , . | | 3 |
| 11 | Light Flicker and Power Factor Labels for Comparing LED Lamp Performance. IEEE Transactions on Industry Applications, 2019, 55, 7062-7070. | 3. 3 | 20 |
| 12 | Temporal Variations of System Operating Conditions and Continuous Assessment of Low-Order Harmonic Emissions from Customer Installations: Voltage Harmonic Vector Approach., 2019,,. | | 1 |
| 13 | Compensation of Current Transformers' Nonlinearities by Tensor Linearization. IEEE Transactions on Instrumentation and Measurement, 2019, 68, 3841-3849. | 2.4 | 35 |
| 14 | Harmonic Modelling of LED lamps by Means of Admittance Frequency Coupling Matrices. , 2019, , . | | 9 |
| 15 | Proposal of a Desynchronized Processing Technique for Assessing High-Frequency Distortion in Power Systems. IEEE Transactions on Instrumentation and Measurement, 2019, 68, 3883-3891. | 2.4 | 13 |
| 16 | Assessment of the High Frequency Emissions of Low-Voltage Electronic Equipment Under Different Supply Conditions. , 2019, , . | | 1 |
| 17 | Aggregate Harmonic Load Models of Residential Customers. Part 2: Frequency-Domain Models. , 2019, , . | | 3 |
| 18 | Aggregate Harmonic Load Models of Residential Customers. Part 1: Time-Domain Models. , 2019, , . | | 1 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | A Benchmark Test System to Evaluate Methods of Harmonic Contribution Determination. IEEE Transactions on Power Delivery, 2019, 34, 23-31. | 2.9 | 48 |
| 20 | A New Test Procedure to Measure Power Electronic Devices' Frequency Coupling Admittance. IEEE Transactions on Instrumentation and Measurement, 2018, 67, 2401-2409. | 2.4 | 34 |
| 21 | Operating Cycle Performance, Lost Periodicity, and Waveform Distortion of Switch-Mode Power Supplies. IEEE Transactions on Instrumentation and Measurement, 2018, 67, 2434-2443. | 2.4 | 5 |
| 22 | Selective Interharmonic Compensation to Improve Statcom Performance for Light Flicker Mitigation. IEEE Transactions on Power Delivery, 2018, 33, 2442-2451. | 2.9 | 19 |
| 23 | Generalized lamp model for light flicker studies. Electric Power Systems Research, 2018, 154, 413-422. | 2.1 | 16 |
| 24 | Compensation of Current Transformers' Non-Linearities by Means of Frequency Coupling Matrices., 2018,,. | | 14 |
| 25 | Modeling of Equipment Susceptibility in the Presence of Voltage Dip Sequences in Smart Distribution Systems. , 2018, , . | | 0 |
| 26 | On the Application of Partial Waveforms Technique to Electric Vehicles Battery Chargers Modeling. , 2018, , . | | O |
| 27 | Assessing Distortion Within the IEC Framework in the Presence of High Frequency Components: Some Considerations on Signal Processing. , 2018, , . | | 5 |
| 28 | Commercial Load Sector Models for Power Flow and Power Quality Analysis. , 2018, , . | | 2 |
| 29 | Experimental evaluation and classification of LED lamps for light flicker sensitivity. , 2018, , . | | 19 |
| 30 | On the use of fourier descriptors for the assessment of frequency coupling matrices of power electronic devices. , 2018 , , . | | 13 |
| 31 | Aggregate harmonic fingerprint models of PV inverters. part 1: Operation at different powers. , 2018, , . | | 10 |
| 32 | Aggregate harmonic fingerprint models of PV inverters. Part 2: Operation of parallel-connected units. , 2018, , . | | 2 |
| 33 | Impact of reference conditions on the frequency coupling matrix of a plug-in electric vehicle charger. , 2018, , . | | 15 |
| 34 | A real life light flicker case-study with LED lamps. , 2018, , . | | 6 |
| 35 | A Tunable Flickermeter to Account for Different Lamp Technologies. IEEE Transactions on Power Delivery, 2017, 32, 872-880. | 2.9 | 15 |
| 36 | Analysis and Modelling of Power-Dependent Harmonic Characteristics of Modern PE Devices in LV Networks. IEEE Transactions on Power Delivery, 2017, 32, 1014-1023. | 2.9 | 36 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | On Evaluation of Power Electronic Devices' Efficiency for Nonsinusoidal Voltage Supply and Different Operating Powers. IEEE Transactions on Instrumentation and Measurement, 2017, 66, 2216-2224. | 2.4 | 8 |
| 38 | Performance comparison of three main SMPS types under sinusoidal and distorted supply voltage. , 2017, , . | | 3 |
| 39 | Experimental evaluation and classification of LED lamps for typical residential applications., 2017,,. | | 23 |
| 40 | Consequences of smart grids for power quality: Overview of the results from CIGRE joint working group C4.24/CIRED. , 2017, , . | | 11 |
| 41 | Impact of Lost Periodicity on Efficiency and Current Waveform Distortion of SMPS'., 2017,,. | | 1 |
| 42 | On the Measurement of Power Electronic Devices' Frequency Coupling Admittance., 2017,,. | | 6 |
| 43 | Solar Radiation Forecasting, Accounting for Daily Variability. Energies, 2016, 9, 200. | 1.6 | 4 |
| 44 | Evaluation of hybrid harmonic modelling techniques: Case study of harmonic interactions of EVs and CFLs. , 2016, , . | | 3 |
| 45 | Supply interruptions and voltage dips in smart distribution systems with feeder automation and reconfiguration. , $2016, \ldots$ | | 1 |
| 46 | On the interharmonic emission of PV inverters under different operating conditions. , $2016, \ldots$ | | 22 |
| 47 | Power quality in the future grid — Results from CIGRE/CIRED JWG C4.24. , 2016, , . | | 18 |
| 48 | Harmonic emission of PV inverters under different voltage supply conditions and operating powers. , 2016, , . | | 7 |
| 49 | Survey of harmonic current unbalance in public low voltage networks., 2016,,. | | 9 |
| 50 | Resonant electromagnetic vibration harvesters feeding sensor nodes for real-time diagnostics and monitoring in railway vehicles for goods transportation: A numerical-experimental analysis. , 2016, , . | | 16 |
| 51 | Experimental-Based Evaluation of PV Inverter Harmonic and Interharmonic Distortion Due to Different Operating Conditions. IEEE Transactions on Instrumentation and Measurement, 2016, 65, 2221-2233. | 2.4 | 103 |
| 52 | On convergence of conventional and meta-heuristic methods for security-constrained OPF analysis. , 2016, , . | | 1 |
| 53 | On the impact of operating modes and power supply conditions on the efficiency of power electronic devices. , 2016, , . | | 3 |
| 54 | Supervision of ancillary services for distributed active front-end in a small industrial AC microgrid. , 2016, , . | | 2 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Energy management system based on techno-economic optimization for microgrids. Electric Power Systems Research, 2016, 131, 49-59. | 2.1 | 35 |
| 56 | Experimental analysis of mechanical vibrations and wind speed for a rail vehicle WSN fed by energy harvesters. , 2015, , . | | 4 |
| 57 | Impact of operating conditions on harmonic and interharmonic emission of PV inverters. , 2015, , . | | 9 |
| 58 | Comparison of conventional and meta-heuristic methods for security-constrained OPF analysis. , 2015, | | 4 |
| 59 | On Supply Reliability and Voltage Quality in the presence of feeder automation in MV Smart Grids. , $2015, \ldots$ | | 1 |
| 60 | Markov chain modeling for very-short-term wind power forecasting. Electric Power Systems Research, 2015, 122, 152-158. | 2.1 | 121 |
| 61 | Neuropsychiatric and cognitive symptoms and body side of onset of parkinsonism in unmedicated Parkinson's disease patients. Parkinsonism and Related Disorders, 2015, 21, 1096-1100. | 1.1 | 36 |
| 62 | A new frequency approach for light flicker evaluation in electric power systems. Eurasip Journal on Advances in Signal Processing, 2015, 2015, . | 1.0 | 11 |
| 63 | On the relationship between side of onset and cognition in Parkinson disease: Response from the authors. Parkinsonism and Related Disorders, 2015, 21, 1481-1482. | 1.1 | 1 |
| 64 | Modelling of wind energy resources and wind farm power outputs using Nested Markov Chain approach. , 2015 , , . | | 4 |
| 65 | Incorporating regulator requirements in reliability analysis of smart grids. Part 1: Input data and models. , 2014, , . | | 8 |
| 66 | A new model of lead-acid batteries lifetime in smart grid scenario. , 2014, , . | | 6 |
| 67 | A statistical model of solar radiation daily variability. , 2014, , . | | 1 |
| 68 | Incorporating regulator requirements in reliability analysis of smart grids. Part 2: Scenarios and results., 2014,,. | | 2 |
| 69 | On the use of unbalance definition to control compensators for arc furnaces. , 2013, , . | | 3 |
| 70 | The stimulation of dendritic cells by amyloid beta 1–42 reduces BDNF production in Alzheimer's disease patients. Brain, Behavior, and Immunity, 2013, 32, 29-32. | 2.0 | 29 |
| 71 | Application of ATLANTIDE models to harmonic penetration studies. , 2013, , . | | 0 |
| 72 | On the Effects of Unbalances, Harmonics and Interharmonics on PLL Systems. IEEE Transactions on Instrumentation and Measurement, 2013, 62, 2399-2409. | 2.4 | 45 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Case studies on large PV plants: Harmonic distortion, unbalance and their effects. , 2013, , . | | 26 |
| 74 | Applications of DMS in the ATLANTIDE project: models and tools. , 2013, , . | | 6 |
| 75 | Supervision and control of inverters for ancillary services in MV distribution networks. , 2013, , . | | 3 |
| 76 | Analysis of the cost of electric energy discharged to the grid by some energy storage systems. , 2012, , . | | 7 |
| 77 | Behavior of MV lines from 2.5 to 100 kHz. , 2012, , . | | 1 |
| 78 | Active Management of Distribution Networks with the ATLANTIDE models. , 2012, , . | | 11 |
| 79 | Analysis of the Italian distribution system evolution through reference networks. , 2012, , . | | 21 |
| 80 | Hybrid PV-Diesel System Sizing for Telecommunication Stations. , 2012, , . | | 0 |
| 81 | On the behavior of three-phase inverters in the new smart grid context. , 2012, , . | | 5 |
| 82 | Design criteria for AC link reactors in active front end converters for renewable energy applications in smart grids. , 2012 , , . | | 7 |
| 83 | Power definitions for circuits with nonlinear and unbalanced loads & amp; $\pm x2014$; The IEEE standard 1459-2010., 2012,,. | | 11 |
| 84 | Component modeling for high-frequency harmonic analyses in the scenario of smart grids. , 2012, , . | | 2 |
| 85 | Hybrid PV-diesel stand-alone system sizing for remote microgrids. , 2012, , . | | 3 |
| 86 | Unbalance Definition for Electrical Power Systems in the Presence of Harmonics and Interharmonics. IEEE Transactions on Instrumentation and Measurement, 2012, 61, 2622-2631. | 2.4 | 33 |
| 87 | A new simplified model of compact fluorescent lamps in the scenario of smart grids. , 2012, , . | | 10 |
| 88 | On the effects of interharmonic distortion on measurement instruments based on PLL systems. , 2012, , . | | 2 |
| 89 | On the effects of interharmonic distortion on grid connected three-phase PV inverters. , 2012, , . | | 9 |
| 90 | NOVEL MARKERS OF THE ANTIOXIDANT RESPONSE IN ORNAMENTAL SPECIES. Acta Horticulturae, 2012, , 91-96. | 0.1 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Hybrid wind-diesel stand-alone system sizing accounting for component expected life and fuel price uncertainty. Electric Power Systems Research, 2012, 88, 69-77. | 2.1 | 30 |
| 92 | Unbalance analysis for electrical power systems in the presence of harmonics and interharmonics. , $2011,\ ,\ .$ | | 5 |
| 93 | Power quality issues related to new means of distributed generation and loads. , 2011, , . | | 1 |
| 94 | Preliminary analysis of MV cable line models for high frequency harmonic penetration studies. , 2011, , . | | 5 |
| 95 | The Effects of Integration Intervals on Recursive RMS Value and Power Measurement in Nonsinusoidal Conditions. IEEE Transactions on Instrumentation and Measurement, 2011, 60, 3047-3057. | 2.4 | 10 |
| 96 | Harmonic distortion during the 2010 FIFA World Cup. , 2011, , . | | 5 |
| 97 | A new approach for the computation of harmonics and interharmonics produced by AC/DC/AC conversion systems with PWM inverters. European Transactions on Electrical Power, 2010, 20, 68-82. | 1.0 | 12 |
| 98 | Limiting low frequency interharmonic distortion and voltage fluctuations., 2010,,. | | 7 |
| 99 | Very short-term probabilistic wind power forecasting based on Markov chain models. , 2010, , . | | 59 |
| 100 | Unifying Supply Reliability and Voltage Quality in the Representation of an Electrical System Node. IEEE Transactions on Power Delivery, 2010, 25, 1172-1181. | 2.9 | 13 |
| 101 | On the effects of interharmonic distortion on static converters controlled by means of PLL systems. , 2010, , . | | 10 |
| 102 | Hybrid wind-Diesel stand-alone system sizing accounting for fuel price uncertainty., 2010,,. | | 2 |
| 103 | The effects of integration intervals on recursive rms and powers measurement in the presence of non-sinusoidal conditions. , $2010, , .$ | | 2 |
| 104 | On the billing of electrical energy flows at prosumers' busbar. , 2010, , . | | 6 |
| 105 | On the effects of subsynchronous interharmonic voltages on power transformers: Three phase units. , 2009, , . | | О |
| 106 | On the Use of the Flickermeter to Limit Low-Frequency Interharmonic Voltages. IEEE Transactions on Power Delivery, 2008, 23, 1720-1727. | 2.9 | 34 |
| 107 | On the Effects of Subsynchronous Interharmonic Voltages on Power Transformers: Three Phase Units. IEEE Transactions on Power Delivery, 2008, 23, 2461-2471. | 2.9 | 11 |
| 108 | On the Effects of Subsynchronous Interharmonic Voltages on Power Transformers: Single Phase Units. IEEE Transactions on Power Delivery, 2008, 23, 2480-2487. | 2.9 | 9 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 109 | Some considerations on interharmonic voltage limits and their assessment. , 2008, , . | | 1 |
| 110 | On the Use of Flickermeter and DFT Based Techniques for the Assessment of Light Flicker and Interharmonic Distortion Produced by Arc Furnaces. , 2008, , . | | 1 |
| 111 | The Effects of the Smoothing of the Results on the Measurement Accuracy of RMS and Powers in Systems Under Nonsinusoidal Conditions. , 2008, , . | | 2 |
| 112 | Switching Power Supplies: Analysis of waveform distortion and absorbed powers. , 2007, , . | | 4 |
| 113 | A New Algorithm for Energy Measurement at Positive Sequence of Fundamental Power Frequency, Under Unbalanced Non-Sinusoidal Conditions. , 2007, , . | | 15 |
| 114 | On the Assessment of Light Flicker due to the Interharmonic Distortion Produced by Wind Turbines. , 2007, , . | | 4 |
| 115 | Harmonic Pollution in Italian Distribution Networks in Coincidence with Important Sport Events. IEEE Power Engineering Society General Meeting, 2007, , . | 0.0 | 3 |
| 116 | Accurate Methods for Signal Processing of Distorted Waveforms in Power Systems. Eurasip Journal on Advances in Signal Processing, 2007, 2007, . | 1.0 | 13 |
| 117 | Interharmonics: Theory and Modeling. IEEE Transactions on Power Delivery, 2007, 22, 2335-2348. | 2.9 | 256 |
| 118 | A New Method for Statistical Assessment of the System Harmonic Impedance and of the Background Voltage Distortion. , 2006, , . | | 21 |
| 119 | Combined modelling of long, short interruptions and voltage dips: a Markovian solution., 2005,,. | | 2 |
| 120 | A New Approach for the Computation of Harmonics and Interharmonics Produced by Line-Commutated AC/DC/AC Converters. IEEE Transactions on Power Delivery, 2005, 20, 2227-2234. | 2.9 | 27 |
| 121 | Limits for low frequency interharmonic voltages: Can they be based on the Flickermeter use. , 2005, , . | | 7 |
| 122 | On the Interharmonic Components Generated by Adjustable Speed Drives. IEEE Transactions on Power Delivery, 2005, 20, 2535-2543. | 2.9 | 59 |
| 123 | Molecular marker assisted transfer of resistance to TSWV in tomato elite lines. Journal of Horticultural Science and Biotechnology, 2004, 79, 806-810. | 0.9 | 18 |
| 124 | Implementation of a Test System for Advanced Calibration and Performance Analysis of Flickermeters. IEEE Transactions on Instrumentation and Measurement, 2004, 53, 1078-1085. | 2.4 | 31 |
| 125 | Desynchronized Processing Technique for Harmonic and Interharmonic Analysis. IEEE Transactions on Power Delivery, 2004, 19, 993-1001. | 2.9 | 105 |
| 126 | On the Processing of Harmonics and Interharmonics: Using Hanning Window in Standard Framework. IEEE Transactions on Power Delivery, 2004, 19, 28-34. | 2.9 | 191 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Waveform distortion caused by high power adjustable speed drives part I: High computational efficiency models. European Transactions on Electrical Power, 2003, 13, 347-354. | 1.0 | 11 |
| 128 | Waveform distortion caused by high power adjustable speed drives part II: Probabilistic analysis. European Transactions on Electrical Power, 2003, 13, 355-363. | 1.0 | 9 |
| 129 | Time-varying harmonics. II. Harmonic summation and propagation. IEEE Transactions on Power Delivery, 2002, 17, 279-285. | 2.9 | 95 |
| 130 | A self-tuning harmonic and interharmonic processing technique. European Transactions on Electrical Power, 2002, 12, 25-31. | 1.0 | 29 |
| 131 | Analysis and estimation of truncation errors in modeling complex resonant circuits with the EMTP. International Journal of Electrical Power and Energy Systems, 2002, 24, 295-304. | 3.3 | 2 |
| 132 | A new approach to model AC/DC/AC conversion systems. , 2001, , . | | 27 |
| 133 | Predicting voltage stress effects on MV/LV components. , 0, , . | | 7 |
| 134 | Gaussian modeling of harmonic vectors in power systems. , 0, , . | | 15 |
| 135 | Network impedance uncertainty in harmonic and interharmonic distortion studies. , 0, , . | | 4 |
| 136 | High speed AC locomotives: harmonic and interharmonic analysis at a vehicle test room. , 0, , . | | 7 |
| 137 | Comparison among techniques for distorted waveforms analysis in power system. , 0, , . | | 4 |
| 138 | On the processing of harmonics and interharmonics in electrical power systems. , 0, , . | | 24 |
| 139 | Probabilistic modeling of industrial systems for voltage distortion analyses. , 0, , . | | 18 |
| 140 | Harmonic impedance measurement of 25 kV single phase AC supply systems. , 0, , . | | 15 |
| 141 | Monte Carlo simulation of AC/DC/AC power converter distortion. , 0, , . | | 5 |
| 142 | Light flicker prediction based on voltage spectral analysis. , 0, , . | | 31 |
| 143 | On the interharmonic components generated by adjustable speed drives. , 0, , . | | 20 |
| 144 | Modelling of AC/DC/AC conversion systems with PWM inverter. , 0, , . | | 28 |

| # | Article | IF | Citations |
|-----|---|----|-----------|
| 145 | Power quality analysis: a distributed measurement system. , 0, , . | | 15 |
| 146 | Modeling waveform distortion produced by high speed ac locomotive converters. , 0, , . | | 8 |
| 147 | IEC flickermeter response to interharmonic pollution. , 0, , . | | 29 |
| 148 | Evaluation of harmonics and interharmonics produced by AC/DC/AC conversion systems. , 0, , . | | 6 |
| 149 | The impact of electric disturbances on the performance of induction motors fed by multistage converters: theoretical analysis and experimental verification. , 0, , . | | 1 |
| 150 | Summation of Random Harmonic Currents. , 0, , 53-71. | | 0 |
| 151 | Probabilistic Modeling of Single High-Power Loads. , 0, , 73-92. | | 1 |
| 152 | Probabilistic Modeling of Harmonic Impedances., 0,, 115-128. | | 1 |
| 153 | Harmonic and Interharmonic on Adjustable Speed Drives. , 0, , 253-275. | | 0 |
| 154 | Markovian Approaches to Model Wind Speed of a Site and Power Availability of a Wind Turbine. , 0, , . | | 0 |