

Noriyo Yamashiki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6833034/publications.pdf>

Version: 2024-02-01

76
papers

2,246
citations

279487

23
h-index

253896

43
g-index

76
all docs

76
docs citations

76
times ranked

3011
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Efficacy of microwave ablation versus radiofrequency ablation for hepatocellular carcinoma: a propensity score analysis. <i>Abdominal Radiology</i> , 2021, 46, 3790-3797. | 1.0 | 11 |
| 2 | A giant Brunner gland hamartoma successfully treated by endoscopic excision followed by transanal retrieval. <i>Medicine (United States)</i> , 2021, 100, e25048. | 0.4 | 3 |
| 3 | An international genome-wide meta-analysis of primary biliary cholangitis: Novel risk loci and candidate drugs. <i>Journal of Hepatology</i> , 2021, 75, 572-581. | 1.8 | 62 |
| 4 | Use of Nakanuma staging and cytokeratin γ staining for diagnosing recurrent primary biliary cholangitis after living donor liver transplantation. <i>Hepatology Research</i> , 2020, 50, 478-487. | 1.8 | 5 |
| 5 | A case of noncirrhotic hepatic encephalopathy due to porto-hepatic venous shunt successfully treated with percutaneous transhepatic obliteration. <i>Acta Hepatologica Japonica</i> , 2020, 61, 582-587. | 0.0 | 0 |
| 6 | Alcohol relapse and its predictors after liver transplantation for alcoholic liver disease: a systematic review and meta-analysis. <i>BMC Gastroenterology</i> , 2019, 19, 150. | 0.8 | 54 |
| 7 | Medium-chain triglycerides supplement therapy with a low-carbohydrate formula can supply energy and enhance ammonia detoxification in the hepatocytes of patients with adult-onset type II citrullinemia. <i>Journal of Inherited Metabolic Disease</i> , 2018, 41, 777-784. | 1.7 | 27 |
| 8 | Impact of Donor Age on Recipient Survival in Adult-to-Adult Living-donor Liver Transplantation. <i>Annals of Surgery</i> , 2018, 267, 1126-1133. | 2.1 | 63 |
| 9 | Coexistence of Bilirubin \geq 10 mg/dL and Prothrombin Time-International Normalized Ratio \geq 1.6 on Day 7. <i>Transplantation</i> , 2018, 102, 440-447. | 0.5 | 15 |
| 10 | Development of a Mobile Application for Living Liver Donors to Assist their Understandings of a Series of Preoperative Tests. <i>Transplantation</i> , 2018, 102, S248. | 0.5 | 0 |
| 11 | The use of hepatitis B immunoglobulin with or without hepatitis B vaccine to prevent de novo hepatitis B in pediatric recipients of anti-HBc positive livers. <i>Pediatric Transplantation</i> , 2018, 22, e13227. | 0.5 | 9 |
| 12 | NELFCD and CTSZ loci are associated with jaundice-stage progression in primary biliary cholangitis in the Japanese population. <i>Scientific Reports</i> , 2018, 8, 8071. | 1.6 | 8 |
| 13 | Clinical Outcomes after Liver Transplantation for Hepatorenal Syndrome: A Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2018, 2018, 1-8. | 0.9 | 19 |
| 14 | Clinical Outcomes after Liver Transplantation for Hepatorenal Syndrome: A Systematic Review and Metaanalysis. <i>Gastroenterology</i> , 2017, 152, S1123. | 0.6 | 3 |
| 15 | The role of hepatologists in liver transplantation; the results of questionnaire survey for institutions belonging to the Japanese Liver Transplantation Society. <i>Acta Hepatologica Japonica</i> , 2017, 58, 97-104. | 0.0 | 0 |
| 16 | Long-term Prognosis and Recurrence of Primary Sclerosing Cholangitis After Liver Transplantation: A Single-Center Experience. <i>Transplantation Direct</i> , 2017, 3, e334. | 0.8 | 30 |
| 17 | Long-term efficacy of hepatitis B vaccination as post-transplant prophylaxis in hepatitis B surface antigen (HBsAg) positive recipients and HBsAg negative recipients of anti-hepatitis B core positive grafts. <i>Hepatology Research</i> , 2016, 46, 541-551. | 1.8 | 12 |
| 18 | Chronologic changes of explanted liver volume and the use of ursodeoxycholic acid in patients with end-stage primary biliary cirrhosis. <i>Hepatology Research</i> , 2014, 44, 993-999. | 1.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Living donor liver transplantation for non-alcoholic steatohepatitis: A single center experience. <i>Hepatology Research</i> , 2014, 44, E3-E10. | 1.8 | 18 |
| 20 | Impact of Donor and Recipient Single Nucleotide Polymorphisms of IL28B rs8099917 in Living Donor Liver Transplantation for Hepatitis C. <i>PLoS ONE</i> , 2014, 9, e90462. | 1.1 | 4 |
| 21 | New-onset diabetes mellitus developing in Asian adult living donor liver transplant recipients: a single-center experience. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2013, 20, 634-638. | 1.4 | 9 |
| 22 | Living donor liver transplantation for patients immunized against human leukocyte antigen. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2013, 20, 279-285. | 1.4 | 5 |
| 23 | Quality of life after adult living donor liver transplantation: A longitudinal prospective follow-up study. <i>Hepatology Research</i> , 2013, 43, 1052-1063. | 1.8 | 16 |
| 24 | Role of 6-month abstinence rule in living donor liver transplantation for patients with alcoholic liver disease. <i>Hepatology Research</i> , 2013, 43, 1169-1174. | 1.8 | 17 |
| 25 | CT With Hepatic Arteriportography as a Pretreatment Examination for Hepatocellular Carcinoma Patients: A Randomized Controlled Trial. <i>American Journal of Gastroenterology</i> , 2013, 108, 1305-1313. | 0.2 | 8 |
| 26 | De Novo Malignancies After Adult-to-Adult Living-Donor Liver Transplantation With a Malignancy Surveillance Program. <i>Transplantation</i> , 2013, 95, 1142-1147. | 0.5 | 28 |
| 27 | Changes in Risk of Immediate Adverse Reactions to Iodinated Contrast Media by Repeated Administrations in Patients with Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2013, 8, e76018. | 1.1 | 15 |
| 28 | Cooperation with community-based hospital and liver transplant program: a regional questionnaire-based survey on referring indications. <i>Acta Hepatologica Japonica</i> , 2013, 54, 211-213. | 0.0 | 0 |
| 29 | Systemic combination therapy of intravenous continuous 5-fluorouracil and subcutaneous pegylated interferon alfa-2a for advanced hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2012, 47, 1152-1159. | 2.3 | 11 |
| 30 | Lower Incidence of Biliary Carcinoma in Patients With Primary Sclerosing Cholangitis and High Serum Levels of Immunoglobulin E. <i>Clinical Gastroenterology and Hepatology</i> , 2012, 10, 79-83. | 2.4 | 13 |
| 31 | Outcomes after living donor liver transplantation for acute liver failure in Japan: Results of a nationwide survey. <i>Liver Transplantation</i> , 2012, 18, 1069-1077. | 1.3 | 67 |
| 32 | Genome-wide Association Study Identifies TNFSF15 and POU2AF1 as Susceptibility Loci for Primary Biliary Cirrhosis in the Japanese Population. <i>American Journal of Human Genetics</i> , 2012, 91, 721-728. | 2.6 | 251 |
| 33 | Characteristics of hepatocellular carcinoma nodules newly detected by computed tomography during arteriography and arterial portography: preliminary report of a randomized controlled trial. <i>Hepatology International</i> , 2012, 6, 639-645. | 1.9 | 5 |
| 34 | Living donor liver transplantation using sensitized lymphocytotoxic crossmatch positive graft. <i>Journal of Gastroenterology</i> , 2012, 47, 486-488. | 2.3 | 9 |
| 35 | Long-term outcome of living donor liver transplantation for primary biliary cirrhosis. <i>Transplant International</i> , 2012, 25, 7-12. | 0.8 | 15 |
| 36 | Thrombotic Microangiopathy After Living-Donor Liver Transplantation. <i>American Journal of Transplantation</i> , 2012, 12, 728-736. | 2.6 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Living donor liver transplantation for autoimmune hepatitis and autoimmune hepatitis- primary biliary cirrhosis overlap syndrome. <i>Hepatology Research</i> , 2012, 42, 1016-1023. | 1.8 | 12 |
| 38 | Preemptive Antiviral Treatment for Hepatitis C Virus After Living Donor Liver Transplantation. <i>Transplantation Proceedings</i> , 2012, 44, 791-793. | 0.3 | 9 |
| 39 | Model for End-stage Liver Disease and Model for End-stage Liver Disease-Na Scores Predict Both Before-Listing and Wait-List Mortality. <i>Transplantation Proceedings</i> , 2012, 44, 389-392. | 0.3 | 9 |
| 40 | Diagnostic accuracy of Î±fetoprotein and desÎ³-carboxy prothrombin in screening for hepatocellular carcinoma in liver transplant candidates. <i>Hepatology Research</i> , 2011, 41, 1199-1207. | 1.8 | 12 |
| 41 | Once-daily tacrolimus in living donor liver transplant recipients. <i>BioScience Trends</i> , 2011, 5, 156-158. | 1.1 | 3 |
| 42 | Outcome of Liver Transplantation for Recipients With Hepatitis B and Hepatitis C Virus Coinfection: Analysis of the UNOS Data. <i>Transplantation</i> , 2011, 92, 809-814. | 0.5 | 13 |
| 43 | Donor quality of life after living donor liver transplantation: a prospective study. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2011, 18, 263-267. | 1.4 | 24 |
| 44 | Discrepancy between estimated and actual weight of partial liver graft from living donors. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2011, 18, 586-591. | 1.4 | 19 |
| 45 | Basiliximab as therapy for acute rejection after liver transplantation for hepatitis C virus cirrhosis. <i>BioScience Trends</i> , 2011, 5, 57-60. | 1.1 | 6 |
| 46 | Pre-emptive antiviral therapy in living donor liver transplantation for hepatitis C: observation based on a single-center experience. <i>Transplant International</i> , 2010, 23, 580-588. | 0.8 | 21 |
| 47 | Postoperative surveillance with monthly serum tumor markers after living donor liver transplantation for hepatocellular carcinoma. <i>Hepatology Research</i> , 2010, 40, 278-286. | 1.8 | 19 |
| 48 | The urgent need for evaluating recurrent primary sclerosing cholangitis in living donor liver transplantation. <i>Liver Transplantation</i> , 2009, 15, 1383-1384. | 1.3 | 4 |
| 49 | Assessment of liver stiffness in patients after living donor liver transplantation by transient elastography. <i>Scandinavian Journal of Gastroenterology</i> , 2009, 44, 1115-1120. | 0.6 | 19 |
| 50 | Double-dose double-phase use of second generation hepatitis B virus vaccine in patients after living donor liver transplantation: Not an effective measure in transplant recipients. <i>Hepatology Research</i> , 2009, 39, 7-13. | 1.8 | 12 |
| 51 | Noninvasive Estimation of Hepatic Steatosis in Living Liver Donors: Usefulness of Visceral Fat Area Measurement. <i>Transplantation</i> , 2009, 88, 575-581. | 0.5 | 18 |
| 52 | Referral, evaluation, and listing for deceased donor liver transplantation in Japan: University of Tokyo experience. <i>Acta Hepatologica Japonica</i> , 2009, 50, 634-643. | 0.0 | 0 |
| 53 | Outcome of living donor liver transplantation for post-Kasai biliary atresia in adults. <i>Liver Transplantation</i> , 2008, 14, 186-192. | 1.3 | 24 |
| 54 | Living donor liver transplantation for fulminant hepatic failure. <i>Hepatology Research</i> , 2008, 38, 987-996. | 1.8 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Obesity Is an Independent Risk Factor for Hepatocellular Carcinoma Development in Chronic Hepatitis C Patients. <i>Clinical Gastroenterology and Hepatology</i> , 2008, 6, 459-464. | 2.4 | 149 |
| 56 | Recurrence of cholestatic liver disease after living donor liver transplantation. <i>World Journal of Gastroenterology</i> , 2008, 14, 5105. | 1.4 | 9 |
| 57 | The role and perspective of transplant hepatologists in Japan. <i>Acta Hepatologica Japonica</i> , 2008, 49, 28-38. | 0.0 | 3 |
| 58 | Health-related quality of life of chronic liver disease patients with and without hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, 197-203. | 1.4 | 54 |
| 59 | Recurrent hepatocellular carcinoma has an increased risk of subsequent recurrence after curative treatment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, 2155-2160. | 1.4 | 14 |
| 60 | Systematic grading of surgical complications in live liver donors according to Clavien's system. <i>Transplant International</i> , 2006, 19, 982-987. | 0.8 | 56 |
| 61 | Prediction of recurrence of hepatocellular carcinoma after curative ablation using three tumor markers. <i>Hepatology</i> , 2006, 44, 1518-1527. | 3.6 | 132 |
| 62 | Selection of liver-transplant candidates for adult-to-adult living donor liver transplantation as the only surgical option for end-stage liver disease. <i>Liver Transplantation</i> , 2006, 12, 1077-1083. | 1.3 | 34 |
| 63 | Ablation therapy in containing extension of hepatocellular carcinoma: A simulative analysis of dropout from the waiting list for liver transplantation. <i>Liver Transplantation</i> , 2005, 11, 508-514. | 1.3 | 20 |
| 64 | Competing Risks Analysis of Predictors of Delisting Owing to Tumor Progression in Liver Transplant Candidates with Hepatocellular Carcinoma. <i>American Journal of Transplantation</i> , 2004, 4, 774-781. | 2.6 | 29 |
| 65 | Histopathological changes after microwave coagulation therapy for patients with hepatocellular carcinoma: review of 15 explanted livers. <i>American Journal of Gastroenterology</i> , 2003, 98, 2052-2059. | 0.2 | 40 |
| 66 | The role of intestinal transplantation in the management of babies with extensive gut resections. <i>Journal of Pediatric Surgery</i> , 2003, 38, 145-149. | 0.8 | 41 |
| 67 | Comparison of hepatic resection and hepatic transplantation in the treatment of hepatocellular carcinoma among cirrhotic patients. <i>Annals of Surgical Oncology</i> , 2002, 9, 881-886. | 0.7 | 34 |
| 68 | Rapid progression of hepatocellular carcinoma after transcatheter arterial chemoembolization and percutaneous radiofrequency ablation in the primary tumour region. <i>European Journal of Gastroenterology and Hepatology</i> , 2001, 13, 291-294. | 0.8 | 80 |
| 69 | Combination therapy with transcatheter arterial chemoembolization and percutaneous microwave coagulation therapy for hepatocellular carcinoma. <i>Cancer</i> , 2000, 89, 1245-1251. | 2.0 | 137 |
| 70 | Regulatory mechanisms for transforming growth factor β 2 as an autocrine inhibitor in human hepatocellular carcinoma: Implications for roles of Smads in its growth. <i>Hepatology</i> , 2000, 32, 218-227. | 3.6 | 46 |
| 71 | Effects of Alcohol Consumption on Histological Changes in Chronic Hepatitis C: A Clinicopathological Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 106S. | 1.4 | 13 |
| 72 | Combination therapy with transcatheter arterial chemoembolization and percutaneous microwave coagulation therapy for hepatocellular carcinoma. <i>Cancer</i> , 2000, 89, 1245-1251. | 2.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Percutaneous Microwave Coagulation Therapy for Solitary Metastatic Liver Tumors From Colorectal Cancer: A Pilot Clinical Study. American Journal of Gastroenterology, 1999, 94, 322-327. | 0.2 | 65 |
| 74 | Percutaneous microwave coagulation therapy for patients with small hepatocellular carcinoma. , 1999, 85, 1694-1702. | | 175 |
| 75 | Percutaneous microwave coagulation therapy for patients with small hepatocellular carcinoma. Cancer, 1999, 85, 1694-1702. | 2.0 | 12 |
| 76 | Hepatic infarction following percutaneous ethanol injection therapy for hepatocellular carcinoma. European Journal of Gastroenterology and Hepatology, 1998, 10, 915-918. | 0.8 | 17 |