Milena M Awad

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6833704/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A Highly Specific Holin-Mediated Mechanism Facilitates the Secretion of Lethal Toxin TcsL in Paeniclostridium sordellii. Toxins, 2022, 14, 124.	3.4	5
2	<i>Clostridium septicum</i> α-toxin activates the NLRP3 inflammasome by engaging GPI-anchored proteins. Science Immunology, 2022, 7, .	11.9	12
3	Chromosome Segregation and Peptidoglycan Remodeling Are Coordinated at a Highly Stabilized Septal Pore to Maintain Bacterial Spore Development. Developmental Cell, 2021, 56, 36-51.e5.	7.0	13
4	Human Plasminogen Exacerbates Clostridioides difficile Enteric Disease and Alters the Spore Surface. Gastroenterology, 2020, 159, 1431-1443.e6.	1.3	7
5	Paeniclostridium (Clostridium) sordellii–associated enterocolitis in 7 horses. Journal of Veterinary Diagnostic Investigation, 2020, 32, 239-245.	1.1	26
6	A dynamic, ring-forming MucB / RseB-like protein influences spore shape in Bacillus subtilis. PLoS Genetics, 2020, 16, e1009246.	3.5	5
7	Cephamycins inhibit pathogen sporulation and effectively treat recurrent Clostridioides difficile infection. Nature Microbiology, 2019, 4, 2237-2245.	13.3	27
8	Lectin Activity of the TcdA and TcdB Toxins of Clostridium difficile. Infection and Immunity, 2019, 87, .	2.2	20
9	Tranexamic Acid Influences the Immune Response, but not Bacterial Clearance in a Model of Post-Traumatic Brain Injury Pneumonia. Journal of Neurotrauma, 2019, 36, 3297-3308.	3.4	20
10	Paeniclostridium sordellii and Clostridioides difficile encode similar and clinically relevant tetracycline resistance loci in diverse genomic locations. BMC Microbiology, 2019, 19, 53.	3.3	5
11	pCP13, a representative of a new family of conjugative toxin plasmids in Clostridium perfringens. Plasmid, 2019, 102, 37-45.	1.4	17
12	Clostridium sordellii Pathogenicity Locus Plasmid pCS1-1 Encodes a Novel Clostridial Conjugation Locus. MBio, 2018, 9, .	4.1	16
13	Clostridium sordellii outer spore proteins maintain spore structural integrity and promote bacterial clearance from the gastrointestinal tract. PLoS Pathogens, 2018, 14, e1007004.	4.7	11
14	Structural Characterization of Clostridium sordellii Spores of Diverse Human, Animal, and Environmental Origin and Comparison to Clostridium difficile Spores. MSphere, 2017, 2, .	2.9	16
15	The Sialidase NanS Enhances Non-TcsL Mediated Cytotoxicity of Clostridium sordellii. Toxins, 2016, 8, 189.	3.4	12
16	Functional analysis of an feoB mutant in Clostridium perfringens strain 13. Anaerobe, 2016, 41, 10-17.	2.1	27
17	The NEAT Domain-Containing Proteins of Clostridium perfringens Bind Heme. PLoS ONE, 2016, 11, e0162981.	2.5	8
18	Disruption of the Gut Microbiome: Clostridium difficile Infection and the Threat of Antibiotic Resistance. Genes, 2015, 6, 1347-1360.	2.4	82

Milena M Awad

#	Article	IF	CITATIONS
19	The Pore-Forming $\hat{I}\pm$ -Toxin from Clostridium septicum Activates the MAPK Pathway in a Ras-c-Raf-Dependent and Independent Manner. Toxins, 2015, 7, 516-534.	3.4	22
20	Clostridium sordellii genome analysis reveals plasmid localized toxin genes encoded within pathogenicity loci. BMC Genomics, 2015, 16, 392.	2.8	39
21	Antibiotic resistance, virulence factors and genetics of Clostridium sordellii. Research in Microbiology, 2015, 166, 368-374.	2.1	36
22	Necrotic Enteritis in Chickens Associated withClostridium sordellii. Avian Diseases, 2015, 59, 447-451.	1.0	20
23	<i>Clostridium difficile</i> virulence factors: Insights into an anaerobic spore-forming pathogen. Gut Microbes, 2014, 5, 579-593.	9.8	110
24	Utility of the Clostridial Site-Specific Recombinase TnpX To Clone Toxic-Product-Encoding Genes and Selectively Remove Genomic DNA Fragments. Applied and Environmental Microbiology, 2014, 80, 3597-3603.	3.1	8
25	Opioid Analgesics Stop the Development of Clostridial Gas Gangrene. Journal of Infectious Diseases, 2014, 210, 483-492.	4.0	7
26	Towards an understanding of the role of <i>Clostridium perfringens</i> toxins in human and animal disease. Future Microbiology, 2014, 9, 361-377.	2.0	328
27	Comparing the identification of Clostridium spp. by two Matrix-Assisted Laser Desorption Ionization-Time of Flight (MALDI-TOF) mass spectrometry platforms to 16S rRNA PCR sequencing as a reference standard: A detailed analysis of age of culture and sample preparation. Anaerobe, 2014, 30, 85-89.	2.1	34
28	Expression of the large clostridial toxins is controlled by conserved regulatory mechanisms. International Journal of Medical Microbiology, 2014, 304, 1147-1159.	3.6	31
29	TcdB or not TcdB: a tale of twoClostridium difficiletoxins. Future Microbiology, 2011, 6, 121-123.	2.0	15
30	TcsL Is an Essential Virulence Factor in Clostridium sordellii ATCC 9714. Infection and Immunity, 2011, 79, 1025-1032.	2.2	51
31	The Cysteine Protease α-Clostripain is Not Essential for the Pathogenesis of Clostridium perfringens-Mediated Myonecrosis. PLoS ONE, 2011, 6, e22762.	2.5	15
32	Novel Use of Tryptose Sulfite Cycloserine Egg Yolk Agar for Isolation of <i>Clostridium perfringens</i> during an Outbreak of Necrotizing Enterocolitis in a Neonatal Unit. Journal of Clinical Microbiology, 2010, 48, 4263-4265.	3.9	16
33	Functional Analysis of the VirSR Phosphorelay from Clostridium perfringens. PLoS ONE, 2009, 4, e5849.	2.5	31
34	The NanI and NanJ Sialidases of <i>Clostridium perfringens</i> Are Not Essential for Virulence. Infection and Immunity, 2009, 77, 4421-4428.	2.2	45
35	Molecular and Cellular Basis of Microvascular Perfusion Deficits Induced by Clostridium perfringens and Clostridium septicum. PLoS Pathogens, 2008, 4, e1000045.	4.7	78
36	Skewed genomic variability in strains of the toxigenic bacterial pathogen, Clostridium perfringens. Genome Research, 2006, 16, 1031-1040.	5.5	281

Milena M Awad

#	Article	IF	CITATIONS
37	Alpha-Toxin of Clostridium perfringens Is Not an Essential Virulence Factor in Necrotic Enteritis in Chickens. Infection and Immunity, 2006, 74, 6496-6500.	2.2	226
38	The α-toxin ofClostridium septicumis essential for virulence. Molecular Microbiology, 2005, 57, 1357-1366.	2.5	120
39	Perfringolysin O Expression in Clostridium perfringens Is Independent of the Upstream pfoR Gene. Journal of Bacteriology, 2002, 184, 2034-2038.	2.2	8
40	The FxRxHrS Motif: A Conserved Region Essential for DNA Binding of the VirR Response Regulator from Clostridium perfringens. Journal of Molecular Biology, 2002, 322, 997-1011.	4.2	24
41	Synergistic Effects of Alpha-Toxin and Perfringolysin O in Clostridium perfringens -Mediated Gas Gangrene. Infection and Immunity, 2001, 69, 7904-7910.	2.2	173
42	Construction and virulence testing of a collagenase mutant of Clostridium perfringens. Microbial Pathogenesis, 2000, 28, 107-117.	2.9	38
43	Use of Genetically Manipulated Strains of <i>Clostridium perfringens</i> Reveals that Both Alpha-Toxin and Theta-Toxin Are Required for Vascular Leukostasis To Occur in Experimental Gas Gangrene. Infection and Immunity, 1999, 67, 4902-4907.	2.2	78
44	Isolation of α-toxin, Î,-toxin and κ-toxin mutants ofClostridium perfringensby Tn916mutagenesis. Microbial Pathogenesis, 1997, 22, 275-284.	2.9	30
45	The Level of Expression of $\hat{l}\pm$ -toxin by Different Strains ofClostridium perfringensis Dependent on Differences in Promoter Structure and Genetic Background. Anaerobe, 1996, 2, 365-371.	2.1	24
46	Identification and molecular analysis of a locus that regulates extracellular toxin production in Clostridium perfringens. Molecular Microbiology, 1994, 12, 761-777.	2.5	187