

Pilar GÃ³mez Sal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6835514/publications.pdf>

Version: 2024-02-01

161
papers

3,766
citations

156536
32
h-index

252626
46
g-index

163
all docs

163
docs citations

163
times ranked

2639
citing authors

#	ARTICLE	IF	CITATIONS
1	Halogen bonding (H _a B) in E _a X _b M systems: influence of the halogen donor on the H _a B nature. CrystEngComm, 2020, 22, 870-877.	1.3	9
2	Highly Recoverable Pd(II) Catalysts for the Mizorokiâ€“Heck Reaction Based on N-Heterocyclic Carbenes and Poly(benzyl ether) Dendrons. Organometallics, 2018, 37, 3598-3610.	1.1	15
3	Synthesis of water-soluble palladium(_i sc <i>p</i> _{ii} _i sc <i>p</i>) complexes with N-heterocyclic carbene chelate ligands and their use in the aerobic oxidation of 1-phenylethanol. Dalton Transactions, 2017, 46, 6785-6797.	1.6	20
4	Comparison of halogen bonding networks with Ru(_i sc <i>p</i> _{ii} _i sc <i>p</i>) complexes and analysis of the influence of the XB interactions on their reactivity. Faraday Discussions, 2017, 203, 257-283.	1.6	19
5	Aqueous-Phase Chemistry of Pd^{2+} -Allylpalladium(II) Complexes with Sulfonated N-heterocyclic Carbene Ligands: Solvent Effects in the Protolysis of Pd-C Bonds and Suzukiâ€“Miyaura Reactions. Organometallics, 2017, 36, 4191-4201.	1.1	13
6	An Antibacterial Znâ€“MOF with Hydrazinebenzoate Linkers. European Journal of Inorganic Chemistry, 2017, 2017, 574-580.	1.0	70
7	Intriguing I ₂ Reduction in the Iodide for Chloride Ligand Substitution at a Ru(II) Complex: Role of Mixed Trihalides in the Redox Mechanism. Inorganic Chemistry, 2016, 55, 283-291.	1.9	25
8	Nickel scorpionate complexes containing poly(aryl ether) dendritic substituents. Journal of Organometallic Chemistry, 2016, 819, 201-208.	0.8	1
9	Magnetically recoverable catalysts based on mono- or bis-(NHC) complexes of palladium for the Suzukiâ€“Miyaura reaction in aqueous media: two NHCâ€“Pd linkages are better than one. Dalton Transactions, 2016, 45, 11633-11638.	1.6	18
10	Poly(benzyl ether) Dendrimers Functionalized at the Core with Palladium Bis(<i>i</i> N ₃ -Heterocyclic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1304-1314.	1.9	10
11	Synthesis and anticancer activity of carbosilane metallocendrimers based on arene ruthenium(_i sc <i>p</i> _{ii} _i sc <i>p</i>) complexes. Dalton Transactions, 2016, 45, 7049-7066.	1.6	65
12	Trimetallic PEPPSIâ€“Type Palladium Nâ€“Heterocyclic Carbene Complexes â€“ Improved Catalyst Lifetime in the Mizorokiâ€“Heck Coupling Reaction. European Journal of Inorganic Chemistry, 2015, 2015, 4076-4087.	1.0	18
13	Imido-pyridine Ti(_i sc <i>p</i> _{iv} _i sc <i>p</i>) compounds: synthesis of unusual imidoâ€“amido heterobimetallic derivatives. Dalton Transactions, 2015, 44, 11119-11128.	1.6	4
14	Water-Soluble Palladium(II) Complexes with Sulfonated N-Heterocyclic Carbenes in Suzuki Cross-Coupling and Hydrodehalogenation Reactions. Organometallics, 2015, 34, 1855-1863.	1.1	44
15	Learning about Steric Effects in NHC Complexes from a 1D Silver Coordination Polymer with FrÃ©chet Dendrons. Organometallics, 2014, 33, 600-603.	1.1	12
16	Alkyl chlorido hydridotris(3,5-dimethylpyrazolyl)borate imido niobium and tantalum(_i sc <i>p</i> _v _i sc <i>p</i>) complexes: synthesis, conformational states of alkyl groups in solid and solution, X-ray diffraction and multinuclear magnetic resonance spectroscopy studies. Dalton Transactions, 2014, 43, 5747-5758.	1.6	9
17	Functionalized aminocarboxylate moieties as linkers for coordination polymers: influence of the substituents in the dimensionality of the final structure. CrystEngComm, 2014, 16, 3376-3386.	1.3	10
18	Water-Soluble Mono- and Dimethyl N-Heterocyclic Carbene Platinum(II) Complexes: Synthesis and Reactivity. Organometallics, 2014, 33, 5470-5482.	1.1	22

#	ARTICLE	IF	CITATIONS
19	Synthesis and DFT, Multinuclear Magnetic Resonance, and X-ray Structural Studies of Iminoacyl Imido Hydridotris(3,5-dimethylpyrazolyl)borate Niobium and Tantalum(V) Complexes. <i>Organometallics</i> , 2014, 33, 2277-2286.	1.1	8
20	Sulfonated Water-Soluble N-Heterocyclic Carbene Silver(I) Complexes: Behavior in Aqueous Medium and as NHC-Transfer Agents to Platinum(II). <i>Organometallics</i> , 2013, 32, 2814-2826.	1.1	59
21	Functionalized imido-bridged Ti(iv) complexes as new building blocks for supramolecular arrangements: generation of a 1D structure through a Mg–Cl–C halogen bonding interaction. <i>Dalton Transactions</i> , 2013, 42, 7074.	1.6	19
22	Co-complexation of Lithium Gallates on the Titanium Molecular Oxide $\{[Ti(\text{I-5-C5Me5})(\text{I}^{1/4}-O)\}_3(\text{I}^{1/3}-CH)\}$. <i>Inorganic Chemistry</i> , 2012, 51, 8964-8972.	1.9	12
23	Bifunctional N=P ligands as building blocks for construction of multilayered metalloendrimers. <i>Journal of Organometallic Chemistry</i> , 2012, 716, 120-128.	0.8	6
24	Synthesis of palladium(II) complexes of bidentate phosphano ligands with carbosilane substituents. <i>Journal of Organometallic Chemistry</i> , 2012, 717, 88-98.	0.8	9
25	Hydridotris(3,5-dimethylpyrazolyl)borate Dimethylamido Imido Niobium and Tantalum Complexes: Synthesis, Reactivity, Fluxional Behavior, and C=H Activation of the NMe ₂ Function. <i>Organometallics</i> , 2012, 31, 5089-5100.	1.1	12
26	Self-Assembly of Heterometallic Metallocycles via Ditopic Fluoroaryl Gold(I) Organometallic Metalloligands. <i>Organometallics</i> , 2012, 31, 1533-1545.	1.1	30
27	Trialkyl imido niobium and tantalum compounds: synthesis, structural study and migratory insertion reactions. <i>Dalton Transactions</i> , 2011, 40, 2797.	1.6	17
28	Synthetic and structural studies of monocyclopentadienyl cyclometalated aryl tantalum(v) compounds. <i>Dalton Transactions</i> , 2011, 40, 8399.	1.6	4
29	Design and Synthesis of Polytopic Metalloligands Based on Fluoroaryl Gold(I) Organometallic Compounds. <i>Organometallics</i> , 2011, 30, 3419-3429.	1.1	16
30	Transition-Metal Complexes Based on a Sulfonate-Containing N-Donor Ligand and Their Use as HIV Antiviral Agents. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 1657-1665.	1.0	17
31	Frä¢hetä¢-Type Palladoä¢-Dendrimers Containing Bis(pyrazolyl)methane Ligands. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 141-151.	1.0	22
32	[Bis(pyrazolyl)methane]palladium Complexes with a Carborane Dendritic Structure. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 1881-1887.	1.0	12
33	Monocyclopentadienyl(niobium) Compounds with Imido and Silsesquioxane Ligands: Synthetic, Structural and Reactivity Studies. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 4401-4415.	1.0	12
34	Organocatalytic kinetic resolution of a planar-chiral ferrocenecarbaldehyde. <i>Tetrahedron: Asymmetry</i> , 2009, 20, 1314-1318.	1.8	33
35	Synthesis of 2-(N-arylimino- I^{o} N-methyl)pyrrolide- I^{o} N complexes of nickel. <i>Journal of Organometallic Chemistry</i> , 2008, 693, 3902-3906.	0.8	21
36	Diastereoselective addition of organozinc and organomagnesium reagents to 2-(2-pyrimidyl)ferrocenecarbaldehyde. <i>Tetrahedron</i> , 2008, 64, 3953-3959.	1.0	8

#	ARTICLE	IF	CITATIONS
37	Dendronized scorpionate complexes of molybdenum in low and high oxidation states. <i>Dalton Transactions</i> , 2007, , 5658.	1.6	13
38	Reaction of imines with N-iodosuccinimide (NIS): unexpected formation of stable 1 : 1 complexes. <i>Chemical Communications</i> , 2007, , 1281-1283.	2.2	42
39	Crystal Structures of Poly(aryl ether) Dendrons with Palladium Scorpionate Complexes at Their Focal Point. <i>Inorganic Chemistry</i> , 2007, 46, 4793-4795.	1.9	21
40	A family of titanium (IV) alkoxo complexes with N,O and O,O chelating ligands. Crystal structure of $[\text{Ti}(\text{O}^{\text{Pr}})_2\{2-(\text{O}^{\text{Pr}})\text{-menthoxo-pyridine}\}_2]$. <i>Inorganica Chimica Acta</i> , 2007, 360, 607-618.	1.2	10
41	Synthesis of new chloro methyl niobium and tantalum complexes with silyl-cyclopentadienyl ligands: X-ray crystal structure of $[\text{Ta}\{1\text{-C}_5\text{H}_3(\text{SiMe}_3)_2\}\text{Cl}_2\text{Me}_2]$. <i>Journal of Organometallic Chemistry</i> , 2007, 692, 2291-2298.	0.8	9
42	About the different reactivity of dinuclear palladium and platinum compounds with trispyrrolylphosphine: Synthesis and X-ray crystallographic results of new palladium complexes containing $\text{P}=\text{C}$ bonds. <i>Journal of Organometallic Chemistry</i> , 2007, 692, 3882-3891.	0.8	10
43	Synthesis and ^1H NMR studies of paramagnetic nickel(ii) complexes containing bis(pyrazolyl)methane ligands with dendritic substituents. <i>Dalton Transactions</i> , 2006, , 5379-5389.	1.6	21
44	Mononuclear and Dendritic Nickel(II) Complexes Containing N,N'-Iminopyridine Chelating Ligands: Generation Effects on the Catalytic Oligomerization and Polymerization of Ethylene. <i>Organometallics</i> , 2006, 25, 3876-3887.	1.1	97
45	Polymerization of L -caprolactone using bulky alkoxo-titanium complexes and structural analysis of $[\text{Ti}(\text{OBorneoxo})_2\text{Cl}_2(\text{thf})_2]$. <i>Journal of Organometallic Chemistry</i> , 2006, 691, 3053-3059.	0.8	14
46	Carbosilane dendrimers containing peripheral cyclopentadienyl niobium- and tantalum-imido complexes. <i>Journal of Organometallic Chemistry</i> , 2006, 691, 3602-3608.	0.8	11
47	Synthesis of niobocene imido cations: X-ray crystal structure of $[\text{Nb}(\text{NBut})(1\text{-C}_5\text{H}_4\text{SiMe}_3)_2(\text{CNBut})][\text{BPh}_4]$. <i>Journal of Organometallic Chemistry</i> , 2006, 691, 3652-3658.	0.8	9
48	(Alkyl)- and (Alkyl)(alkylidene)(pentamethylcyclopentadienyl)tantalum Complexes. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 4242-4253.	1.0	9
49	New Bis(silyl)cyclopentadienidoniobium and -tantalum Complexes: X-ray Crystal Structures of $[\text{NbCp}^*\text{Cl}_4]$ and $[\text{NbCp}^*\text{Cl}_4(\text{CNAr})]$ [$\text{Cp}^* = 1\text{-C}_5\text{H}_3(\text{SiClMe}_2)(\text{SiMe}_3)$; Ar = 2,6-Me ₂ C ₆ H ₃]. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 5106-5114.	0.8	9
50	Effect of the organic fragment on the mesogenic properties of a series of organogold(I) isocyanide complexes. X-ray crystal structure of $[\text{Au}(\text{CCC}_5\text{H}_4\text{N})(\text{CNC}_6\text{H}_4\text{O}(\text{O})\text{CC}_6\text{H}_4\text{OC}_1\text{O}_2\text{H}_2)]$. <i>Journal of Organometallic Chemistry</i> , 2005, 690, 2200-2208.	0.8	36
51	Synthesis of Palladium(II) and Platinum(II) Complexes with Crown Ether Phosphane Ligands: Stille Coupling of Aryl Iodides in Water. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 1468-1476.	1.0	18
52	Alkylation and Insertion Reactions in Dichloro Azatantalacyclopropane Complexes. X-ray Crystal Structures of $[\text{TaCpCl}_2\{\text{C}(\text{Ph})\text{CHCMe}_2\text{NAr}-1\text{-C}_5\text{H}_4\text{N}\}]$ ($\text{Cp} = 1\text{-C}_5\text{Me}_5$, $1\text{-C}_5\text{H}_4\text{SiMe}_3$; Ar = 2,6-Me ₂ C ₆ H ₃). <i>Organometallics</i> , 2005, 24, 848-856.	1.1	14
53	Neutral and Cationic Aluminum and Titanium Complexes Incorporating Sterically Demanding Organosilicon Ligands. <i>Organometallics</i> , 2005, 24, 2331-2338.	1.1	35
54	Alkylation, Insertion of Isocyanides, and Intramolecular Rearrangement Processes in Azatantalacyclopentene Complexes. X-ray Crystal Structure of $[\text{TaCp}^*\text{Me}_2(\text{CHCHCMe}_2\text{NAr}-1\text{-C}_5\text{H}_4\text{N})]$ ($\text{Cp}^* = \text{Cp}(\text{Ph})_2$). <i>Organometallics</i> , 2005, 24, 2339-2346.	1.1	10

#	ARTICLE	IF	CITATIONS
55	Tris(pyrazolyl)methane Ligands: Syntheses and Structures of Monometallic and Metallocyclic Complexes. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 3287-3296.	1.0	36
56	Diastereoselective Insertion of Isocyanide into the Alkylâ' Metal Bond of Methylbenz[e]indenylansa-Zirconocene Complexes. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 3814-3821.	1.0	12
57	Synthesis, structural and crystallographic study of some carbamates derived from 9-methyl-9-azabicyclo[3.3.1]nonan-3l-ol. <i>Journal of Molecular Structure</i> , 2004, 708, 117-125.	1.8	5
58	Unprecedented eight-palladium(i) crown-cycle with metalâ"metal unsupported bonds. <i>Chemical Communications</i> , 2004, , 1712-1713.	2.2	9
59	Synthesis, spectroscopic and crystallographic study of some carbamates from an azabicyclic chloroformate and primary heterocyclic amines. <i>New Journal of Chemistry</i> , 2004, 28, 618-624.	1.4	9
60	Unexpected Alkyne Transfer between Gold and Rhenium Atoms and Its Application to the Synthesis of Alkynyl Rhenium(I) Compounds. <i>Organometallics</i> , 2004, 23, 5096-5099.	1.1	37
61	Allylsilylcyclopentadienyl Group 4 metal complexes: synthesis, structure and reactivity. <i>Inorganica Chimica Acta</i> , 2003, 345, 15-26.	1.2	19
62	Synthesis, characterization, X-ray crystal and molecular structure of [(PPh ₃)Pd(AuPPh ₃) ₆](PF ₆) ₂ . <i>Inorganica Chimica Acta</i> , 2003, 348, 63-68.	1.2	4
63	Methylbenz[e]indenyl asymmetric ansa-metallocene and silylamido zirconium complexes. <i>Inorganica Chimica Acta</i> , 2003, 350, 511-519.	1.2	5
64	Synthesis of polymetallic Group 4 complexes bridged by benzenediolate and triolate ligands. X-ray crystal structure of [{Ti(C ₅ Me ₅)Cl ₂ } ₂ { ¹ 4-1,4-O(2,3-C ₆ H ₂ Me ₂)O ⁻ }]]. <i>Journal of Organometallic Chemistry</i> , 2003, 681, 228-236.	0.8	11
65	Synthesis of Aryloxo Cyclopentadienyl Group 4 Metal-Containing Dendrimers. <i>Organometallics</i> , 2003, 22, 5109-5113.	1.1	24
66	Alkyl Alkyne Mono(trimethylsilyl)cyclopentadienyl Niobium Complexes. Synthesis and Chemical Behavior in Insertion Processes. X-ray Crystal Structures of [NbCpâ'(CH ₂ SiMe ₃) ₂ (Me ₃ SiCCSiMe ₃)] and [NbCpâ'(NAr){ ¹ 4-CH(SiMe ₃)C(SiMe ₃)C(CH ₂ SiMe ₃)CH(SiMe ₃)}], (Cpâ'= ¹ 5-C ₅ H ₄ SiMe ₃ , Ar = 2,6-Me ₂ C ₆ H ₃). DFT Studies of the Model Complexes [Nb(¹ 5-C ₅ H ₅)R ₂ (HCCH)] (R = Cl, Me). <i>Organometallics</i> , 2002, 21, 293-304.	1.1	29
67	Synthesis of Hydride Tantalabenzocyclopentene and \AA -Alkylidene Complexes by Direct Alkylation Reactions of [TaCp [*] Cpâ ² Cl ₂] \AA NMR Spectroscopic Study and X-ray Crystal Structure of [TaCp [*] Cpâ ² (H)(¹ 2-CH ₂ -CMe ₂ -o-C ₆ H ₄)], (Cp [*] = ¹ 5-C ₅ Me ₅ ; Cpâ ² = ¹ 5-C ₅ H ₄ SiMe ₃). <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 1336-1342.	1.0	12
68	Arylimido niobium(V) complexes: mononuclear and dendritic derivatives. <i>Journal of Organometallic Chemistry</i> , 2002, 664, 258-267.	0.8	17
69	Mono- and di-cyclopentadienyl zirconium derivatives containing the dimethylsilylcyclopentadienyl ligand. Agostic linear Siâ"Zr interaction in the molecular structure of [Zr(¹ 5-C ₅ H ₄ (SiMe ₂ H))Cl ₃] ₂ . <i>Dalton Transactions RSC</i> , 2001, , 1657-1663.	2.3	23
70	A Versatile Synthetic Route for Cyclopentadienylâ' Amido Titanium(IV) Compounds. NMR Spectroscopy Study and X-ray Molecular Structure of [Ti(¹ 5-C ₅ H ₄ SiMe ₂ NMe(CH ₂) ₂ - ¹ -NMe}Cl ₂]. <i>Organometallics</i> , 2001, 20, 2459-2467.	1.1	23
71	Competitive Insertion of Isocyanide and Carbon Dioxide into Niobiumâ' and Siliconâ' Amido Bonds. <i>Organometallics</i> , 2001, 20, 4623-4631.	1.1	22
72	Construction of Heterometallic Cubanes [{Ti ₃ Cp(¹ 43-CR)}(¹ 43-O) ₃ {Mo(CO) ₃ }]} (R=H, Me; Cp [*] = ¹ 5-C ₅ Me ₅) and [{Ti ₃ Cp(¹ 43-N)}(¹ 43-NH) ₃ {M(CO) ₃ }]} (M=Cr, Mo, W); Crystal Structure of [{Ti ₃ Cp(¹ 43-CMe)}(¹ 43-O) ₃ {Mo(CO) ₃ }]. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 534-537.	43	

#	ARTICLE	IF	CITATIONS
73	Insertion of Isocyanide into Meta- α ' Carbon Bonds of Alkylchloro(pentamethylcyclopentadienyl)niobium- and -tantalum Complexes \sim X-ray Structure of [TaCp*Cl ₂ (CH ₂ CMe ₂ Ph){ $\text{I}\cdot\text{2-C(CH}_2\text{CMe}_2\text{Ph)=N(2,6-Me}_2\text{C}_6\text{H}_3\text{)}\text{]}}$] and Unexpected Decomposition of Alkyldichloro($\text{I}\cdot\text{2-iminoacyl}$) Complexes of Tantalum. European Journal of Inorganic Chemistry, 2000, 2000-2017-2051.	1.0	27
74	Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of Hf{($\text{I}\cdot\text{5-C}_5\text{H}_4$)SiMe ₂ OSiMe ₂ ($\text{I}\cdot\text{5-C}_5\text{H}_4$)}Cl ₂ and Zr{($\text{I}\cdot\text{5-1,3-tBu}_2\text{C}_5\text{H}_3$) $\text{I}\cdot\text{5-C}_5\text{H}_4$ SiMe ₂ - $\text{I}\cdot\text{NtBu}$ }Cl. Journal of Organometallic Chemistry, 2000, 604, 103-115.	0.8	29
75	Chemical behaviour of alkyl imido cyclopentadienyl niobium and tantalum(V) complexes in insertion processes. X-ray crystal structures of [MCpCl(NAr){ $\text{I}\cdot\text{2-C(Me)}\text{I}\cdots\text{NAr}$ }] (Ar=2,6-Me ₂ C ₆ H ₃ ; M=Nb,) Tj ETQq1 1 0.784314 rgBT /Overlock Journal of Organometallic Chemistry, 2000, 595, 36-53.	0.8	42
76	Selective Additions of Group 11 and 12 Metal Fragments to the Fe4C and Fe5C Units. Organometallics, 2000, 19, 3316-3322.	1.1	11
77	Synthesis, X-ray structure and NMR data of 12-amino-15-phenyl-2,5,8-trioxa-13-azabicyclo[9.2.2]pentadeca-1(14),12-diene-11,14-dicarbonitrile. Chemical Communications, 2000, , 1775-1776.	2.2	3
78	Substituted 1,4-Diaza-1,3-butadiene Monocyclopentadienyl Titanium Complexes. Crystal Structure of Ti{($\text{I}\cdot\text{5-C}_5\text{Me}_5$) $\text{I}\cdot\text{4-iPrNCHCHNipr}$ }Me. Organometallics, 2000, 19, 5168-5173.	1.1	26
79	Ammonolysis of Mono(pentamethylcyclopentadienyl) Titanium(IV) Derivatives \ddagger . Inorganic Chemistry, 2000, 39, 642-651.	1.9	80
80	Alkyl and alkylidene imido cyclopentadienyl tungsten complexes. Journal of Organometallic Chemistry, 1999, 580, 110-116.	0.8	8
81	Cyclopentadienyl dithiocarbamate and dithiophosphate molybdenum and tungsten complexes. Journal of Organometallic Chemistry, 1999, 579, 190-197.	0.8	21
82	Cationic species derived from the $\text{I}\cdot\text{1-amidosilyl-I}\cdot\text{5-cyclopentadienyl dimethyl titanium complex}$. Crystal structure of [Ti{($\text{I}\cdot\text{5-C}_5\text{H}_4$)SiMe ₂ { $\text{I}\cdot\text{1-N(2,6-Me}_2\text{C}_6\text{H}_3\text{)}$ }]{CH ₂ B(C ₆ F ₅) ₂ }(C ₆ F ₅)]. Journal of Organometallic Chemistry, 1999, 588, 22-27.	0.8	27
83	Dicyclopentadienyl zirconium and hafnium complexes with the bridged (dimethylsilanodiyi) dicyclopentadienyl [(SiMe ₂) $\text{I}\cdot\text{5-C}_5\text{H}_4$] ₂] $\text{I}\cdot\text{2}$ ligand. X-ray molecular structure of [Zr{(SiMe ₂) $\text{I}\cdot\text{5-C}_5\text{H}_4$ } ₂](CH ₂ Ph) ₂ ($\text{I}\frac{1}{4}\text{-O}$). Journal of Organometallic Chemistry, 1999, 588, 134-140.	0.8	5
84	Photochemical incorporation of N-benzylidene(phenyl)amine into the complex [{Ti{($\text{I}\cdot\text{5-C}_5\text{Me}_5$) $\text{I}\cdot\text{O}$ }} ₃ ($\text{I}\frac{1}{4}\text{-3-CH}$)] as a model of the titanium oxide surface \ddagger . Chemical Communications, 1999, , 1839-1840.	2.2	17
85	Amido $\text{I}\cdot\text{Imido Niobium Complexes with Chloro-Silyl- and Amino-Silyl-Functionalized Cyclopentadienyl Ligands}$. Organometallics, 1999, 18, 546-554.	1.1	45
86	Cis- and trans-titanium complexes with doubly silyl-bridged dicyclopentadienyl ligands: molecular structure of [(TiCl) ₂ ($\text{I}\frac{1}{4}\text{-O}$){(SiMe ₂) ₂ ($\text{I}\cdot\text{5-C}_5\text{H}_3$) ₂ }] ₂ ($\text{I}\frac{1}{4}\text{-O}$) ₂ . Inorganica Chimica Acta, 1998, 280, 1-7.	1.2	11
87	Thermal Decomposition of (Pentamethylcyclopentadienyl)titanium(IV) Complexes Containing Dialkylamido Ligands \sim X-ray Structure of [$\text{I}\cdot\text{5-I}\cdot\text{2-C}_5\text{Me}_4\text{CH}_2\text{CH}_2\text{N(Me)CN(C}_6\text{H}_3\text{Me}_2\text{)}\text{TiCl}_2$]. European Journal of Inorganic Chemistry, 1998, 1998, 1319-1325.	1.0	21
88	Reactivity of $\text{I}\frac{1}{4}\text{-3-Alkylidyne Groups on an Organotitanium Oxide: Insertion of Isocyanides and Carbon Monoxide into the Complexes }$ [{TiCp*($\text{I}\frac{1}{4}\text{-O}$) ₃ ($\text{I}\frac{1}{4}\text{-3-CR}$)}] (R=H, Me). Chemistry - A European Journal, 1998, 4, 1206-1213.	1.7	25
89	Alkyl chloro, dialkyl and mixed alkyl derivatives of imido(pentamethylcyclopentadienyl) tantalum(V).		

#	ARTICLE	IF	CITATIONS
91	Reactivity of chlorodimethylsilyl- η -5-cyclopentadienyltrichlorotitanium with nitrogen based donors. X-ray molecular structure of $[\text{Ti}(\eta\text{-C}_5\text{H}_4\text{SiMe}_2)(\text{N}(2,6\text{-Me}_2\text{C}_6\text{H}_3))\text{Cl}_2]$. Journal of Organometallic Chemistry, 1998, 564, 93-100.	0.8	28
92	Silyl and siloxanediyl cyclopentadienyl titanium and zirconium complexes: synthesis and reactivity. X-ray molecular structure of $[\text{Zr}(\eta\text{-C}_5\text{H}_4\text{SiMe}_2(\text{OH}))(\text{Cl}_2)]_2$. Polyhedron, 1998, 17, 1055-1064.	1.0	17
93	Heterodinuclear TiMo and TiW complexes bridged by the (dimethylsilanediyl) dicyclopentadienyl ligand. Polyhedron, 1998, 17, 1081-1089.	1.0	11
94	Synthesis and structural characterization of isocyanate, amido and imido niobocene derivatives:		

#	ARTICLE	IF	CITATIONS
109	Insertion of CO and CNR into Tantalum α -Methyl Bonds of Imido(pentamethylcyclopentadienyl)tantalum Complexes. X-ray Crystal Structures of $[\text{TaCp}^*(\text{NR})\text{Me}\{\cdot\text{2-C(Me)}\text{NR}\}]$ and $[\text{TaCp}^*\text{Cl}(\text{O})\{\cdot\text{2-C(Me)}\text{NR}\}]$ (R =) Tj ETQql11 0.784814 rgBT/		
110	Synthesis and Reactivity of [(Amidosilyl)cyclopentadienyl]titanium and -zirconium Complexes. X-ray Molecular Structure of $[\text{Zr}\{\cdot\text{5-\cdot1-C5H4SiMe2}\{\cdot\text{4-O}\}\text{Cl}_2\{\text{H2N(CHMe)Ph}\}]_2$. Organometallics, 1996, 15, 5577-5585.	1.1	83
111	2-Azabuta-1,3-diene-4-carbonitriles: stereoselective synthesis and nucleophilic substitution at the carbon α -nitrogen double bond. Canadian Journal of Chemistry, 1996, 74, 287-294.	0.6	7
112	Dimetallic Imido Complexes of Molybdenum and Tungsten with Bridged Bis(\cdot 5-cyclopentadienyl) Ligands. Molecular Structure of $[(\text{MoO})_2\{\cdot\text{4-NtBu}\}_2\{\cdot\text{4-(\cdot5-C5H4)2SiMe2}\}]$. Organometallics, 1996, 15, 2103-2107.	1.1	26
113	Synthesis of Novel Mono(pentamethylcyclopentadienyl)tantalacycloalkyl and -tantalacycloalkylidene Complexes. Crystal Structure of $[\text{TaCp}^*\text{Cl}_2\{\cdot\text{3-C6H}_4(2\text{-CH}_2\text{NMeCH}_2)\}]$. Organometallics, 1996, 15, 1362-1368.	1.1	27
114	Synthesis of new conjugated mesomeric betaines from alkoxy carbonylazinium salts. Tetrahedron, 1996, 52, 11349-11360.	1.0	4
115	Pentamethylcyclopentadienyl halo- and alkyl-alkoxo tantalum(V) complexes. Crystal structure of. Journal of Organometallic Chemistry, 1996, 514, 51-58.	0.8	32
116	Mixed-dicyclopentadienyl niobium and tantalum complexes: synthesis and reactivity X-ray molecular structures of $\text{Ta}(\cdot\text{5-C5Me5})(\cdot\text{5-C5H4SiMe3})\text{Cl}_2$ and $\text{Ta}(\cdot\text{5-C5Me5})\{\cdot\text{5-C5H3(SiMe3)}_2\}\text{H}_3$. Journal of Organometallic Chemistry, 1996, 518, 37-46.	0.8	28
117	$[\{\text{Ti}(\cdot\text{5-C5Me5})(\cdot\text{4-O})(\text{CH}_2\text{CH=CHMe})\}_3]$. Journal of Organometallic Chemistry, 1996, 526, 135-143.	0.8	24
118	Dicyclopentadienyl titanium and zirconium complexes with the double bridged bis(dimethylsilanodiyi) dicyclopentadienyl $[(\text{Me}_2\text{Si})_2(\cdot\text{5-C5H3})_2]_2$ ligand: X-ray molecular structure of $[\text{Ti}(\cdot\text{SiMe2})_2(\cdot\text{5-C5H3})_2]\text{Me}_2$. Journal of Organometallic Chemistry, 1996, 526, 227-235.	0.8	26
119	On the Mechanism of Formation of Pyridines from a,b-Unsaturated Nitriles and Active Cyano Compounds. Heterocycles, 1996, 43, 33.	0.4	4
120	Regioselective Synthesis of Pyrimidines from Ketene Dithioacetals or Alkoxyethylene Compounds. Heterocycles, 1995, 41, 71.	0.4	17
121	Monopentamethylcyclopentadienyl isocyanide, amine and imido tantalum(V) complexes. X-ray crystal structure of $[\text{TaCp}^*\text{Cl}_4(\text{CN-2,6-Me}_2\text{C}_6\text{H}_3)]$. Journal of Organometallic Chemistry, 1995, 491, 121-125.	0.8	17
122	Synthesis and characterization of new alkoxide and aryloxide derivatives of titanium and zirconium. X-ray molecular structure. Journal of Organometallic Chemistry, 1995, 485, 153-160.	0.8	18
123	Hydrolysis of (pentamethylcyclopentadienyl)titanium(IV) carbamates. X-ray structure of $[\text{Cp}^*\text{Ti}(\cdot\text{2-O2CNEt}_2)_2(\cdot\text{4-O})_2]$. Journal of Organometallic Chemistry, 1995, 494, C19-C21.	0.8	12
124	New Silyl-Substituted Cyclopentadienyl Titanium and Zirconium Complexes. X-ray Molecular Structures of $[\text{TiCl}_2\{\cdot\text{mu-}(\text{OSiMe}_2\text{-}\cdot\text{eta.5-C5H4})\}]_2$ and $[\text{ZrCl}_2\{\cdot\text{mu-}[(\cdot\text{eta.5-C5H4})\text{SiMe}_2\text{OSiMe}_2\text{(\cdot eta.5-C5H4)}]\}]$. Organometallics, 1995, 14, 177-185.	1.1	133
125	Synthesis and molecular structure of the first organometallic nitride cubane: $[\{\text{Ti}(\cdot\text{5-C5Me5})\}_4(\text{N})_4]$. Journal of the Chemical Society Chemical Communications, 1995, , 2185-2186.	2.0	54
126	Synthesis and structural characterisation of new isocyanate and imido niobocene complexes. Crystal structures of $[\{\text{Nb}(\cdot\text{C5H4SiMe3})_2\text{Cl}\}_2]$ and $[\text{Nb}(\cdot\text{C5H4SiMe3})_2(\text{NPh})\text{Cl}]$. Journal of the Chemical Society Dalton Transactions, 1995, , 1007-1013.	1.1	32

#	ARTICLE	IF	CITATIONS
127	Dinuclear zirconium complexes with Me ₂ Si(C ₅ H ₄) ₂ as bridging ligand. Molecular structure of [{Zr(̄-C ₅ H ₃ -But ₂)Me}2(̄μ-O){̄μ-Me ₂ Si(C ₅ H ₄) ₂ }]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 231-236.	1.1	10
128	Azinium-N-(2-azinyl)aminides: synthesis, structure and reactivity. <i>Tetrahedron</i> , 1994, 50, 4995-5012.	1.0	28
129	Imidazo[1,5-a]pyrimidine and benzo[4,5]imidazo[1,2-a]pyrimidine derivatives as calcium antagonists. <i>Bioorganic and Medicinal Chemistry</i> , 1994, 2, 323-329.	1.4	30
130	Double-Dimethylsilyl-Bridged Dicyclopentadienyl Group 4 Metal Complexes. X-ray Molecular Structures of M[(Me ₂ Si) ₂ (̄.eta.5-C ₅ H ₃) ₂]Cl ₂ (M = Ti, Zr) and (TiCl ₃) ₂ {.mu.-[(Me ₂ Si) ₂ (̄.eta.5-C ₅ H ₃) ₂]}. <i>Organometallics</i> , 1994, 13, 1688-1694.	1.1	57
131	Synthesis and Characterization of the Stable Cationic d ₂ Metal Acetylene Complexes [Nb(̄.eta.5-C ₅ H ₄ SiMe ₃) ₂ (̄.eta.2(C,C)-RC.tplbond.CR')(NCMe)] ⁺ . X-ray Crystal Structures of [Nb(̄.eta.5-C ₅ H ₄ SiMe ₃) ₂ (̄.eta.2(C,C)-MeO ₂ CC.tplbond.CMe)(NCMe)][BPh ₄] and [(̄.eta.5-C ₅ H ₄ SiMe ₃) ₂ (CO)Nb:C:C(CH ₃)(CH ₃):C:Nb(CO)(̄.eta.5-C ₅ H ₄ SiMe ₃) ₂][BPh ₄] ₂ . <i>Organometallics</i> , 1994, 13, 1679-1682.	1.1	28
132	Stereoselective Synthesis of cis and trans Isomers of [{Mo(CO) ₃ Cl} ₂ {.mu.-̄.eta.5:(C ₅ H ₃ (SiMe ₂)) ₂ }]. <i>Organometallics</i> , 1994, 13, 4322-4327.	1.1	23
133	Synthesis and characterization of ansa-dimethylsilylbiscyclopentadienyl titanium(II) complexes. Crystal structure of [Ti{Me ₂ Si(C ₅ H ₄) ₂ } {CN(2,6-Me ₂ C ₆ H ₃) ₂ }]. <i>Journal of Organometallic Chemistry</i> , 1993, 454, 105-111.	0.8	21
134	Isolation and x-ray molecular structure of the first oxo- and phosphanido-bridged diniobium(III) complex with a short double Nb:Nb bond. Oxidation of the dichloro(pentamethylcyclopentadienyl)niobium(III) dimer. <i>Inorganic Chemistry</i> , 1993, 32, 5454-5457.	1.9	10
135	Synthesis of bimetallic complexes of molybdenum containing bis(̄.eta.5-cyclopentadienyl)dimethylsilane or bis(̄.eta.5-tetramethylcyclopentadienyl)dimethylsilane bridges. Crystal structure of [{Mo(CO) ₃ Cl} ₂ {.mu.-̄.eta.5-C ₅ H ₄) ₂ SiMe ₂ }]. <i>Organometallics</i> , 1993, 12, 4633-4639.	1.1	15
136	Monocyclopentadienyl-type titanium complexes with the [̄.eta.5-̄.eta.5-(C ₅ H ₄) ₂ SiMe ₂] ₂ -ligand. X-ray crystal structure of [(TiCl) ₂ {.mu.2-O}{.mu.2-̄.eta.5-̄.eta.5-(C ₅ H ₄) ₂ SiMe ₂ }] ₂ {.mu.2-O}. The first example of a nonpolar titanium oxide ["Ti ₄ O ₄ "] core. [Erratum to document cited in CA118(19):191900f]. <i>Organometallics</i> , 1993, 12, 3378-3378.	1.1	0
137	Monocyclopentadienyl-type titanium complexes with the [̄.eta.5-̄.eta.5-(C ₅ H ₄) ₂ SiMe ₂] ₂ - ligand. X-ray crystal structure of [(TiCl) ₂ {.mu.2-O}{.mu.2-̄.eta.5-̄.eta.5-(C ₅ H ₄) ₂ SiMe ₂ }] ₂ {.mu.2-O}. The first example of a nonplanar titanium oxide ["Ti ₄ O ₄ "] core. <i>Organometallics</i> , 1993, 12, 944-948.	1.1	47
138	Dinuclear titanium metallocene-type complexes with the bridging (dimethylsilylidene)bis(cyclopentadienyl) ligand. X-ray structures of [{TiCl ₂ (̄.eta.5-C ₅ Me ₅) ₂ {.mu.-̄.eta.5-̄.eta.5-(C ₅ H ₄) ₂ SiMe ₂ }] ₂ and of [{TiCl(̄.eta.5-C ₅ H ₅) ₂ {.mu.-O}{.mu.-̄.eta.5-̄.eta.5-(C ₅ H ₄) ₂ SiMe ₂ }]. <i>Inorganic Chemistry</i> , 1993, 32, 3608-3612.	1.9	36
139	New 3-(2'-benzimidazolyl)imidazo[1,2-a]pyridinium mesomeric betaines. Synthesis and structure. <i>Journal of Organic Chemistry</i> , 1993, 58, 6030-6037.	1.7	8
140	A face-capping bonding mode for benzene in triosmium carbonyl cluster complexes. <i>Journal of the American Chemical Society</i> , 1992, 114, 2502-2509.	6.6	65
141	Reactions of titanium- and zirconium(III) complexes with unsaturated organic systems. X-ray structure of [{(̄.eta.5-C ₅ H ₅)Zr(CH ₃) ₂ {.mu.-̄.eta.1-̄.eta.2-CN(Me ₂ C ₆ H ₃)}] (.mu.-̄.eta.5-̄.eta.5-C ₁₀ H ₈)}. <i>Organometallics</i> , 1992, 11, 1229-1234.	1.1	50
142	Monocyclopentadienyl alkyl alkylidene niobium(V) and tantalum(V) complexes. X-ray crystal structure of Ta(̄-Cp ²)(CH ₂ SiMe ₃) ₂ (CHSiMe ₃). <i>Polyhedron</i> , 1992, 11, 1023-1027.	1.0	38
143	Pentamethylcyclopentadienyltitanium-(III) and -(IV) carboxylates. Crystal structures of [Ti(̄-C ₅ Me ₅)(O ₂ CPh) ₃] and [{Ti(̄-C ₅ Me ₅)(O ₂ CPh) ₂ } ₂]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1991, , 1575-1579.	1.1	13
144	Monopentamethylcyclopentadienyltitanium(IV) halo-alkoxides, alkyl-alkoxides and acetylacetonates. <i>Journal of Organometallic Chemistry</i> , 1991, 419, 77-84.	0.8	39

#	ARTICLE	IF	CITATIONS
145	Synthesis of dicarbonyl and halogeno complexes of (<i>i</i> -pentamethyl-cyclopentadienyl)(nitrosyl)-molybdenum and -tungsten. Crystal structure of [{Mo(<i>i</i> -5-C ₅ Me ₅)(NO)Br(μ-Br)} ₂]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 2445-2449.	1.1	7
146	Hydrolysis of tetrachloro(pentamethylcyclopentadienyl)niobium(V). Crystal structure of [Nb ₂ (<i>eta</i> .5-C ₅ Me ₅) ₂ Cl ₂ (<i>mu</i> .2-O)(<i>mu</i> .Cl)](<i>mu</i> .2-O) ₂ (<i>mu</i> .3-O)[Nb(<i>eta</i> .5-C ₅ Me ₅)Cl]. <i>Organometallics</i> , 1990, 9, 2846-2850.	1.1	26
147	Preparation of the compounds ($\hat{1}/4$ -O)[Ti(C ₅ Me ₅)R ₂] ₂ (R = Me, CH ₂ Ph, or CH ₂ SiMe ₃) and the crystal structure of the derivative with R = CH ₂ SiMe ₃ . <i>Journal of Organometallic Chemistry</i> , 1989, 375, 59-65.	0.8	23
148	Air-decomposition of [Mo($\hat{1}/4$ -Br) {C ₅ (CH ₃) ₅ } (CH ₃)(NO)] ₂ ; crystal structure of [Mo{C ₅ (CH ₃) ₅ } (O) ₂] ($\hat{1}/4$ -O). <i>Journal of Organometallic Chemistry</i> , 1988, 353, 191-196.	0.8	18
149	Structural and chemical aspects of electron deficient pentamethylcyclopentadienyltitanium halides, alkyls, and oxides. <i>Journal of Organometallic Chemistry</i> , 1988, 358, 147-159.	0.8	39
150	Heterobimetallic gold-osmium and gold-ruthenium hydrido complexes. X-ray crystal and molecular structures of [Au ₂ Os(H) ₃ (PPh ₃) ₅]PF ₆ and [AuRu(H) ₂ (CO)(PPh ₃) ₄]PF ₆ . <i>Inorganic Chemistry</i> , 1988, 27, 3301-3308.	1.9	22
151	New dicyclopentadienyl phosphine, phosphite, and acetylene niobium(III) complexes. Crystal structure of [Nb(<i>i</i> -C ₅ H ₄ SiMe ₃) ₂ Cl(PhC≡CPh)]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1987, , 975-980.	1.1	21
152	Substituted osmium clusters containing labile ligands. The preparation, characterisation, and some reactions of [Os ₃ H(OR)(CO) ₉ (MeCN)](R = H, Me, Et, or Ph) and the isomers of [Os ₃ H(SR)(CO) ₉ (MeCN)](R) T _j ETQq0 0 0 rgBT /Overlock _{1.1} Chemical Society Dalton Transactions, 1987, , 1623-1630.		
153	Reactions of monocyclopentadienylniobium(III) complexes with $\hat{1}\pm$ -diketones. Crystal structure of the phosphonium salt [P{C(OH)MeC(O)Me} Me ₂ Ph]Cl. <i>Journal of Organometallic Chemistry</i> , 1987, 332, 289-298.	0.8	6
154	Hydrolytic studies on (<i>i</i> -5-C ₅ Me ₅)TiMe ₃ ; X-ray structure of [(<i>i</i> -5-C ₅ Me ₅)TiMe(μ-O)] ₃ containing a Ti ₃ O ₃ ring. <i>Journal of the Chemical Society Chemical Communications</i> , 1986, , 1572-1573.	2.0	40
155	Synthesis and structural characterisation of the mixed-metal cluster cation [Nb(<i>i</i> -5-C ₅ H ₄ R) ₂ {AuP(C ₆ H ₅) ₃ } ₂] ⁺ with R = H or Si(CH ₃) ₃ . <i>Journal of Organometallic Chemistry</i> , 1986, 312, c44-c46.	0.8	14
156	Carbonylcobalt(I) complexes. The crystal and molecular structure of [Co(CO)(dppm) ₂]ClO ₄ . <i>Journal of Organometallic Chemistry</i> , 1986, 301, 79-90.	0.8	12
157	Structures of heptadecacarbonyl(triphenylphosphine)hexaosmium(0) and hexadecacarbonylbis(triphenylphosphine)hexaosmium(0). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1986, 42, 163-168.	0.4	6
158	Synthesis of high nuclearity cluster alkynes under mild reaction conditions; the X-ray crystal structures of [Os ₆ (CO) ₁₇ (μ-H)(μ ₄ - <i>i</i> -CCEt)], [Os ₆ (CO) ₁₇ (μ ₄ - <i>i</i> -2-HCCEt)], and [Os ₆ (CO) ₁₆ (μ ₃ - <i>i</i> -MeCCEt)]. <i>Journal of the Chemical Society Chemical Communications</i> , 1985, , 1622-1625.	2.0	17
159	Benzene in a new face-capping bonding mode: molecular structures of [Ru ₆ C(CO) ₁₁ (μ ₃ - <i>i</i> -2:)] T _j ETQq1 1 0.784314 rgBT /Overlock 10 Communications, 1985, , 1682-1684.	2.0	113
160	The electrochemical reduction of an unsaturated mixed-metal cluster anion: Synthesis and x-ray crystal structure of [(Ph ₃ P) ₂ N][{Os ₃ H(CO) ₁₀ } ₂ Ag]. <i>Journal of Organometallic Chemistry</i> , 1984, 267, c25-c28.	0.8	30
161	The synthesis and characterisation of some mixed-metal carbonyl hydrides containing tungsten: The X-ray crystal structure of [(Ph ₃ P) ₂ N][Os ₃ WH(CO) ₁₄]. <i>Journal of Organometallic Chemistry</i> , 1984, 272, C57-C61.	0.8	6