Glenn Haugeberg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6835664/publications.pdf

Version: 2024-02-01

218677 168389 2,949 71 26 53 h-index citations g-index papers 71 71 71 2735 times ranked docs citations citing authors all docs

#	Article	lF	CITATIONS
1	Bone mineral density and frequency of osteoporosis in female patients with rheumatoid arthritis: Results from 394 patients in the Oslo County rheumatoid arthritis register. Arthritis and Rheumatism, 2000, 43, 522.	6.7	616
2	The fast-track ultrasound clinic for early diagnosis of giant cell arteritis significantly reduces permanent visual impairment: towards a more effective strategy to improve clinical outcome in giant cell arteritis?. Rheumatology, 2016, 55, 66-70.	1.9	203
3	Do depression and anxiety reduce the likelihood of remission in rheumatoid arthritis and psoriatic arthritis? Data from the prospective multicentre NOR-DMARD study. Annals of the Rheumatic Diseases, 2017, 76, 1906-1910.	0.9	162
4	Bone loss in patients with rheumatoid arthritis: Results from a population-based cohort of 366 patients followed up for two years. Arthritis and Rheumatism, 2002, 46, 1720-1728.	6.7	130
5	Vertebral Deformities in Rheumatoid Arthritis. Archives of Internal Medicine, 2004, 164, 420.	3.8	129
6	Reduced Loss of Hand Bone Density With Prednisolone in Early Rheumatoid Arthritis. Archives of Internal Medicine, 2005, 165, 1293.	3.8	103
7	Reduced bone mineral density in male rheumatoid arthritis patients: Frequencies and associations with demographic and disease variables in ninety-four patients in the Oslo county rheumatoid arthritis register. Arthritis and Rheumatism, 2000, 43, 2776-2784.	6.7	101
8	A Comparison of Disease Burden in Rheumatoid Arthritis, Psoriatic Arthritis and Axial Spondyloarthritis. PLoS ONE, 2015, 10, e0123582.	2.5	94
9	Radiographic damage associated with low bone mineral density and vertebral deformities in rheumatoid arthritis: The Oslo-Truro-Amsterdam (OSTRA) collaborative study. Arthritis and Rheumatism, 2003, 49, 209-215.	6.7	89
10	Effects of rheumatoid arthritis on bone. Current Opinion in Rheumatology, 2003, 15, 469-475.	4.3	84
11	Hand bone loss as an outcome measure in established rheumatoid arthritis: 2-year observational study comparing cortical and total bone loss. Arthritis Research and Therapy, 2007, 9, R81.	3.5	66
12	On the HUNT for cardiovascular risk factors and disease in patients with psoriatic arthritis: population-based data from the Nord-TrÃ,ndelag Health Study. Annals of the Rheumatic Diseases, 2016, 75, 819-824.	0.9	61
13	Improving inflammatory arthritis management through tighter monitoring of patients and the use of innovative electronic tools. RMD Open, 2016, 2, e000302.	3.8	57
14	Ten years of change in clinical disease status and treatment in rheumatoid arthritis: results based on standardized monitoring of patients in an ordinary outpatient clinic in southern Norway. Arthritis Research and Therapy, 2015, 17, 219.	3.5	56
15	Generalized bone loss in early rheumatoid arthritis patients followed for ten years in the biologic treatment era. BMC Musculoskeletal Disorders, 2014, 15, 289.	1.9	49
16	Predictive Value of Arterial Stiffness and Subclinical Carotid Atherosclerosis for Cardiovascular Disease in Patients with Rheumatoid Arthritis. Journal of Rheumatology, 2016, 43, 1622-1630.	2.0	49
17	Discordance between tender and swollen joint count as well as patient's and evaluator's global assessment may reduce likelihood of remission in patients with rheumatoid arthritis and psoriatic arthritis: data from the prospective multicentre NOR-DMARD study. Annals of the Rheumatic Diseases, 2017, 76, 708-711.	0.9	45
18	Prevalence and incidence rates of psoriatic arthritis in central Norway: data from the Nord-TrÃ,ndelag Health Study (HUNT). Annals of the Rheumatic Diseases, 2015, 74, 60-64.	0.9	42

#	Article	IF	CITATIONS
19	Hand bone densitometry: a more sensitive standard for the assessment of early bone damage in rheumatoid arthritis. Annals of the Rheumatic Diseases, 2007, 66, 1513-1517.	0.9	41
20	Ultrasonographic evaluation in psoriatic arthritis is of major importance in evaluating disease activity. Annals of the Rheumatic Diseases, 2016, 75, 2108-2113.	0.9	40
21	Antibodies to cyclic citrullinated protein and erythrocyte sedimentation rate predict hand bone loss in patients with rheumatoid arthritis of short duration: a longitudinal study. Arthritis Research and Therapy, 2009, 11, R103.	3.5	36
22	Value of digital Xâ€ray radiogrammetry in the assessment of inflammatory bone loss in rheumatoid arthritis. Arthritis Care and Research, 2011, 63, 666-674.	3.4	36
23	Imaging of metabolic bone diseases. Best Practice and Research in Clinical Rheumatology, 2008, 22, 1127-1139.	3.3	32
24	Impact of Highâ€Intensity Interval Training on Disease Activity and Disease in Patients With Psoriatic Arthritis: A Randomized Controlled Trial. Arthritis Care and Research, 2019, 71, 530-537.	3.4	32
25	Psoriatic arthritis: exploring the occurrence of sleep disturbances, fatigue, and depression and their correlates. Arthritis Research and Therapy, 2020, 22, 198.	3.5	31
26	Two-year changes in quality of life in elderly patients with low-energy hip fractures. A case-control study. BMC Musculoskeletal Disorders, 2010, 11, 226.	1.9	27
27	Clinical and Radiographic Outcomes in Patients Diagnosed with Early Rheumatoid Arthritis in the First Years of the Biologic Treatment Era: A 10-year Prospective Observational Study. Journal of Rheumatology, 2015, 42, 2279-2287.	2.0	27
28	Short-Time In Vitro and In Vivo Precision of Direct Digital X-ray Radiogrammetry. Journal of Clinical Densitometry, 2009, 12, 17-21.	1.2	25
29	Mortality after Distal Radius Fracture in Men and Women Aged 50 Years and Older in Southern Norway. PLoS ONE, 2014, 9, e112098.	2.5	24
30	Similar clinical outcomes in rheumatoid arthritis with more versus less expensive treatment strategies. Observational data from two rheumatology clinics. Clinical and Experimental Rheumatology, 2013, 31, 409-14.	0.8	24
31	Health-related quality of life in patients with psoriatic and rheumatoid arthritis: data from the prospective multicentre NOR-DMARD study compared with Norwegian general population controls. Annals of the Rheumatic Diseases, 2018, 77, 1290-1294.	0.9	21
32	Impact of skin, musculoskeletal and psychosocial aspects on quality of life in psoriatic arthritis patients: A cross-sectional study of outpatient clinic patients in the biologic treatment era. RMD Open, 2020, 6, e001223.	3.8	21
33	Effect of intra-articular corticosteroid injections and inflammation on periarticular and generalised bone loss in early rheumatoid arthritis. Annals of the Rheumatic Diseases, 2011, 70, 184-187.	0.9	20
34	The relationship between demographic- and disease-related variables and health-related quality of life in patients with axial spondyloarthritis. BMC Musculoskeletal Disorders, 2017, 18, 328.	1.9	20
35	Osteoporosis in psoriatic arthritis: a cross-sectional study of an outpatient clinic population. RMD Open, 2018, 4, e000631.	3.8	20
36	Adiposity and Physical Activity as Risk Factors for Developing Psoriatic Arthritis: Longitudinal Data From a Populationâ€Based Study in Norway. Arthritis Care and Research, 2021, 73, 432-441.	3.4	19

3

#	Article	IF	CITATIONS
37	High disease activity is a predictor of cortical hand bone loss in post-menopausal patients with established rheumatoid arthritis: a 5-year multicentre longitudinal study. Rheumatology, 2010, 49, 1676-1682.	1.9	18
38	Need for Improvement in Current Treatment of Psoriatic Arthritis: Study of an Outpatient Clinic Population. Journal of Rheumatology, 2017, 44, 431-436.	2.0	18
39	Long-term in-vitro precision of direct digital X-ray radiogrammetry. Skeletal Radiology, 2011, 40, 1575-1579.	2.0	17
40	Focal and generalized bone loss in rheumatoid arthritis: separate or similar concepts?. Nature Clinical Practice Rheumatology, 2008, 4, 402-403.	3.2	16
41	The Ability of Hand Digital X-Ray Radiogrammetry to Identify Middle-Aged and Elderly Women With Reduced Bone Density, as Assessed by Femoral Neck Dual-Energy X-Ray Absorptiometry. Journal of Clinical Densitometry, 2010, 13, 418-425.	1,2	16
42	Hand Bone Loss in Patients with Psoriatic Arthritis: Posthoc Analysis of IMPACT II Data Comparing Infliximab and Placebo. Journal of Rheumatology, 2013, 40, 1344-1348.	2.0	16
43	Ten years of follow-up data in psoriatic arthritis: results based on standardized monitoring of patients in an ordinary outpatient clinic in southern Norway. Arthritis Research and Therapy, 2018, 20, 160.	3.5	16
44	Incidence Trends and Mortality of Giant Cell Arteritis in Southern Norway. Arthritis Care and Research, 2021, 73, 409-414.	3.4	16
45	Physical and Psychosocial Burden of Psoriatic Arthritis: Longitudinal Data From a Populationâ€Based Study in Norway. Arthritis Care and Research, 2021, 73, 138-145.	3.4	16
46	Digital X-ray radiogrammetry and its sensitivity and specificity for the identification of rheumatoid arthritis-related cortical hand bone loss. Journal of Bone and Mineral Metabolism, 2017, 35, 192-198.	2.7	15
47	Value of Dual-Energy X-Ray Absorptiometry as a Diagnostic and Assessment Tool in Early Rheumatoid Arthritis. Rheumatic Disease Clinics of North America, 2005, 31, 715-728.	1.9	13
48	Exploring the relationship between bone density and severity of distal radius fragility fracture in women. Journal of Orthopaedic Surgery and Research, 2014, 9, 57.	2.3	13
49	Diagnosing giant cell arteritis: a comprehensive practical guide for the practicing rheumatologist. Rheumatology, 2021, 60, 4958-4971.	1.9	12
50	Exploring drug cost and disease outcome in rheumatoid arthritis patients treated with biologic and targeted synthetic DMARDs in Norway in 2010â \in "2019 â \in " a country with a national tender system for prescription of costly drugs. BMC Health Services Research, 2022, 22, 48.	2.2	11
51	Balancing benefits and risks in the era of biologics. Therapeutic Advances in Musculoskeletal Disease, 2019, 11, 1759720X1988397.	2.7	10
52	Bone mineral density in patients with psoriatic arthritis: data from the Nord-TrÃ,ndelag Health Study 3. RMD Open, 2017, 3, e000413.	3.8	9
53	No deterioration in health-related quality of life in patients with axial spondyloarthritis followed for 5Âyears in ordinary outpatient clinics in the biological treatment era. Quality of Life Research, 2020, 29, 99-107.	3.1	9
54	Lyme arthritis in Southern Norway - an endemic area for Lyme Borreliosis. BMC Infectious Diseases, 2014, 14, 185.	2.9	8

#	Article	IF	Citations
55	Change in cardiovascular risk factors in patients who develop psoriatic arthritis: longitudinal data from the Nord-Trøndelag Health Study (HUNT). RMD Open, 2018, 4, e000630.	3.8	8
56	Less periprosthetic bone loss following the anterolateral approach to the hip compared with the direct lateral approach. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 23-28.	3.3	8
57	Pain catastrophizing in rheumatoid arthritis, psoriatic arthritis and axial spondyloarthritis: biopsychosocial perspective and impact on health-related quality of life. Rheumatology International, 2022, 42, 669-682.	3.0	8
58	Sexual Quality of Life in Patients with Axial Spondyloarthritis in the Biologic Treatment Era. Journal of Rheumatology, 2019, 46, 1075-1083.	2.0	7
59	Decentralizing healthcare in Norway to improve patient-centered outpatient clinic management of rheumatoid arthritis $\hat{a} \in \mathbb{C}$ a conceptual model. BMC Rheumatology, 2021, 5, 43.	1.6	7
60	Surgery for lumbar spinal stenosis in patients with rheumatoid arthritis: A multicenter observational study. European Journal of Rheumatology, 2016, 3, 56-60.	0.6	6
61	Sex difference in disease burden of inflammatory arthritis patients treated with tumor necrosis factor inhibitors as part of standard care. PLoS ONE, 2022, 17, e0266816.	2.5	6
62	Using hand bone mass measurements to assess progression of rheumatoid arthritis. Therapeutic Advances in Musculoskeletal Disease, 2010, 2, 79-87.	2.7	5
63	Comparing 15D and SF-6D Performance in Fragility Wrist and Hip Fracture Patients in a Two-Year Follow-Up Case-Control Study. Value in Health, 2012, 15, 1100-1107.	0.3	5
64	Increased proportion of comorbidities but no deterioration of sexual quality of life during a 5-year follow-up in patients with axial spondyloarthritis in the biologic treatment era. Rheumatology, 2021, 60, 4112-4120.	1.9	2
65	Association between TNFi anti-drug antibodies, smoking, and disease activity in patients with inflammatory arthritis: Results from a Norwegian cross-sectional observational study. Rheumatology and Therapy, 2022, 9, 1171-1179.	2.3	2
66	Recurrent infections in a rheumatoid arthritis patient with a primary immunodeficiency, treated with conventional and biologic disease-modifying anti-rheumatic drugs. Modern Rheumatology, 2012, 22, 295-297.	1.8	1
67	FRI0439â€PERCEIVED INFLUENCE OF HEALTH STATUS ON SEXUAL ACTIVITY IN PATIENTS WITH PSORIATIC ARTHRITIS IS ASSOCIATED WITH MUSCULOSKELETAL MANIFESTATIONS BUT NOT WITH PSORIASIS SKIN MANIFESTATIONS. , 2019, , .		1
68	Incidence Trends and Mortality of Giant Cell Arteritis in Southern Norway., 2021, 73, 409.		1
69	Long-term drug effectiveness and survival for reference rituximab in rheumatoid arthritis patients in an ordinary outpatient clinic. Scientific Reports, 2022, 12, 8283.	3.3	1
70	FRIO094â€LONG TERM DRUG SURVIVAL FOR BIOSIMILAR SB4 ETANERCEPT IN RHEUMATOID ARTHRITIS, PSORIATIC ARTHRITIS AND AXIAL SPONDYLOARTHRITIS PATIENTS WITH A NON-MEDICAL SWITCH FROM ETANERCEPT REFERENCE DRUG., 2019,,.		0
71	SATO146â€COMPARING DRUG SURVIVAL FOR BIOSIMILAR SB4 ETANERCEPT IN RHEUMATOID ARTHRITIS BOTH ETANERCEPT NAÃ-VE AND NON-MEDICAL SWITCH PATIENTS WITH ETANERCEPT REFERENCE DRUG IN A NORWEGIAN OUT-PATIENT CLINIC. PRELIMINARY RESULTS FROM A MULTI-CENTER STUDY. , 2019, , .		0