Laura Gray

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/6838242/publications.pdf

Version: 2024-02-01

153 papers	7,060 citations	94269 37 h-index	66788 78 g-index
173 all docs	173 docs citations	173 times ranked	10913 citing authors

#	Article	IF	Citations
1	The Relationship Between Obesity and Amputation-free Survival in Patients Undergoing Lower-limb Revascularisation for Chronic Limb-threatening Ischaemia: A Retrospective Cohort Study. Annals of Vascular Surgery, 2022, 78, 288-294.	0.4	1
2	Sleep duration and sleep efficiency in UK long-distance heavy goods vehicle drivers. Occupational and Environmental Medicine, 2022, 79, 109-115.	1.3	6
3	Aspirin for the primary prevention of cardiovascular disease in individuals with chronic kidney disease: a systematic review and meta-analysis. European Journal of Preventive Cardiology, 2022, 28, 1953-1960.	0.8	10
4	Persistent hesitancy for SARS-CoV-2 vaccines among healthcare workers in the United Kingdom: analysis of longitudinal data from the UK-REACH cohort study. Lancet Regional Health - Europe, The, 2022, 13, 100299.	3.0	11
5	Predictors of adverse outcome in the first and second waves of the COVID-19 pandemic: results from a UK centre. Therapeutic Advances in Infectious Disease, 2022, 9, 204993612210745.	1.1	1
6	Healthcare workersâ€™ views on mandatory SARS-CoV-2 vaccination in the UK: A cross-sectional, mixed-methods analysis from the UK-REACH study. EClinicalMedicine, 2022, 46, 101346.	3.2	27
7	The effectiveness of a structured group education programme for people with established type 2 diabetes in a multi-ethnic population in primary care: A cluster randomised trial. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 1549-1559.	1.1	5
8	Evaluation of the design, conduct and reporting of randomised controlled trials in the haemodialysis population: a scoping review and interview study. BMJ Open, 2022, 12, e058368.	0.8	6
9	The effect of exercise training on adipose tissue insulin sensitivity: A systematic review and metaâ€analysis. Obesity Reviews, 2022, 23, e13445.	3.1	11
10	Mind the gap: covariate constrained randomisation can protect against substantial power loss in parallel cluster randomised trials. BMC Medical Research Methodology, 2022, 22, 111.	1.4	1
11	The effects of empagliflozin, dietary energy restriction, or both on appetiteâ€regulatory gut peptides in individuals with type 2 diabetes and overweight or obesity: The <scp>SEESAW</scp> randomized, doubleâ€blind, placeboâ€controlled trial. Diabetes, Obesity and Metabolism, 2022, 24, 1509-1521.	2.2	5
12	Measuring quality of life in trials including patients on haemodialysis: methodological issues surrounding the use of the Kidney Disease Quality of Life Questionnaire. Nephrology Dialysis Transplantation, 2022, 37, 2538-2554.	0.4	1
13	Fibroâ€inflammatory recovery and type 2 diabetes remission following a low calorie diet but not exercise training: A secondary analysis of the <scp>DIASTOLIC</scp> randomised controlled trial. Diabetic Medicine, 2022, 39, e14884.	1.2	4
14	Risk factors associated with SARS-CoV-2 infection in a multiethnic cohort of United Kingdom healthcare workers (UK-REACH): A cross-sectional analysis. PLoS Medicine, 2022, 19, e1004015.	3.9	28
15	Comorbidities and outcomes in South Asian individuals with chronic kidney disease: an observational primary care cohort. Nephrology Dialysis Transplantation, 2021, 37, 108-114.	0.4	8
16	Development of an Interactive Lifestyle Programme for Adolescents at Risk of Developing Type 2 Diabetes: PRE-STARt. Children, 2021, 8, 69.	0.6	3
17	Physical Activity after Cardiac EventS (PACES): a group education programme with subsequent text message support designed to increase physical activity in individuals with diagnosed coronary heart disease: a randomised controlled trial. Open Heart, 2021, 8, e001351.	0.9	4
18	COVID-19 and the new variant strain in England â€“ What are the implications for those from ethnic minority groups?. EClinicalMedicine, 2021, 33, 100805.	3.2	5

#	Article	IF	Citations
19	Does the Introduction of a Vascular Limb Salvage Service Improve One Year Amputation Outcomes for Patients with Chronic Limb-Threatening Ischaemia?. European Journal of Vascular and Endovascular Surgery, 2021, 61, 612-619.	0.8	9
20	Prevalence of Cognitive Impairment in Individuals with Vascular Surgical Pathology: a Systematic Review and Meta-Analysis. European Journal of Vascular and Endovascular Surgery, 2021, 61, 664-674.	0.8	15
21	The association of blood pressure variability with adverse outcomes in a primary care chronic kidney disease cohort. Journal of Hypertension, 2021, 39, 2067-2074.	0.3	7
22	Associations of Clinical Frailty with Severity of Limb Threat and Outcomes in Chronic Limb-threatening Ischaemia. Annals of Vascular Surgery, 2021, 76, 406-416.	0.4	15
23	Promoting physical activity in a multi-ethnic population at high risk of diabetes: the 48-month PROPELS randomised controlled trial. BMC Medicine, 2021, 19, 130.	2.3	14
24	United Kingdom Research study into Ethnicity And COVID-19 outcomes in Healthcare workers (UK-REACH): a retrospective cohort study using linked routinely collected data, study protocol. BMJ Open, 2021, 11, e046392.	0.8	9
25	Ethnic disparities in COVID-19: increased risk of infection or severe disease?. Lancet, The, 2021, 398, 389-390.	6.3	13
26	Ethnic differences in SARS-CoV-2 vaccine hesitancy in United Kingdom healthcare workers: Results from the UK-REACH prospective nationwide cohort study. Lancet Regional Health - Europe, The, 2021, 9, 100180.	3.0	116
27	Promoting physical activity with self-management support for those with multimorbidity: a randomised controlled trial. British Journal of General Practice, 2021, 71, e921-e930.	0.7	4
28	Measuring quality of life in trials including patients on dialysis: how are transplants and mortality incorporated into the analysis? A systematic review protocol. BMJ Open, 2021, 11, e048179.	0.8	2
29	The United Kingdom Research study into Ethnicity And COVID-19 outcomes in Healthcare workers (UK-REACH): protocol for a prospective longitudinal cohort study of healthcare and ancillary workers in UK healthcare settings. BMJ Open, 2021, 11, e050647.	0.8	26
30	Whole-genome analysis uncovers loss of blaZ associated with carriage isolates belonging to methicillin-resistant Staphylococcus aureus (MRSA) clone ST5-VI in Cape Verde. Journal of Global Antimicrobial Resistance, 2021, 26, 77-83.	0.9	2
31	Understanding variations in reported epidemiology of major lower extremity amputation in the UK: a systematic review. BMJ Open, 2021, 11, e053599.	0.8	0
32	Behavioural interventions to promote physical activity in a multiethnic population at high risk of diabetes: PROPELS three-arm RCT. Health Technology Assessment, 2021, 25, 1-190.	1.3	7
33	Understanding variations in reported epidemiology of major lower extremity amputation in the UK: a systematic review. BMJ Open, 2021, 11, e053599.	0.8	9
34	The Microalbuminuria Education Medication and Optimisation (MEMO) study: 4 years followâ€up of multifactorial intervention in highâ€risk individuals with type 2 diabetes. Diabetic Medicine, 2020, 37, 286-297.	1.2	5
35	Frailty Factors and Outcomes in Vascular Surgery Patients. Annals of Surgery, 2020, 272, 266-276.	2.1	72
36	Increasing uptake of structured self-management education programmes for type 2 diabetes in a primary care setting: a feasibility study. Pilot and Feasibility Studies, 2020, 6, 71.	0.5	3

#	Article	IF	Citations
37	Socio-demographic heterogeneity in the prevalence of COVID-19 during lockdown is associated with ethnicity and household size: Results from an observational cohort study. EClinicalMedicine, 2020, 25, 100466.	3.2	129
38	Prediction of type 2 diabetes risk in people with non-diabetic hyperglycaemia: model derivation and validation using UK primary care data. BMJ Open, 2020, 10, e037937.	0.8	2
39	Ethnicity and clinical outcomes in COVID-19: A systematic review and meta-analysis. EClinicalMedicine, 2020, 29-30, 100630.	3.2	454
40	Missed Opportunities for Timely Recognition of Chronic Limb Threatening Ischaemia in Patients Undergoing a Major Amputation: A Population Based Cohort Study Using the UK's Clinical Practice Research Datalink. European Journal of Vascular and Endovascular Surgery, 2020, 60, 703-710.	0.8	13
41	Effectiveness of the Ready to Reduce Risk (3R) complex intervention for the primary prevention of cardiovascular disease: a pragmatic randomised controlled trial. BMC Medicine, 2020, 18, 198.	2.3	6
42	SO063POOR REPORTING AND CONDUCT OF CLUSTER AND CROSSOVER RANDOMISED TRIALS IN THE HAEMODIALYSIS POPULATION. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
43	Effects of an Electronic Software â€œPromptâ€•With Health Care Professional Training on Cardiovascular and Renal Complications in a Multiethnic Population With Type 2 Diabetes and Microalbuminuria (the GP-Prompt Study): Results of a Pragmatic Cluster-Randomized Trial. Diabetes Care, 2020, 43, 1893-1901.	4.3	2
44	Reducing sitting at work: process evaluation of the SMArT Work (Stand More At Work) intervention. Trials, 2020, 21, 403.	0.7	17
45	Epidemiology of major lower limb amputation using routinely collected electronic health data in the UK: a systematic review protocol. BMJ Open, 2020, 10, e037053.	0.8	10
46	A randomized, openâ€label, active comparator trial assessing the effects of 26â€‰weeks of liraglutide or sitagliptin on cardiovascular function in young obese adults with type 2 diabetes. Diabetes, Obesity and Metabolism, 2020, 22, 1187-1196.	2.2	13
47	The Role of the Oral Healthcare Team in Identification of Type 2 Diabetes Mellitus: A Systematic Review. Current Oral Health Reports, 2020, 7, 87-97.	0.5	14
48	A Cost and Cost-Benefit Analysis of the Stand More AT Work (SMArT Work) Intervention. International Journal of Environmental Research and Public Health, 2020, 17, 1214.	1.2	19
49	Efficacy and tolerability of sodiumâ€glucose coâ€transporterâ€2 inhibitors and glucagonâ€like peptideâ€1 receptor agonists: A systematic review and network metaâ€analysis. Diabetes, Obesity and Metabolism, 2020, 22, 1035-1046.	2.2	46
50	Diabetes in adults with intellectual disability: prevalence and associated demographic, lifestyle, independence and health factors. Journal of Intellectual Disability Research, 2020, 64, 287-295.	1.2	5
51	A five-year retrospective study shows increasing rates of antimicrobial drug resistance in Cabo Verde for both Staphylococcus aureus and Escherichia coli. Journal of Global Antimicrobial Resistance, 2020, 22, 483-487.	0.9	13
52	Use of dental practices for the identification of adults with undiagnosed type 2 diabetes mellitus or nonâ€diabetic hyperglycaemia: a systematic review. Diabetic Medicine, 2020, 37, 1443-1453.	1.2	14
53	Risk Assessment for Diabetes. , 2020, , 61-76.		0
54	Evaluation and refinement of the PRESTARt tool for identifying 12â€"14â€‰year olds at high lifetime risk of developing type 2 diabetes compared to a clinicians assessment of risk: a cross-sectional study. BMC Endocrine Disorders, 2019, 19, 79.	0.9	4

#	Article	IF	Citations
55	The Kidney Failure Risk Equation for prediction of end stage renal disease in UK primary care: An external validation and clinical impact projection cohort study. PLoS Medicine, 2019, 16, e1002955.	3.9	64
56	The impact of an intervention to increase uptake to structured self-management education for people with type 2 diabetes mellitus in primary care (the embedding package), compared to usual care, on glycaemic control: study protocol for a mixed methods study incorporating a wait-list cluster randomised controlled trial. BMC Family Practice, 2019, 20, 152.	2.9	5
57	Impact of Depression and Anxiety on Change to Physical Activity Following a Pragmatic Diabetes Prevention Program Within Primary Care: Pooled Analysis From Two Randomized Controlled Trials. Diabetes Care, 2019, 42, 1847-1853.	4.3	22
58	The current use of feasibility studies in the assessment of feasibility for stepped-wedge cluster randomised trials: a systematic review. BMC Medical Research Methodology, 2019, 19, 12.	1.4	9
59	Incidence and severity of hypoglycaemia in type 2 diabetes by treatment regimen: A UK multisite 12â€month prospective observational study. Diabetes, Obesity and Metabolism, 2019, 21, 1585-1595.	2.2	19
60	Leg ischaemia management collaboration (LIMb): study protocol for a prospective cohort study at a single UK centre. BMJ Open, 2019, 9, e031257.	0.8	3
61	Cardiovascular efficacy and safety of sodiumâ€glucose coâ€transporterâ€2 inhibitors and glucagonâ€like peptideâ€1 receptor agonists: a systematic review and network metaâ€analysis. Diabetic Medicine, 2019, 36, 444-452.	1.2	30
62	Multimorbidity and lifestyle factors among adults with intellectual disabilities: a crossâ€sectional analysis of a UK cohort. Journal of Intellectual Disability Research, 2019, 63, 255-265.	1.2	40
63	Identifying stroke therapeutics from preclinical models: A protocol for a novel application of network meta-analysis. F1000Research, 2019, 8, 11.	0.8	7
64	Cluster randomised controlled trial to investigate the effectiveness and cost-effectiveness of a Structured Health Intervention For Truckers (the SHIFT study): a study protocol. BMJ Open, 2019, 9, e030175.	0.8	3
65	Screening for Diabetes and Prediabetes. Endocrinology, 2018, , 1-33.	0.1	1
66	Efficacy and safety of sodium-glucose cotransporter 2 inhibitors (SGLT-2is) and glucagon-like peptide-1 receptor agonists (GLP-1RAs) in patients with type 2 diabetes: a systematic review and network meta-analysis study protocol. BMJ Open, 2018, 8, e023206.	0.8	4
67	Baby Steps â€“ a structured group education programme with accompanying mobile web application designed to promote physical activity in women with a history of gestational diabetes: study protocol for a randomised controlled trial. Trials, 2018, 19, 682.	0.7	11
68	Effectiveness of the Stand More AT (SMArT) Work intervention: cluster randomised controlled trial. BMJ: British Medical Journal, 2018, 363, k3870.	2.4	137
69	Screening for Diabetes and Prediabetes. Endocrinology, 2018, , 369-400.	0.1	2
70	Movement through Active Personalised engagement (MAP) â€" a self-management programme designed to promote physical activity in people with multimorbidity: study protocol for a randomised controlled trial. Trials, 2018, 19, 576.	0.7	6
71	A three arm cluster randomised controlled trial to test the effectiveness and cost-effectiveness of the SMART Work & Life intervention for reducing daily sitting time in office workers: study protocol. BMC Public Health, 2018, 18, 1120.	1.2	25
72	Neuroprotection by anaesthetics in rodent models of traumatic brain injury: a systematic review and network meta-analysis. British Journal of Anaesthesia, 2018, 121, 1272-1281.	1.5	13

#	Article	IF	Citations
73	Patterns of Multimorbidity in Middle-Aged and Older Adults: An Analysis of the UK Biobank Data. Mayo Clinic Proceedings, 2018, 93, 857-866.	1.4	105
74	Stand More AT Work (SMArT Work): using the behaviour change wheel to develop an intervention to reduce sitting time in the workplace. BMC Public Health, 2018, 18, 319.	1.2	76
75	The effect of exercise training on intrahepatic triglyceride and hepatic insulin sensitivity: a systematic review and metaâ€analysis. Obesity Reviews, 2018, 19, 1446-1459.	3.1	67
76	Cardiovascular disease risk factors in chronic kidney disease: A systematic review and meta-analysis. PLoS ONE, 2018, 13, e0192895.	1.1	141
77	The Ready to Reduce Risk (3R) Study for a Group Educational Intervention With Telephone and Text Messaging Support to Improve Medication Adherence for the Primary Prevention of Cardiovascular Disease: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2018, 7, e11289.	0.5	4
78	Evaluation of a Family-Based Interactive Lifestyle Intervention to Reduce the Risk of Developing Type 2 Diabetes in the Future (PRE-STARt Intervention). Diabetes, 2018, 67, .	0.3	1
79	The General Practitioner Prompt Study to Reduce Cardiovascular and Renal Complications in Patients With Type 2 Diabetes and Renal Complications: Protocol and Baseline Characteristics for a Cluster Randomized Controlled Trial. JMIR Research Protocols, 2018, 7, e152.	0.5	1
80	Use of Dental Practices for the Identification of Adults With Undiagnosed Type 2 Diabetes Mellitus or Nondiabetic Hyperglycemia: Protocol for a Systematic Review. JMIR Research Protocols, 2018, 7, e11843.	0.5	2
81	Incident Type 2 diabetes and the effect of early regression to normoglycaemia in a population with impaired glucose regulation. Diabetic Medicine, 2017, 34, 396-404.	1.2	23
82	Cost-effectiveness of a pragmatic structured education intervention for the prevention of type 2 diabetes: economic evaluation of data from the Let's Prevent Diabetes cluster-randomised controlled trial. BMJ Open, 2017, 7, e013592.	0.8	22
83	The association between air pollution and type 2 diabetes in a large cross-sectional study in Leicester: The CHAMPIONS Study. Environment International, 2017, 104, 41-47.	4.8	30
84	Type 2 diabetes and glucose intolerance in a population with intellectual disabilities: the STOP diabetes crossâ€sectional screening study. Journal of Intellectual Disability Research, 2017, 61, 668-681.	1.2	15
85	Predicting hospital stay, mortality and readmission in people admitted for hypoglycaemia: prognostic models derivation and validation. Diabetologia, 2017, 60, 1007-1015.	2.9	4
86	Associations of Physical Activity Intensities with Markers of Insulin Sensitivity. Medicine and Science in Sports and Exercise, 2017, 49, 2451-2458.	0.2	14
87	Associations Between Anthropometric Measurements and Cardiometabolic Risk Factors in White European and South Asian Adults in the United Kingdom. Mayo Clinic Proceedings, 2017, 92, 925-933.	1.4	16
88	External national validation of the Leicester Selfâ€Assessment score for Type 2 diabetes using data from the English Longitudinal Study of Ageing. Diabetic Medicine, 2017, 34, 1575-1583.	1.2	8
89	Let's Prevent Diabetes: from idea to implementation. Practical Diabetes, 2017, 34, 55-57.	0.1	2
90	Unequal cluster sizes in stepped-wedge cluster randomised trials: a systematic review. BMJ Open, 2017, 7, e017151.	0.8	16

#	Article	IF	Citations
91	Self-knowledge of HbA1c in people with Type 2 Diabetes Mellitus and its association with glycaemic control. Primary Care Diabetes, 2017, 11, 414-420.	0.9	21
92	An imbalance in cluster sizes does not lead to notable loss of power in cross-sectional, stepped-wedge cluster randomised trials with a continuous outcome. Trials, 2017, 18, 109.	0.7	17
93	Walking Away from Type 2 diabetes: a cluster randomized controlled trial. Diabetic Medicine, 2017, 34, 698-707.	1.2	66
94	Longâ€term mortality after acute myocardial infarction among individuals with and without diabetes: A systematic review and metaâ€analysis of studies in the postâ€reperfusion era. Diabetes, Obesity and Metabolism, 2017, 19, 364-374.	2.2	29
95	The use of feasibility studies for stepped-wedge cluster randomised trials: protocol for a review of impact and scope. BMJ Open, 2017, 7, e017290.	0.8	7
96	Change in Sedentary Time, Physical Activity, Bodyweight, and HbA1c in High-Risk Adults. Medicine and Science in Sports and Exercise, 2017, 49, 1120-1125.	0.2	13
97	A community-based primary prevention programme for type 2 diabetes mellitus integrating identification and lifestyle intervention for prevention: a cluster randomised controlled trial. Programme Grants for Applied Research, 2017, 5, 1-290.	0.4	12
98	Screening for glucose intolerance and development of a lifestyle education programme for prevention of type 2 diabetes in a population with intellectual disabilities: the STOP Diabetes research project. Programme Grants for Applied Research, 2017, 5, 1-316.	0.4	11
99	Developing a Conceptually Equivalent Type 2 Diabetes Risk Score for Indian Gujaratis in the UK. Journal of Diabetes Research, 2016, 2016, 1-9.	1.0	3
100	Analysis of the Modified Rankin Scale in Randomised Controlled Trials of Acute Ischaemic Stroke: A Systematic Review. Stroke Research and Treatment, 2016, 2016, 1-7.	0.5	31
101	Effects of glucoseâ€lowering and multifactorial interventions on cardiovascular and mortality outcomes: a metaâ€analysis of randomized control trials. Diabetic Medicine, 2016, 33, 280-289.	1.2	36
102	Guidelines for managing diabetes in Ramadan. Diabetic Medicine, 2016, 33, 1315-1329.	1.2	70
103	Rationale and design of the randomised controlled trial to assess the impact of liraglutide on cardiac function and structure in young adults with type 2 diabetes (the LYDIA study). Cardiovascular Diabetology, 2016, 15, 102.	2.7	14
104	Assessment of response rates and yields for Two opportunistic Tools for Early detection of Non-diabetic hyperglycaemia and Diabetes (ATTEND). A randomised controlled trial and cost-effectiveness analysis. Diabetes Research and Clinical Practice, 2016, 118, 12-20.	1.1	8
105	A community faith centre based screening and educational intervention to reduce the risk of type 2 diabetes: A feasibility study. Diabetes Research and Clinical Practice, 2016, 120, 73-80.	1.1	11
106	Aspirin and cardiovascular primary prevention in non-endstage chronic kidney disease: A meta-analysis. Atherosclerosis, 2016, 251, 177-182.	0.4	39
107	A community based primary prevention programme for type 2 diabetes integrating identification and lifestyle intervention for prevention: the Let's Prevent Diabetes cluster randomised controlled trial. Preventive Medicine, 2016, 84, 48-56.	1.6	83
108	Development of a lifestyle intervention using the MRC framework for diabetes prevention in people with impaired glucose regulation. Journal of Public Health, 2016, 38, 493-501.	1.0	23

#	Article	IF	Citations
109	Engagement, Retention, and Progression to Type 2 Diabetes: A Retrospective Analysis of the Cluster-Randomised "Let's Prevent Diabetes" Trial. PLoS Medicine, 2016, 13, e1002078.	3.9	21
110	The effects of highâ€intensity interval training on glucose regulation and insulin resistance: a metaâ€analysis. Obesity Reviews, 2015, 16, 942-961.	3.1	387
111	PRomotion Of Physical activity through structured Education with differing Levels of ongoing Support for people at high risk of type 2 diabetes (PROPELS): study protocol for a randomized controlled trial. Trials, 2015, 16, 289.	0.7	22
112	Prevalence and Incidence of Hypoglycaemia in 532,542 People with Type 2 Diabetes on Oral Therapies and Insulin: A Systematic Review and Meta-Analysis of Population Based Studies. PLoS ONE, 2015, 10, e0126427.	1.1	161
113	The Effect of Glucagon-Like Peptide 1 Receptor Agonists on Weight Loss in Type 2 Diabetes: A Systematic Review and Mixed Treatment Comparison Meta-Analysis. PLoS ONE, 2015, 10, e0126769.	1.1	127
114	Systematic Review and Meta-Analysis of Response Rates and Diagnostic Yield of Screening for Type 2 Diabetes and Those at High Risk of Diabetes. PLoS ONE, 2015, 10, e0135702.	1.1	21
115	The cost-effectiveness of testing strategies for type 2 diabetes: a modelling study. Health Technology Assessment, 2015, 19, 1-80.	1.3	24
116	Association between undiagnosed hypertension and microalbuminuria in South Asians without known diabetes. Journal of Human Hypertension, 2015, 29, 185-189.	1.0	4
117	Is the number of fast-food outlets in the neighbourhood related to screen-detected type 2 diabetes mellitus and associated risk factors?. Public Health Nutrition, 2015, 18, 1698-1705.	1.1	41
118	Safety and effectiveness of nonâ€insulin glucoseâ€lowering agents in the treatment of people with type 2 diabetes who observe <scp>R</scp>amadan: a systematic review and metaâ€analysis. Diabetes, Obesity and Metabolism, 2015, 17, 639-648.	2.2	30
119	Clinical characteristics of polycystic ovary syndrome: investigating differences in White and South Asian women. Clinical Endocrinology, 2015, 83, 542-549.	1.2	32
120	The association between neighbourhood greenspace and type 2 diabetes in a large cross-sectional study. BMJ Open, 2014, 4, e006076.	0.8	89
121	External validation of two diabetes risk scores in a young UK South Asian population. Diabetes Research and Clinical Practice, 2014, 104, 451-458.	1.1	5
122	The effect of antiobesity drugs on waist circumference: a mixed treatment comparison. Diabetes, Obesity and Metabolism, 2014, 16, 237-247.	2.2	14
123	TypeÂ2 diabetes mellitus and obesity in young adults: the extreme phenotype with early cardiovascular dysfunction. Diabetic Medicine, 2014, 31, 794-798.	1.2	30
124	Increasing capacity to deliver diabetes selfâ€management education: results of the <scp>DESMOND</scp> lay educator nonâ€randomized controlled equivalence trial. Diabetic Medicine, 2014, 31, 1431-1438.	1.2	15
125	A randomized controlled trial comparing the <scp>GLP</scp>â€1 receptor agonist liraglutide to a sulphonylurea as add on to metformin in patients with established type 2 diabetes during Ramadan: the Treat 4 Ramadan Trial. Diabetes, Obesity and Metabolism, 2014, 16, 527-536.	2.2	52
126	Risk assessment tools for detecting those with pre-diabetes: A systematic review. Diabetes Research and Clinical Practice, 2014, 105, 1-13.	1.1	41

#	Article	IF	Citations
127	Body Mass Index and Waist Circumference Cut-Points in Multi-Ethnic Populations from the UK and India: The ADDITION-Leicester, Jaipur Heart Watch and New Delhi Cross-Sectional Studies. PLoS ONE, 2014, 9, e90813.	1.1	39
128	Progression rates from HbA1c 6.0â€"6.4% and other prediabetes definitions to type 2 diabetes: a meta-analysis. Diabetologia, 2013, 56, 1489-1493.	2.9	191
129	Associations of objectively measured sedentary behaviour and physical activity with markers of cardiometabolic health. Diabetologia, 2013, 56, 1012-1020.	2.9	268
130	Type 2 diabetes risk predictionâ€"Do biomarkers increase detection?. Diabetes Research and Clinical Practice, 2013, 101, 245-247.	1.1	3
131	The development and validation of the Portuguese risk score for detecting type 2 diabetes and impaired fasting glucose. Primary Care Diabetes, 2013, 7, 11-18.	0.9	14
132	South Asian individuals at high risk of type 2 diabetes have lower plasma vitamin C levels than white Europeans. Journal of Nutritional Science, 2013, 2, e21.	0.7	3
133	Diagnostic performance of using one- or two-HbA1c cut-point strategies to detect undiagnosed type 2 diabetes and impaired glucose regulation within a multi-ethnic population. Diabetes and Vascular Disease Research, 2013, 10, 84-92.	0.9	7
134	Fruit and vegetable intake and the association with glucose parameters: a cross-sectional analysis of the Letâ€™s Prevent Diabetes Study. European Journal of Clinical Nutrition, 2013, 67, 12-17.	1.3	46
135	Sedentary Time and Markers of Chronic Low-Grade Inflammation in a High Risk Population. PLoS ONE, 2013, 8, e78350.	1.1	148
136	Effectiveness of a diabetes education and self management programme (DESMOND) for people with newly diagnosed type 2 diabetes mellitus: three year follow-up of a cluster randomised controlled trial in primary care. BMJ, The, 2012, 344, e2333-e2333.	3.0	268
137	Walking away from type 2 diabetes: trial protocol of a cluster randomised controlled trial evaluating a structured education programme in those at high risk of developing type 2 diabetes. BMC Family Practice, 2012, 13, 46.	2.9	48
138	Letâ€™s prevent diabetes: study protocol for a cluster randomised controlled trial of an educational intervention in a multi-ethnic UK population with screen detected impaired glucose regulation. Cardiovascular Diabetology, 2012, 11, 56.	2.7	33
139	Implementation of the automated Leicester Practice Risk Score in two diabetes prevention trials provides a high yield of people with abnormal glucose tolerance. Diabetologia, 2012, 55, 3238-3244.	2.9	34
140	Sedentary time in adults and the association with diabetes, cardiovascular disease and death: systematic review and meta-analysis. Diabetologia, 2012, 55, 2895-2905.	2.9	1,371
141	A systematic review and mixed treatment comparison of pharmacological interventions for the treatment of obesity. Obesity Reviews, 2012, 13, 483-498.	3.1	36
142	Detection of impaired glucose regulation and/or type 2 diabetes mellitus, using primary care electronic data, in a multiethnic UK community setting. Diabetologia, 2012, 55, 959-966.	2.9	68
143	Type 2 diabetes in younger adults: Clinical characteristics, diabetes-related complications and management of risk factors. Primary Care Diabetes, 2011, 5, 57-62.	0.9	19
144	Contrasting cardiovascular risk profiles and prescribed cardio-protective therapies in newly-diagnosed type 2 diabetes identified through screening and standard practice. Diabetes Research and Clinical Practice, 2011, 91, 280-285.	1.1	6

#	Article	IF	Citations
145	Multifactorial intervention in individuals with type 2 diabetes and microalbuminuria: The Microalbuminuria Education and Medication Optimisation (MEMO) study. Diabetes Research and Clinical Practice, 2011, 93, 328-336.	1.1	41
146	Screening for diabetes using an oral glucose tolerance test within a western multi-ethnic population identifies modifiable cardiovascular risk: the ADDITION-Leicester study. Diabetologia, 2011, 54, 2237-2246.	2.9	55
147	Defining Obesity Cut-Off Points for Migrant South Asians. PLoS ONE, 2011, 6, e26464.	1.1	95
148	Rationale and design of the ADDITION-Leicester study, a systematic screening programme and Randomised Controlled Trial of multi-factorial cardiovascular risk intervention in people with Type 2 Diabetes Mellitus detected by screening. Trials, 2010, 11, 16.	0.7	71
149	The potential impact of using glycated haemoglobin as the preferred diagnostic tool for detecting Type 2 diabetes mellitus. Diabetic Medicine, 2010, 27, 762-769.	1.2	54
150	The Leicester Risk Assessment score for detecting undiagnosed Type 2 diabetes and impaired glucose regulation for use in a multiethnic UK setting. Diabetic Medicine, 2010, 27, 887-895.	1.2	151
151	Screening for type 2 diabetes in a multiethnic setting using known risk factors to identify those at high risk: a cross-sectional study. Vascular Health and Risk Management, 2010, 6, 837.	1.0	16
152	The potential impact and optimal cut-points of using glycated haemoglobin, HbA1c, to detect people with impaired glucose regulation in a UK multi-ethnic cohort. Diabetes Research and Clinical Practice, 2010, 90, 100-108.	1.1	55
153	Levels of physical activity and relationship with markers of diabetes and cardiovascular disease risk in 5474 white European and South Asian adults screened for type 2 diabetes. Preventive Medicine, 2010, 51, 290-294.	1.6	61