## Guangda Niu

## List of Publications by Citations

Source: https://exaly.com/author-pdf/6838471/guangda-niu-publications-by-citations.pdf

Version: 2024-04-03

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145 13,447 115 55 h-index g-index citations papers 6.87 16,299 12 149 L-index ext. citations avg, IF ext. papers

| #   | Paper  | IF            | Citations |
|-----|--|---------------|-----------|
| 145 | Review of recent progress in chemical stability of perovskite solar cells. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 8970-8980  | 13            | 1337      |
| 144 | Study on the stability of CH3NH3PbI3 films and the effect of post-modification by aluminum oxide in all-solid-state hybrid solar cells. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 705-710     | 13            | 861       |
| 143 | Efficient and stable emission of warm-white light from lead-free halide double perovskites. <i>Nature</i> , <b>2018</b> , 563, 541-545   | 50.4          | 835       |
| 142 | Cs2AgBiBr6 single-crystal X-ray detectors with a low detection limit. <i>Nature Photonics</i> , <b>2017</b> , 11, 726-73   | <b>2</b> 33.9 | 622       |
| 141 | Enhanced optoelectronic quality of perovskite thin films with hypophosphorous acid for planar heterojunction solar cells. <i>Nature Communications</i> , <b>2015</b> , 6, 10030                                | 17.4          | 492       |
| 140 | Enhanced UV-light stability of planar heterojunction perovskite solar cells with caesium bromide interface modification. <i>Energy and Environmental Science</i> , <b>2016</b> , 9, 490-498                    | 35.4          | 450       |
| 139 | Lead-Free, Blue Emitting Bismuth Halide Perovskite Quantum Dots. <i>Angewandte Chemie - International Edition</i> , <b>2016</b> , 55, 15012-15016  | 16.4          | 343       |
| 138 | Controllable Grain Morphology of Perovskite Absorber Film by Molecular Self-Assembly toward Efficient Solar Cell Exceeding 17%. <i>Journal of the American Chemical Society</i> , <b>2015</b> , 137, 10399-405 | 16.4          | 314       |
| 137 | Stable 6%-efficient Sb2Se3 solar cells with a ZnO buffer layer. <i>Nature Energy</i> , <b>2017</b> , 2,  | 62.3          | 305       |
| 136 | Vapor transport deposition of antimony selenide thin film solar cells with 7.6% efficiency. <i>Nature Communications</i> , <b>2018</b> , 9, 2179   | 17.4          | 277       |
| 135 | All-Inorganic Bismuth-Based Perovskite Quantum Dots with Bright Blue Photoluminescence and Excellent Stability. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1704446                               | 15.6          | 268       |
| 134 | Passivated Single-Crystalline CHNHPbI Nanowire Photodetector with High Detectivity and Polarization Sensitivity. <i>Nano Letters</i> , <b>2016</b> , 16, 7446-7454   | 11.5          | 246       |
| 133 | Highly Efficient Blue-Emitting Bi-Doped Cs2SnCl6 Perovskite Variant: Photoluminescence Induced by Impurity Doping. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1801131                            | 15.6          | 239       |
| 132 | Mixed Cation FAxPEA1NPbI3 with Enhanced Phase and Ambient Stability toward High-Performance Perovskite Solar Cells. <i>Advanced Energy Materials</i> , <b>2017</b> , 7, 1601307                                | 21.8          | 237       |
| 131 | High-Performance Planar-Type Photodetector on (100) Facet of MAPbI3 Single Crystal. <i>Scientific Reports</i> , <b>2015</b> , 5, 16563   | 4.9           | 222       |
| 130 | Cs2AgInCl6 Double Perovskite Single Crystals: Parity Forbidden Transitions and Their Application For Sensitive and Fast UV Photodetectors. <i>ACS Photonics</i> , <b>2018</b> , 5, 398-405                     | 6.3           | 201       |
| 129 | Inorganic CsPbI3 Perovskite-Based Solar Cells: A Choice for a Tandem Device. <i>Solar Rrl</i> , <b>2017</b> , 1, 170004  | 87.1          | 199       |

| 128 | Lead-Free Halide Rb CuBr as Sensitive X-Ray Scintillator. Advanced Materials, 2019, 31, e1904711  | 24                 | 194 |
|-----|---|--------------------|-----|
| 127 | Direct Evidence of Ion Diffusion for the Silver-Electrode-Induced Thermal Degradation of Inverted Perovskite Solar Cells. <i>Advanced Energy Materials</i> , <b>2017</b> , 7, 1602922                               | 21.8               | 192 |
| 126 | Addictive-assisted construction of all-inorganic CsSnIBr2 mesoscopic perovskite solar cells with superior thermal stability up to 473 K. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 17104-17110     | 13                 | 186 |
| 125 | Graphene oxide as dual functional interface modifier for improving wettability and retarding recombination in hybrid perovskite solar cells. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 20105-20111 | 13                 | 165 |
| 124 | Inorganic CsPb1⊠SnxIBr2 for Efficient Wide-Bandgap Perovskite Solar Cells. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1800525  | 21.8               | 154 |
| 123 | Circularly polarized light detection using chiral hybrid perovskite. <i>Nature Communications</i> , <b>2019</b> , 10, 19  | 27 <sub>17.4</sub> | 152 |
| 122 | Stable #phase junction of formamidinium lead iodide perovskites for enhanced near-infrared emission. <i>Chemical Science</i> , <b>2017</b> , 8, 800-805   | 9.4                | 142 |
| 121 | Enhancement of thermal stability for perovskite solar cells through cesium doping. <i>RSC Advances</i> , <b>2017</b> , 7, 17473-17479   | 3.7                | 140 |
| 120 | Heteroepitaxial passivation of CsAgBiBr wafers with suppressed ionic migration for X-ray imaging. <i>Nature Communications</i> , <b>2019</b> , 10, 1989   | 17.4               | 134 |
| 119 | Facile synthesis of iridium nanocrystals with well-controlled facets using seed-mediated growth.<br>Journal of the American Chemical Society, 2014, 136, 10878-81   | 16.4               | 131 |
| 118 | Efficient and Reabsorption-Free Radioluminescence in CsCuI Nanocrystals with Self-Trapped Excitons. <i>Advanced Science</i> , <b>2020</b> , 7, 2000195  | 13.6               | 127 |
| 117 | Energetically favored formation of SnO2 nanocrystals as electron transfer layer in perovskite solar cells with high efficiency exceeding 19%. <i>Nano Energy</i> , <b>2017</b> , 40, 336-344                        | 17.1               | 124 |
| 116 | Hot-Pressed CsPbBr Quasi-Monocrystalline Film for Sensitive Direct X-ray Detection. <i>Advanced Materials</i> , <b>2019</b> , 31, e1904405  | 24                 | 121 |
| 115 | Surface Passivation of Bismuth-Based Perovskite Variant Quantum Dots To Achieve Efficient Blue Emission. <i>Nano Letters</i> , <b>2018</b> , 18, 6076-6083  | 11.5               | 118 |
| 114 | Toward continuous and scalable production of colloidal nanocrystals by switching from batch to droplet reactors. <i>Chemical Society Reviews</i> , <b>2015</b> , 44, 5806-20  | 58.5               | 117 |
| 113 | Photophysical Pathways in Highly Sensitive Cs AgBiBr Double-Perovskite Single-Crystal X-Ray Detectors. <i>Advanced Materials</i> , <b>2018</b> , 30, e1804450   | 24                 | 117 |
| 112 | CsPbICl, All-Inorganic Two-Dimensional Ruddlesden-Popper Mixed Halide Perovskite with Optoelectronic Response. <i>Journal of the American Chemical Society</i> , <b>2018</b> , 140, 11085-11090                     | 16.4               | 110 |
| 111 | Controlled orientation of perovskite films through mixed cations toward high performance perovskite solar cells. <i>Nano Energy</i> , <b>2016</b> , 27, 87-94   | 17.1               | 102 |

| 110 | Continuous and scalable production of well-controlled noble-metal nanocrystals in milliliter-sized droplet reactors. <i>Nano Letters</i> , <b>2014</b> , 14, 6626-31   | 11.5 | 97 |
|-----|--|------|----|
| 109 | Post modification of perovskite sensitized solar cells by aluminum oxide for enhanced performance. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 11735  | 13   | 88 |
| 108 | Rare Earth Ion-Doped CsPbBr3 Nanocrystals. Advanced Optical Materials, 2018, 6, 1700864  | 8.1  | 87 |
| 107 | Effect of cesium chloride modification on the film morphology and UV-induced stability of planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 11688-11695                      | 13   | 84 |
| 106 | TiO2 surface modification and characterization with nanosized PbS in dye-sensitized solar cells.<br>Journal of Physical Chemistry B, <b>2006</b> , 110, 14406-9  | 3.4  | 82 |
| 105 | In Situ Regulating the OrderDisorder Phase Transition in Cs2AgBiBr6 Single Crystal toward the Application in an X-Ray Detector. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1900234                     | 15.6 | 81 |
| 104 | Photophysics in Cs3Cu2X5 (X = Cl, Br, or I): Highly Luminescent Self-Trapped Excitons from Local Structure Symmetrization. <i>Chemistry of Materials</i> , <b>2020</b> , 32, 3462-3468                               | 9.6  | 80 |
| 103 | High-Quality Cuboid CH3NH3PbI3 Single Crystals for High Performance X-Ray and Photon Detectors. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1806984   | 15.6 | 76 |
| 102 | Efficient n-type dopants with extremely low doping ratios for high performance inverted perovskite solar cells. <i>Energy and Environmental Science</i> , <b>2016</b> , 9, 3424-3428                                 | 35.4 | 75 |
| 101 | Lead-Free Perovskite Variant Solid Solutions Cs Sn Te Cl : Bright Luminescence and High Anti-Water Stability. <i>Advanced Materials</i> , <b>2020</b> , 32, e2002443   | 24   | 74 |
| 100 | Controlled Cooling for Synthesis of Cs2AgBiBr6 Single Crystals and Its Application for X-Ray Detection. <i>Advanced Optical Materials</i> , <b>2019</b> , 7, 1900491   | 8.1  | 72 |
| 99  | Lead-Free Halide Perovskites and Perovskite Variants as Phosphors toward Light-Emitting Applications. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 31575-31584                                  | 9.5  | 71 |
| 98  | Metal Halide Perovskites for X-Ray Detection and Imaging. <i>Matter</i> , <b>2021</b> , 4, 144-163   | 12.7 | 71 |
| 97  | Tunable Color Temperatures and Efficient White Emission from Cs Ag Na In Bi Cl Double Perovskite Nanocrystals. <i>Small</i> , <b>2019</b> , 15, e1903496   | 11   | 70 |
| 96  | Synthesis of Pt-Ni Octahedra in Continuous-Flow Droplet Reactors for the Scalable Production of Highly Active Catalysts toward Oxygen Reduction. <i>Nano Letters</i> , <b>2016</b> , 16, 3850-7                      | 11.5 | 70 |
| 95  | All-Inorganic Copper Halide as a Stable and Self-Absorption-Free X-ray Scintillator. <i>Journal of Physical Chemistry Letters</i> , <b>2020</b> , 11, 1873-1880  | 6.4  | 69 |
| 94  | Improved SnO2 Electron Transport Layers Solution-Deposited at Near Room Temperature for Rigid or Flexible Perovskite Solar Cells with High Efficiencies. <i>Advanced Energy Materials</i> , <b>2019</b> , 9, 1900834 | 21.8 | 67 |
| 93  | Unveiling the Structural Descriptor of A3B2X9 Perovskite Derivatives toward X-Ray Detectors with Low Detection Limit and High Stability. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 1910648            | 15.6 | 67 |

| 92 | Antimony doped Cs2SnCl6 with bright and stable emission. Frontiers of Optoelectronics, 2019, 12, 352-3   | <b>624</b> 8 | 62 |
|----|--|--------------|----|
| 91 | Multifunctional MgO Layer in Perovskite Solar Cells. <i>ChemPhysChem</i> , <b>2015</b> , 16, 1727-32   | 3.2          | 60 |
| 90 | Multifunctional perovskite capping layers in hybrid solar cells. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 14973  | 13           | 55 |
| 89 | Self-Trapped Exciton to Dopant Energy Transfer in Rare Earth Doped Lead-Free Double Perovskite. <i>Advanced Optical Materials</i> , <b>2019</b> , 7, 1901098   | 8.1          | 53 |
| 88 | Flexible Linearly Polarized Photodetectors Based on All-Inorganic Perovskite CsPbI3 Nanowires. <i>Advanced Optical Materials</i> , <b>2018</b> , 6, 1800679  | 8.1          | 53 |
| 87 | Low-Temperature-Processed Amorphous Bi2S3 Film as an Inorganic Electron Transport Layer for Perovskite Solar Cells. <i>ACS Photonics</i> , <b>2016</b> , 3, 2122-2128  | 6.3          | 49 |
| 86 | Enhanced Moisture Stability of Cesium-Containing Compositional Perovskites by a Feasible Interfacial Engineering. <i>Advanced Materials Interfaces</i> , <b>2017</b> , 4, 1700598  | 4.6          | 49 |
| 85 | Electrohydrodynamically Printed High-Resolution Full-Color Hybrid Perovskites. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1903294  | 15.6         | 47 |
| 84 | High-Throughput Combinatorial Optimizations of Perovskite Light-Emitting Diodes Based on All-Vacuum Deposition. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1903607   | 15.6         | 47 |
| 83 | Rubidium Doping to Enhance Carrier Transport in CsPbBr Single Crystals for High-Performance X-Ray Detection. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 989-996   | 9.5          | 47 |
| 82 | Morphology-controlled CH3NH3PbI3 films by hexane-assisted one-step solution deposition for hybrid perovskite mesoscopic solar cells with high reproductivity. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 22839-22845 | 13           | 45 |
| 81 | Oxygen doping in nickel oxide for highly efficient planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 4721-4728   | 13           | 45 |
| 80 | Air-Stable Direct Bandgap Perovskite Semiconductors: All-Inorganic Tin-Based Heteroleptic Halides AxSnClyIz (A = Cs, Rb). <i>Chemistry of Materials</i> , <b>2018</b> , 30, 4847-4856  | 9.6          | 45 |
| 79 | Flexible Filter-Free Narrowband Photodetector with High Gain and Customized Responsive Spectrum. <i>Advanced Functional Materials</i> , <b>2017</b> , 27, 1702360  | 15.6         | 44 |
| 78 | X-ray scintillation in lead-free double perovskite crystals. Science China Chemistry, 2018, 61, 1581-1586  | 7.9          | 42 |
| 77 | Lead halide perovskite for efficient optoacoustic conversion and application toward high-resolution ultrasound imaging. <i>Nature Communications</i> , <b>2021</b> , 12, 3348  | 17.4         | 42 |
| 76 | Circularly Polarized Luminescence from Chiral Tetranuclear Copper(I) Iodide Clusters. <i>Journal of Physical Chemistry Letters</i> , <b>2020</b> , 11, 1255-1260   | 6.4          | 40 |
| 75 | ZnO nanocrystallite aggregates synthesized through interface precipitation for dye-sensitized solar cells. <i>Nano Energy</i> , <b>2013</b> , 2, 40-48   | 17.1         | 40 |

| 74 | Bismuth halide perovskite derivatives for direct X-ray detection. <i>Journal of Materials Chemistry C</i> , <b>2020</b> , 8, 1239-1243  | 7.1               | 39 |
|----|---|-------------------|----|
| 73 | Aqueous Synthesis of Lead Halide Perovskite Nanocrystals with High Water Stability and Bright Photoluminescence. <i>ACS Applied Materials &amp; English Research</i> , <b>2018</b> , 10, 43915-43922                                      | 9.5               | 39 |
| 72 | A Droplet-Reactor System Capable of Automation for the Continuous and Scalable Production of Noble-Metal Nanocrystals. <i>Nano Letters</i> , <b>2018</b> , 18, 3879-3884  | 11.5              | 38 |
| 71 | Oriented-Structured CsCuI Film by Close-Space Sublimation and Nanoscale Seed Screening for High-Resolution X-ray Imaging. <i>Nano Letters</i> , <b>2021</b> , 21, 1392-1399   | 11.5              | 37 |
| 70 | Efficient and UV-stable perovskite solar cells enabled by side chain-engineered polymeric hole-transporting layers. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 12999-13004  | 13                | 36 |
| 69 | Progress of interface engineering in perovskite solar cells. <i>Science China Materials</i> , <b>2016</b> , 59, 728-742   | 7.1               | 36 |
| 68 | Metal Halide Scintillators with Fast and Self-Absorption-Free Defect-Bound Excitonic Radioluminescence for Dynamic X-Ray Imaging. <i>Advanced Functional Materials</i> , <b>2021</b> , 31, 2007921  | 15.6              | 35 |
| 67 | CHNHPb Eu I mixed halide perovskite for hybrid solar cells: the impact of divalent europium doping on efficiency and stability <i>RSC Advances</i> , <b>2018</b> , 8, 11095-11101   | 3.7               | 33 |
| 66 | Inorganic iodide ligands in ex situ PbS quantum dot sensitized solar cells with I/13lelectrolytes.<br>Journal of Materials Chemistry, <b>2012</b> , 22, 16914   |                   | 33 |
| 65 | Inorganic halogen ligands in quantum dots: I-, Br-, Cl- and film fabrication through electrophoretic deposition. <i>Physical Chemistry Chemical Physics</i> , <b>2013</b> , 15, 19595-600   | 3.6               | 31 |
| 64 | One-Dimensional All-Inorganic K2CuBr3 with Violet Emission as Efficient X-ray Scintillators. <i>ACS Applied Electronic Materials</i> , <b>2020</b> , 2, 2242-2249   | 4                 | 30 |
| 63 | Reversible luminescent humidity chromism of organic-inorganic hybrid PEAMnBr single crystals. <i>Dalton Transactions</i> , <b>2020</b> , 49, 5662-5668  | 4.3               | 30 |
| 62 | Printable CsPbBr perovskite quantum dot ink for coffee ring-free fluorescent microarrays using inkjet printing. <i>Nanoscale</i> , <b>2020</b> , 12, 2569-2577  | 7.7               | 30 |
| 61 | Polydisperse Spindle-Shaped ZnO Particles with Their Packing Micropores in the Photoanode for Highly Efficient Quasi-Solid Dye-Sensitized Solar Cells. <i>Advanced Functional Materials</i> , <b>2010</b> , 20, 437-444                   | 1 <sup>15.6</sup> | 29 |
| 60 | Ultrabright and Highly Efficient All-Inorganic Zero-Dimensional Perovskite Scintillators. <i>Advanced Optical Materials</i> , <b>2021</b> , 9, 2100460  | 8.1               | 29 |
| 59 | Controllable Cs FAPbI Single-Crystal Morphology via Rationally Regulating the Diffusion and Collision of Micelles toward High-Performance Photon Detectors. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 13812-13821 | 9.5               | 27 |
| 58 | Efficient Blue Light Emitting Diodes Based On Europium Halide Perovskites. <i>Advanced Materials</i> , <b>2021</b> , 33, e2101903   | 24                | 27 |
| 57 | Elemental Se: fundamentals and its optoelectronic applications. <i>Journal of Materials Chemistry C</i> , <b>2019</b> , 7, 2199-2206  | 7.1               | 26 |

| 56 | Highly Luminescent Zero-Dimensional Organic Copper Halides for X-ray Scintillation. <i>Journal of Physical Chemistry Letters</i> , <b>2021</b> , 12, 6919-6926   | 6.4  | 25 |
|----|--|------|----|
| 55 | Post-modification using aluminum isopropoxide after dye-sensitization for improved performance and stability of quasi-solid-state solar cells. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , <b>2008</b> , 197, 375-381 | 4.7  | 24 |
| 54 | A self-powered and high-voltage-isolated organic optical communication system based on triboelectric nanogenerators and solar cells. <i>Nano Energy</i> , <b>2019</b> , 56, 391-399  | 17.1 | 24 |
| 53 | Spectrally Stable Ultra-Pure Blue Perovskite Light-Emitting Diodes Boosted by Square-Wave Alternating Voltage. <i>Advanced Optical Materials</i> , <b>2020</b> , 8, 1901094  | 8.1  | 23 |
| 52 | High-Efficiency Formamidinium Lead Bromide Perovskite Nanocrystal-Based Light-Emitting Diodes Fabricated via a Surface Defect Self-Passivation Strategy. <i>Advanced Optical Materials</i> , <b>2020</b> , 8, 1901390                      | 8.1  | 22 |
| 51 | Efficient Dual-Band White-Light Emission with High Color Rendering from Zero-Dimensional Organic Copper Iodide. <i>ACS Applied Materials &amp; District Renderials</i> , 13, 22749-22756   | 9.5  | 22 |
| 50 | High Performance of Perovskite Solar Cells via Catalytic Treatment in Two-Step Process: The Case of Solvent Engineering. <i>ACS Applied Materials &amp; Amp; Interfaces</i> , <b>2016</b> , 8, 30107-30115                                 | 9.5  | 20 |
| 49 | Inorganic antimony halide hybrids with broad yellow emissions. <i>Science Bulletin</i> , <b>2019</b> , 64, 904-909   | 10.6 | 19 |
| 48 | Enhanced performance in hybrid perovskite solar cell by modification with spinel lithium titanate.<br>Journal of Materials Chemistry A, <b>2015</b> , 3, 8882-8889   | 13   | 19 |
| 47 | Insight into the CH3NH3PbI3/C interface in hole-conductor-free mesoscopic perovskite solar cells. <i>Nanoscale</i> , <b>2016</b> , 8, 14163-70   | 7.7  | 19 |
| 46 | Mg doping in nanosheet-based spherical structured ZnO photoanode for quasi-solid dye-sensitized solar cells. <i>RSC Advances</i> , <b>2014</b> , 4, 21294-21300  | 3.7  | 18 |
| 45 | Recent progress in interface modification for dye-sensitized solar cells. <i>Science China Chemistry</i> , <b>2010</b> , 53, 1669-1678   | 7.9  | 18 |
| 44 | Broadband emission of double perovskite CsNaAgInBiCl:Mn for single-phosphor white-light-emitting diodes. <i>Optics Letters</i> , <b>2019</b> , 44, 4757-4760   | 3    | 18 |
| 43 | Scalable Synthesis of Palladium Icosahedra in Plug Reactors for the Production of Oxygen Reduction Reaction Catalysts. <i>ChemCatChem</i> , <b>2016</b> , 8, 1658-1664   | 5.2  | 17 |
| 42 | Compact and Large-Area Perovskite Films Achieved via Soft-Pressing and Multi-Functional Polymerizable Binder for Flat-Panel X-Ray Imager. <i>Advanced Functional Materials</i> ,2110729  | 15.6 | 17 |
| 41 | Lead-free halide perovskite Cs3Bi2Br9 single crystals for high-performance X-ray detection. <i>Science China Materials</i> , <b>2021</b> , 64, 1427-1436   | 7.1  | 15 |
| 40 | Room-temperature solution-processed amorphous NbOx as an electron transport layer in high-efficiency photovoltaics. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 17882-17888   | 13   | 15 |
| 39 | Highly Resolved X-Ray Imaging Enabled by In(I) Doped Perovskite-Like Cs 3 Cu 2 I 5 Single Crystal Scintillator. <i>Advanced Optical Materials</i> ,2200304   | 8.1  | 15 |

| 38 | Morphological characterization of pentacene single crystals grown by physical vapor transport. <i>Applied Surface Science</i> , <b>2007</b> , 253, 3581-3585   | 6.7           | 14 |
|----|--|---------------|----|
| 37 | Light-emitting diodes based on all-inorganic copper halide perovskite with self-trapped excitons.<br>Journal of Semiconductors, <b>2020</b> , 41, 052204   | 2.3           | 14 |
| 36 | Two-dimensional perovskites as sensitive strain sensors. <i>Journal of Materials Chemistry C</i> , <b>2020</b> , 8, 3814   | -3/8120       | 13 |
| 35 | Lead-free violet-emitting K2CuCl3 single crystal with high photoluminescence quantum yield. <i>Organic Electronics</i> , <b>2020</b> , 86, 105903  | 3.5           | 13 |
| 34 | Coffee ring elimination and crystalline control of electrohydrodynamically printed high-viscosity perovskites. <i>Journal of Materials Chemistry C</i> , <b>2019</b> , 7, 14867-14873  | 7.1           | 13 |
| 33 | The role of interface between electron transport layer and perovskite in halogen migration and stabilizing perovskite solar cells with Cs4SnO4. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 23797-23804       | 13            | 13 |
| 32 | Improved charge transport and injection in a meso-superstructured solar cell by a tractable pre-spin-coating process. <i>Physical Chemistry Chemical Physics</i> , <b>2015</b> , 17, 24092-7                                 | 3.6           | 12 |
| 31 | Tailoring electrical property of the low-temperature processed SnO2 for high-performance perovskite solar cells. <i>Science China Materials</i> , <b>2019</b> , 62, 173-180  | 7.1           | 11 |
| 30 | Quasi-2D Perovskite Thick Film for X-Ray Detection with Low Detection Limit. <i>Advanced Functional Materials</i> ,2109458   | 15.6          | 11 |
| 29 | Rational design of SnO2-based electron transport layer in mesoscopic perovskite solar cells: more kinetically favorable than traditional double-layer architecture. <i>Science China Materials</i> , <b>2017</b> , 60, 963-9 | 7 <b>6</b> .1 | 10 |
| 28 | Efficient PbSe Colloidal Quantum Dot Solar Cells Using SnO as a Buffer Layer. <i>ACS Applied Materials &amp; Amp; Interfaces</i> , <b>2020</b> , 12, 2566-2571   | 9.5           | 10 |
| 27 | Non-thermal plasma fixing of nitrogen into nitrate: solution for renewable electricity storage?. <i>Frontiers of Optoelectronics</i> , <b>2018</b> , 11, 92-96   | 2.8           | 9  |
| 26 | Enhanced efficiency and stability of inverted perovskite solar cells by interfacial engineering with alkyl bisphosphonic molecules. <i>RSC Advances</i> , <b>2017</b> , 7, 42105-42112                                       | 3.7           | 9  |
| 25 | Embedding Cs3Cu2I5 Scintillators into Anodic Aluminum Oxide Matrix for High-Resolution X-Ray Imaging. <i>Advanced Optical Materials</i> , <b>2021</b> , 9, 2101194   | 8.1           | 9  |
| 24 | Ultrastable Perovskite Nanocrystals in All-Inorganic Transparent Matrix for High-Speed Underwater Wireless Optical Communication. <i>Advanced Optical Materials</i> , <b>2021</b> , 9, 2002239                               | 8.1           | 9  |
| 23 | High-Quality MAPbBr Cuboid Film with Promising Optoelectronic Properties Prepared by a Hot Methylamine Precursor Approach. <i>ACS Applied Materials &amp; amp; Interfaces</i> , <b>2020</b> , 12, 24498-24504                | 9.5           | 8  |
| 22 | Combined post-modification of iodide ligands and wide band gap ZnS in quantum dot sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , <b>2014</b> , 16, 18327-32  | 3.6           | 8  |
| 21 | Chemical Stability Issue and Its Research Process of Perovskite Solar Cells with High Efficiency. <i>Acta Chimica Sinica</i> , <b>2015</b> , 73, 211   | 3.3           | 8  |

| 20 | Lead-free halide perovskites: a review of the structureproperty relationship and applications in light emitting devices and radiation detectors. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 11931-11943 | 13   | 8 |  |
|----|---|------|---|--|
| 19 | Chemical Potential Diagram-Guided Rational Tuning of Electrical Properties: A Case Study of CsPbBr for X-ray Detection <i>Advanced Materials</i> , <b>2022</b> , e2110252   | 24   | 8 |  |
| 18 | Improved performance of pure formamidinium lead iodide perovskite light-emitting diodes by moisture treatment. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 11121-11127                                   | 7.1  | 7 |  |
| 17 | Lead-Free Zero-Dimensional Organic-Copper(I) Halides as Stable and Sensitive X-ray Scintillators <i>ACS Applied Materials &amp; Damp; Interfaces</i> , <b>2022</b> ,  | 9.5  | 7 |  |
| 16 | Research on the adhesive ability between ITO anode and PET substrate improved by polyimide buffer layer. <i>Science Bulletin</i> , <b>2005</b> , 50, 505-508  |      | 6 |  |
| 15 | Observation of Defect Luminescence in 2D Dionlacobson Perovskites. Advanced Optical Materials, 2101   | 423  | 6 |  |
| 14 | Efficient Infrared Solar Cells Employing Quantum Dot Solids with Strong Inter-Dot Coupling and Efficient Passivation. <i>Advanced Functional Materials</i> , <b>2021</b> , 31, 2006864                                  | 15.6 | 6 |  |
| 13 | Interface modification of 8-hydroxyquinoline aluminium with combined effects in quasi-solid dye-sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , <b>2012</b> , 14, 5973-8                           | 3.6  | 5 |  |
| 12 | Towards Efficient Hardware Implementation of NTT for Kyber on FPGAs 2021,   |      | 5 |  |
| 11 | High quality perovskite thin films induced by crystal seeds with lead monoxide interfacial engineering. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 16913-16919  | 13   | 5 |  |
| 10 | Cs4PbBr6 $\blacksquare$ Clx Single Crystals with Tunable Emission for X-ray Detection and Imaging. <i>Journal of Physical Chemistry C</i> ,   | 3.8  | 4 |  |
| 9  | Sb2Se3 film with grain size over 10 µm toward X-ray detection. <i>Frontiers of Optoelectronics</i> , <b>2021</b> , 14, 341  | 2.8  | 4 |  |
| 8  | Decreasing Structural Dimensionality of Double Perovskites for Phase Stabilization toward Efficient X-ray Detection <i>ACS Applied Materials &amp; Amp; Interfaces</i> , <b>2021</b> , 13, 61447-61453                  | 9.5  | 4 |  |
| 7  | Vertical matrix perovskite X-ray detector for effective multi-energy discrimination <i>Light: Science and Applications</i> , <b>2022</b> , 11, 105  | 16.7 | 4 |  |
| 6  | Comparison between P25 and anatase-based TiO2 quasi-solid state dye sensitized solar cells. <i>Science Bulletin</i> , <b>2008</b> , 53, 954-957   | 10.6 | 3 |  |
| 5  | Tailoring the electron and hole dimensionality to achieve efficient and stable metal halide perovskite scintillators. <i>Nanophotonics</i> , <b>2021</b> , 10, 2249-2256  | 6.3  | 3 |  |
| 4  | A chain-type diamine strategy towards strongly anisotropic triiodide of DMEDA[]6. <i>Science China Materials</i> , <b>2020</b> , 63, 566-574  | 7.1  | 3 |  |
| 3  | Oxide perovskite Ba2AgIO6 wafers for X-ray detection. <i>Frontiers of Optoelectronics</i> ,1  | 2.8  | 2 |  |
|    |   |      |   |  |

Template directed perovskite X-ray detectors towards low ionic migration and low interpixel cross talking. *Fundamental Research*, **2021**, 2, 108-108

1

Scalable Synthesis of Palladium Icosahedra in Plug Reactors for the Production of Oxygen Reduction Reaction Catalysts. *ChemCatChem*, **2016**, 8, 1602-1602

5.2