## Kim Overvad

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/683988/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effects of long-term exposure to air pollution on natural-cause mortality: an analysis of 22 European cohorts within the multicentre ESCAPE project. Lancet, The, 2014, 383, 785-795.	13.7	1,077
2	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599â€^912 current drinkers in 83 prospective studies. Lancet, The, 2018, 391, 1513-1523.	13.7	858
3	Study design, exposure variables, and socioeconomic determinants of participation in Diet, Cancer and Health: A population-based prospective cohort study of 57,053 men and women in Denmark. Scandinavian Journal of Public Health, 2007, 35, 432-441.	2.3	532
4	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. European Heart Journal, 2021, 42, 2439-2454.	2.2	491
5	Large-scale association analysis identifies new lung cancer susceptibility loci and heterogeneity in genetic susceptibility across histological subtypes. Nature Genetics, 2017, 49, 1126-1132.	21.4	472
6	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. Lancet Diabetes and Endocrinology,the, 2014, 2, 810-818.	11.4	431
7	Association Between Telomere Length and Risk of Cancer and Non-Neoplastic Diseases. JAMA Oncology, 2017, 3, 636.	7.1	376
8	Validation of a Semiquantitative Food Frequency Questionnaire Developed in Denmark. International Journal of Epidemiology, 1991, 20, 906-912.	1.9	341
9	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. European Journal of Nutrition, 2016, 55, 1359-1375.	3.9	313
10	Association Between Low-Density Lipoprotein Cholesterol–Lowering Genetic Variants and Risk of Type 2 Diabetes. JAMA - Journal of the American Medical Association, 2016, 316, 1383.	7.4	310
11	Breast Cancer Risk From Modifiable and Nonmodifiable Risk Factors Among White Women in the United States. JAMA Oncology, 2016, 2, 1295.	7.1	285
12	Wine intake and diet in a random sample of 48763 Danish men and women. American Journal of Clinical Nutrition, 1999, 69, 49-54.	4.7	262
13	Development of a Semiquantitative Food Frequency Questionnaire to Assess Food, Energy and Nutrient Intake in Denmark. International Journal of Epidemiology, 1991, 20, 900-905.	1.9	225
14	Association of Body Mass Index and Age With Subsequent Breast Cancer Risk in Premenopausal Women. JAMA Oncology, 2018, 4, e181771.	7.1	210
15	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. European Heart Journal, 2018, 39, 397-406.	2.2	209
16	Biomarkers of Dietary Omega-6 Fatty Acids and Incident Cardiovascular Disease and Mortality. Circulation, 2019, 139, 2422-2436.	1.6	199
17	Flavonoid intake is associated with lower mortality in the Danish Diet Cancer and Health Cohort. Nature Communications, 2019, 10, 3651.	12.8	197
18	Gene-Lifestyle Interaction and Type 2 Diabetes: The EPIC InterAct Case-Cohort Study. PLoS Medicine, 2014. 11. e1001647	8.4	180

#	Article	IF	CITATIONS
19	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. BMC Medicine, 2014, 12, 168.	5.5	178
20	Long-term residential exposure to PM2.5, PM10, black carbon, NO2, and ozone and mortality in a Danish cohort. Environment International, 2019, 123, 265-272.	10.0	175
21	Validity of the diagnoses atrial fibrillation and atrial flutter in a Danish patient registry. Scandinavian Cardiovascular Journal, 2012, 46, 149-153.	1.2	174
22	Association Between Soft Drink Consumption and Mortality in 10 European Countries. JAMA Internal Medicine, 2019, 179, 1479.	5.1	169
23	Coffee Drinking and Mortality in 10 European Countries. Annals of Internal Medicine, 2017, 167, 236-247.	3.9	168
24	Intake of fruit and vegetables and the risk of ischemic stroke in a cohort of Danish men and women. American Journal of Clinical Nutrition, 2003, 78, 57-64.	4.7	160
25	DNA methylome analysis identifies accelerated epigenetic ageing associated with postmenopausal breast cancer susceptibility. European Journal of Cancer, 2017, 75, 299-307.	2.8	154
26	Common Genetic Variants Highlight the Role of Insulin Resistance and Body Fat Distribution in Type 2 Diabetes, Independent of Obesity. Diabetes, 2014, 63, 4378-4387.	0.6	153
27	Association of Plasma Phospholipid n-3 and n-6 Polyunsaturated Fatty Acids with Type 2 Diabetes: The EPIC-InterAct Case-Cohort Study. PLoS Medicine, 2016, 13, e1002094.	8.4	150
28	Lifestyle factors and risk of multimorbidity of cancer and cardiometabolic diseases: a multinational cohort study. BMC Medicine, 2020, 18, 5.	5.5	148
29	Dietary Protein Intake and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. Diabetes Care, 2014, 37, 1854-1862.	8.6	141
30	Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. Lancet Diabetes and Endocrinology,the, 2014, 2, 19-29.	11.4	132
31	Combined effects of road traffic noise and ambient air pollution in relation to risk for stroke?. Environmental Research, 2014, 133, 49-55.	7.5	123
32	Obesity, unfavourable lifestyle and genetic risk of type 2 diabetes: a case-cohort study. Diabetologia, 2020, 63, 1324-1332.	6.3	121
33	Genome-wide Association Analysis in Humans Links Nucleotide Metabolism to Leukocyte Telomere Length. American Journal of Human Genetics, 2020, 106, 389-404.	6.2	118
34	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. Circulation, 2019, 139, 2835-2845.	1.6	103
35	The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. PLoS ONE, 2016, 11, e0147029.	2.5	102
36	Influence of Individually Estimated Portion Size Data on the Validity of a Semiquantitative Food Frequency Questionnaire. International Journal of Epidemiology, 1992, 21, 770-777.	1.9	101

Kim Overvad

#	Article	lF	CITATIONS
37	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: AÂMultinational Cohort Study. Clinical Gastroenterology and Hepatology, 2019, 17, 1323-1331.e6.	4.4	99
38	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. Diabetes, 2015, 64, 3028-3036.	0.6	98
39	Physical Activity, Air Pollution, and the Risk of Asthma and Chronic Obstructive Pulmonary Disease. American Journal of Respiratory and Critical Care Medicine, 2016, 194, 855-865.	5.6	94
40	Pre-diagnostic copper and zinc biomarkers and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. Carcinogenesis, 2017, 38, 699-707.	2.8	94
41	Long-term residential road traffic noise and NO2 exposure in relation to risk of incident myocardial infarction – A Danish cohort study. Environmental Research, 2017, 156, 80-86.	7.5	92
42	EPIC-Heart: The cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. European Journal of Epidemiology, 2007, 22, 129-141.	5.7	91
43	Self-Reported and Technician-Measured Waist Circumferences Differ in Middle-Aged Men and Women. Journal of Nutrition, 2005, 135, 2263-2270.	2.9	90
44	High-Density Lipoprotein Subspecies Defined by Presence of Apolipoprotein C-III and Incident Coronary Heart Disease in Four Cohorts. Circulation, 2018, 137, 1364-1373.	1.6	85
45	Validity of Electronically Administered Recent Physical Activity Questionnaire (RPAQ) in Ten European Countries. PLoS ONE, 2014, 9, e92829.	2.5	84
46	A Body Shape Index (ABSI) achieves better mortality risk stratification than alternative indices of abdominal obesity: results from a large European cohort. Scientific Reports, 2020, 10, 14541.	3.3	84
47	The combined impact of adherence to five lifestyle factors on all-cause, cancer and cardiovascular mortality: a prospective cohort study among Danish men and women. British Journal of Nutrition, 2015, 113, 849-858.	2.3	83
48	Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2016, 103, 454-464.	4.7	83
49	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. BMJ Open, 2014, 4, e005245-e005245.	1.9	81
50	A Prospective Evaluation of Early Detection Biomarkers for Ovarian Cancer in the European EPIC Cohort. Clinical Cancer Research, 2016, 22, 4664-4675.	7.0	80
51	General and abdominal obesity and risk of esophageal and gastric adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2015, 137, 646-657.	5.1	79
52	Fibre intake and the development of inflammatory bowel disease: A European prospective multi-centre cohort study (EPIC-IBD). Journal of Crohn's and Colitis, 2018, 12, 129-136.	1.3	79
53	Prospective analysis of circulating metabolites and breast cancer in EPIC. BMC Medicine, 2019, 17, 178.	5.5	79
54	Alteration of amino acid and biogenic amine metabolism in hepatobiliary cancers: Findings from a prospective cohort study. International Journal of Cancer, 2016, 138, 348-360.	5.1	77

#	Article	IF	CITATIONS
55	A Nested Case–Control Study of Metabolically Defined Body Size Phenotypes and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS Medicine, 2016, 13, e1001988.	8.4	76
56	Prostate Cancer (PCa) Risk Variants and Risk of Fatal PCa in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. European Urology, 2014, 65, 1069-1075.	1.9	75
57	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. BMJ, The, 2020, 370, m2194.	6.0	75
58	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. PLoS ONE, 2016, 11, e0159025.	2.5	75
59	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. Clinical Gastroenterology and Hepatology, 2020, 18, 654-666.e6.	4.4	74
60	Low-level arsenic in drinking water and risk of incident myocardial infarction: A cohort study. Environmental Research, 2017, 154, 318-324.	7.5	73
61	Lean Body Mass Is the Predominant Anthropometric Risk Factor for AtrialÂFibrillation. Journal of the American College of Cardiology, 2017, 69, 2488-2497.	2.8	72
62	Whole-grain products and whole-grain types are associated with lower all-cause and cause-specific mortality in the Scandinavian HELGA cohort. British Journal of Nutrition, 2015, 114, 608-623.	2.3	71
63	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2015, 137, 940-948.	5.1	70
64	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2016, 104, 406-414.	4.7	70
65	Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. BMJ: British Medical Journal, 2018, 361, k934.	2.3	70
66	Predictive value of stroke discharge diagnoses in the Danish National Patient Register. Scandinavian Journal of Public Health, 2017, 45, 630-636.	2.3	69
67	Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. Diabetes Care, 2021, 44, 98-106.	8.6	68
68	Validity of Individual Portion Size Estimates in a Food Frequency Questionnaire. International Journal of Epidemiology, 1994, 23, 787-796.	1.9	66
69	Tall height and obesity are associated with an increased risk of aggressive prostate cancer: results from the EPIC cohort study. BMC Medicine, 2017, 15, 115.	5.5	66
70	Adherence to a Healthy Nordic Food Index Is Associated with a Lower Risk of Type-2 Diabetes—The Danish Diet, Cancer and Health Cohort Study. Nutrients, 2015, 7, 8633-8644.	4.1	65
71	Alcohol intake and breast cancer in the <scp>E</scp> uropean prospective investigation into cancer and nutrition. International Journal of Cancer, 2015, 137, 1921-1930.	5.1	65
72	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. Diabetes Care, 2016, 39, 572-581.	8.6	65

#	Article	IF	CITATIONS
73	Adherence to a Healthy Nordic Diet and Risk of Stroke. Stroke, 2017, 48, 259-264.	2.0	65
74	The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2015, 102, 1498-1508.	4.7	63
75	Nutritional quality of food as represented by the FSAm-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. PLoS Medicine, 2018, 15, e1002651.	8.4	63
76	Food substitution models for nutritional epidemiology. American Journal of Clinical Nutrition, 2021, 113, 294-303.	4.7	63
77	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. PLoS Medicine, 2017, 14, e1002409.	8.4	61
78	Intake of whole grains is associated with lower risk of myocardial infarction: the Danish Diet, Cancer and Health Cohort. American Journal of Clinical Nutrition, 2016, 103, 999-1007.	4.7	60
79	Identification of susceptibility pathways for the role of chromosome 15q25.1 in modifying lung cancer risk. Nature Communications, 2018, 9, 3221.	12.8	60
80	The associations of major foods and fibre with risks of ischaemic and haemorrhagic stroke: a prospective study of 418Â329 participants in the EPIC cohort across nine European countries. European Heart Journal, 2020, 41, 2632-2640.	2.2	60
81	New basal cell carcinoma susceptibility loci. Nature Communications, 2015, 6, 6825.	12.8	59
82	Parity, breastfeeding and risk of coronary heart disease: A pan-European case–cohort study. European Journal of Preventive Cardiology, 2016, 23, 1755-1765.	1.8	58
83	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. European Journal of Nutrition, 2018, 57, 2399-2408.	3.9	58
84	Association between physical activity and risk of hepatobiliary cancers: A multinational cohort study. Journal of Hepatology, 2019, 70, 885-892.	3.7	58
85	Smoking and Long-Term Risk of Type 2 Diabetes: The EPIC-InterAct Study in European Populations. Diabetes Care, 2014, 37, 3164-3171.	8.6	57
86	Higher Whole-Grain Intake Is Associated with Lower Risk of Type 2 Diabetes among Middle-Aged Men and Women: The Danish Diet, Cancer, and Health Cohort. Journal of Nutrition, 2018, 148, 1434-1444.	2.9	56
87	Apolipoproteins E and CIII interact to regulate HDL metabolism and coronary heart disease risk. JCI Insight, 2018, 3, .	5.0	55
88	Exposure to long-term air pollution and road traffic noise in relation to cholesterol: A cross-sectional study. Environment International, 2015, 85, 238-243.	10.0	54
89	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. BMJ, The, 2020, 370, m3173.	6.0	54
90	Reproductive factors and risk of mortality in the European Prospective Investigation into Cancer and Nutrition; a cohort study. BMC Medicine, 2015, 13, 252.	5.5	53

Kim Overvad

#	Article	IF	CITATIONS
91	Circulating copper and zinc levels and risk of hepatobiliary cancers in Europeans. British Journal of Cancer, 2017, 116, 688-696.	6.4	53
92	Blood Metabolic Signatures of Body Mass Index: A Targeted Metabolomics Study in the EPIC Cohort. Journal of Proteome Research, 2017, 16, 3137-3146.	3.7	53
93	Dietary Fat Intake and Lung Cancer Risk: A Pooled Analysis. Journal of Clinical Oncology, 2017, 35, 3055-3064.	1.6	52
94	Blood pressure and risk of cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2020, 146, 2680-2693.	5.1	52
95	Inflammatory Markers and Risk of Epithelial Ovarian Cancer by Tumor Subtypes: The EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 951-961.	2.5	51
96	Plasma alkylresorcinols, biomarkers of whole-grain wheat and rye intake, and risk of type 2 diabetes in Scandinavian men and women. American Journal of Clinical Nutrition, 2016, 104, 88-96.	4.7	51
97	Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. International Journal of Cancer, 2017, 140, 1836-1844.	5.1	50
98	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. American Journal of Clinical Nutrition, 2018, 107, 607-616.	4.7	50
99	Residential exposure to traffic noise and risk of incident atrial fibrillation: A cohort study. Environment International, 2016, 92-93, 457-463.	10.0	49
100	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. BMC Medicine, 2017, 15, 72.	5.5	49
101	Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Cancer, 2018, 142, 449-459.	5.1	49
102	Adolescent Diet Quality and Cardiovascular Disease Risk Factors and Incident Cardiovascular Disease in Middleâ€Aged Women. Journal of the American Heart Association, 2016, 5, .	3.7	48
103	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. European Journal of Nutrition, 2016, 55, 7-20.	3.9	48
104	Vegetable and fruit consumption and the risk of hormone receptor–defined breast cancer in the EPIC cohort. American Journal of Clinical Nutrition, 2016, 103, 168-177.	4.7	48
105	Plasma microRNAs as biomarkers of pancreatic cancer risk in a prospective cohort study. International Journal of Cancer, 2017, 141, 905-915.	5.1	48
106	Associations between Recreational and Commuter Cycling, Changes in Cycling, and Type 2 Diabetes Risk: A Cohort Study of Danish Men and Women. PLoS Medicine, 2016, 13, e1002076.	8.4	48
107	Exposure to Ambient Air Pollution and the Risk of Inflammatory Bowel Disease: A European Nested Case–Control Study. Digestive Diseases and Sciences, 2016, 61, 2963-2971.	2.3	47
108	Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. BMC Medicine, 2017, 15, 203.	5.5	47

#	Article	IF	CITATIONS
109	Association of menopausal characteristics and risk of coronary heart disease: a pan-European case–cohort analysis. International Journal of Epidemiology, 2019, 48, 1275-1285.	1.9	47
110	Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. American Journal of Clinical Nutrition, 2017, 106, 263-275.	4.7	46
111	Insulin-like Growth Factor-I and Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 976-985.	2.5	45
112	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the <scp>E</scp> uropean <scp>P</scp> rospective <scp>I</scp> nvestigation into <scp>C</scp> ancer and <scp>N</scp> utrition. International Journal of Cancer, 2015, 137, 2705-2714.	5.1	45
113	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. Breast Cancer Research, 2015, 17, 15.	5.0	45
114	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: AÂmeta-analysis and Mendelian randomisation analysis. PLoS Medicine, 2020, 17, e1003394.	8.4	45
115	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. International Journal of Cancer, 2021, 148, 609-625.	5.1	45
116	Interactions between genetic variants associated with adiposity traits and soft drinks in relation to longitudinal changes in body weight and waist circumference. American Journal of Clinical Nutrition, 2016, 104, 816-826.	4.7	44
117	Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. BMC Medicine, 2016, 14, 87.	5.5	44
118	CA19â€9 and apolipoproteinâ€A2 isoforms as detection markers for pancreatic cancer: a prospective evaluation. International Journal of Cancer, 2019, 144, 1877-1887.	5.1	44
119	Investigation of Dietary Factors and Endometrial Cancer Risk Using a Nutrient-wide Association Study Approach in the EPIC and Nurses' Health Study (NHS) and NHSII. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 466-471.	2.5	42
120	Lifetime and baseline alcohol intakes and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2018, 143, 801-812.	5.1	42
121	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. International Journal of Cancer, 2018, 142, 1332-1342.	5.1	42
122	An attempt to explain the bidirectional association between ischaemic heart disease, stroke and depression: a cohort and meta-analytic approach. British Journal of Psychiatry, 2020, 217, 434-441.	2.8	42
123	Healthy lifestyle and the risk of pancreatic cancer in the EPIC study. European Journal of Epidemiology, 2020, 35, 975-986.	5.7	42
124	Circulating Osteopontin and Prediction of Hepatocellular Carcinoma Development in a Large European Population. Cancer Prevention Research, 2016, 9, 758-765.	1.5	41
125	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. European Journal of Epidemiology, 2018, 33, 1063-1075.	5.7	41
126	Association of Birth Weight With Type 2 Diabetes and Glycemic Traits. JAMA Network Open, 2019, 2, e1910915.	5.9	41

#	Article	IF	CITATIONS
127	Long-Term Exposure to Road Traffic Noise and Nitrogen Dioxide and Risk of Heart Failure: A Cohort Study. Environmental Health Perspectives, 2017, 125, 097021.	6.0	40
128	Effects of Leisureâ€Time and Transportâ€Related Physical Activities on the Risk of Incident and Recurrent Myocardial Infarction and Interaction With Trafficâ€Related Air Pollution: A Cohort Study. Journal of the American Heart Association, 2018, 7, .	3.7	40
129	A U-shaped association between consumption of marine n-3 fatty acids and development of atrial fibrillation/atrial fluttera Danish cohort study. Europace, 2014, 16, 1554-1561.	1.7	39
130	Coffee, tea and melanoma risk: findings from the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2017, 140, 2246-2255.	5.1	39
131	Dietary fat, fat subtypes and hepatocellular carcinoma in a large <scp>E</scp> uropean cohort. International Journal of Cancer, 2015, 137, 2715-2728.	5.1	38
132	Prospective association of liver function biomarkers with development of hepatobiliary cancers. Cancer Epidemiology, 2016, 40, 179-187.	1.9	38
133	Prediagnostic Serum Vitamin D Levels and the Risk of Crohn's Disease and Ulcerative Colitis in European Populations: A Nested Case-Control Study. Inflammatory Bowel Diseases, 2018, 24, 633-640.	1.9	38
134	Physical activity and risk of colon cancer in a cohort of Danish middle-aged men and women. European Journal of Epidemiology, 2007, 21, 877-884.	5.7	37
135	Low-level exposure to arsenic in drinking water and incidence rate of stroke: A cohort study in Denmark. Environment International, 2018, 120, 72-80.	10.0	37
136	Alcohol and lung cancer risk among never smokers: A pooled analysis from the international lung cancer consortium and the SYNERGY study. International Journal of Cancer, 2017, 140, 1976-1984.	5.1	35
137	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. Diabetes Care, 2020, 43, 2660-2667.	8.6	35
138	The Risk of Ovarian Cancer Increases with an Increase in the Lifetime Number of Ovulatory Cycles: An Analysis from the Ovarian Cancer Cohort Consortium (OC3). Cancer Research, 2020, 80, 1210-1218.	0.9	35
139	Replacing the consumption of red meat with other major dietary protein sources and risk of type 2 diabetes mellitus: a prospective cohort study. American Journal of Clinical Nutrition, 2021, 113, 612-621.	4.7	35
140	Glutathione peroxidase activity in patients with rheumatoid arthritis and in normal subjects: effects of long-term selenium supplementation. Arthritis and Rheumatism, 1987, 30, 1162-1166.	6.7	34
141	Prediagnostic Intake of Dairy Products and Dietary Calcium and Colorectal Cancer Survival—Results from the EPIC Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1813-1823.	2.5	34
142	Residential Exposure to Traffic Noise and Health-Related Quality of Life—A Population-Based Study. PLoS ONE, 2015, 10, e0120199.	2.5	34
143	Five year change in alcohol intake and risk of breast cancer and coronary heart disease among postmenopausal women: prospective cohort study. BMJ, The, 2016, 353, i2314.	6.0	34
144	Fruit and vegetable intake and prostate cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2017, 141, 287-297.	5.1	34

#	Article	IF	CITATIONS
145	KIM-1 as a Blood-Based Marker for Early Detection of Kidney Cancer: A Prospective Nested Case–Control Study. Clinical Cancer Research, 2018, 24, 5594-5601.	7.0	34
146	Associations between habitual flavonoid intake and hospital admissions for atherosclerotic cardiovascular disease: a prospective cohort study. Lancet Planetary Health, The, 2019, 3, e450-e459.	11.4	34
147	Association of breast cancer risk <i>loci</i> with breast cancer survival. International Journal of Cancer, 2015, 137, 2837-2845.	5.1	33
148	A prospective evaluation of plasma polyphenol levels and colon cancer risk. International Journal of Cancer, 2018, 143, 1620-1631.	5.1	33
149	Marine n-3 Polyunsaturated Fatty Acids and the Risk of Ischemic Stroke. Stroke, 2019, 50, 274-282.	2.0	33
150	Adherence to the EAT-Lancet Diet and Risk of Stroke and Stroke Subtypes: A Cohort Study. Stroke, 2022, 53, 154-163.	2.0	33
151	Alcohol consumption and the risk of renal cancers in the <scp>E</scp> uropean prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2015, 137, 1953-1966.	5.1	32
152	Modeled traffic noise at the residence and colorectal cancer incidence: a cohort study. Cancer Causes and Control, 2017, 28, 745-753.	1.8	32
153	Circulating Metabolites Associated with Alcohol Intake in the European Prospective Investigation into Cancer and Nutrition Cohort. Nutrients, 2018, 10, 654.	4.1	32
154	Mendelian Randomization and mediation analysis of leukocyte telomere length and risk of lung and head and neck cancers. International Journal of Epidemiology, 2019, 48, 751-766.	1.9	32
155	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Breast Cancer Research and Treatment, 2015, 154, 389-401.	2.5	31
156	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Clinical Nutrition, 2016, 104, 760-768.	4.7	31
157	Comparison of prognostic models to predict the occurrence of colorectal cancer in asymptomatic individuals: a systematic literature review and external validation in the EPIC and UK Biobank prospective cohort studies. Gut, 2019, 68, 672-683.	12.1	31
158	Protein-altering germline mutations implicate novel genes related to lung cancer development. Nature Communications, 2020, 11, 2220.	12.8	31
159	Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. Breast Cancer Research, 2015, 17, 49.	5.0	30
160	The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1855-1863.	2.5	30
161	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. British Journal of Nutrition, 2016, 116, 316-325.	2.3	30
162	Predicted basal metabolic rate and cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2020, 147, 648-661.	5.1	30

#	Article	IF	CITATIONS
163	Long-term residential road traffic noise and mortality in a Danish cohort. Environmental Research, 2020, 187, 109633.	7.5	30
164	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. British Journal of Nutrition, 2014, 111, 1881-1890.	2.3	29
165	Reproductive factors and epithelial ovarian cancer survival in the EPIC cohort study. British Journal of Cancer, 2015, 113, 1622-1631.	6.4	29
166	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. American Journal of Clinical Nutrition, 2016, 103, 161-167.	4.7	29
167	Circulating RANKL and RANKL/OPG and Breast Cancer Risk by ER and PR Subtype: Results from the EPIC Cohort. Cancer Prevention Research, 2017, 10, 525-534.	1.5	29
168	Genome-wide interaction study of smoking behavior and non-small cell lung cancer risk in Caucasian population. Carcinogenesis, 2018, 39, 336-346.	2.8	29
169	Identifying and correcting epigenetics measurements for systematic sources of variation. Clinical Epigenetics, 2018, 10, 38.	4.1	29
170	Dairy Product Intake and Risk of Type 2 Diabetes in EPIC-InterAct: A Mendelian Randomization Study. Diabetes Care, 2019, 42, 568-575.	8.6	29
171	A statistical framework to model the meeting-in-the-middle principle using metabolomic data: application to hepatocellular carcinoma in the EPIC study. Mutagenesis, 2015, 30, gev045.	2.6	28
172	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 291-301.	2.5	28
173	Risk of atrial fibrillation associated with coffee intake: Findings from the Danish Diet, Cancer, and Health study. European Journal of Preventive Cardiology, 2016, 23, 922-930.	1.8	28
174	Chocolate intake and risk of clinically apparent atrial fibrillation: the Danish Diet, Cancer, and Health Study. Heart, 2017, 103, 1163-1167.	2.9	28
175	Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. International Journal of Cancer, 2017, 140, 1317-1323.	5.1	28
176	Anthropometric and reproductive factors and risk of esophageal and gastric cancer by subtype and subsite: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. International Journal of Cancer, 2020, 146, 929-942.	5.1	28
177	Vegetable nitrate intake, blood pressure and incident cardiovascular disease: Danish Diet, Cancer, and Health Study. European Journal of Epidemiology, 2021, 36, 813-825.	5.7	28
178	Long-Term Exposure to Transportation Noise and Risk of Incident Stroke: A Pooled Study of Nine Scandinavian Cohorts. Environmental Health Perspectives, 2021, 129, 107002.	6.0	28
179	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. British Journal of Cancer, 2017, 116, 811-820.	6.4	27
180	Coffee and Tea Consumption and the Contribution of Their Added Ingredients to Total Energy and Nutrient Intakes in 10 European Countries: Benchmark Data from the Late 1990s. Nutrients, 2018, 10, 725.	4.1	27

#	Article	IF	CITATIONS
181	Sex specific associations in genome wide association analysis of renal cell carcinoma. European Journal of Human Genetics, 2019, 27, 1589-1598.	2.8	27
182	The effect of treadmill exercise on Azoxymethane-induced intestinal neoplasia in the male fischer rat on two different High-fat diets. Nutrition and Cancer, 1994, 22, 31-41.	2.0	26
183	A treelet transform analysis to relate nutrient patterns to the risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). Public Health Nutrition, 2016, 19, 242-254.	2.2	26
184	Added Value of Serum Hormone Measurements in Risk Prediction Models for Breast Cancer for Women Not Using Exogenous Hormones: Results from the EPIC Cohort. Clinical Cancer Research, 2017, 23, 4181-4189.	7.0	26
185	Metabolic signature of healthy lifestyle and its relation with risk of hepatocellular carcinoma in a large European cohort. American Journal of Clinical Nutrition, 2018, 108, 117-126.	4.7	26
186	Positive predictive value of first-time rheumatoid arthritis diagnoses and their serological subtypes in the Danish National Patient Registry. Clinical Epidemiology, 2018, Volume 10, 1709-1720.	3.0	25
187	Genetic interaction analysis among oncogenesis-related genes revealed novel genes and networks in lung cancer development. Oncotarget, 2019, 10, 1760-1774.	1.8	25
188	Association of Plasma Vitamin D Metabolites With Incident Type 2 Diabetes: EPIC-InterAct Case-Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 1293-1303.	3.6	25
189	Ovarian cancer early detection by circulating <scp>CA</scp> 125 in the context of antiâ€ <scp>CA</scp> 125 autoantibody levels: Results from the <scp>EPIC</scp> cohort. International Journal of Cancer, 2018, 142, 1355-1360.	5.1	24
190	Risk prediction for estrogen receptor-specific breast cancers in two large prospective cohorts. Breast Cancer Research, 2018, 20, 147.	5.0	24
191	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case–Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. Journal of Nutrition, 2019, 149, 1985-1993.	2.9	24
192	Association of fish consumption and dietary intake of marine <i>n</i> -3 PUFA with myocardial infarction in a prospective Danish cohort study. British Journal of Nutrition, 2016, 116, 167-177.	2.3	23
193	The Premenopausal Breast Cancer Collaboration: A Pooling Project of Studies Participating in the National Cancer Institute Cohort Consortium. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 1360-1369.	2.5	23
194	<i>Helicobacter pylori</i> infection, chronic corpus atrophic gastritis and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort: A nested caseâ€control study. International Journal of Cancer, 2017, 140, 1727-1735.	5.1	23
195	Are Metabolic Signatures Mediating the Relationship between Lifestyle Factors and Hepatocellular Carcinoma Risk? Results from a Nested Case–Control Study in EPIC. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 531-540.	2.5	23
196	Substitution of red meat with poultry or fish and risk of type 2 diabetes: a Danish cohort study. European Journal of Nutrition, 2019, 58, 2705-2712.	3.9	23
197	Weight change in middle adulthood and risk of cancer in the European Prospective Investigation into Cancer and Nutrition ( <scp>EPIC</scp> ) cohort. International Journal of Cancer, 2021, 148, 1637-1651.	5.1	23
198	Metabolic Signatures of Healthy Lifestyle Patterns and Colorectal Cancer Risk in a European Cohort. Clinical Gastroenterology and Hepatology, 2022, 20, e1061-e1082.	4.4	23

#	Article	IF	CITATIONS
199	Substitution of meat and fish with vegetables or potatoes and risk of myocardial infarction. British Journal of Nutrition, 2016, 116, 1602-1610.	2.3	22
200	Prospective Study of Bicycling and Risk of Coronary Heart Disease in Danish Men and Women. Circulation, 2016, 134, 1409-1411.	1.6	22
201	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. Journal of Ovarian Research, 2017, 10, 20.	3.0	22
202	Association of Selenoprotein and Selenium Pathway Genotypes with Risk of Colorectal Cancer and Interaction with Selenium Status. Nutrients, 2019, 11, 935.	4.1	22
203	Selenium status and risk of prostate cancer in a Danish population. British Journal of Nutrition, 2016, 115, 1669-1677.	2.3	22
204	Prospective evaluation of 92 serum protein biomarkers for early detection of ovarian cancer. British Journal of Cancer, 2022, 126, 1301-1309.	6.4	22
205	Consumption of predefined â€~Nordic' dietary items in ten European countries – an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Public Health Nutrition, 2014, 17, 2650-2659.	2.2	21
206	Isocaloric substitution of carbohydrates with protein: the association with weight change and mortality among patients with type 2 diabetes. Cardiovascular Diabetology, 2015, 14, 39.	6.8	21
207	A Genome-wide Pleiotropy Scan for Prostate Cancer Risk. European Urology, 2015, 67, 649-657.	1.9	21
208	The association of substituting carbohydrates with total fat and different types of fatty acids with mortality and weight change among diabetes patients. Clinical Nutrition, 2016, 35, 1096-1102.	5.0	21
209	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. BMC Medicine, 2017, 15, 26.	5.5	21
210	The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2017, 12, e0173117.	2.5	21
211	Associations and predictions of readmission or death in acutely admitted older medical patients using self-reported frailty and functional measures. A Danish cohort study. Archives of Gerontology and Geriatrics, 2018, 76, 65-72.	3.0	21
212	Coffee and tea consumption and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2019, 144, 240-250.	5.1	21
213	Existing data sources in clinical epidemiology: the Scandinavian Thrombosis and Cancer Cohort. Clinical Epidemiology, 2015, 7, 401.	3.0	20
214	Plasma fetuin-A concentration, genetic variation in the <i>AHSG</i> gene and risk of colorectal cancer. International Journal of Cancer, 2015, 137, 911-920.	5.1	20
215	Vitamin D–Associated Genetic Variation and Risk of Breast Cancer in the Breast and Prostate Cancer Cohort Consortium (BPC3). Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 627-630. 	2.5	20
216	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. British Journal of Cancer, 2015, 113, 840-847.	6.4	20

#	Article	IF	CITATIONS
217	Polyphenol intake and differentiated thyroid cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. International Journal of Cancer, 2020, 146, 1841-1850.	5.1	20
218	Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2016, 139, 1480-1492.	5.1	19
219	Consumption of Fish Is Not Associated with Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Journal of Nutrition, 2017, 147, 1366-1373.	2.9	19
220	Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. International Journal of Epidemiology, 2017, 46, 1823-1835.	1.9	19
221	Epidemiology of venous thromboembolism in hematological cancers: The Scandinavian Thrombosis and Cancer (STAC) cohort. Thrombosis Research, 2017, 158, 157-160.	1.7	19
222	Genome-wide association analysis of type 2 diabetes in the EPIC-InterAct study. Scientific Data, 2020, 7, 393.	5.3	19
223	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. American Journal of Clinical Nutrition, 2020, 112, 631-643.	4.7	19
224	Vitamin K Intake and Atherosclerotic Cardiovascular Disease in the Danish Diet Cancer and Health Study. Journal of the American Heart Association, 2021, 10, e020551.	3.7	19
225	Dietary intake and adipose tissue content of α-linolenic acid and risk of myocardial infarction: a Danish cohort study. American Journal of Clinical Nutrition, 2016, 104, 41-48.	4.7	18
226	Intake of whole grains and incidence of oesophageal cancer in the HELGA Cohort. European Journal of Epidemiology, 2016, 31, 405-414.	5.7	18
227	Tumorâ€associated autoantibodies as early detection markers for ovarian cancer? A prospective evaluation. International Journal of Cancer, 2018, 143, 515-526.	5.1	18
228	Adherence to the Danish food-based dietary guidelines and risk of myocardial infarction: a cohort study. Public Health Nutrition, 2018, 21, 1286-1296.	2.2	18
229	Preâ€diagnostic circulating insulinâ€like growth factorâ€l and bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2018, 143, 2351-2358.	5.1	18
230	Health-related quality of life at hospital discharge as a predictor for 6-month unplanned readmission and all-cause mortality of acutely admitted older medical patients. Quality of Life Research, 2019, 28, 3015-3024.	3.1	18
231	Genetic variation in the ADIPOQ gene, adiponectin concentrations and risk of colorectal cancer: a Mendelian Randomization analysis using data from three large cohort studies. European Journal of Epidemiology, 2017, 32, 419-430.	5.7	17
232	Circulating Fetuin-A and Risk of Type 2 Diabetes: A Mendelian Randomization Analysis. Diabetes, 2018, 67, 1200-1205.	0.6	17
233	Gallstones and incident colorectal cancer in a large panâ€European cohort study. International Journal of Cancer, 2019, 145, 1510-1516.	5.1	17
234	Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. European Journal of Clinical Nutrition, 2019, 73, 1122-1132.	2.9	17

#	Article	IF	CITATIONS
235	Plasma polyphenols associated with lower high-sensitivity C-reactive protein concentrations: a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. British Journal of Nutrition, 2020, 123, 198-208.	2.3	17
236	Urinary cadmium and stroke - a case-cohort study in Danish never-smokers. Environmental Research, 2021, 200, 111394.	7.5	17
237	The Concept of Multifactorial Etiology of Cancer. Basic and Clinical Pharmacology and Toxicology, 1993, 72, 33-38.	0.0	16
238	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology, 2014, 38, 528-537.	1.9	16
239	Dietary Intake of Acrylamide and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 291-297.	2.5	16
240	Associations of anthropometry and lifestyle factors with HDL subspecies according to apolipoprotein C-III. Journal of Lipid Research, 2017, 58, 1196-1203.	4.2	16
241	Circulating concentrations of vitamin D in relation to pancreatic cancer risk in European populations. International Journal of Cancer, 2018, 142, 1189-1201.	5.1	16
242	Methodological issues in a prospective study on plasma concentrations of persistent organic pollutants and pancreatic cancer risk within the EPIC cohort. Environmental Research, 2019, 169, 417-433.	7.5	16
243	Urine cadmium and acute myocardial infarction among never smokers in the Danish Diet, Cancer and Health cohort. Environment International, 2021, 150, 106428.	10.0	16
244	Plasma concentrations of persistent organic pollutants and pancreatic cancer risk. International Journal of Epidemiology, 2022, 51, 479-490.	1.9	16
245	Substitutions between dairy product subgroups and risk of type 2 diabetes: the Danish Diet, Cancer and Health cohort. British Journal of Nutrition, 2017, 118, 989-997.	2.3	15
246	Substitutions of dairy product intake and risk of stroke: a Danish cohort study. European Journal of Epidemiology, 2018, 33, 201-212.	5.7	15
247	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. Diabetes Care, 2018, 41, 277-285.	8.6	15
248	Autoimmunity plays a role in the onset of diabetes after 40 years of age. Diabetologia, 2020, 63, 266-277.	6.3	15
249	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1739-1749.	2.5	15
250	A New Pipeline for the Normalization and Pooling of Metabolomics Data. Metabolites, 2021, 11, 631.	2.9	15
251	Cancer risks in children with congenital malformations in the nervous and circulatory system—A population based cohort study. Cancer Epidemiology, 2014, 38, 393-400.	1.9	14
252	Substitutions of red meat, poultry and fish and risk of myocardial infarction. British Journal of Nutrition, 2016, 115, 1571-1578.	2.3	14

#	Article	IF	CITATIONS
253	Linoleic Acid in Adipose Tissue and Development of Ischemic Stroke: A Danish Caseâ€Cohort Study. Journal of the American Heart Association, 2018, 7, .	3.7	14
254	The associations of anthropometric, behavioural and sociodemographic factors with circulating concentrations of IGFâ€I, IGFâ€II, IGFBPâ€1, IGFBPâ€2 and IGFBPâ€3 in a pooled analysis of 16,024 men from 22 studies. International Journal of Cancer, 2019, 145, 3244-3256.	5.1	14
255	Mediation analysis of the alcoholâ€postmenopausal breast cancer relationship by sex hormones in the EPIC cohort. International Journal of Cancer, 2020, 146, 759-768.	5.1	14
256	Citrus intake and risk of skin cancer in the European Prospective Investigation into Cancer and Nutrition cohort (EPIC). European Journal of Epidemiology, 2020, 35, 1057-1067.	5.7	14
257	Interaction between Genetic Predisposition to Adiposity and Dietary Protein in Relation to Subsequent Change in Body Weight and Waist Circumference. PLoS ONE, 2014, 9, e110890.	2.5	14
258	Body Characteristics, Dietary Protein and Body Weight Regulation. Reconciling Conflicting Results from Intervention and Observational Studies?. PLoS ONE, 2014, 9, e101134.	2.5	13
259	The Effect on Selenium Concentrations of a Randomized Intervention with Fish and Mussels in a Population with Relatively Low Habitual Dietary Selenium Intake. Nutrients, 2015, 7, 608-624.	4.1	13
260	Substitution of Linoleic Acid for Other Macronutrients and the Risk of Ischemic Stroke. Stroke, 2017, 48, 3190-3195.	2.0	13
261	Long-chain n-3 and n-6 polyunsaturated fatty acids and risk of atrial fibrillation: Results from a Danish cohort study. PLoS ONE, 2017, 12, e0190262.	2.5	13
262	The long-term financial consequences of breast cancer: a Danish registry-based cohort study. BMC Public Health, 2017, 17, 853.	2.9	13
263	Marine n-3 Fatty Acids and the Risk of Peripheral Arterial Disease. Journal of the American College of Cardiology, 2018, 72, 1576-1584.	2.8	13
264	Associations Between Changes in Cycling and All-Cause Mortality Risk. American Journal of Preventive Medicine, 2018, 55, 615-623.	3.0	13
265	Dietary Intake of α-Linolenic Acid Is Not Appreciably Associated with Risk of Ischemic Stroke among Middle-Aged Danish Men and Women. Journal of Nutrition, 2018, 148, 952-958.	2.9	13
266	Lean body mass and risk of type 2 diabetes - a Danish cohort study. Journal of Diabetes and Metabolic Disorders, 2019, 18, 445-451.	1.9	13
267	Modifiable Lifestyle Recommendations and Mortality in Denmark: A Cohort Study. American Journal of Preventive Medicine, 2021, 60, 792-801.	3.0	13
268	Genetically Determined Reproductive Aging and Coronary Heart Disease: A Bidirectional 2-sample Mendelian Randomization. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e2952-e2961.	3.6	13
269	Fiber intake modulates the association of alcohol intake with breast cancer. International Journal of Cancer, 2017, 140, 316-321.	5.1	12
270	Meat and haem iron intake in relation to glioma in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Cancer Prevention, 2018, 27, 379-383.	1.3	12

#	Article	IF	CITATIONS
271	Circulating insulinâ€like growth factor I in relation to melanoma risk in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 144, 957-966.	5.1	12
272	Blood polyphenol concentrations and differentiated thyroid carcinoma in women from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. American Journal of Clinical Nutrition, 2021, 113, 162-171.	4.7	12
273	Urinary Cadmium and Incident Heart Failure. Epidemiology, 2022, 33, 185-192.	2.7	12
274	Lag Times between Lymphoproliferative Disorder and Clinical Diagnosis of Chronic Lymphocytic Leukemia: A Prospective Analysis Using Plasma Soluble CD23. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 538-545.	2.5	11
275	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 895-904.	2.5	11
276	Interactions Between Genome-Wide Significant Genetic Variants and Circulating Concentrations of 25-Hydroxyvitamin D in Relation to Prostate Cancer Risk in the National Cancer Institute BPC3. American Journal of Epidemiology, 2017, 185, 452-464.	3.4	11
277	Association between plasma CD36 levels and incident risk of coronary heart disease among Danish men and women. Atherosclerosis, 2018, 277, 163-168.	0.8	11
278	Nonsteroidal antiâ€inflammatory drug use and breast cancer risk in a European prospective cohort study. International Journal of Cancer, 2018, 143, 1688-1695.	5.1	11
279	Adipose tissue fatty acids present in dairy fat and risk of stroke: the Danish Diet, Cancer and Health cohort. European Journal of Nutrition, 2019, 58, 529-539.	3.9	11
280	Intake of individual fatty acids and risk of prostate cancer in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2020, 146, 44-57.	5.1	11
281	A nutrient-wide association study for risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition and the Netherlands Cohort Study. European Journal of Nutrition, 2020, 59, 2929-2937.	3.9	11
282	Whole-Grain Intake and Pancreatic Cancer Risk—The Danish, Diet, Cancer and Health Cohort. Journal of Nutrition, 2021, 151, 666-674.	2.9	11
283	Association between vitamin K1 intake and mortality in the Danish Diet, Cancer, and Health cohort. European Journal of Epidemiology, 2021, 36, 1005-1014.	5.7	11
284	Common Polymorphisms in the 5-Lipoxygenase Pathway and Risk of Incident Myocardial Infarction: A Danish Case-Cohort Study. PLoS ONE, 2016, 11, e0167217.	2.5	11
285	Ongoing Pain, Sexual Desire, and Frequency of Sexual Intercourses in Females with Different Chronic Pain Syndromes. Sexuality and Disability, 2006, 24, 27-37.	1.0	10
286	Prolactin Determinants in Healthy Women: A Large Cross-Sectional Study within the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2532-2542.	2.5	10
287	Fish intake and venous thromboembolism: A Danish follow-up study. Thrombosis Research, 2014, 133, 352-356.	1.7	10
288	Adipose tissue content of alpha-linolenic acid and the risk of ischemic stroke and ischemic stroke subtypes: A Danish case-cohort study. PLoS ONE, 2018, 13, e0198927.	2.5	10

#	Article	IF	CITATIONS
289	Trans fatty acids in adipose tissue and risk of myocardial infarction: A case-cohort study. PLoS ONE, 2018, 13, e0202363.	2.5	10
290	The Influence of Menopausal Hormone Therapy and Potential Lifestyle Interactions in Female Cancer Development—a Population-Based Prospective Study. Hormones and Cancer, 2018, 9, 254-264.	4.9	10
291	Flavonoid intake and its association with atrial fibrillation. Clinical Nutrition, 2020, 39, 3821-3828.	5.0	10
292	Diet quality is not associated with late-onset multiple sclerosis risk– A Danish Cohort Study. Multiple Sclerosis and Related Disorders, 2020, 40, 101968.	2.0	10
293	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 874-885.	2.5	10
294	Road Traffic Noise Exposure and Filled Prescriptions for Antihypertensive Medication: A Danish Cohort Study. Environmental Health Perspectives, 2020, 128, 57004.	6.0	10
295	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. Immunity and Ageing, 2016, 13, 5.	4.2	9
296	Genomeâ€Wide Interactions with Dairy Intake for Body Mass Index in Adults of European Descent. Molecular Nutrition and Food Research, 2018, 62, 1700347.	3.3	9
297	Adherence to national food-based dietary guidelines and incidence of stroke: A cohort study of Danish men and women. PLoS ONE, 2018, 13, e0206242.	2.5	9
298	Receptor activator of nuclear factor kB ligand, osteoprotegerin, and risk of death following a breast cancer diagnosis: results from the EPIC cohort. BMC Cancer, 2018, 18, 1010.	2.6	9
299	Predicting Circulating CA125 Levels among Healthy Premenopausal Women. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1076-1085.	2.5	9
300	Prediagnosis plasma concentrations of enterolactone and survival after colorectal cancer: the Danish Diet, Cancer and Health cohort. British Journal of Nutrition, 2019, 122, 552-563.	2.3	9
301	Substitution of poultry and red meat with fish and the risk of peripheral arterial disease: a Danish cohort study. European Journal of Nutrition, 2019, 58, 2731-2739.	3.9	9
302	Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 145, 122-131.	5.1	9
303	Coffee and tea drinking in relation to the risk of differentiated thyroid carcinoma: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. European Journal of Nutrition, 2019, 58, 3303-3312.	3.9	9
304	Consumption of nuts and seeds and pancreatic ductal adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2020, 146, 76-84.	5.1	9
305	Mendelian randomization analysis does not support causal associations of birth weight with hypertension risk and blood pressure in adulthood. European Journal of Epidemiology, 2020, 35, 685-697.	5.7	9
306	Substitution of Milk with Whole-Fat Yogurt Products or Cheese Is Associated with a Lower Risk of Myocardial Infarction: The Danish Diet, Cancer and Health cohort. Journal of Nutrition, 2020, 150, 1252-1258.	2.9	9

Kim Overvad

#	Article	IF	CITATIONS
307	Toenail selenium, plasma selenoprotein P and risk of advanced prostate cancer: A nested caseâ€control study. International Journal of Cancer, 2021, 148, 876-883.	5.1	9
308	Replacing Red Meat with Other Nonmeat Food Sources of Protein is Associated with a Reduced Risk of Type 2 Diabetes in a Danish Cohort of Middle-Aged Adults. Journal of Nutrition, 2021, 151, 1241-1248.	2.9	9
309	Substitution of unprocessed and processed red meat with poultry or fish and total and cause-specific mortality. British Journal of Nutrition, 2022, 127, 563-569.	2.3	9
310	Soft Drink and Juice Consumption and Renal Cell Carcinoma Incidence and Mortality in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1270-1274.	2.5	9
311	Hepcidin levels and gastric cancer risk in the EPICâ€EurGast study. International Journal of Cancer, 2017, 141, 945-951.	5.1	8
312	Residential road traffic noise exposure and colorectal cancer survival – A Danish cohort study. PLoS ONE, 2017, 12, e0187161.	2.5	8
313	Associations between adherence to the Danish Food-Based Dietary Guidelines and cardiometabolic risk factors in a Danish adult population: the DIPI study. British Journal of Nutrition, 2018, 119, 664-673.	2.3	8
314	Reproductive and Lifestyle Factors and Circulating sRANKL and OPG Concentrations in Women: Results from the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1746-1754.	2.5	8
315	Educational level and living arrangements are associated with dietary intake of red meat and fruit/vegetables: A Danish cross-sectional study. Scandinavian Journal of Public Health, 2019, 47, 557-564.	2.3	8
316	Pre-diagnostic plasma enterolactone concentrations are associated with lower mortality among individuals with type 2 diabetes: a case-cohort study in the Danish Diet, Cancer and Health cohort. Diabetologia, 2019, 62, 959-969.	6.3	8
317	Conflicting associations between dietary patterns and changes of anthropometric traits across subgroups of middle-aged women and men. Clinical Nutrition, 2020, 39, 265-275.	5.0	8
318	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. European Journal of Nutrition, 2020, 59, 813-823.	3.9	8
319	Possible Modifiers of the Association Between Change in Weight Status From Child Through Adult Ages and Later Risk of Type 2 Diabetes. Diabetes Care, 2020, 43, 1000-1007.	8.6	8
320	Plant n-3 PUFA intake may lower the risk of atherosclerotic cardiovascular disease only among subjects with a low intake of marine n-3 PUFAs. European Journal of Nutrition, 2022, 61, 557-559.	3.9	8
321	Residential Exposure to Road and Railway Noise and Risk of Prostate Cancer: A Prospective Cohort Study. PLoS ONE, 2015, 10, e0135407.	2.5	8
322	Flavonoid intakes inversely associate with COPD in smokers. European Respiratory Journal, 2022, 60, 2102604.	6.7	8
323	Lifestyle correlates of eight breast cancer-related metabolites: a cross-sectional study within the EPIC cohort. BMC Medicine, 2021, 19, 312.	5.5	8
324	Effect of increased intake of fish and mussels on exposure to toxic trace elements in a healthy, middle-aged population. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2015, 32, 1858-1866.	2.3	7

#	Article	IF	CITATIONS
325	Dietary intake and adipose tissue content of long-chain n–3 PUFAs and subsequent 5-y change in body weight and waist circumference. American Journal of Clinical Nutrition, 2017, 105, 1148-1157.	4.7	7
326	Effect of Dietary Intake of Saturated Fatty Acids on the Development of Atrial Fibrillation and the Effect of Replacement of Saturated With Monounsaturated and Polyunsaturated Fatty Acids. American Journal of Cardiology, 2017, 120, 1129-1132.	1.6	7
327	Changes in Cycling and Incidence of Overweight and Obesity among Danish Men and Women. Medicine and Science in Sports and Exercise, 2018, 50, 1413-1421.	0.4	7
328	The Pseudo-Observation Analysis of Time-To-Event Data. Example from the Danish Diet, Cancer and Health Cohort Illustrating Assumptions, Model Validation and Interpretation of Results. Epidemiologic Methods, 2018, 7, .	0.9	7
329	Soluble Receptor for Advanced Glycation End-products (sRAGE) and Colorectal Cancer Risk: A Case–Control Study Nested within a European Prospective Cohort. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 182-192.	2.5	7
330	Flavonoid intake and incident dementia in the Danish Diet, Cancer, and Health cohort. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2021, 7, e12175.	3.7	7
331	Changes in intake of dairy product subgroups and risk of type 2 diabetes: modelling specified food substitutions in the Danish Diet, Cancer and Health cohort. European Journal of Nutrition, 2021, 60, 3449-3459.	3.9	7
332	Prediagnosis Leisure-Time Physical Activity and Lung Cancer Survival: A Pooled Analysis of 11 Cohorts. JNCI Cancer Spectrum, 2022, 6, .	2.9	7
333	Genetic variation in the HSD17B1 gene and risk of prostate cancer. PLoS Genetics, 2005, preprint, e68.	3.5	6
334	Association between the diagnosis of atrial fibrillation and aspects of health status: a <scp>D</scp> anish crossâ€sectional study. Scandinavian Journal of Caring Sciences, 2016, 30, 507-517.	2.1	6
335	Alcohol consumption and its interaction with adiposity-associated genetic variants in relation to subsequent changes in waist circumference and body weight. Nutrition Journal, 2017, 16, 51.	3.4	6
336	Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. Journal of Nutrition, 2019, 149, 1047-1055.	2.9	6
337	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1089-1092.	2.5	6
338	Long-Term Whole Grain Wheat and Rye Intake Reflected by Adipose Tissue Alkylresorcinols and Breast Cancer: A Case-Cohort Study. Nutrients, 2019, 11, 465.	4.1	6
339	Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2019, 188, 274-281.	3.4	6
340	Nighttime road traffic noise exposure at the least and most exposed façades and sleep medication prescription redemption—a Danish cohort study. Sleep, 2020, 43, .	1.1	6
341	Theoretical potential for endometrial cancer prevention through primary risk factor modification: Estimates from the EPIC cohort. International Journal of Cancer, 2020, 147, 1325-1333.	5.1	6
342	Interaction Between GAD65 Antibodies and Dietary Fish Intake or Plasma Phospholipid n-3 Polyunsaturated Fatty Acids on Incident Adult-Onset Diabetes: The EPIC-InterAct Study. Diabetes Care, 2021, 44, 416-424.	8.6	6

#	Article	IF	CITATIONS
343	Omegaâ€3 fatty acids in adipose tissue and risk of atrial fibrillation. European Journal of Clinical Investigation, 2022, 52, e13649.	3.4	6
344	Association of smoking and cancer with the risk of venous thromboembolism: the Scandinavian Thrombosis and Cancer cohort. Scientific Reports, 2021, 11, 18752.	3.3	6
345	Substitution of Fish for Red Meat or Poultry and Risk of Ischemic Stroke. Nutrients, 2018, 10, 1648.	4.1	5
346	Adipose Tissue Lipophilic Index and Risk of Ischemic Stroke—A Danish Case-Cohort Study. Nutrients, 2018, 10, 1570.	4.1	5
347	Substitutions between potatoes and other vegetables and risk of ischemic stroke. European Journal of Nutrition, 2021, 60, 229-237.	3.9	5
348	Dietary <i>n</i> -6 PUFA, carbohydrate:protein ratio and change in body weight and waist circumference: a follow-up study. Public Health Nutrition, 2015, 18, 1317-1323.	2.2	4
349	Long-Term Incidence of Venous Thromboembolism in Cancer: The Scandinavian Thrombosis and Cancer Cohort. TH Open, 2018, 02, e131-e138.	1.4	4
350	Intake of α-linolenic acid is not consistently associated with a lower risk of peripheral artery disease: results from a Danish cohort study. British Journal of Nutrition, 2019, 122, 86-92.	2.3	4
351	Statistical models in nutritional epidemiology: more focus on the interpretation and argumentation for variable selection. American Journal of Clinical Nutrition, 2019, 110, 1510.	4.7	4
352	Healthy lifestyle and the risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2020, 147, 1649-1656.	5.1	4
353	Dietary patterns generated by the Treelet Transform and risk of stroke: a Danish cohort study. Public Health Nutrition, 2021, 24, 84-94.	2.2	4
354	Dietary Methyl-Group Donor Intake and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Nutrients, 2021, 13, 1843.	4.1	4
355	Polyphenol Intake and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Antioxidants, 2021, 10, 1249.	5.1	4
356	Inflammatory potential of the diet and association with risk of differentiated thyroid cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. European Journal of Nutrition, 2022, 61, 3625-3635.	3.9	4
357	Adipose tissue <i>trans</i> -fatty acids and changes in body weight and waist circumference. British Journal of Nutrition, 2014, 111, 1283-1291.	2.3	3
358	Patterns of adipose tissue fatty acids and the risk of atrial fibrillation: A case-cohort study. PLoS ONE, 2018, 13, e0208833.	2.5	3
359	Substitutions of Oatmeal and Breakfast Food Alternatives and the Rate of Stroke. Stroke, 2020, 51, 75-81.	2.0	3
360	Menstrual Factors, Reproductive History, Hormone Use, and Urothelial Carcinoma Risk: A Prospective Study in the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1654-1664.	2.5	3

#	Article	IF	CITATIONS
361	Adherence to the Danish food-based dietary guidelines and risk of type 2 diabetes: the Danish diet, cancer, and health cohort. European Journal of Clinical Nutrition, 2021, 75, 836-844.	2.9	3
362	Linoleic acid in adipose tissue and the risk of myocardial infarction: a case–cohort study. European Journal of Nutrition, 2021, 60, 3639-3646.	3.9	3
363	Are Circulating Immune Cells a Determinant of Pancreatic Cancer Risk? A Prospective Study Using Epigenetic Cell Count Measures. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 2179-2187.	2.5	3
364	Replacement of potatoes with other vegetables and risk of myocardial infarction in the Danish Diet, Cancer and Health cohort. British Journal of Nutrition, 2021, 126, 1709-1716.	2.3	3
365	UGT1A1*28 polymorphism and acute lymphoblastic leukemia in children: a Danish case–control study. Pediatric Research, 2014, 76, 459-463.	2.3	2
366	Intake of ruminant <i>trans</i> -fatty acids, assessed by diet history interview, and changes in measured body size, shape and composition. Public Health Nutrition, 2016, 19, 494-502.	2.2	2
367	Intake of Total and Subgroups of Fat Minimally Affect the Associations between Selected Single Nucleotide Polymorphisms in the PPARÎ <sup>3</sup> Pathway and Changes in Anthropometry among European Adults from Cohorts of the DiOGenes Study. Journal of Nutrition, 2016, 146, 603-611.	2.9	2
368	Adipose tissue content of saturated fatty acids and atrial fibrillation: A case ohort study. European Journal of Clinical Investigation, 2017, 47, e12836.	3.4	2
369	Intake of marine n-3 polyunsaturated fatty acids and the risk of incident peripheral artery disease. European Journal of Clinical Nutrition, 2021, 75, 1483-1490.	2.9	2
370	Theoretical substitutions between dairy products and all-cause and cause-specific mortality. Results from the Danish diet, cancer and health cohort. British Journal of Nutrition, 2021, , 1-10.	2.3	2
371	Plasma CD36 and Incident Diabetes: A Case-Cohort Study in Danish Men and Women. Diabetes and Metabolism Journal, 2020, 44, 134.	4.7	2
372	Effects of substitution dietary guidelines targeted at prevention of IHD on dietary intake and risk factors in middle-aged Danish adults: the Diet and Prevention of Ischemic Heart Disease: a Translational Approach (DIPI) randomised controlled trial. British Journal of Nutrition, 2021, 126, 1179-1193	2.3	2
373	Occupational noise exposure and risk of incident stroke: a pooled study of five Scandinavian cohorts. Occupational and Environmental Medicine, 2022, 79, 594-601.	2.8	2
374	Response to Letter Regarding Article, "Impact of Incident Venous Thromboembolism on Risk of Arterial Thrombotic Diseases― Circulation, 2014, 130, e184-5.	1.6	1
375	Is Cardiac Rehabilitation Equally Effective in Improving Dietary Intake in All Patients with Ischemic Heart Disease?. Journal of the American College of Nutrition, 2021, 40, 33-40.	1.8	1
376	Adherence to the Eat-Lancet Diet and Risk of Stroke and Stroke Subtypes – A Danish Cohort Study. Current Developments in Nutrition, 2021, 5, 414.	0.3	1
377	Adherence to the Danish food-based dietary guidelines and risk of colorectal cancer: a cohort study. British Journal of Cancer, 2021, 125, 1726-1733.	6.4	1
378	Biomarkers of the transsulfuration pathway and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition ( <scp>EPIC</scp> ) study. International Journal of Cancer, 2022, , .	5.1	1

#	Article	IF	CITATIONS
379	PS8 - 37. Physical Activity and Mortality in Individuals With Diabetes Mellitus: A Prospective Study and Meta-analysis. Nederlands Tijdschrift Voor Diabetologie, 2012, 10, 123-124.	0.0	0
380	Determinants of the t(14;18) translocation and their role in t(14;18)-positive follicular lymphoma. Cancer Causes and Control, 2015, 26, 1845-1855.	1.8	0
381	Adipose tissue content of alpha-linolenic acid and development of peripheral artery disease: a Danish case-cohort study. European Journal of Nutrition, 2020, 59, 3191-3200.	3.9	0
382	Dietary Intake of Vitamin K and Its Association With All-Cause, Cardiovascular Disease and Cancer Mortality in the Danish Diet, Cancer, and Health Cohort. Current Developments in Nutrition, 2021, 5, 1077.	0.3	0
383	Authors' reply. British Journal of Psychiatry, 2021, 219, 462-463.	2.8	0
384	326Flavonoid intake and ischemic stroke incidence in the Danish Diet, Cancer, and Health Cohort. International Journal of Epidemiology, 2021, 50, .	1.9	0